



Full wwPDB EM Validation Report ⓘ

Mar 27, 2026 – 11:44 AM UTC

PDB ID : 7PO2 / pdb_00007po2
EMDB ID : EMD-13560
Title : Initiation complex of human mitochondrial ribosome small subunit with IF2, fMet-tRNA^{Met} and mRNA
Authors : Itoh, Y.; Khawaja, A.; Rorbach, J.; Amunts, A.
Deposited on : 2021-09-08
Resolution : 3.09 Å(reported)
Based on initial model : 6RW4

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 3.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14003 (2.59 - 3.59)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	955	
2	B	296	
3	C	167	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	430	
5	E	125	
6	F	242	
7	G	396	
8	H	201	
9	I	194	
10	J	138	
11	K	128	
12	L	257	
13	M	137	
14	N	130	
15	O	258	
16	P	142	
17	Q	86	
18	R	360	
19	S	190	
20	T	173	
21	U	205	
22	V	414	
23	W	187	
24	X	398	
25	Y	395	
26	Z	106	
27	0	218	
28	1	323	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	2	117	 95% 5%
30	3	199	 34% 64%
31	4	689	 23% 81% 5% 14%
32	5	71	 49% 80% 17%
33	6	31	 32% 45% 45% 10%
34	7	727	 27% 73% 6% 21%
35	t	198	 36% 33% 64%

2 Entry composition

There are 44 unique types of molecules in this entry. The entry contains 139146 atoms, of which 63971 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	955	Total	C	H	N	O	P	0	0
			30595	9098	10313	3652	6577	955		

- Molecule 2 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	225	Total	C	H	N	O	S	0	0
			3644	1164	1816	331	323	10		

- Molecule 3 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	C	132	Total	C	H	N	O	S	0	0
			2172	699	1089	195	185	4		

- Molecule 4 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	D	343	Total	C	H	N	O	S	0	0
			5536	1713	2805	518	487	13		

- Molecule 5 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	E	122	Total	C	H	N	O	S	0	0
			1973	614	1001	177	177	4		

- Molecule 6 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	F	208	Total	C	H	N	O	S	0	0
			3495	1104	1770	312	298	11		

- Molecule 7 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	G	327	Total	C	H	N	O	S	0	0
			5378	1710	2690	477	487	14		

- Molecule 8 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	H	140	Total	C	H	N	O	S	0	0
			2336	745	1184	194	210	3		

- Molecule 9 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	I	137	Total	C	H	N	O	S	0	0
			2081	642	1061	192	182	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	184	5F0	ASN	conflict	UNP P82912

- Molecule 10 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
10	J	108	Total	C	H	N	O	S	0	0
			1727	521	888	169	143	6		

- Molecule 11 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
11	K	101	Total	C	H	N	O	S	0	0
			1748	537	886	179	141	5		

- Molecule 12 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	L	174	Total	C	H	N	O	S	0	0
			2994	925	1541	270	251	7		

- Molecule 13 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
13	M	119	Total	C	H	N	O	S	0	0
			1908	594	966	185	157	6		

- Molecule 14 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
14	N	110	Total	C	H	N	O	S	0	0
			1797	562	929	156	147	3		

- Molecule 15 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
15	O	193	Total	C	H	N	O	S	0	0
			3149	1014	1557	294	277	7		

- Molecule 16 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	P	97	Total	C	H	N	O	S	0	0
			1588	501	807	134	138	8		

- Molecule 17 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	Q	86	Total	C	H	N	O	S	0	0
			1502	460	758	150	126	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	50	ARG	CYS	variant	UNP P82921

- Molecule 18 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	R	295	Total	C	H	N	O	S	0	0
			4838	1533	2429	413	455	8		

- Molecule 19 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	S	135	Total	C	H	N	O	S	0	0
			2227	716	1116	198	196	1		

- Molecule 20 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	T	168	Total	C	H	N	O	S	0	0
			2765	877	1394	239	244	11		

- Molecule 21 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	U	176	Total	C	H	N	O	S	0	0
			2988	916	1500	301	267	4		

- Molecule 22 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	V	362	Total	C	H	N	O	S	0	0
			5933	1904	2964	495	558	12		

- Molecule 23 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	W	100	Total	C	H	N	O	S	0	0
			1592	498	803	141	146	4		

- Molecule 24 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	X	352	Total	C	H	N	O	S	0	0
			5694	1822	2845	499	517	11		

- Molecule 25 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	Y	149	Total	C	H	N	O	S	0	0
			2444	801	1198	207	234	4		

- Molecule 26 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
26	Z	100	Total	C	H	N	O	S	0	0
			1699	534	860	153	148	4		

- Molecule 27 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	0	215	Total	C	H	N	O	S	0	0
			3584	1130	1797	339	313	5		

- Molecule 28 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
28	1	278	Total	C	H	N	O	S	0	0
			4545	1430	2289	386	429	11		

- Molecule 29 is a protein called Coiled-coil-helix-coiled-coil-helix domain-containing protein 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
29	2	117	Total	C	H	N	O	S	0	0
			1904	579	969	182	166	8		

- Molecule 30 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
30	3	71	Total	C	H	N	O	S	0	0
			1331	403	702	135	90	1		

- Molecule 31 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	4	592	Total	C	H	N	O	S	0	0
			9593	3070	4798	812	885	28		

- Molecule 32 is a RNA chain called fMet-tRNA^{Met}.

Mol	Chain	Residues	Atoms						AltConf	Trace
32	5	71	Total	C	H	N	O	P	0	0
			2268	674	764	264	495	71		

- Molecule 33 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
33	6	31	Total	C	H	N	O	P	0	0
			978	290	330	104	223	31		

- Molecule 34 is a protein called Translation initiation factor IF-2, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	7	571	Total	C	H	N	O	S	0	0
			8938	2785	4506	779	851	17		

- Molecule 35 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms						AltConf	Trace
35	t	71	Total	C	H	N	O		0	0
			1147	352	600	93	102			

- Molecule 36 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
36	A	67	Total	Mg	0
			67	67	
36	B	1	Total	Mg	0
			1	1	
36	X	1	Total	Mg	0
			1	1	
36	3	1	Total	Mg	0
			1	1	
36	6	1	Total	Mg	0
			1	1	
36	7	1	Total	Mg	0
			1	1	


- Molecule 37 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
37	A	19	Total	K	0
			19	19	
37	7	1	Total	K	0
			1	1	

- Molecule 38 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
38	O	1	Total	Zn	0
			1	1	

- Molecule 39 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
39	P	1	Total	Fe	S	0
			4	2	2	
39	T	1	Total	Fe	S	0
			4	2	2	

- Molecule 40 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{13}\text{P}_3$).



Mol	Chain	Residues	Atoms						AltConf
40	X	1	Total	C	H	N	O	P	0
			43	10	12	5	13	3	

- Molecule 41 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$).



Mol	Chain	Residues	Atoms						AltConf
41	X	1	Total	C	H	N	O	P	0
			40	10	12	5	11	2	

- Molecule 42 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: $\text{C}_6\text{H}_{11}\text{NO}_3\text{S}$).



Mol	Chain	Residues	Atoms						AltConf
42	5	1	Total	C	H	N	O	S	0
			20	6	10	1	2	1	

- Molecule 43 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $\text{C}_{10}\text{H}_{16}\text{N}_5\text{O}_{14}\text{P}_3$).



Mol	Chain	Residues	Atoms						AltConf
43	7	1	Total	C	H	N	O	P	0
			44	10	12	5	14	3	

- Molecule 44 is water.

Mol	Chain	Residues	Atoms		AltConf
44	A	580	Total 580	O 580	0
44	B	27	Total 27	O 27	0
44	C	9	Total 9	O 9	0
44	D	19	Total 19	O 19	0
44	E	6	Total 6	O 6	0
44	F	4	Total 4	O 4	0
44	G	11	Total 11	O 11	0
44	H	14	Total 14	O 14	0
44	I	7	Total 7	O 7	0
44	J	2	Total 2	O 2	0
44	K	17	Total 17	O 17	0
44	L	6	Total 6	O 6	0
44	M	6	Total 6	O 6	0
44	N	7	Total 7	O 7	0
44	O	8	Total 8	O 8	0
44	P	2	Total 2	O 2	0
44	Q	9	Total 9	O 9	0
44	R	4	Total 4	O 4	0
44	S	10	Total 10	O 10	0
44	T	1	Total 1	O 1	0
44	U	3	Total 3	O 3	0
44	V	2	Total 2	O 2	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
44	W	5	Total 5	O 5	0
44	Z	5	Total 5	O 5	0
44	0	13	Total 13	O 13	0
44	1	5	Total 5	O 5	0
44	2	8	Total 8	O 8	0
44	3	3	Total 3	O 3	0
44	5	6	Total 6	O 6	0
44	6	7	Total 7	O 7	0
44	7	1	Total 1	O 1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 12S mitochondrial rRNA




• Molecule 2: 28S ribosomal protein S2, mitochondrial



• Molecule 3: 28S ribosomal protein S24, mitochondrial


MET	ALA	ALA	SER	VAL	CYS	SER	GLY	LEU	LEU	GLY	PRO	ARG	VAL	LEU	SER	SER	TRP	SER	ARG	GLU	LEU	PRO	CYS	ALA	TRP	ARG	ALA	LEU	HIS	THR	SER	PRO	VAL	CYS	ALA	ALA	K36	D77	E84	V90	M96	L108	K165	Y166	L167
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------


- Chain D: 76% 20%





- Chain E: 96%



- Chain F:  5% 81% 5% 14%




- Chain G:  6% 79% 17%







- Molecule 8: 28S ribosomal protein S10, mitochondrial





- Molecule 9: 28S ribosomal protein S11, mitochondrial





- Molecule 10: 28S ribosomal protein S12, mitochondrial



- Molecule 11: 28S ribosomal protein S14, mitochondrial




- Molecule 12: 28S ribosomal protein S15, mitochondrial




LYS
ASP
SER
GLN

- Molecule 13: 28S ribosomal protein S16, mitochondrial




MET VAL HIS LEU THR LEU CYS K10 R29 L57 S122 Q123 K124 T125 D126 A127 E128 ALA THR ASP THR GLU ALA THR GLU THR

- Molecule 14: 28S ribosomal protein S17, mitochondrial



MET SER VAL V4 N44 C68 R67 R73 E80 A82 E83 V88 S111 S112 E113 THR THR GLN LEU LEU SER LYS ASN LEU GLU GLU LEU ASN ILE SER SER ALA ALA GLN

- Molecule 15: 28S ribosomal protein S18b, mitochondrial



MET ALA ALA SER VAL LEU ASN THR VAL ARG ARG LEU PRO MET LEU SER SER PHE ARG GLY HIS VAL GLN VAL VAL PRO LEU LEU THR LEU CYS THR LYS ALA PRO SER GLU ASP SER LEU SER SER VAL P47 I49 E62 S195 P188 P208 L213 S214
M238 P239 PRO ARG THR PRO ALA GLU ALA SER SER THR GLY GLN THR GLY PRO GLN SER SER ALA LEU

- Molecule 16: 28S ribosomal protein S18c, mitochondrial




MET ALA ALA VAL VAL ALA VAL CYS GLY LEU LEU ARG LYS LEU THR HIS VAL VAL ALA VAL SER LEU THR HIS PRO GLY THR HIS VAL TRP ARG GLY CYS SER GLN VAL VAL SER S46 K75 T108 M17 K131 K134 R141 E142

- Molecule 17: 28S ribosomal protein S21, mitochondrial



A2 E16 I39 I72 C87



- Molecule 18: 28S ribosomal protein S22, mitochondrial



MET ALA PRO LEU GLY THR THR VAL LEU LEU TRP SER LEU LEU ARG SER SER PRO GLY VAL GLU ARG VAL CYS PHE ARG ALA ARG ILE GLN PRO TRP HIS GLY GLY LEU LEU GLN PRO LEU CYS SER PHE GLU MET GLY LEU ARG ARG ARG PHE SER SER GLU ALA ALA GLU SER




- Molecule 19: 28S ribosomal protein S23, mitochondrial







- Molecule 20: 28S ribosomal protein S25, mitochondrial




- Molecule 21: 28S ribosomal protein S26, mitochondrial



- Molecule 22: 28S ribosomal protein S27, mitochondrial




- Molecule 23: 28S ribosomal protein S28, mitochondrial





- Molecule 24: 28S ribosomal protein S29, mitochondrial

Chain X: 84% 5% 12%





- Molecule 25: 28S ribosomal protein S31, mitochondrial

Chain Y: 




- Molecule 26: 28S ribosomal protein S33, mitochondrial

Chain Z:  6% 92% 6%





- Molecule 27: 28S ribosomal protein S34, mitochondrial

Chain 0: 92% 6%



- Molecule 28: 28S ribosomal protein S35, mitochondrial



Chain 1:  6% 83% 14%







- Molecule 29: Coiled-coil-helix-coiled-coil-helix domain-containing protein 1




- Molecule 30: Aurora kinase A-interacting protein





- Molecule 31: Pentatricopeptide repeat domain-containing protein 3, mitochondrial













- Molecule 32: fMet-tRNA^{Met}



- Molecule 33: mRNA



- Molecule 34: Translation initiation factor IF-2, mitochondrial



- Molecule 35: 39S ribosomal protein L12, mitochondrial



MET LEU PRO ALA ARG PRO LEU LEU TRP GLY PRO CYS LEU GLY LEU ARG ALA ALA PHE ARG LEU ALA ARG ARG GLN VAL PRO CYS VAL CYS ALA VAL ARG HIS MET ARG SER SER GLY HIS GLN ARG CYS GLU ALA LEU ALA GLY GLY ALA PRO LEU ASP ASN ALA PRO LYS TYR

PRO PRO LYS ILE GLN LEU VAL GLN ASP ILE ILE ALA SER LEU THR LEU LEU LEU GLU ILE SER ASP ASP ASN GLU LEU LEU LYS THR LEU LYS ILE GLN ASP VAL GLY LEU VAL PRO MET GLY GLY VAL MET SER GLY ALA VAL PRO ALA ALA ALA GLN GLU ALA VAL GLU ASP

ILE PRO ILE ILE LYS GLU ARG T128 H129 F130 T131 V132 R133 L134 T135 E136 A137 K138 P139 V140 D141 K142 V143 K144 L145 I146 K147 E148 I149 K150 N151 Y152 I153 Q154 G155 I156 N157 L158 V159 Q160 A161 K162 K163 L164 V165 E166 S167 L168 P169 Q170 E171 I172 K173 A174 N175 V176 A177 K178 A179 E180

A181 E182 K183 I184 K185 A186 A187 L188 E189 A190 V191 G192 G193 T194 V195 V196 L197 E198

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	19601	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	31	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	165000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.586	Depositor
Minimum map value	-0.800	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.031	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	388.80002, 388.80002, 388.80002	wwPDB
Map dimensions	576, 576, 576	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.675, 0.675, 0.675	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, MA6, FME, 5F0, 5MU, MG, GDP, K, RSQ, AYA, B8T, FES, GTP, ZN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.12	0/22562	0.20	0/35124
2	B	0.13	0/1871	0.28	0/2531
3	C	0.13	0/1113	0.27	0/1505
4	D	0.13	0/2783	0.28	0/3724
5	E	0.11	0/989	0.27	0/1335
6	F	0.11	0/1767	0.24	0/2373
7	G	0.11	0/2746	0.26	0/3681
8	H	0.13	0/1178	0.27	0/1598
9	I	0.11	0/1030	0.27	0/1386
10	J	0.15	0/855	0.31	0/1148
11	K	0.14	0/880	0.33	0/1182
12	L	0.11	0/1477	0.25	0/1974
13	M	0.13	0/963	0.30	0/1295
14	N	0.12	0/886	0.26	0/1199
15	O	0.11	0/1648	0.26	0/2243
16	P	0.12	0/798	0.26	0/1070
17	Q	0.13	0/748	0.30	0/994
18	R	0.10	0/2456	0.23	0/3317
19	S	0.13	0/1138	0.26	0/1533
20	T	0.11	0/1402	0.26	0/1883
21	U	0.12	0/1510	0.27	0/2025
22	V	0.09	0/3030	0.22	0/4093
23	W	0.11	0/801	0.26	0/1079
24	X	0.10	0/2921	0.26	0/3954
25	Y	0.10	0/1280	0.24	0/1725
26	Z	0.12	0/857	0.26	0/1141
27	0	0.12	0/1834	0.30	0/2484
28	1	0.10	0/2304	0.25	0/3117
29	2	0.12	0/941	0.34	0/1257
30	3	0.15	0/640	0.32	0/844
31	4	0.09	0/4904	0.23	0/6636
32	5	0.07	0/1654	0.17	0/2568

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	6	0.10	0/720	0.22	0/1117
34	7	0.09	0/4502	0.25	0/6073
35	t	0.10	0/551	0.24	0/740
All	All	0.11	0/77739	0.24	0/109948

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	I	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	I	184	5F0	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	20282	10313	10298	63	0
2	B	1828	1816	1815	4	0
3	C	1083	1089	1088	5	0
4	D	2731	2805	2804	10	0
5	E	972	1001	1000	3	0
6	F	1725	1770	1769	8	0
7	G	2688	2690	2687	11	0
8	H	1152	1184	1183	12	0
9	I	1020	1061	1053	9	0
10	J	839	888	887	5	0
11	K	862	886	885	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	L	1453	1541	1540	8	0
13	M	942	966	965	2	0
14	N	868	929	928	6	0
15	O	1592	1557	1557	4	0
16	P	781	807	806	6	0
17	Q	744	758	758	2	0
18	R	2409	2429	2428	8	0
19	S	1111	1116	1115	4	0
20	T	1371	1394	1393	4	0
21	U	1488	1500	1499	1	0
22	V	2969	2964	2961	14	0
23	W	789	803	802	0	0
24	X	2849	2845	2843	15	0
25	Y	1246	1198	1197	4	0
26	Z	839	860	858	2	0
27	0	1787	1797	1796	10	0
28	1	2256	2289	2288	8	0
29	2	935	969	973	7	0
30	3	629	702	702	4	0
31	4	4795	4798	4796	24	0
32	5	1504	764	764	4	0
33	6	648	330	331	2	0
34	7	4432	4506	4502	28	0
35	t	547	600	599	4	0
36	3	1	0	0	0	0
36	6	1	0	0	0	0
36	7	1	0	0	0	0
36	A	67	0	0	0	0
36	B	1	0	0	0	0
36	X	1	0	0	0	0
37	7	1	0	0	0	0
37	A	19	0	0	0	0
38	O	1	0	0	0	0
39	P	4	0	0	0	0
39	T	4	0	0	0	0
40	X	31	12	12	0	0
41	X	28	12	12	0	0
42	5	10	10	10	1	0
43	7	32	12	12	0	0
44	0	13	0	0	0	0
44	1	5	0	0	0	0
44	2	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	3	3	0	0	0	0
44	5	6	0	0	0	0
44	6	7	0	0	0	0
44	7	1	0	0	0	0
44	A	580	0	0	5	0
44	B	27	0	0	0	0
44	C	9	0	0	0	0
44	D	19	0	0	1	0
44	E	6	0	0	0	0
44	F	4	0	0	0	0
44	G	11	0	0	0	0
44	H	14	0	0	1	0
44	I	7	0	0	1	0
44	J	2	0	0	0	0
44	K	17	0	0	0	0
44	L	6	0	0	0	0
44	M	6	0	0	1	0
44	N	7	0	0	0	0
44	O	8	0	0	0	0
44	P	2	0	0	0	0
44	Q	9	0	0	0	0
44	R	4	0	0	0	0
44	S	10	0	0	0	0
44	T	1	0	0	0	0
44	U	3	0	0	0	0
44	V	2	0	0	0	0
44	W	5	0	0	0	0
44	Z	5	0	0	0	0
All	All	75175	63971	63916	244	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (244) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1037:A:O2'	12:L:152:HIS:NE2	2.15	0.80
1:A:1294:A:OP1	2:B:201:ASN:ND2	2.19	0.75
1:A:1353:A:N1	44:A:1802:HOH:O	2.21	0.72
1:A:700:A:N1	1:A:709:G:O2'	2.24	0.71
1:A:1078:A:OP1	32:5:38:C:O2'	2.09	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:7:493:ARG:O	34:7:497:ARG:N	2.26	0.69
1:A:1342:C:OP2	26:Z:96:LYS:NZ	2.26	0.69
12:L:112:MET:O	12:L:116:VAL:HG22	1.93	0.67
31:4:200:ASP:OD2	31:4:243:ASN:N	2.27	0.67
15:O:185:SER:O	18:R:183:LYS:NZ	2.30	0.65
34:7:407:ILE:HD11	34:7:416:VAL:HG23	1.78	0.64
1:A:843:G:N2	1:A:846:A:OP2	2.31	0.64
5:E:94:VAL:CG1	16:P:117:MET:HE1	2.28	0.64
1:A:1272:A:N1	1:A:1303:G:O2'	2.26	0.64
5:E:94:VAL:HG11	16:P:117:MET:HE1	1.80	0.63
34:7:322:PRO:O	34:7:330:ASN:ND2	2.30	0.63
24:X:299:ASN:ND2	28:1:265:THR:OG1	2.34	0.60
27:0:41:LEU:HD13	27:0:55:TRP:CG	2.37	0.60
1:A:899:G:O2'	1:A:907:A:N1	2.26	0.60
20:T:132:ARG:NH1	20:T:136:LEU:O	2.34	0.60
3:C:84:GLU:N	3:C:84:GLU:OE1	2.32	0.60
22:V:39:LYS:NZ	22:V:376:GLU:OE2	2.35	0.60
7:G:200:LEU:O	7:G:218:TYR:OH	2.18	0.59
12:L:112:MET:HE1	12:L:127:ALA:HB1	1.83	0.59
7:G:300:TYR:OH	24:X:382:PHE:O	2.19	0.58
1:A:1104:A:OP2	44:A:1801:HOH:O	2.17	0.58
34:7:282:PRO:HG2	34:7:345:LEU:HD21	1.86	0.58
6:F:159:VAL:HG23	6:F:172:VAL:HG21	1.85	0.57
11:K:34:MET:HE3	11:K:95:SER:HB2	1.87	0.57
1:A:1530:A:OP1	27:0:29:ARG:NH2	2.37	0.56
7:G:229:LEU:HD21	7:G:241:VAL:HG11	1.87	0.56
12:L:86:ASP:OD1	12:L:87:ASP:N	2.38	0.56
1:A:1319:A:N3	44:A:1817:HOH:O	2.33	0.56
27:0:42:THR:HG22	27:0:49:ARG:HG2	1.88	0.56
18:R:276:VAL:HG11	18:R:307:LEU:HD12	1.88	0.55
3:C:90:VAL:HG21	11:K:93:MET:HE1	1.87	0.55
24:X:108:LEU:HD23	24:X:141:VAL:HG21	1.87	0.55
33:6:8:C:O2'	33:6:9:C:O5'	2.24	0.54
31:4:573:ALA:O	31:4:577:ASN:ND2	2.41	0.54
34:7:663:ARG:NH2	34:7:702:GLU:O	2.41	0.54
1:A:1077:U:O2'	1:A:1079:G:N7	2.30	0.54
34:7:222:VAL:HG22	34:7:230:ILE:O	2.08	0.53
34:7:614:LEU:HD11	34:7:721:THR:HA	1.88	0.53
22:V:74:ARG:O	22:V:78:ASN:ND2	2.41	0.53
1:A:760:A:N1	1:A:780:C:O2'	2.38	0.53
9:I:126:ILE:HD11	29:2:50:SER:HB2	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:X:151:LEU:HD23	24:X:247:LEU:HD22	1.90	0.53
31:4:631:VAL:HG21	31:4:649:VAL:HG21	1.90	0.53
1:A:769:G:OP2	14:N:73:ARG:NH2	2.40	0.53
31:4:151:ASP:OD1	31:4:152:ILE:N	2.40	0.53
34:7:222:VAL:HG21	34:7:232:PHE:CE2	2.44	0.53
31:4:615:MET:CE	31:4:649:VAL:HG22	2.39	0.53
34:7:208:VAL:O	34:7:208:VAL:HG12	2.09	0.53
17:Q:72:ILE:HD13	29:2:104:LEU:HD21	1.91	0.53
29:2:118:SER:OXT	44:2:201:HOH:O	2.19	0.52
28:1:46:ARG:NH1	33:6:16:U:OP2	2.42	0.52
19:S:51:VAL:HG13	29:2:117:LEU:HD11	1.92	0.52
7:G:396:ARG:NH2	32:5:33:C:OP2	2.41	0.52
1:A:1378:C:O2	24:X:389:SER:OG	2.28	0.52
1:A:1584:MA6:OP1	30:3:145:LYS:NZ	2.39	0.52
11:K:120:LEU:HB3	11:K:123:ILE:HD12	1.92	0.52
34:7:198:ASP:OD1	34:7:205:VAL:HG22	2.10	0.52
18:R:162:SER:O	18:R:170:ARG:NH2	2.42	0.52
24:X:151:LEU:CD2	24:X:247:LEU:HD22	2.40	0.51
22:V:236:LEU:HD21	22:V:323:GLU:HB3	1.93	0.51
31:4:615:MET:HG3	31:4:645:LEU:HD11	1.91	0.51
28:1:253:TRP:O	28:1:256:SER:OG	2.19	0.51
8:H:148:LEU:HD23	8:H:148:LEU:H	1.76	0.51
1:A:1227:G:OP2	1:A:1228:A:O2'	2.19	0.51
1:A:989:U:OP1	9:I:94:ASN:ND2	2.43	0.51
1:A:1478:A:N1	1:A:1565:A:O2'	2.36	0.51
9:I:126:ILE:HD11	29:2:50:SER:CB	2.41	0.51
22:V:35:VAL:HG12	22:V:35:VAL:O	2.10	0.51
31:4:618:ALA:O	31:4:622:ASN:N	2.44	0.51
1:A:1004:G:O2'	9:I:98:GLN:NE2	2.44	0.50
1:A:1528:A:OP1	27:0:101:ARG:NH1	2.44	0.50
22:V:360:VAL:HG13	22:V:364:LEU:HD22	1.93	0.50
1:A:951:G:OP1	14:N:44:ASN:ND2	2.44	0.50
1:A:1434:A:N7	44:A:1821:HOH:O	2.34	0.50
22:V:236:LEU:HD12	22:V:290:LEU:HD13	1.93	0.50
34:7:629:LEU:HD11	34:7:647:ARG:HB2	1.92	0.50
1:A:713:C:HO2'	1:A:852:A:HO2'	1.59	0.50
31:4:631:VAL:CG2	31:4:649:VAL:HG21	2.41	0.50
34:7:311:CYS:SG	34:7:312:GLU:N	2.85	0.50
25:Y:259:PHE:HB2	31:4:363:ILE:HD11	1.94	0.49
28:1:304:GLU:OE1	28:1:309:ILE:HD11	2.12	0.49
31:4:564:ILE:HG22	31:4:564:ILE:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:0:54:ALA:O	27:0:58:VAL:HG23	2.11	0.49
15:O:208:PRO:HG2	15:O:213:LEU:HD21	1.95	0.49
3:C:96:MET:HB2	3:C:108:LEU:HD11	1.94	0.49
31:4:380:ASP:HB2	31:4:422:ILE:HD11	1.93	0.49
34:7:363:PHE:HB3	34:7:524:VAL:HG12	1.94	0.49
34:7:598:ILE:HG21	34:7:600:TYR:CE2	2.48	0.49
4:D:245:VAL:HG22	4:D:271:ALA:HB1	1.94	0.49
24:X:108:LEU:HD21	24:X:307:VAL:CG1	2.42	0.49
1:A:1279:C:O2'	1:A:1296:A:N1	2.32	0.49
19:S:106:LEU:HB2	19:S:117:LEU:HD11	1.93	0.49
1:A:929:A:O4'	4:D:421:VAL:HG13	2.13	0.49
1:A:941:G:O2'	1:A:1109:A:OP2	2.27	0.48
1:A:1106:C:O2'	1:A:1108:C:OP2	2.31	0.48
10:J:61:VAL:HG21	34:7:563:LEU:HD21	1.95	0.48
22:V:30:LEU:HD12	22:V:149:ASP:HB2	1.95	0.48
1:A:929:A:H1'	4:D:421:VAL:HG22	1.96	0.48
1:A:1057:G:H4'	1:A:1578:A:H4'	1.95	0.48
31:4:58:VAL:HG23	31:4:58:VAL:O	2.14	0.48
32:5:76:A:O4'	34:7:643:VAL:HG11	2.14	0.48
1:A:1583:MA6:H102	1:A:1584:MA6:H103	1.95	0.48
16:P:141:ARG:O	16:P:142:GLU:C	2.56	0.48
35:t:185:LYS:HA	35:t:195:VAL:HG11	1.95	0.48
1:A:1017:A:O2'	16:P:108:THR:OG1	2.23	0.48
18:R:262:LEU:O	18:R:265:THR:OG1	2.22	0.48
1:A:991:G:O6	9:I:122:LYS:NZ	2.46	0.47
31:4:567:THR:HG22	31:4:568:ALA:N	2.29	0.47
26:Z:81:GLU:OE1	26:Z:84:ARG:NH2	2.42	0.47
1:A:1141:C:OP1	30:3:139:ASN:ND2	2.45	0.47
6:F:48:LYS:NZ	7:G:321:ASP:OD1	2.36	0.47
1:A:1429:C:OP1	7:G:388:ARG:NH2	2.47	0.47
1:A:1443:U:O2'	1:A:1445:G:N7	2.30	0.47
6:F:162:LEU:HD12	6:F:166:ARG:O	2.14	0.47
25:Y:258:ILE:HD11	31:4:317:LEU:HD22	1.96	0.47
1:A:1038:C:HO2'	12:L:155:TYR:HH	1.63	0.47
1:A:702:C:OP1	1:A:848:U:O2'	2.25	0.47
22:V:236:LEU:HD21	22:V:323:GLU:CB	2.44	0.47
2:B:243:PRO:O	2:B:247:HIS:ND1	2.48	0.47
7:G:318:HIS:NE2	24:X:379:GLU:OE2	2.49	0.46
25:Y:264:VAL:HG12	25:Y:265:THR:N	2.29	0.46
27:0:43:ARG:O	27:0:47:GLY:N	2.41	0.46
27:0:119:THR:OG1	27:0:124:THR:HG22	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
31:4:256:GLU:HG3	31:4:287:LEU:HD22	1.96	0.46
42:5:101:FME:HE3	34:7:629:LEU:HD12	1.97	0.46
24:X:153:LEU:HD21	24:X:244:LEU:HD22	1.97	0.46
7:G:70:THR:HG23	7:G:73:PHE:H	1.80	0.46
27:0:37:ASP:O	27:0:41:LEU:N	2.46	0.46
1:A:691:A:N7	1:A:716:U:O2'	2.48	0.46
34:7:607:GLN:NE2	34:7:723:TRP:O	2.48	0.46
8:H:108:VAL:HG22	8:H:143:LEU:HD23	1.97	0.46
9:I:189:ARG:NH2	44:I:202:HOH:O	2.44	0.46
31:4:616:ASP:O	31:4:620:VAL:HG23	2.16	0.46
1:A:1431:G:O2'	1:A:1457:G:O6	2.26	0.46
18:R:302:GLN:O	18:R:306:VAL:HG23	2.16	0.46
24:X:276:ARG:NH2	24:X:286:GLU:OE1	2.49	0.46
3:C:77:ASP:O	8:H:81:LYS:NZ	2.43	0.45
6:F:234:ARG:HB2	29:2:53:MET:HE1	1.97	0.45
18:R:170:ARG:O	18:R:189:ARG:NH1	2.47	0.45
20:T:32:VAL:HG22	20:T:76:LEU:HD22	1.97	0.45
24:X:206:GLU:OE2	24:X:249:ARG:NH2	2.46	0.45
31:4:341:CYS:O	31:4:344:ARG:NH2	2.49	0.45
1:A:974:U:O2'	1:A:975:A:N7	2.40	0.45
14:N:67:ARG:NH1	14:N:80:GLU:OE1	2.50	0.45
4:D:415:GLN:NE2	4:D:417:MET:SD	2.87	0.45
11:K:34:MET:O	11:K:38:VAL:HG23	2.17	0.45
34:7:255:VAL:HG23	34:7:281:VAL:HG21	1.97	0.45
35:t:134:LEU:HD23	35:t:172:ILE:HD11	1.97	0.45
1:A:1098:C:OP1	1:A:1151:C:N4	2.49	0.45
6:F:193:ASP:OD1	6:F:194:LYS:N	2.50	0.45
8:H:148:LEU:HD23	8:H:148:LEU:N	2.31	0.45
18:R:162:SER:O	18:R:170:ARG:NH1	2.50	0.45
2:B:103:GLU:N	2:B:104:PRO:CD	2.80	0.45
24:X:273:THR:HG23	24:X:316:LEU:HD13	1.97	0.45
34:7:197:LEU:HD22	34:7:234:ASP:HB2	1.99	0.45
28:1:86:ARG:NH1	28:1:96:PRO:O	2.47	0.45
1:A:1108:C:H4'	1:A:1109:A:OP2	2.17	0.44
12:L:213:VAL:O	12:L:217:THR:HG23	2.17	0.44
9:I:179:THR:HG21	17:Q:39:ILE:HD13	1.99	0.44
18:R:219:TYR:O	18:R:256:ARG:NH1	2.50	0.44
19:S:96:CYS:O	19:S:100:VAL:HG23	2.18	0.44
2:B:179:ALA:CB	2:B:189:LEU:HD21	2.47	0.44
31:4:166:VAL:HG23	31:4:167:LYS:N	2.33	0.44
34:7:394:ALA:HB2	34:7:421:TRP:HA	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:92:GLU:OE1	8:H:141:ARG:NH1	2.43	0.44
8:H:155:VAL:HG21	28:1:129:PHE:CB	2.47	0.44
15:O:214:SER:OG	22:V:319:ILE:HG23	2.18	0.44
35:t:172:ILE:HG22	35:t:173:LYS:HG3	1.98	0.44
1:A:1302:C:OP1	3:C:165:LYS:NZ	2.46	0.44
1:A:1048:C:O2'	12:L:196:TYR:O	2.29	0.44
8:H:184:ILE:O	8:H:184:ILE:HG22	2.18	0.44
1:A:1230:C:OP2	1:A:1442:G:O2'	2.33	0.44
24:X:380:LEU:HD21	24:X:398:LEU:CD1	2.47	0.44
14:N:58:CYS:SG	14:N:81:LEU:HD22	2.57	0.43
28:1:46:ARG:N	28:1:47:PRO:CD	2.81	0.43
1:A:1569:G:OP2	1:A:1572:A:O2'	2.37	0.43
13:M:10:LYS:N	44:M:201:HOH:O	2.51	0.43
20:T:92:THR:O	20:T:92:THR:HG22	2.18	0.43
4:D:134:GLU:OE2	4:D:160:ARG:NH1	2.45	0.43
1:A:1107:U:O4	30:3:128:LYS:NZ	2.50	0.43
4:D:241:ILE:O	4:D:260:LYS:HA	2.19	0.43
8:H:59:THR:HG23	8:H:59:THR:O	2.18	0.43
1:A:648:A:N3	1:A:929:A:H2'	2.34	0.43
8:H:135:GLU:HB3	11:K:126:ALA:HB2	2.00	0.43
10:J:101:THR:HG21	34:7:459:ASP:HB3	2.00	0.43
34:7:216:HIS:HD2	34:7:524:VAL:HG21	1.84	0.43
1:A:738:A:H2'	1:A:740:G:C5	2.53	0.43
13:M:29:ARG:CD	13:M:57:LEU:HD12	2.49	0.43
1:A:663:A:H2'	1:A:664:G:C8	2.54	0.43
35:t:133:ARG:O	35:t:195:VAL:HG23	2.19	0.43
8:H:151:SER:O	8:H:155:VAL:HG23	2.19	0.42
9:I:153:GLY:O	9:I:158:ARG:NH2	2.44	0.42
24:X:108:LEU:HD21	24:X:307:VAL:HG13	2.01	0.42
31:4:305:ILE:O	31:4:312:LYS:NZ	2.48	0.42
1:A:955:A:O4'	1:A:1042:U:H1'	2.18	0.42
31:4:236:VAL:HG12	31:4:238:TRP:H	1.83	0.42
22:V:225:LEU:HD11	22:V:283:LEU:HD22	2.02	0.42
6:F:158:LEU:HD23	6:F:171:PRO:HA	2.02	0.42
5:E:65:LEU:HD11	16:P:75:LYS:CD	2.49	0.42
6:F:84:SER:OG	24:X:379:GLU:OE1	2.31	0.42
1:A:706:C:OP1	27:0:43:ARG:NE	2.47	0.42
31:4:615:MET:HE1	31:4:649:VAL:HG22	2.01	0.42
1:A:1153:C:O2'	30:3:197:ARG:NH1	2.53	0.41
34:7:598:ILE:HG21	34:7:600:TYR:CZ	2.55	0.41
14:N:83:GLU:OE1	20:T:85:GLN:NE2	2.44	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1588:G:N2	44:A:1889:HOH:O	2.50	0.41
4:D:206:PRO:HG2	4:D:276:VAL:HG11	2.01	0.41
8:H:133:GLN:NE2	44:H:304:HOH:O	2.54	0.41
10:J:62:VAL:HA	10:J:83:VAL:HG12	2.03	0.41
22:V:225:LEU:HD21	22:V:280:LEU:HD23	2.02	0.41
34:7:407:ILE:HD11	34:7:416:VAL:CG2	2.48	0.41
10:J:55:ARG:HD3	10:J:58:LEU:HD21	2.02	0.41
6:F:52:ARG:NH1	7:G:321:ASP:OD2	2.53	0.41
16:P:134:LYS:O	21:U:193:ARG:NE	2.54	0.41
34:7:224:LEU:HD11	34:7:230:ILE:HD12	2.02	0.41
19:S:55:LYS:HG2	19:S:55:LYS:O	2.21	0.41
25:Y:254:LYS:O	31:4:358:ARG:NH1	2.54	0.41
1:A:743:C:H2'	1:A:744:A:O4'	2.21	0.41
1:A:1022:A:OP2	29:2:17:ARG:NE	2.50	0.41
4:D:88:SER:N	44:D:504:HOH:O	2.54	0.41
22:V:82:ARG:NH2	22:V:86:ASP:OD1	2.54	0.41
31:4:508:VAL:O	31:4:508:VAL:HG12	2.21	0.41
34:7:662:THR:N	34:7:708:ARG:O	2.43	0.41
1:A:881:A:OP1	4:D:195:GLY:N	2.54	0.40
1:A:1177:C:O2'	1:A:1567:A:N1	2.50	0.40
1:A:1220:A:O2'	7:G:395:LYS:O	2.38	0.40
34:7:521:LYS:NZ	34:7:555:ASP:O	2.53	0.40
14:N:88:VAL:O	14:N:88:VAL:HG13	2.21	0.40
15:O:188:PRO:O	27:0:171:ARG:NH1	2.50	0.40
1:A:1066:C:O2'	9:I:187:ARG:O	2.35	0.40
7:G:209:LEU:HD12	7:G:213:LEU:HD11	2.04	0.40
10:J:115:THR:HG21	10:J:118:LEU:HD12	2.03	0.40
1:A:1521:U:O2'	22:V:63:ARG:NH2	2.55	0.40
8:H:155:VAL:HG21	28:1:129:PHE:HB3	2.04	0.40
12:L:115:ILE:HG21	12:L:181:ILE:HD13	2.02	0.40
22:V:30:LEU:HD12	22:V:149:ASP:CB	2.52	0.40
31:4:351:SER:HB3	31:4:352:PRO:HD3	2.03	0.40
4:D:108:ALA:O	4:D:114:ARG:NH1	2.49	0.40
32:5:21:A:N6	32:5:46:A:O2'	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	223/296 (75%)	221 (99%)	2 (1%)	0	100	100
3	C	130/167 (78%)	127 (98%)	3 (2%)	0	100	100
4	D	341/430 (79%)	333 (98%)	8 (2%)	0	100	100
5	E	120/125 (96%)	120 (100%)	0	0	100	100
6	F	206/242 (85%)	205 (100%)	1 (0%)	0	100	100
7	G	323/396 (82%)	316 (98%)	7 (2%)	0	100	100
8	H	138/201 (69%)	136 (99%)	1 (1%)	1 (1%)	18	49
9	I	134/194 (69%)	133 (99%)	1 (1%)	0	100	100
10	J	106/138 (77%)	103 (97%)	3 (3%)	0	100	100
11	K	99/128 (77%)	98 (99%)	1 (1%)	0	100	100
12	L	172/257 (67%)	172 (100%)	0	0	100	100
13	M	117/137 (85%)	117 (100%)	0	0	100	100
14	N	108/130 (83%)	108 (100%)	0	0	100	100
15	O	191/258 (74%)	189 (99%)	2 (1%)	0	100	100
16	P	95/142 (67%)	95 (100%)	0	0	100	100
17	Q	84/86 (98%)	84 (100%)	0	0	100	100
18	R	293/360 (81%)	287 (98%)	6 (2%)	0	100	100
19	S	133/190 (70%)	132 (99%)	1 (1%)	0	100	100
20	T	166/173 (96%)	164 (99%)	2 (1%)	0	100	100
21	U	174/205 (85%)	174 (100%)	0	0	100	100
22	V	358/414 (86%)	355 (99%)	3 (1%)	0	100	100
23	W	98/187 (52%)	97 (99%)	1 (1%)	0	100	100
24	X	350/398 (88%)	346 (99%)	4 (1%)	0	100	100
25	Y	147/395 (37%)	146 (99%)	1 (1%)	0	100	100
26	Z	98/106 (92%)	97 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	0	213/218 (98%)	212 (100%)	1 (0%)	0	100	100
28	1	276/323 (85%)	273 (99%)	3 (1%)	0	100	100
29	2	115/117 (98%)	114 (99%)	1 (1%)	0	100	100
30	3	69/199 (35%)	68 (99%)	1 (1%)	0	100	100
31	4	588/689 (85%)	581 (99%)	7 (1%)	0	100	100
34	7	569/727 (78%)	558 (98%)	11 (2%)	0	100	100
35	t	69/198 (35%)	67 (97%)	2 (3%)	0	100	100
All	All	6303/8226 (77%)	6228 (99%)	74 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	H	126	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	198/249 (80%)	198 (100%)	0	100	100
3	C	115/143 (80%)	115 (100%)	0	100	100
4	D	286/357 (80%)	284 (99%)	2 (1%)	76	82
5	E	104/107 (97%)	104 (100%)	0	100	100
6	F	185/209 (88%)	185 (100%)	0	100	100
7	G	285/342 (83%)	284 (100%)	1 (0%)	84	86
8	H	130/180 (72%)	130 (100%)	0	100	100
9	I	104/146 (71%)	104 (100%)	0	100	100
10	J	93/118 (79%)	93 (100%)	0	100	100
11	K	91/113 (80%)	91 (100%)	0	100	100
12	L	158/226 (70%)	158 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	M	97/113 (86%)	97 (100%)	0	100	100
14	N	96/115 (84%)	96 (100%)	0	100	100
15	O	174/230 (76%)	174 (100%)	0	100	100
16	P	88/123 (72%)	88 (100%)	0	100	100
17	Q	78/78 (100%)	78 (100%)	0	100	100
18	R	264/318 (83%)	264 (100%)	0	100	100
19	S	116/164 (71%)	116 (100%)	0	100	100
20	T	153/157 (98%)	153 (100%)	0	100	100
21	U	152/174 (87%)	152 (100%)	0	100	100
22	V	325/364 (89%)	325 (100%)	0	100	100
23	W	87/158 (55%)	87 (100%)	0	100	100
24	X	311/351 (89%)	311 (100%)	0	100	100
25	Y	137/357 (38%)	137 (100%)	0	100	100
26	Z	90/95 (95%)	90 (100%)	0	100	100
27	0	188/190 (99%)	188 (100%)	0	100	100
28	1	256/291 (88%)	256 (100%)	0	100	100
29	2	100/100 (100%)	100 (100%)	0	100	100
30	3	65/166 (39%)	65 (100%)	0	100	100
31	4	529/609 (87%)	529 (100%)	0	100	100
34	7	481/621 (78%)	481 (100%)	0	100	100
35	t	59/158 (37%)	59 (100%)	0	100	100
All	All	5595/7122 (79%)	5592 (100%)	3 (0%)	87	90

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	190	GLU
4	D	343	LEU
7	G	389	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	216	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	116	GLN
4	D	359	HIS
6	F	113	GLN
6	F	146	HIS
6	F	214	HIS
7	G	77	GLN
7	G	176	GLN
8	H	109	HIS
8	H	122	GLN
9	I	87	HIS
9	I	92	HIS
9	I	98	GLN
9	I	146	HIS
10	J	77	ASN
13	M	16	HIS
13	M	61	HIS
20	T	14	GLN
21	U	102	HIS
22	V	78	ASN
22	V	134	GLN
22	V	145	ASN
23	W	106	HIS
23	W	121	HIS
24	X	69	ASN
24	X	81	HIS
24	X	143	HIS
24	X	180	GLN
24	X	190	ASN
24	X	235	ASN
24	X	302	HIS
26	Z	63	GLN
27	0	26	ASN
27	0	32	GLN
27	0	192	ASN
28	1	185	HIS
31	4	295	ASN
31	4	322	HIS
34	7	216	HIS
34	7	453	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	954/955 (99%)	113 (11%)	0
32	5	70/71 (98%)	11 (15%)	0
33	6	30/31 (96%)	17 (56%)	0
All	All	1054/1057 (99%)	141 (13%)	0

All (141) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	651	A
1	A	680	U
1	A	688	A
1	A	704	U
1	A	721	U
1	A	722	C
1	A	737	C
1	A	738	A
1	A	739	C
1	A	740	G
1	A	753	A
1	A	761	A
1	A	766	G
1	A	777	G
1	A	791	G
1	A	796	G
1	A	830	U
1	A	832	U
1	A	835	C
1	A	860	A
1	A	868	C
1	A	871	A
1	A	873	G
1	A	889	G
1	A	890	C
1	A	904	C
1	A	919	A
1	A	923	A
1	A	938	A
1	A	939	A
1	A	942	A
1	A	958	C
1	A	960	C
1	A	961	U
1	A	962	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	967	A
1	A	993	A
1	A	1001	C
1	A	1002	C
1	A	1011	C
1	A	1015	A
1	A	1019	A
1	A	1042	U
1	A	1049	A
1	A	1065	C
1	A	1080	A
1	A	1081	U
1	A	1082	A
1	A	1103	A
1	A	1105	C
1	A	1106	C
1	A	1107	U
1	A	1109	A
1	A	1117	A
1	A	1121	A
1	A	1128	C
1	A	1151	C
1	A	1154	A
1	A	1160	A
1	A	1167	A
1	A	1179	G
1	A	1188	A
1	A	1189	U
1	A	1190	C
1	A	1193	U
1	A	1209	C
1	A	1215	U
1	A	1223	C
1	A	1225	C
1	A	1229	U
1	A	1247	G
1	A	1248	C
1	A	1250	C
1	A	1251	A
1	A	1271	C
1	A	1274	C
1	A	1284	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1285	G
1	A	1290	C
1	A	1291	U
1	A	1326	A
1	A	1327	G
1	A	1343	A
1	A	1356	A
1	A	1367	A
1	A	1378	C
1	A	1390	A
1	A	1405	C
1	A	1430	A
1	A	1447	G
1	A	1483	C
1	A	1486	B8T
1	A	1519	A
1	A	1520	U
1	A	1522	U
1	A	1525	C
1	A	1526	U
1	A	1527	A
1	A	1533	C
1	A	1537	C
1	A	1538	G
1	A	1539	C
1	A	1557	A
1	A	1558	A
1	A	1562	G
1	A	1568	U
1	A	1571	U
1	A	1582	G
1	A	1584	MA6
1	A	1594	G
1	A	1595	G
1	A	1599	A
1	A	1600	A
32	5	6	G
32	5	8	U
32	5	10	A
32	5	20	U
32	5	21	A
32	5	46	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	5	48	U
32	5	49	G
32	5	52	G
32	5	55	U
32	5	60	C
33	6	1	A
33	6	4	U
33	6	5	U
33	6	7	G
33	6	8	C
33	6	9	C
33	6	10	G
33	6	11	A
33	6	14	G
33	6	15	U
33	6	16	U
33	6	17	G
33	6	19	C
33	6	20	U
33	6	21	A
33	6	23	U
33	6	26	C

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

9 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	5MU	A	1076	1	19,22,23	0.23	0	27,32,35	0.30	0
1	B8T	A	1486	36,1	19,22,23	0.26	0	25,31,34	0.34	0
29	AYA	2	2	29	6,7,8	0.83	0	6,8,10	0.44	0
9	5F0	I	184	9	8,8,9	0.52	0	8,9,11	1.02	1 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MA6	A	1583	1	23,26,27	0.23	0	33,38,41	0.53	1 (3%)
1	MA6	A	1584	1	23,26,27	0.25	0	33,38,41	0.53	1 (3%)
17	AYA	Q	2	17	6,7,8	0.78	0	6,8,10	0.52	0
1	5MC	A	1488	1	19,22,23	0.30	0	26,32,35	0.41	0
32	RSQ	5	34	33,32	19,23,24	0.27	0	25,33,36	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MU	A	1076	1	-	0/7/25/26	0/2/2/2
1	B8T	A	1486	36,1	-	2/7/27/28	0/2/2/2
29	AYA	2	2	29	-	0/5/6/8	-
9	5F0	I	184	9	-	1/9/9/10	-
1	MA6	A	1583	1	-	0/11/29/30	0/3/3/3
1	MA6	A	1584	1	-	1/11/29/30	0/3/3/3
17	AYA	Q	2	17	-	0/5/6/8	-
1	5MC	A	1488	1	-	0/7/25/26	0/2/2/2
32	RSQ	5	34	33,32	-	2/9/27/28	0/2/2/2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	I	184	5F0	O-C-CB	-2.48	118.17	125.38
1	A	1583	MA6	C2-N1-C6	2.30	117.46	111.83
1	A	1584	MA6	C2-N1-C6	2.23	117.27	111.83

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	5	34	RSQ	O30-C10-C5-C4
32	5	34	RSQ	O30-C10-C5-C6
1	A	1486	B8T	O4'-C4'-C5'-O5'
1	A	1486	B8T	C3'-C4'-C5'-O5'
9	I	184	5F0	OD1-C1-CA-CB
1	A	1584	MA6	C4'-C5'-O5'-P

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1583	MA6	1	0
1	A	1584	MA6	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 99 ligands modelled in this entry, 93 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
43	GTP	7	801	37,36	33,34,34	0.55	0	50,54,54	0.52	0
39	FES	T	201	13,20	0,4,4	-	-	-		
39	FES	P	201	5,16	0,4,4	-	-	-		
41	GDP	X	502	-	29,30,30	0.42	0	45,47,47	0.43	0
40	ATP	X	501	36	32,33,33	0.52	0	48,52,52	0.54	0
42	FME	5	101	32	8,9,10	0.56	0	8,9,11	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	GTP	7	801	37,36	-	0/22/38/38	0/3/3/3
39	FES	T	201	13,20	-	-	0/1/1/1
39	FES	P	201	5,16	-	-	0/1/1/1
41	GDP	X	502	-	-	0/16/32/32	0/3/3/3
40	ATP	X	501	36	-	1/22/38/38	0/3/3/3
42	FME	5	101	32	-	0/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
40	X	501	ATP	PA-O3A-PB-O2B


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
42	5	101	FME	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13560. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 288




Y Index: 288




Z Index: 288


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 303




Y Index: 279




Z Index: 264


6.3.2 Raw map



X Index: 253



Y Index: 254




Z Index: 222


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_13560_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 483 nm³; this corresponds to an approximate mass of 436 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.324 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.324 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.09	-	-
Author-provided FSC curve	3.07	3.98	3.11
Unmasked-calculated*	4.02	8.70	4.18

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.02 differs from the reported value 3.09 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13560 and PDB model 7PO2. Per-residue inclusion information can be found in section [3](#) on page [16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8350	 0.5390
0	 0.8560	 0.5320
1	 0.7760	 0.5240
2	 0.8140	 0.5250
3	 0.8620	 0.5550
4	 0.5820	 0.4010
5	 0.4510	 0.3320
6	 0.5220	 0.3910
7	 0.5220	 0.4160
A	 0.9640	 0.6110
B	 0.9090	 0.5920
C	 0.9490	 0.6220
D	 0.8890	 0.5740
E	 0.8680	 0.5630
F	 0.8380	 0.5430
G	 0.8290	 0.5500
H	 0.8730	 0.5750
I	 0.8920	 0.5740
J	 0.9300	 0.5970
K	 0.9460	 0.6290
L	 0.8000	 0.5320
M	 0.8960	 0.5910
N	 0.9140	 0.5920
O	 0.8910	 0.5710
P	 0.9120	 0.5830
Q	 0.9490	 0.6140
R	 0.8000	 0.5130
S	 0.7980	 0.5070
T	 0.8840	 0.5740
U	 0.7530	 0.4890
V	 0.7200	 0.4590
W	 0.8940	 0.5640
X	 0.8230	 0.5400
Y	 0.6830	 0.4780
Z	 0.8600	 0.5630
t	 0.0000	 0.1710

