



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 12:25 AM UTC

PDB ID : 3PQU / pdb_00003pqu
Title : The crystal structures of porcine pathogen AsH57_TbpB
Authors : Calmettes, C.; Moraes, T.F.
Deposited on : 2010-11-26
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	570	6% 80% 14% • •
1	B	570	7% 73% 19% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	B	3968	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9509 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transferrin binding protein B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	547	Total	C	N	O	S	4	9	0
			4312	2702	741	861	8			
1	B	540	Total	C	N	O	S	0	12	0
			4277	2688	731	850	8			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	472	Total	O	0	0
			472	472		
3	B	418	Total	O	0	0
			418	418		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transferrin binding protein B



• Molecule 1: Transferrin binding protein B



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	90.67Å 74.47Å 106.40Å 90.00° 105.70° 90.00°	Depositor
Resolution (Å)	44.76 – 2.10 44.76 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.7 (44.76-2.10) 99.7 (44.76-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.172 , 0.218 0.171 , 0.214	Depositor DCC
R_{free} test set	6524 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	19.0	Xtriage
Anisotropy	0.173	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 77.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9509	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	3/4414 (0.1%)	0.79	4/5936 (0.1%)
1	B	0.47	2/4384 (0.0%)	0.79	4/5894 (0.1%)
All	All	0.49	5/8798 (0.1%)	0.79	8/11830 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	557	HIS	ND1-CE1	5.23	1.37	1.32
1	A	562	ASN	CG-OD1	5.20	1.33	1.23
1	B	496	ASN	CG-OD1	5.16	1.33	1.23
1	B	532	ASN	CG-OD1	5.08	1.33	1.23
1	A	529	GLN	CD-OE1	5.06	1.33	1.23

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	546	GLY	CA-C-N	7.61	127.16	119.24
1	A	546	GLY	C-N-CA	7.61	127.16	119.24
1	A	557	HIS	CB-CG-CD2	-6.59	122.64	131.20
1	B	546	GLY	CA-C-N	6.39	126.60	119.32
1	B	546	GLY	C-N-CA	6.39	126.60	119.32
1	B	334	GLU	N-CA-C	5.77	117.25	110.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	557	HIS	CB-CG-ND1	5.61	131.12	122.70
1	B	393	LYS	N-CA-C	5.36	117.13	109.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	334	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4312	0	4201	69	0
1	B	4277	0	4183	114	0
2	A	18	0	24	6	0
2	B	12	0	16	6	0
3	A	472	0	0	15	0
3	B	418	0	0	17	0
All	All	9509	0	8424	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:349:ILE:HD11	1:B:555:GLN:HG3	1.62	0.81
1:A:349:ILE:HD11	1:A:555:GLN:HG3	1.63	0.81
1:B:447:VAL:HG22	1:B:574:GLN:NE2	1.97	0.79
1:B:54[B]:LYS:HG3	3:B:751:HOH:O	1.83	0.78
1:A:87:ILE:HB	2:A:578:GOL:H2	1.66	0.76
1:B:548:THR:HG23	1:B:573:ARG:HH22	1.52	0.75
1:A:54[B]:LYS:HG3	3:A:878:HOH:O	1.87	0.74
1:B:81:GLU:OE1	2:B:3968:GOL:H2	1.88	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:413:TRP:CD1	1:B:421:VAL:HG23	2.25	0.72
1:B:450:TRP:CE3	1:B:489:LEU:HD23	2.27	0.69
1:B:532:ASN:CG	1:B:533:ALA:H	2.00	0.69
1:A:520:GLY:HA3	1:A:534:VAL:HG22	1.76	0.67
1:B:494:GLY:HA2	1:B:495:VAL:HB	1.77	0.67
1:B:260:ASN:HB3	1:B:262:ASN:H	1.59	0.67
1:B:495:VAL:HG13	1:B:496:ASN:N	2.09	0.67
1:A:498:VAL:O	1:A:516:THR:HG22	1.95	0.67
2:A:578:GOL:H31	3:A:618:HOH:O	1.95	0.67
1:B:415:LYS:O	1:B:416:GLU:HB2	1.93	0.66
1:A:260:ASN:HB3	1:A:262:ASN:H	1.60	0.66
1:B:373:GLN:HB2	1:B:390[A]:ILE:HD11	1.76	0.65
1:A:416:GLU:O	1:A:416:GLU:HG3	1.97	0.65
1:B:351:LEU:HG	1:B:425:SER:HA	1.79	0.63
1:B:299[B]:SER:HB3	1:B:320:THR:HA	1.79	0.63
1:B:532:ASN:CG	1:B:533:ALA:N	2.56	0.62
1:B:258[B]:TYR:HD2	3:B:840:HOH:O	1.82	0.61
1:B:336:GLY:HA2	1:B:337:GLU:C	2.25	0.61
1:B:489:LEU:HB2	1:B:499:PHE:HB2	1.82	0.61
1:A:336:GLY:HA2	1:A:337:GLU:C	2.24	0.61
1:B:494:GLY:HA2	1:B:495:VAL:CB	2.30	0.61
1:A:474:THR:HG22	1:A:489:LEU:HG	1.83	0.60
1:B:393:LYS:HD2	1:B:393:LYS:H	1.67	0.59
1:A:87:ILE:CB	2:A:578:GOL:H2	2.31	0.59
1:B:287:LYS:HE3	3:B:908:HOH:O	2.02	0.59
1:B:453:LEU:HD21	1:B:455:SER:OG	2.03	0.59
1:A:144:ASN:OD1	1:A:148:VAL:HG13	2.02	0.58
1:A:38:LYS:HB3	1:A:38:LYS:NZ	2.18	0.58
1:B:38:LYS:NZ	1:B:38:LYS:HB3	2.18	0.58
1:A:498:VAL:HG13	1:A:521:PHE:CE1	2.38	0.58
1:A:495:VAL:HG23	1:A:496:ASN:H	1.69	0.58
1:B:395:MET:SD	1:B:414:GLN:HG2	2.43	0.58
1:B:252:SER:OG	1:B:269[B]:LYS:HE3	2.04	0.57
1:B:450:TRP:CD2	1:B:489:LEU:HD23	2.39	0.57
1:A:93:ASP:HA	3:A:869:HOH:O	2.03	0.57
1:B:31:GLU:OE2	1:B:573:ARG:HB3	2.03	0.57
1:B:144:ASN:OD1	1:B:148:VAL:HG13	2.04	0.57
1:A:124[A]:ASN:HB3	2:A:3968:GOL:H11	1.87	0.57
1:B:487:GLY:O	1:B:500:THR:HA	2.06	0.56
1:B:28:TYR:O	1:B:468:ARG:NH2	2.39	0.56
1:B:486:ASN:HA	1:B:501:VAL:O	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:THR:HG21	3:A:892:HOH:O	2.05	0.55
2:B:3968:GOL:H31	3:B:904:HOH:O	2.06	0.55
1:A:144:ASN:CG	1:A:148:VAL:HG13	2.32	0.55
1:A:149:PRO:HD3	3:A:827:HOH:O	2.06	0.55
1:B:454:VAL:HG21	1:B:521:PHE:HZ	1.72	0.54
1:A:535:PHE:HD2	3:A:892:HOH:O	1.91	0.54
1:A:54[B]:LYS:HE3	3:A:878:HOH:O	2.07	0.54
1:A:510:PHE:CZ	1:A:542:GLY:HA3	2.43	0.53
1:B:467:ASN:HB3	1:B:471:GLY:HA3	1.90	0.53
1:A:334:GLU:HG2	3:A:709:HOH:O	2.08	0.53
1:A:266[B]:GLU:HG2	3:A:851:HOH:O	2.09	0.53
1:A:336:GLY:HA2	1:A:337:GLU:HB2	1.91	0.53
1:A:418:LYS:HA	1:A:419:GLN:HB3	1.91	0.52
1:B:54[B]:LYS:HE3	3:B:751:HOH:O	2.09	0.52
1:B:336:GLY:HA2	1:B:337:GLU:HB2	1.90	0.52
1:B:474:THR:HA	1:B:488:LYS:O	2.09	0.52
1:A:332:LYS:CE	2:A:3968:GOL:H12	2.40	0.52
1:B:510:PHE:CZ	1:B:542:GLY:HA3	2.44	0.52
1:A:145:LYS:HG3	1:A:146:ASN:N	2.25	0.52
1:A:287:LYS:HD2	3:A:846:HOH:O	2.09	0.52
1:A:442:GLY:O	1:A:479:ASN:HA	2.09	0.52
1:A:83:GLN:NE2	3:A:605:HOH:O	2.42	0.52
1:B:252:SER:CB	1:B:269[B]:LYS:HE3	2.41	0.51
1:B:144:ASN:CG	1:B:148:VAL:HG13	2.34	0.51
1:B:498:VAL:HG13	1:B:521:PHE:CD2	2.45	0.51
1:A:560:SER:O	1:A:562:ASN:HA	2.10	0.51
1:B:145:LYS:HG3	1:B:146:ASN:N	2.26	0.51
1:B:287:LYS:HD2	3:B:967:HOH:O	2.10	0.51
1:B:552:LEU:C	1:B:552:LEU:HD12	2.36	0.51
1:B:416:GLU:O	1:B:422:LYS:HD2	2.11	0.50
1:B:226:LEU:HD12	1:B:226:LEU:N	2.26	0.50
1:B:496:ASN:HB3	1:B:497:PRO:HD2	1.93	0.50
1:A:268:THR:HG22	3:B:809:HOH:O	2.12	0.50
1:A:513:SER:HA	1:A:538:ILE:O	2.12	0.49
1:B:513:SER:HA	1:B:538:ILE:O	2.11	0.49
1:A:446:TYR:HB2	1:A:476:PHE:HB2	1.95	0.49
1:B:447:VAL:HG22	1:B:574:GLN:CD	2.37	0.49
1:B:476:PHE:CE1	1:B:487:GLY:HA3	2.47	0.49
1:B:44:LEU:HB2	2:B:3968:GOL:O1	2.11	0.49
1:A:374[B]:LYS:NZ	3:A:857:HOH:O	2.45	0.49
1:A:418:LYS:N	1:A:419:GLN:HA	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:475:GLU:O	1:B:487:GLY:HA2	2.13	0.48
1:A:226:LEU:N	1:A:226:LEU:HD12	2.28	0.48
1:B:317:LYS:HD2	1:B:317:LYS:C	2.38	0.48
1:B:561:ASP:HA	1:B:562:ASN:HA	1.53	0.48
1:B:450:TRP:CD1	1:B:474:THR:HG23	2.49	0.48
1:B:495:VAL:CG1	1:B:496:ASN:N	2.76	0.48
1:A:264:ALA:HB1	3:A:755:HOH:O	2.13	0.48
1:B:81:GLU:CD	2:B:3968:GOL:H2	2.38	0.48
1:B:337:GLU:OE2	1:B:337:GLU:HA	2.13	0.48
1:A:144:ASN:ND2	1:A:148:VAL:HG13	2.28	0.47
1:B:42:ASP:HB3	2:B:3968:GOL:O1	2.13	0.47
1:B:54[B]:LYS:HG2	3:B:877:HOH:O	2.14	0.47
1:B:146:ASN:ND2	3:B:988:HOH:O	2.46	0.47
1:B:393:LYS:HD2	1:B:393:LYS:N	2.28	0.47
1:B:496:ASN:HB3	1:B:497:PRO:CD	2.43	0.47
1:B:476:PHE:HA	1:B:486:ASN:O	2.15	0.47
1:A:232:LYS:HE2	3:A:640:HOH:O	2.14	0.47
1:B:144:ASN:ND2	1:B:148:VAL:HG13	2.30	0.47
1:B:398:VAL:O	1:B:410:GLY:HA3	2.15	0.47
1:B:495:VAL:HG13	1:B:496:ASN:H	1.77	0.47
1:A:124[B]:ASN:HB2	2:A:3968:GOL:H11	1.97	0.47
1:B:413:TRP:HD1	1:B:421:VAL:HG23	1.76	0.47
1:A:337:GLU:OE2	1:A:337:GLU:HA	2.14	0.47
1:B:232[A]:LYS:HE3	3:B:744:HOH:O	2.14	0.47
1:B:258[B]:TYR:CE1	1:B:263:LYS:HD3	2.49	0.46
1:A:398:VAL:O	1:A:410:GLY:HA3	2.16	0.46
1:A:249:LEU:C	1:A:249:LEU:HD12	2.39	0.46
1:B:494:GLY:HA2	1:B:495:VAL:HG12	1.98	0.46
1:B:462:ALA:HA	1:B:472:TYR:CE2	2.50	0.46
1:B:336:GLY:CA	1:B:337:GLU:C	2.89	0.46
1:B:473:ARG:HB2	1:B:490:PHE:HB2	1.98	0.46
1:A:336:GLY:CA	1:A:337:GLU:C	2.89	0.46
1:B:81:GLU:HG2	3:B:932:HOH:O	2.15	0.46
1:B:494:GLY:HA2	1:B:495:VAL:CG1	2.46	0.46
2:B:578:GOL:H2	3:B:801:HOH:O	2.15	0.46
1:A:552:LEU:C	1:A:552:LEU:HD12	2.41	0.45
1:B:413:TRP:CD1	1:B:421:VAL:CG2	2.97	0.45
1:B:485:VAL:HB	1:B:503:ALA:HB3	1.97	0.45
1:B:474:THR:HG22	1:B:489:LEU:HG	1.97	0.45
1:B:453:LEU:C	1:B:453:LEU:HD23	2.42	0.45
1:A:521:PHE:N	1:A:532:ASN:HB3	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:492:LYS:O	1:B:492:LYS:HG3	2.17	0.45
1:B:351:LEU:HB2	1:B:424:ASN:O	2.16	0.44
1:B:54[B]:LYS:NZ	3:B:803:HOH:O	2.49	0.44
1:B:461:ILE:HD13	1:B:463:GLU:CG	2.47	0.44
1:A:317:LYS:C	1:A:317:LYS:HD2	2.41	0.44
1:A:290:LYS:HE3	1:A:290:LYS:HB2	1.81	0.44
1:B:290:LYS:HE3	1:B:290:LYS:HB2	1.80	0.44
1:B:323:LYS:HE3	3:B:592:HOH:O	2.18	0.44
1:B:465:ASP:OD2	1:B:465:ASP:C	2.61	0.44
1:B:28:TYR:CE2	1:B:445:LYS:HE2	2.53	0.44
1:B:231:VAL:HG22	1:B:259:ILE:HD13	1.99	0.44
1:A:231:VAL:HG22	1:A:259:ILE:HD13	2.00	0.43
1:B:460:TRP:CD2	1:B:521:PHE:HE1	2.36	0.43
1:A:351:LEU:HG	1:A:425:SER:HA	2.00	0.43
1:A:465:ASP:OD2	1:A:465:ASP:C	2.61	0.43
1:B:258[B]:TYR:CZ	1:B:263:LYS:HE2	2.54	0.43
1:B:287:LYS:CE	3:B:908:HOH:O	2.64	0.43
1:B:521:PHE:O	1:B:532:ASN:ND2	2.52	0.43
1:A:91:ASN:ND2	1:A:94:GLU:HG3	2.33	0.43
1:A:461:ILE:HD13	1:A:463:GLU:HG2	2.01	0.43
1:B:386:LYS:O	1:B:396:VAL:HA	2.19	0.43
1:A:461:ILE:HD13	1:A:463:GLU:CG	2.48	0.43
1:B:476:PHE:CD1	1:B:487:GLY:HA3	2.54	0.43
1:B:343:ILE:HG13	1:B:344:ILE:HG13	2.01	0.42
1:A:54[A]:LYS:HG2	3:A:878:HOH:O	2.18	0.42
1:A:450:TRP:CD2	1:A:489:LEU:HD23	2.54	0.42
1:B:141[A]:ILE:HG22	3:B:861:HOH:O	2.19	0.42
1:A:453:LEU:C	1:A:453:LEU:HD23	2.45	0.42
1:B:400:CYS:HA	1:B:401:CYS:HA	1.86	0.42
1:A:369:ILE:HD13	1:A:374[A]:LYS:HG2	2.02	0.42
1:B:317:LYS:C	1:B:317:LYS:CD	2.93	0.42
1:A:148:VAL:HA	1:A:149:PRO:HD3	1.84	0.41
1:A:393:LYS:HE3	1:A:393:LYS:HB2	1.94	0.41
1:A:561:ASP:HA	1:A:562:ASN:HA	1.63	0.41
1:B:286:ALA:HB3	1:B:299[B]:SER:OG	2.20	0.41
1:B:461:ILE:HD13	1:B:463:GLU:HG2	2.01	0.41
1:A:336:GLY:HA2	1:A:337:GLU:CB	2.50	0.41
1:A:400:CYS:HA	1:A:401:CYS:HA	1.86	0.41
1:B:334:GLU:HG2	3:B:712:HOH:O	2.19	0.41
1:B:453:LEU:HD23	1:B:453:LEU:O	2.20	0.41
1:A:386:LYS:O	1:A:396:VAL:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:483:LYS:HD2	1:B:505:ILE:O	2.20	0.41
1:B:494:GLY:CA	1:B:495:VAL:HG12	2.51	0.41
1:B:28:TYR:CZ	1:B:445:LYS:HG2	2.56	0.41
1:B:532:ASN:ND2	1:B:533:ALA:H	2.18	0.41
1:A:557:HIS:HA	1:A:565:VAL:O	2.21	0.40
1:A:498:VAL:HG13	1:A:521:PHE:CD1	2.56	0.40
1:B:249:LEU:C	1:B:249:LEU:HD12	2.47	0.40
1:B:252:SER:HB3	1:B:269[B]:LYS:HE3	2.04	0.40
1:B:370:ILE:HB	1:B:390[B]:ILE:CD1	2.50	0.40
1:A:225:LYS:HE2	1:A:225:LYS:HB3	1.92	0.40
1:B:461:ILE:HD12	1:B:461:ILE:C	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	552/570 (97%)	529 (96%)	21 (4%)	2 (0%)	30	28
1	B	546/570 (96%)	518 (95%)	23 (4%)	5 (1%)	14	10
All	All	1098/1140 (96%)	1047 (95%)	44 (4%)	7 (1%)	21	18

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	335	ASN
1	B	495	VAL
1	B	391	ASN
1	B	30	ASP
1	B	335	ASN
1	A	202	GLY
1	B	202	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	462/471 (98%)	447 (97%)	15 (3%)	34	38
1	B	459/471 (98%)	436 (95%)	23 (5%)	22	22
All	All	921/942 (98%)	883 (96%)	38 (4%)	28	29

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	MET
1	A	133[A]	VAL
1	A	133[B]	VAL
1	A	148	VAL
1	A	228	ASP
1	A	317	LYS
1	A	352	THR
1	A	369	ILE
1	A	396	VAL
1	A	421	VAL
1	A	492	LYS
1	A	495	VAL
1	A	502	ASP
1	A	540	VAL
1	A	555	GLN
1	B	28	TYR
1	B	34	LYS
1	B	85	MET
1	B	90	GLU
1	B	133[A]	VAL
1	B	133[B]	VAL
1	B	148	VAL
1	B	228	ASP
1	B	317	LYS
1	B	352	THR
1	B	357	LYS
1	B	369	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	390[A]	ILE
1	B	390[B]	ILE
1	B	393	LYS
1	B	396	VAL
1	B	414	GLN
1	B	421	VAL
1	B	495	VAL
1	B	498	VAL
1	B	502	ASP
1	B	540	VAL
1	B	555	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	ASN
1	B	146	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	3968	-	5,5,5	0.43	0	5,5,5	0.43	0
2	GOL	B	578	-	5,5,5	0.37	0	5,5,5	0.32	0
2	GOL	A	579	-	5,5,5	0.37	0	5,5,5	0.49	0
2	GOL	A	578	-	5,5,5	0.46	0	5,5,5	0.20	0
2	GOL	B	3968	-	5,5,5	0.38	0	5,5,5	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	3968	-	-	2/4/4/4	-
2	GOL	B	578	-	-	2/4/4/4	-
2	GOL	A	579	-	-	2/4/4/4	-
2	GOL	A	578	-	-	0/4/4/4	-
2	GOL	B	3968	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	3968	GOL	O1-C1-C2-C3
2	B	3968	GOL	O1-C1-C2-C3
2	B	578	GOL	O1-C1-C2-C3
2	A	579	GOL	O1-C1-C2-O2
2	A	579	GOL	O1-C1-C2-C3
2	A	3968	GOL	O1-C1-C2-O2
2	B	3968	GOL	O1-C1-C2-O2
2	B	578	GOL	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	3968	GOL	3	0
2	B	578	GOL	1	0
2	A	578	GOL	3	0
2	B	3968	GOL	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	547/570 (95%)	0.07	33 (6%) 27 29	8, 39, 105, 179	9 (1%)
1	B	540/570 (94%)	0.22	39 (7%) 21 23	9, 41, 125, 188	12 (2%)
All	All	1087/1140 (95%)	0.15	72 (6%) 24 26	8, 40, 113, 188	21 (1%)

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	495	VAL	5.1
1	B	523	LEU	4.8
1	B	453	LEU	4.1
1	B	354	PHE	4.0
1	B	534	VAL	3.9
1	A	450	TRP	3.9
1	A	540	VAL	3.9
1	A	440	ALA	3.8
1	B	521	PHE	3.8
1	A	354	PHE	3.8
1	B	28	TYR	3.7
1	B	462	ALA	3.6
1	B	531	GLY	3.5
1	A	563	GLY	3.3
1	B	454	VAL	3.1
1	B	575	ILE	3.1
1	A	335	ASN	3.1
1	B	452	ALA	3.0
1	A	336	GLY	3.0
1	B	335	ASN	3.0
1	B	463	GLU	3.0
1	A	530	HIS	3.0
1	A	460	TRP	2.9
1	B	450	TRP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	454	VAL	2.8
1	A	453	LEU	2.8
1	B	351	LEU	2.8
1	B	535	PHE	2.8
1	B	522	ALA	2.7
1	B	564	SER	2.7
1	B	458	THR	2.7
1	B	455	SER	2.6
1	A	380	VAL	2.6
1	A	499	PHE	2.6
1	A	502	ASP	2.6
1	A	461	ILE	2.6
1	A	228	ASP	2.5
1	B	460	TRP	2.5
1	A	495	VAL	2.4
1	A	391	ASN	2.3
1	B	496	ASN	2.3
1	A	441	GLY	2.3
1	A	72	THR	2.3
1	B	502	ASP	2.3
1	A	528	SER	2.3
1	B	34	LYS	2.2
1	A	452	ALA	2.2
1	B	421	VAL	2.2
1	B	563	GLY	2.2
1	A	462	ALA	2.2
1	A	420	GLN	2.2
1	A	444	TYR	2.2
1	A	556	PHE	2.2
1	B	565	VAL	2.2
1	B	493	GLY	2.2
1	A	260	ASN	2.2
1	B	461	ILE	2.1
1	A	442	GLY	2.1
1	A	558	HIS	2.1
1	B	27	SER	2.1
1	B	409	PHE	2.1
1	B	556	PHE	2.1
1	A	421	VAL	2.1
1	A	523	LEU	2.1
1	B	33	THR	2.1
1	B	560	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	500	THR	2.1
1	B	334	GLU	2.0
1	B	516	THR	2.0
1	B	517	SER	2.0
1	B	558	HIS	2.0
1	A	458	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	A	579	6/6	0.78	0.14	60,81,89,97	0
2	GOL	A	3968	6/6	0.82	0.12	52,70,75,86	0
2	GOL	B	578	6/6	0.86	0.12	46,67,70,70	0
2	GOL	A	578	6/6	0.88	0.14	38,59,61,65	0
2	GOL	B	3968	6/6	0.90	0.14	58,83,86,89	0

6.5 Other polymers [i](#)

There are no such residues in this entry.