



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 06:39 AM EDT

PDB ID : 7PT4 / pdb_00007pt4
Title : Actinobacterial 2-hydroxyacyl-CoA lyase (AcHACL) structure in complex with a covalently bound reaction intermediate as well as products formyl-CoA and acetone
Authors : Zahn, M.; Rohwerder, T.
Deposited on : 2021-09-25
Resolution : 1.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1141 (1.64-1.64)
Clashscore	190562	1171 (1.64-1.64)
Ramachandran outliers	187476	1151 (1.64-1.64)
Sidechain outliers	187428	1150 (1.64-1.64)
RSRZ outliers	180081	1141 (1.64-1.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	
1	B	612	

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 18926 atoms, of which 8836 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-hydroxyacyl-CoA lyase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	580	Total	C	H	N	O	S	105	5	0
			8722	2716	4348	810	839	9			
1	B	584	Total	C	H	N	O	S	107	5	0
			8798	2739	4386	820	844	9			

- Molecule 2 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	S	0	0
			42	12	16	4	7	2	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is ACETONE (CCD ID: ACN) (formula: C_3H_6O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	3	6	1		

- Molecule 5 is S-{(9R,13S,15R)-17-[(2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-4-HYDROXY-3-(PHOSPHONOOXY)TETRAHYDROFURAN-2-YL]-9,13,15-TRIHYDROXY-10,10-DIMETHYL-13,15-DIOXIDO-4,8-DIOXO-12,14,16-TRIOXA-3,7-DIAZA-13,15-DIPHOSPHAHEPTADEC-1-YL} THIOFORMATE (CCD ID: FYN) (formula: $C_{22}H_{36}N_7O_{17}P_3S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	S	2	0
			82	22	32	7	17	3	1		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Mg	0	0
			2	2		
6	B	2	Total	Mg	0	0
			2	2		

- Molecule 7 is 3-[(4-AMINO-2-METHYLPYRIMIDIN-5-YL)METHYL]-2-{(1R,11R,15S,17R)-19-[(2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-4-HYDROXY-3-(PHOSPHONOOXY)TETRAHYDROFURAN-2-YL]-1,11,15,17-TETRAHYDROXY-12,12-DIMETHYL-15,17-DIOXIDO-6,10-DIOXO-14,16,18-TRIOXA-2-THIA-5,9-DIAZA-15,17-DIPHOSPHANONAD EC-1-YL}-5-(2-{[(R)-HYDROXY(PHOSPHONOOXY)PHOSPHORYL]OXY}ETHYL)-4-METHYL-1,3-THIAZOL-3-IUM (CCD ID: OXT) (formula: C₃₄H₅₅N₁₁O₂₄P₅S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
			Total	C	H	N	O	P	S		
7	B	1	124	34	48	11	24	5	2	3	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	506	Total	O	0	0
			506	506		
8	B	543	Total	O	0	0
			543	543		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 2-hydroxyacyl-CoA lyase



• Molecule 1: 2-hydroxyacyl-CoA lyase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	116.23Å 116.23Å 312.06Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	100.66 – 1.64 100.66 – 1.64	Depositor EDS
% Data completeness (in resolution range)	64.5 (100.66-1.64) 64.5 (100.66-1.64)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 1.64Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.145 , 0.175 0.145 , 0.175	Depositor DCC
R_{free} test set	4842 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	17.5	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18926	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4, OXT, FYN, ACN, TPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.16	3/4473 (0.1%)	1.25	2/6096 (0.0%)
1	B	1.18	2/4513 (0.0%)	1.27	4/6150 (0.1%)
All	All	1.17	5/8986 (0.1%)	1.26	6/12246 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	453	PRO	C-O	9.74	1.35	1.23
1	B	291	ASP	C-O	6.89	1.30	1.23
1	A	503	LEU	C-O	5.90	1.31	1.23
1	A	73	HIS	CE1-NE2	5.52	1.38	1.32
1	A	467	ALA	C-O	5.08	1.30	1.24

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	428	ASP	CA-CB-CG	5.99	118.59	112.60
1	B	571	ASP	CA-C-O	-5.22	115.02	120.55
1	B	365	ASP	CA-CB-CG	5.19	117.79	112.60
1	A	269	VAL	CA-C-N	5.15	126.57	120.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	269	VAL	C-N-CA	5.15	126.57	120.14
1	B	423	ALA	N-CA-C	5.12	117.31	110.35

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	305	ALA	Peptide
1	B	305	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4374	4348	4335	24	0
1	B	4412	4386	4372	24	0
2	A	26	16	16	3	0
3	A	60	0	0	3	0
3	B	35	0	0	1	0
4	A	4	6	6	0	0
5	A	50	32	32	3	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
7	B	76	48	48	1	0
8	A	506	0	0	6	2
8	B	543	0	0	8	1
All	All	10090	8836	8809	52	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:586[A]:ARG:HG3	1:B:586[A]:ARG:HH21	1.41	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:539:ARG:NH2	3:B:702:SO4:O1	2.13	0.78
2:A:701:TPP:H2	5:A:715:FYN:OM2	1.84	0.78
1:B:279:ASP:OD2	8:B:801:HOH:O	2.08	0.70
1:B:586[A]:ARG:HG3	1:B:586[A]:ARG:NH2	2.06	0.70
1:A:190:LEU:HD21	1:B:586[A]:ARG:HG2	1.77	0.67
1:B:50:ASP:OD2	8:B:802:HOH:O	2.14	0.66
1:A:50:ASP:OD2	8:A:801:HOH:O	2.12	0.66
1:B:324:GLU:OE1	8:B:803:HOH:O	2.16	0.62
1:A:77:GLU:OE1	3:A:707:SO4:O2	2.18	0.59
2:A:701:TPP:H2	5:A:715:FYN:CM1	2.31	0.59
1:B:193[A]:ARG:NH1	8:B:808:HOH:O	2.28	0.57
3:A:702:SO4:O2	8:A:802:HOH:O	2.18	0.52
1:A:494:ARG:HD2	8:A:1219:HOH:O	2.10	0.51
1:A:255[B]:GLN:NE2	1:A:417:ARG:HD2	2.25	0.51
1:B:52:LEU:HD12	1:B:86:MET:HE1	1.94	0.49
1:B:38:PHE:O	1:B:85:ALA:HA	2.12	0.49
1:A:277:MET:HE3	8:A:1191:HOH:O	2.13	0.48
1:B:582:GLU:OE2	1:B:586[A]:ARG:NH2	2.41	0.48
1:A:589:GLY:O	1:A:592:SER:HB2	2.14	0.48
1:A:38:PHE:O	1:A:85:ALA:HA	2.14	0.47
1:A:126:PRO:HG2	1:A:129:ASP:HB2	1.97	0.47
1:A:28:PHE:CE2	1:A:32:HIS:CE1	3.03	0.47
1:B:519:ARG:NH2	8:B:813:HOH:O	2.37	0.47
1:A:412:LEU:HD11	1:A:457:VAL:HG12	1.96	0.47
1:A:331:PRO:O	1:A:335:LEU:HG	2.15	0.46
1:A:130:ILE:HG13	1:A:131:PRO:HD2	1.97	0.46
1:B:331:PRO:O	1:B:335:LEU:HG	2.15	0.45
1:A:591:GLY:HA2	8:A:937:HOH:O	2.15	0.45
1:B:39:GLY:O	1:B:61:ASP:HA	2.16	0.45
1:B:77[A]:GLU:OE2	1:B:427:LEU:HD21	2.16	0.45
1:A:277:MET:CE	8:A:1191:HOH:O	2.65	0.45
1:B:28:PHE:CE2	1:B:32:HIS:CE1	3.06	0.44
1:A:39:GLY:O	1:A:61:ASP:HA	2.17	0.44
1:B:125:GLY:N	1:B:126:PRO:CD	2.80	0.44
1:B:412:LEU:C	1:B:412:LEU:HD13	2.42	0.43
1:A:125:GLY:N	1:A:126:PRO:CD	2.81	0.43
1:B:405:MET:O	1:B:426:TYR:HA	2.18	0.43
1:A:187:PRO:HD2	1:A:190:LEU:HD22	1.99	0.43
1:B:503:LEU:HA	8:B:1177:HOH:O	2.19	0.43
1:A:539:ARG:NH2	3:A:703:SO4:O3	2.43	0.42
2:A:701:TPP:H2	5:A:715:FYN:S	2.59	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:412:LEU:C	1:A:412:LEU:HD13	2.44	0.42
1:B:482:VAL:O	1:B:548:LEU:HA	2.20	0.42
1:A:309:ARG:O	1:A:326:GLU:HA	2.19	0.42
1:B:494:ARG:NH2	8:B:807:HOH:O	2.26	0.42
7:B:701:OXT:H711	7:B:701:OXT:O41	2.19	0.42
1:B:586[A]:ARG:NH1	8:B:805:HOH:O	2.23	0.42
1:A:48:ILE:HD11	1:A:182:LEU:HD21	2.03	0.40
1:A:150:ASP:CG	1:A:190:LEU:HD23	2.46	0.40
1:A:46:GLN:N	1:A:47:PRO:CD	2.84	0.40
1:B:495:TYR:CD1	1:B:562:SER:HB2	2.56	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1131:HOH:O	8:B:1292:HOH:O[5_545]	2.09	0.11
8:A:829:HOH:O	8:A:829:HOH:O[10_445]	2.13	0.07

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	583/612 (95%)	573 (98%)	10 (2%)	0	100	100
1	B	587/612 (96%)	574 (98%)	13 (2%)	0	100	100
All	All	1170/1224 (96%)	1147 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	447/467 (96%)	441 (99%)	6 (1%)	61	38
1	B	451/467 (97%)	447 (99%)	4 (1%)	70	54
All	All	898/934 (96%)	888 (99%)	10 (1%)	68	44

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	190	LEU
1	A	193[A]	ARG
1	A	193[B]	ARG
1	A	313	THR
1	A	350	SER
1	A	590	ILE
1	B	41	GLN
1	B	313	THR
1	B	350	SER
1	B	598	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	371	HIS
1	B	41	GLN
1	B	289	GLN
1	B	500	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 4 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	TPP	A	701	6	26,27,27	0.78	1 (3%)	38,40,40	0.86	0
4	ACN	A	714	-	3,3,3	1.15	0	3,3,3	0.24	0
3	SO4	A	703	-	4,4,4	0.30	0	6,6,6	0.25	0
3	SO4	A	711	-	4,4,4	0.28	0	6,6,6	0.12	0
3	SO4	A	713	-	4,4,4	0.29	0	6,6,6	0.07	0
3	SO4	B	707	-	4,4,4	0.29	0	6,6,6	0.15	0
3	SO4	A	712	-	4,4,4	0.26	0	6,6,6	0.19	0
3	SO4	B	703	-	4,4,4	0.17	0	6,6,6	0.19	0
3	SO4	A	702	-	4,4,4	0.70	0	6,6,6	0.64	0
3	SO4	A	708	-	4,4,4	0.35	0	6,6,6	0.48	0
3	SO4	B	708	-	4,4,4	0.32	0	6,6,6	0.11	0
3	SO4	B	705	-	4,4,4	0.36	0	6,6,6	0.22	0
3	SO4	B	704	-	4,4,4	0.32	0	6,6,6	0.31	0
3	SO4	A	705	-	4,4,4	0.30	0	6,6,6	0.14	0
3	SO4	A	704	-	4,4,4	0.39	0	6,6,6	0.19	0
3	SO4	B	706	-	4,4,4	0.32	0	6,6,6	0.28	0
3	SO4	A	706	-	4,4,4	0.30	0	6,6,6	0.24	0
3	SO4	A	710	-	4,4,4	0.23	0	6,6,6	0.19	0
3	SO4	A	709	-	4,4,4	0.15	0	6,6,6	0.17	0
5	FYN	A	715	-	49,52,52	0.88	4 (8%)	69,77,77	0.90	3 (4%)
7	OXT	B	701	6	72,80,80	0.78	2 (2%)	103,121,121	0.82	2 (1%)
3	SO4	B	702	-	4,4,4	0.31	0	6,6,6	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	707	-	4,4,4	1.30	1 (25%)	6,6,6	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPP	A	701	6	-	2/17/17/17	0/2/2/2
5	FYN	A	715	-	-	10/49/66/66	0/3/3/3
7	OXT	B	701	6	-	6/68/88/88	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	701	OXT	PA-O3A	3.33	1.63	1.59
5	A	715	FYN	P1-O6	3.30	1.63	1.59
7	B	701	OXT	P3'-O91	-3.05	1.43	1.54
5	A	715	FYN	CM1-S	2.35	1.80	1.74
5	A	715	FYN	P2-O6	2.19	1.61	1.59
2	A	701	TPP	PA-O3A	2.19	1.61	1.59
3	A	707	SO4	O1-S	2.18	1.57	1.44
5	A	715	FYN	C8-N9	2.02	1.41	1.37

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	715	FYN	O11-P1-O6	2.67	114.50	107.27
5	A	715	FYN	P3-O3'-C3'	-2.31	117.27	123.43
7	B	701	OXT	O13-P13-O33	2.25	113.36	107.27
7	B	701	OXT	O2A-PA-O1A	2.13	122.36	112.44
5	A	715	FYN	O3'-C3'-C4'	-2.10	102.64	110.03

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	TPP	PA-O3A-PB-O2B
5	A	715	FYN	CP7-CP6-NP2-CP5
5	A	715	FYN	CP4-CP3-NP1-CP2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	715	FYN	OP1-CP3-NP1-CP2
7	B	701	OXT	C5'-O5'-P13-O13
7	B	701	OXT	C5'-O5'-P13-O33
7	B	701	OXT	O41-C40-C42-N43
7	B	701	OXT	PA-O3A-PB-O2B
5	A	715	FYN	OP2-CP6-NP2-CP5
2	A	701	TPP	PA-O3A-PB-O1B
5	A	715	FYN	CP8-CPA-CPB-O7
5	A	715	FYN	CP7-CPA-CPB-O7
5	A	715	FYN	C5'-O5'-P1-O6
5	A	715	FYN	CPB-O7-P2-O22
7	B	701	OXT	C5'-O5'-P13-O23
7	B	701	OXT	O41-C40-C42-S16
5	A	715	FYN	P1-O6-P2-O21
5	A	715	FYN	CP9-CPA-CPB-O7


There are no ring outliers.


7 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	TPP	3	0
3	A	703	SO4	1	0
3	A	702	SO4	1	0
5	A	715	FYN	3	0
7	B	701	OXT	1	0
3	B	702	SO4	1	0
3	A	707	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	580/612 (94%)	-0.68	5 (0%) 81 85	10, 18, 36, 61	5 (0%)
1	B	584/612 (95%)	-0.71	7 (1%) 76 81	9, 17, 34, 75	5 (0%)
All	All	1164/1224 (95%)	-0.69	12 (1%) 79 84	9, 17, 35, 75	10 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	15	ALA	4.4
1	B	594	TRP	4.1
1	A	15	ALA	4.1
1	B	495	TYR	4.1
1	A	593	ALA	3.3
1	A	590	ILE	3.1
1	B	590	ILE	2.9
1	B	598	GLN	2.9
1	B	593	ALA	2.6
1	A	190	LEU	2.3
1	A	594	TRP	2.2
1	B	596	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	713	5/5	0.65	0.10	95,97,99,104	0
3	SO4	A	708	5/5	0.69	0.16	45,55,67,72	0
3	SO4	A	707	5/5	0.70	0.20	26,39,48,67	0
3	SO4	B	707	5/5	0.70	0.17	78,79,99,105	0
3	SO4	B	705	5/5	0.73	0.13	50,55,68,68	0
3	SO4	A	710	5/5	0.73	0.14	77,83,99,100	0
3	SO4	A	712	5/5	0.75	0.14	84,87,91,91	0
3	SO4	A	709	5/5	0.75	0.13	74,77,86,86	0
3	SO4	A	711	5/5	0.78	0.14	94,103,106,106	0
3	SO4	A	706	5/5	0.79	0.12	63,72,76,79	0
3	SO4	B	706	5/5	0.79	0.14	69,70,85,94	0
3	SO4	A	705	5/5	0.79	0.14	71,72,75,77	0
3	SO4	B	708	5/5	0.79	0.12	92,92,96,101	0
3	SO4	B	704	5/5	0.80	0.13	54,70,76,81	0
3	SO4	B	702	5/5	0.82	0.12	59,61,69,72	0
5	FYN	A	715	50/50	0.82	0.17	40,66,84,93	2
3	SO4	A	702	5/5	0.83	0.13	32,41,52,53	0
4	ACN	A	714	4/4	0.86	0.12	22,28,31,31	0
3	SO4	A	703	5/5	0.87	0.10	49,51,63,68	0
3	SO4	B	703	5/5	0.89	0.10	37,51,53,54	0
3	SO4	A	704	5/5	0.93	0.08	37,49,54,55	0
6	MG	A	716	1/1	0.97	0.04	26,26,26,26	1
6	MG	B	710	1/1	0.98	0.03	33,33,33,33	1
6	MG	A	717	1/1	0.99	0.01	14,14,14,14	0
2	TPP	A	701	26/26	0.99	0.03	11,12,12,13	0
7	OXT	B	701	76/76	0.99	0.04	11,19,25,29	3
6	MG	B	709	1/1	1.00	0.05	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SO4 A 713:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 712:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around SO4 A 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 711:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around SO4 A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 702:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FYN A 715:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ACN A 714:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 716:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 717:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TPP A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OXT B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG B 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.