



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 06:57 AM UTC

PDB ID : 7PUG / pdb_00007pug
Title : GH115 alpha-1,2-glucuronidase in complex with xylopentaose
Authors : Wilkens, C.; Morth, J.P.; Polikarpov, I.
Deposited on : 2021-09-29
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	842	% 75% 21% ..
2	B	5	20% 80%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7164 atoms, of which 42 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called xylan alpha-1,2-glucuronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	829	Total	C	N	O	S	0	0	0
			6762	4294	1130	1313	25			

- Molecule 2 is an oligosaccharide called beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	5	Total	C	H	O	0	0	0
			88	25	42	21			

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total	Cl	0	0
			13	13		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Ca	0	0
			3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	298	Total	O	0	0
			298	298		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: xylan alpha-1,2-glucuronidase



- Molecule 2: beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose-(1-4)-beta-D-xylopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	148.63Å 148.63Å 272.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	65.26 – 2.66 65.26 – 2.66	Depositor EDS
% Data completeness (in resolution range)	100.0 (65.26-2.66) 100.0 (65.26-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.19	Depositor
R, R_{free}	0.174 , 0.210 0.175 , 0.209	Depositor DCC
R_{free} test set	2579 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	88.2	Xtriage
Anisotropy	0.095	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 98.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7164	wwPDB-VP
Average B, all atoms (Å ²)	99.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CA, XYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/6935	0.53	0/9418

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	301	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6762	0	6464	155	0
2	B	46	42	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	13	0	0	6	0
4	A	3	0	0	0	0
5	A	298	0	0	15	0
All	All	7122	42	6464	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:913:CL:CL	5:A:1003:HOH:O	2.20	0.95
1:A:247:HIS:HB3	1:A:299:ARG:HD3	1.52	0.91
1:A:773:VAL:O	1:A:777:THR:HG22	1.73	0.87
1:A:305:PRO:HB3	1:A:357:LYS:HE2	1.55	0.86
1:A:319:SER:HA	1:A:323:ASN:HB2	1.56	0.86
1:A:728:HIS:HB2	1:A:816:VAL:HG13	1.57	0.84
1:A:356:TYR:HB3	1:A:357:LYS:HD3	1.60	0.82
1:A:357:LYS:HG2	1:A:358:GLU:H	1.49	0.77
1:A:85:LYS:O	1:A:86:ILE:HD13	1.85	0.77
1:A:386:ARG:HD3	5:A:1019:HOH:O	1.89	0.73
1:A:338:ILE:O	1:A:342:THR:HG22	1.90	0.72
1:A:324:MET:HE2	1:A:362:TYR:HA	1.71	0.71
1:A:247:HIS:CB	1:A:299:ARG:HD3	2.20	0.70
1:A:830:GLU:HG3	5:A:1288:HOH:O	1.89	0.70
1:A:267:TRP:CH2	1:A:298:MET:HG3	2.28	0.68
1:A:676:GLU:HA	1:A:676:GLU:OE1	1.92	0.68
1:A:319:SER:HA	1:A:323:ASN:CB	2.23	0.67
1:A:520:LEU:HD11	1:A:577:MET:HE2	1.76	0.67
1:A:287:VAL:O	1:A:290:THR:HG23	1.95	0.66
1:A:378:SER:C	1:A:402:MET:HE1	2.21	0.66
1:A:756:ILE:C	1:A:756:ILE:HD12	2.21	0.66
1:A:676:GLU:CD	1:A:677:ALA:H	2.03	0.65
1:A:758:ASN:OD1	1:A:761:TRP:HB3	1.97	0.65
1:A:250:MET:SD	1:A:284:ILE:HD11	2.37	0.64
1:A:583:ARG:HB3	1:A:583:ARG:CZ	2.24	0.64
1:A:158:ARG:NH1	5:A:1007:HOH:O	2.32	0.63
1:A:265:GLY:HA3	1:A:272:ASN:ND2	2.13	0.63
3:A:905:CL:CL	5:A:1295:HOH:O	2.52	0.62
1:A:770:ILE:HG23	1:A:771:TYR:CD1	2.34	0.62
1:A:327:LEU:HD23	1:A:367:LEU:HD21	1.80	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:THR:HG21	5:A:1008:HOH:O	1.98	0.61
1:A:53:THR:HG23	5:A:1080:HOH:O	1.99	0.61
1:A:265:GLY:HA3	1:A:272:ASN:HD21	1.66	0.61
1:A:394:ARG:HD3	5:A:1234:HOH:O	1.98	0.61
1:A:686:THR:HB	1:A:701:MET:HG3	1.81	0.61
1:A:822:TYR:OH	5:A:1001:HOH:O	2.15	0.61
1:A:736:PRO:HB3	1:A:742:GLY:HA2	1.82	0.61
1:A:658:TYR:CE2	1:A:836:ARG:HG3	2.36	0.60
1:A:331:ILE:O	1:A:335:ARG:HG3	2.00	0.60
1:A:748:GLY:HA3	1:A:754:LYS:HG2	1.82	0.60
1:A:748:GLY:HA2	1:A:789:LEU:HD21	1.82	0.60
1:A:267:TRP:HA	1:A:276:ILE:HD11	1.82	0.60
1:A:684:LYS:NZ	3:A:907:CL:CL	2.71	0.59
1:A:365:LEU:HD23	1:A:365:LEU:O	2.01	0.59
1:A:660:PHE:CZ	1:A:669:ILE:HG23	2.37	0.59
1:A:465:ASP:OD1	1:A:467:THR:HG22	2.03	0.59
1:A:681:GLU:O	1:A:682:GLU:HB2	2.03	0.58
1:A:773:VAL:O	1:A:777:THR:CG2	2.47	0.58
1:A:337:ILE:O	1:A:341:VAL:HG23	2.03	0.58
1:A:64:GLU:CD	1:A:111:LYS:HE2	2.30	0.57
1:A:759:PHE:HB2	1:A:783:VAL:HG21	1.87	0.57
1:A:323:ASN:OD1	1:A:362:TYR:OH	2.16	0.56
1:A:402:MET:HE3	1:A:403:TYR:H	1.70	0.56
1:A:319:SER:O	1:A:320:ASP:HB3	2.05	0.55
1:A:357:LYS:HG2	1:A:358:GLU:N	2.21	0.55
1:A:732:LYS:HB3	1:A:811:VAL:HB	1.89	0.54
1:A:376:LEU:HD13	1:A:441:LEU:HD23	1.90	0.54
1:A:728:HIS:HB2	1:A:816:VAL:CG1	2.32	0.54
1:A:814:LYS:HD3	1:A:828:PHE:HB2	1.89	0.54
1:A:42:ASN:OD1	3:A:912:CL:CL	2.64	0.53
1:A:335:ARG:HD2	1:A:370:PRO:HG2	1.91	0.53
1:A:250:MET:CE	1:A:296:ILE:HG22	2.38	0.53
1:A:357:LYS:NZ	5:A:1002:HOH:O	2.19	0.53
1:A:357:LYS:CG	1:A:358:GLU:H	2.15	0.53
1:A:3:LYS:HE2	1:A:480:SER:OG	2.10	0.51
1:A:838:GLU:HA	1:A:838:GLU:OE1	2.10	0.51
1:A:732:LYS:HG2	1:A:733:SER:N	2.24	0.51
1:A:744:GLU:HA	1:A:757:VAL:O	2.10	0.51
1:A:479:ARG:NH2	1:A:488:GLU:OE2	2.39	0.51
1:A:358:GLU:O	1:A:358:GLU:HG3	2.11	0.50
1:A:555:LYS:HA	1:A:559:LEU:HB3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:MET:HE1	1:A:338:ILE:HD11	1.94	0.50
1:A:280:PHE:O	1:A:284:ILE:HD12	2.12	0.50
1:A:363:PHE:HE2	1:A:368:ARG:CD	2.25	0.49
1:A:103:VAL:CG1	1:A:115:ILE:HD13	2.43	0.49
1:A:549:GLU:H	1:A:549:GLU:CD	2.20	0.49
1:A:450:LYS:HB2	1:A:622:MET:HE3	1.95	0.49
1:A:608:HIS:HD2	5:A:1279:HOH:O	1.95	0.49
1:A:501:TYR:C	1:A:501:TYR:CD1	2.91	0.48
1:A:293:LEU:HD12	1:A:350:PRO:HB2	1.94	0.48
1:A:299:ARG:O	1:A:306:MET:HG3	2.13	0.48
1:A:278:GLN:O	1:A:282:GLU:HG2	2.13	0.48
1:A:378:SER:CA	1:A:402:MET:HE1	2.44	0.47
1:A:660:PHE:CE1	1:A:669:ILE:HG23	2.50	0.47
1:A:305:PRO:C	1:A:306:MET:HG2	2.39	0.47
1:A:381:ASN:HB3	1:A:408:TYR:CD2	2.49	0.47
1:A:324:MET:HE2	1:A:362:TYR:CA	2.44	0.47
1:A:359:VAL:O	1:A:363:PHE:N	2.47	0.47
1:A:507:ARG:HA	3:A:902:CL:CL	2.52	0.47
1:A:296:ILE:HD11	1:A:373:VAL:HG11	1.97	0.46
1:A:355:ILE:HD11	1:A:377:LEU:CD2	2.45	0.46
1:A:285:GLU:OE1	1:A:288:LYS:HE2	2.15	0.46
1:A:87:LYS:HB3	1:A:90:GLU:HG3	1.97	0.46
1:A:293:LEU:HD12	1:A:293:LEU:HA	1.72	0.46
1:A:402:MET:HE3	1:A:403:TYR:N	2.29	0.46
1:A:512:MET:HE3	5:A:1161:HOH:O	2.15	0.46
1:A:837:ILE:HG22	1:A:838:GLU:N	2.29	0.46
1:A:423:ILE:HG12	1:A:454:TYR:HE2	1.79	0.46
1:A:29:ASP:OD2	1:A:75:ARG:HG2	2.15	0.46
1:A:731:VAL:HG22	1:A:783:VAL:HG22	1.97	0.46
1:A:43:LEU:HD22	1:A:128:ILE:HG23	1.98	0.46
1:A:293:LEU:CD1	1:A:350:PRO:HB2	2.46	0.45
1:A:465:ASP:O	1:A:468:ARG:HG2	2.16	0.45
1:A:355:ILE:HD11	1:A:377:LEU:HD23	1.98	0.45
1:A:473:ASN:O	1:A:476:ASP:HB2	2.17	0.45
1:A:473:ASN:OD1	1:A:473:ASN:C	2.59	0.45
1:A:500:LEU:HD23	1:A:500:LEU:HA	1.77	0.45
1:A:287:VAL:HG13	5:A:1052:HOH:O	2.16	0.45
1:A:190:TYR:HB3	1:A:198:ARG:NH2	2.31	0.45
1:A:204:PHE:CZ	1:A:235:ALA:HB2	2.52	0.45
1:A:305:PRO:CB	1:A:357:LYS:HE2	2.38	0.44
1:A:577:MET:O	1:A:581:LEU:HD23	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:GLU:O	1:A:134:GLN:HG2	2.18	0.44
1:A:450:LYS:HB2	1:A:622:MET:CE	2.47	0.44
1:A:701:MET:HE2	1:A:701:MET:HB3	1.85	0.44
1:A:381:ASN:HB3	1:A:408:TYR:CG	2.52	0.44
1:A:630:TYR:OH	1:A:635:ASP:HB3	2.17	0.44
1:A:100:MET:HA	1:A:115:ILE:O	2.17	0.44
1:A:204:PHE:CD1	1:A:240:ILE:HG13	2.53	0.44
1:A:319:SER:O	1:A:320:ASP:CB	2.66	0.44
1:A:327:LEU:O	1:A:331:ILE:HD13	2.18	0.44
1:A:677:ALA:HB1	1:A:685:TRP:CD1	2.52	0.43
1:A:43:LEU:HD21	1:A:131:LEU:HD23	2.00	0.43
1:A:399:GLY:HA3	1:A:440:GLU:HG3	1.99	0.43
1:A:386:ARG:NH1	5:A:1019:HOH:O	2.51	0.43
1:A:78:LYS:O	1:A:82:GLU:HG3	2.19	0.43
1:A:364:ASP:C	1:A:366:GLY:H	2.26	0.43
1:A:45:GLU:HA	1:A:54:ASN:OD1	2.19	0.43
1:A:401:GLY:HA2	1:A:441:LEU:O	2.18	0.43
1:A:573:TYR:OH	1:A:577:MET:HE3	2.19	0.43
1:A:741:LYS:O	1:A:741:LYS:HG2	2.19	0.43
1:A:390:THR:HG23	1:A:393:GLU:OE2	2.19	0.43
1:A:555:LYS:HE3	1:A:555:LYS:HB2	1.88	0.43
1:A:700:LEU:HD11	1:A:710:ALA:HB3	2.01	0.42
1:A:252:ARG:NH2	1:A:282:GLU:HG3	2.35	0.42
1:A:104:ASP:OD1	1:A:158:ARG:NH2	2.45	0.42
1:A:700:LEU:HD11	1:A:710:ALA:CB	2.50	0.42
1:A:789:LEU:HD12	1:A:789:LEU:HA	1.71	0.42
3:A:901:CL:CL	5:A:1009:HOH:O	2.59	0.42
1:A:546:LEU:HD11	1:A:554:TYR:CG	2.55	0.42
1:A:172:GLY:HA3	1:A:214:PHE:HB3	2.01	0.41
1:A:250:MET:HG3	1:A:280:PHE:CG	2.55	0.41
1:A:362:TYR:HB3	1:A:367:LEU:CD2	2.51	0.41
1:A:571:MET:HE1	1:A:628:ILE:HD13	2.02	0.41
1:A:680:ALA:HB2	1:A:710:ALA:HB2	2.01	0.41
1:A:252:ARG:HA	1:A:252:ARG:HD2	1.84	0.41
1:A:658:TYR:CZ	1:A:836:ARG:HG3	2.55	0.41
1:A:828:PHE:O	1:A:829:MET:HB2	2.21	0.41
1:A:335:ARG:NH1	1:A:370:PRO:CB	2.84	0.41
1:A:357:LYS:HD3	1:A:357:LYS:N	2.36	0.41
1:A:247:HIS:HB3	1:A:299:ARG:HH11	1.86	0.41
1:A:267:TRP:HZ3	1:A:299:ARG:O	2.04	0.40
1:A:681:GLU:O	1:A:682:GLU:CB	2.67	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:756:ILE:C	1:A:756:ILE:CD1	2.90	0.40
1:A:217:PRO:CB	1:A:224:PHE:HB2	2.51	0.40
1:A:267:TRP:CE2	1:A:298:MET:HE3	2.56	0.40
1:A:319:SER:CA	1:A:323:ASN:CB	2.97	0.40
1:A:356:TYR:O	1:A:357:LYS:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	825/842 (98%)	776 (94%)	46 (6%)	3 (0%)	30 45

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	320	ASP
1	A	357	LYS
1	A	305	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	727/738 (98%)	681 (94%)	46 (6%)	16 29

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU
1	A	53	THR
1	A	80	LEU
1	A	86	ILE
1	A	103	VAL
1	A	157	GLU
1	A	219	MET
1	A	267	TRP
1	A	274	GLU
1	A	290	THR
1	A	293	LEU
1	A	304	THR
1	A	306	MET
1	A	321	GLU
1	A	333	ASN
1	A	340	ASP
1	A	345	SER
1	A	352	VAL
1	A	357	LYS
1	A	363	PHE
1	A	365	LEU
1	A	387	ARG
1	A	467	THR
1	A	480	SER
1	A	501	TYR
1	A	525	TRP
1	A	583	ARG
1	A	659	VAL
1	A	661	THR
1	A	672	GLU
1	A	676	GLU
1	A	678	LYS
1	A	681	GLU
1	A	687	VAL
1	A	711	SER
1	A	721	GLU
1	A	741	LYS
1	A	756	ILE
1	A	777	THR
1	A	778	VAL
1	A	782	VAL
1	A	783	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	789	LEU
1	A	802	THR
1	A	816	VAL
1	A	817	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	260	ASN
1	A	272	ASN
1	A	425	ASN
1	A	769	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	XYP	B	1	2	10,10,10	1.11	0	14,14,14	1.27	2 (14%)
2	XYP	B	2	2	9,9,10	0.83	0	10,12,14	0.97	0
2	XYP	B	3	2	9,9,10	1.00	0	10,12,14	1.21	1 (10%)
2	XYP	B	4	2	9,9,10	1.04	0	10,12,14	1.76	2 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XYP	B	5	2	9,9,10	1.12	0	10,12,14	3.71	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XYP	B	1	2	-	-	0/1/1/1
2	XYP	B	2	2	-	-	0/1/1/1
2	XYP	B	3	2	-	-	0/1/1/1
2	XYP	B	4	2	-	-	0/1/1/1
2	XYP	B	5	2	-	-	0/1/1/1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	5	XYP	C1-C2-C3	9.49	123.46	109.64
2	B	5	XYP	C4-C3-C2	-5.32	104.60	110.92
2	B	4	XYP	C5-C4-C3	-3.65	104.33	109.64
2	B	1	XYP	O3-C3-C4	3.00	116.18	110.05
2	B	4	XYP	C1-C2-C3	2.84	113.78	109.64
2	B	3	XYP	C1-C2-C3	2.62	113.47	109.64
2	B	5	XYP	C5-O5-C1	-2.55	107.30	111.42
2	B	5	XYP	O3-C3-C4	2.44	115.04	110.05
2	B	1	XYP	C5-O5-C1	-2.34	107.60	112.46


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	829/842 (98%)	-0.34	10 (1%) 76 72	59, 92, 156, 201	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	365	LEU	6.0
1	A	356	TYR	3.6
1	A	318	PRO	3.5
1	A	838	GLU	2.5
1	A	-1	ALA	2.4
1	A	359	VAL	2.3
1	A	681	GLU	2.1
1	A	837	ILE	2.1
1	A	366	GLY	2.0
1	A	551	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	XYP	B	1	10/10	0.64	0.12	127,147,176,182	0
2	XYP	B	5	9/10	0.68	0.13	130,145,170,175	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	XYP	B	2	9/10	0.86	0.10	116,131,157,157	0
2	XYP	B	4	9/10	0.90	0.06	119,134,160,161	0
2	XYP	B	3	9/10	0.90	0.07	121,129,155,159	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	A	915	1/1	0.66	0.11	149,149,149,149	0
3	CL	A	910	1/1	0.74	0.30	136,136,136,136	0
3	CL	A	913	1/1	0.84	0.10	157,157,157,157	0
3	CL	A	912	1/1	0.86	0.13	132,132,132,132	0
3	CL	A	904	1/1	0.87	0.15	127,127,127,127	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	A	907	1/1	0.88	0.13	152,152,152,152	0
3	CL	A	903	1/1	0.89	0.15	128,128,128,128	0
3	CL	A	909	1/1	0.91	0.13	114,114,114,114	0
3	CL	A	908	1/1	0.92	0.08	150,150,150,150	0
3	CL	A	911	1/1	0.93	0.15	141,141,141,141	0
3	CL	A	901	1/1	0.93	0.14	131,131,131,131	0
3	CL	A	905	1/1	0.94	0.20	128,128,128,128	0
3	CL	A	902	1/1	0.95	0.17	115,115,115,115	0
3	CL	A	906	1/1	0.95	0.15	145,145,145,145	0
4	CA	A	916	1/1	0.99	0.03	98,98,98,98	0
4	CA	A	914	1/1	1.00	0.02	73,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CA A 915:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CA A 916:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CA A 914:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.