



wwPDB EM Validation Summary Report ⓘ

Mar 27, 2026 – 12:26 AM UTC

PDB ID : 6PV7 / pdb_00006pv7
EMDB ID : EMD-20487
Title : Human alpha3beta4 nicotinic acetylcholine receptor in complex with nicotine
Authors : Gharpure, A.; Teng, J.; Zhuang, Y.; Noviello, C.M.; Walsh, R.M.; Cabuco, R.; Howard, R.J.; Zaveri, N.T.; Lindahl, E.; Hibbs, R.E.
Deposited on : 2019-07-19
Resolution : 3.34 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14446 (2.84 - 3.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	67% 7% 26%
1	D	525	65% 9% 26%
2	B	538	64% 8% 28%
2	C	538	59% 11% 28%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	538	
3	F	219	
3	H	219	
4	G	213	
4	I	213	
5	J	2	
5	P	2	
6	K	5	
6	M	5	
6	O	5	
6	Q	5	
6	S	5	
7	L	3	
7	N	3	
7	R	3	

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 20048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion protein of Neuronal acetylcholine receptor subunit alpha-3 and Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	387	Total	C	N	O	S	0	0
			3167	2096	489	562	20		
1	D	387	Total	C	N	O	S	0	0
			3167	2096	489	562	20		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	328A	TRP	MET	conflict	UNP A0A3W4NZ06
A	331R	ILE	HIS	conflict	UNP A0A3W4NZ06
A	331V	LEU	-	linker	UNP A0A3W4NZ06
D	328A	TRP	MET	conflict	UNP A0A3W4NZ06
D	331R	ILE	HIS	conflict	UNP A0A3W4NZ06
D	331V	LEU	-	linker	UNP A0A3W4NZ06

- Molecule 2 is a protein called Fusion protein of Neuronal acetylcholine receptor subunit beta-4 and Soluble cytochrome b562.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	388	Total	C	N	O	S	0	0
			3149	2055	512	561	21		
2	C	385	Total	C	N	O	S	0	0
			3126	2041	506	558	21		
2	E	388	Total	C	N	O	S	0	0
			3149	2055	512	561	21		

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	328S	TRP	MET	conflict	UNP A0A3W4NZ06
B	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
B	332N	LEU	-	linker	UNP A0A3W4NZ06

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	478	SER	-	expression tag	UNP P30926
B	479	ALA	-	expression tag	UNP P30926
B	480	TRP	-	expression tag	UNP P30926
B	481	SER	-	expression tag	UNP P30926
B	482	HIS	-	expression tag	UNP P30926
B	483	PRO	-	expression tag	UNP P30926
B	484	GLN	-	expression tag	UNP P30926
B	485	PHE	-	expression tag	UNP P30926
B	486	GLU	-	expression tag	UNP P30926
B	487	LYS	-	expression tag	UNP P30926
C	328S	TRP	MET	conflict	UNP A0A3W4NZ06
C	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
C	332N	LEU	-	linker	UNP A0A3W4NZ06
C	478	SER	-	expression tag	UNP P30926
C	479	ALA	-	expression tag	UNP P30926
C	480	TRP	-	expression tag	UNP P30926
C	481	SER	-	expression tag	UNP P30926
C	482	HIS	-	expression tag	UNP P30926
C	483	PRO	-	expression tag	UNP P30926
C	484	GLN	-	expression tag	UNP P30926
C	485	PHE	-	expression tag	UNP P30926
C	486	GLU	-	expression tag	UNP P30926
C	487	LYS	-	expression tag	UNP P30926
E	328S	TRP	MET	conflict	UNP A0A3W4NZ06
E	332J	ILE	HIS	conflict	UNP A0A3W4NZ06
E	332N	LEU	-	linker	UNP A0A3W4NZ06
E	478	SER	-	expression tag	UNP P30926
E	479	ALA	-	expression tag	UNP P30926
E	480	TRP	-	expression tag	UNP P30926
E	481	SER	-	expression tag	UNP P30926
E	482	HIS	-	expression tag	UNP P30926
E	483	PRO	-	expression tag	UNP P30926
E	484	GLN	-	expression tag	UNP P30926
E	485	PHE	-	expression tag	UNP P30926
E	486	GLU	-	expression tag	UNP P30926
E	487	LYS	-	expression tag	UNP P30926

- Molecule 3 is a protein called IgG2b Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	F	117	Total	C	N	O	S	0	0
			911	580	147	179	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	117	Total	C	N	O	S	0	0
			911	580	147	179	5		

- Molecule 4 is a protein called Kappa Fab light chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	105	Total	C	N	O	S	0	0
			792	494	131	160	7		
4	I	105	Total	C	N	O	S	0	0
			792	494	131	160	7		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	J	2	Total	C	N	O	0	0
			28	16	2	10		
5	P	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	K	5	Total	C	N	O	0	0
			61	34	2	25		
6	M	5	Total	C	N	O	0	0
			61	34	2	25		
6	O	5	Total	C	N	O	0	0
			61	34	2	25		
6	Q	5	Total	C	N	O	0	0
			61	34	2	25		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
6	S	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	L	3	Total	C	N	O	0	0
			39	22	2	15		
7	N	3	Total	C	N	O	0	0
			39	22	2	15		
7	R	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 8 is (S)-3-(1-METHYLPYRROLIDIN-2-YL)PYRIDINE (CCD ID: NCT) (formula: C₁₀H₁₄N₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
8	A	1	Total	C	N	0
			12	10	2	
8	D	1	Total	C	N	0
			12	10	2	

- Y01

Mol	Chain	Residues	Atoms			AltConf
9	A	1	Total 28	C 27	O 1	0
9	A	1	Total 28	C 27	O 1	0
9	B	1	Total 28	C 27	O 1	0
9	B	1	Total 28	C 27	O 1	0
9	C	1	Total 28	C 27	O 1	0
9	C	1	Total 28	C 27	O 1	0
9	D	1	Total 28	C 27	O 1	0
9	D	1	Total 28	C 27	O 1	0
9	E	1	Total 28	C 27	O 1	0
9	E	1	Total 28	C 27	O 1	0


- | Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|------------|---------|---------|
| 10 | A | 1 | Total
1 | Na
1 | 0 |

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
11	B	1	Total	C	N	O	0
			14	8	1	5	
11	B	1	Total	C	N	O	0
			14	8	1	5	
11	C	1	Total	C	N	O	0
			14	8	1	5	
11	C	1	Total	C	N	O	0
			14	8	1	5	
11	E	1	Total	C	N	O	0
			14	8	1	5	
11	E	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 12 is nonane (CCD ID: DD9) (formula: C_9H_{20}).




Mol	Chain	Residues	Atoms	AltConf
12	C	1	Total C 9 9	0


- Molecule 13 is water.

Mol	Chain	Residues	Atoms	AltConf
13	B	2	Total O 2 2	0
13	C	2	Total O 2 2	0
13	D	1	Total O 1 1	0
13	E	3	Total O 3 3	0

Frequency	Percentage
Daily	63%
Weekly	9%
Monthly	28%



Frequency	Percentage
8%	8%
47%	47%
7%	7%
47%	47%




Category	Percentage
Very bad	6%
Bad	49%
Good	5%
Very good	47%




Frequency	Percentage
Daily	40%
Weekly	9%
Monthly	51%







- Molecule 4: Kappa Fab light chain




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose






- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  67%
100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	112737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	46730	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.182	Depositor
Minimum map value	-0.106	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0275	Depositor
Map size (Å)	321.00003, 321.00003, 321.00003	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NCT, DD9, NAG, BMA, NA, MAN, Y01

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/3252	0.59	3/4431 (0.1%)
1	D	0.37	2/3252 (0.1%)	0.57	4/4431 (0.1%)
2	B	0.28	0/3228	0.57	0/4402
2	C	0.34	0/3205	0.64	1/4371 (0.0%)
2	E	0.30	0/3228	0.55	0/4402
3	F	0.22	0/936	0.47	1/1273 (0.1%)
3	H	0.22	0/936	0.48	1/1273 (0.1%)
4	G	0.24	0/811	0.51	0/1099
4	I	0.25	0/811	0.53	0/1099
All	All	0.31	2/19659 (0.0%)	0.57	10/26781 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	241	LYS	C-N	11.52	1.47	1.33
1	D	234	LEU	C-N	6.83	1.42	1.33

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	234	LEU	O-C-N	-9.65	113.11	121.31
1	A	234	LEU	CA-C-N	8.63	128.66	119.78
1	A	234	LEU	C-N-CA	8.63	128.66	119.78
1	D	241	LYS	CA-C-N	7.22	132.14	120.30
1	D	241	LYS	C-N-CA	7.22	132.14	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3167	0	3214	26	0
1	D	3167	0	3214	32	0
2	B	3149	0	3203	32	0
2	C	3126	0	3173	53	0
2	E	3149	0	3203	33	0
3	F	911	0	865	12	0
3	H	911	0	865	6	0
4	G	792	0	757	12	0
4	I	792	0	757	6	0
5	J	28	0	25	0	0
5	P	28	0	25	0	0
6	K	61	0	52	0	0
6	M	61	0	52	1	0
6	O	61	0	52	1	0
6	Q	61	0	52	0	0
6	S	61	0	52	1	0
7	L	39	0	34	1	0
7	N	39	0	34	0	0
7	R	39	0	34	0	0
8	A	12	0	14	0	0
8	D	12	0	14	0	0
9	A	56	0	90	4	0
9	B	56	0	90	4	0
9	C	56	0	90	5	0
9	D	56	0	90	4	0
9	E	56	0	90	6	0
10	A	1	0	0	0	0
11	B	28	0	26	0	0
11	C	28	0	26	1	0
11	E	28	0	26	0	0
12	C	9	0	20	0	0
13	B	2	0	0	0	0
13	C	2	0	0	0	0
13	D	1	0	0	0	0
13	E	3	0	0	0	0
All	All	20048	0	20239	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 210 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:171:MET:SD	2:C:182:ILE:CD1	2.64	0.85
2:B:313:LYS:HA	2:B:317:LEU:HD12	1.60	0.84
1:A:239:GLY:O	2:B:241:GLU:OE2	1.95	0.83
2:C:171:MET:SD	2:C:182:ILE:HD12	2.22	0.79
2:C:171:MET:HE1	2:C:185:LEU:HD22	1.70	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/525 (73%)	366 (96%)	17 (4%)	0	100	100
1	D	383/525 (73%)	369 (96%)	14 (4%)	0	100	100
2	B	384/538 (71%)	361 (94%)	23 (6%)	0	100	100
2	C	381/538 (71%)	360 (94%)	21 (6%)	0	100	100
2	E	384/538 (71%)	367 (96%)	17 (4%)	0	100	100
3	F	115/219 (52%)	109 (95%)	6 (5%)	0	100	100
3	H	115/219 (52%)	112 (97%)	3 (3%)	0	100	100
4	G	103/213 (48%)	94 (91%)	9 (9%)	0	100	100
4	I	103/213 (48%)	95 (92%)	8 (8%)	0	100	100
All	All	2351/3528 (67%)	2233 (95%)	118 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	359/470 (76%)	357 (99%)	2 (1%)	78	81
1	D	359/470 (76%)	355 (99%)	4 (1%)	65	75
2	B	362/482 (75%)	362 (100%)	0	100	100
2	C	360/482 (75%)	356 (99%)	4 (1%)	65	75
2	E	362/482 (75%)	359 (99%)	3 (1%)	73	78
3	F	98/188 (52%)	98 (100%)	0	100	100
3	H	98/188 (52%)	97 (99%)	1 (1%)	68	75
4	G	88/187 (47%)	88 (100%)	0	100	100
4	I	88/187 (47%)	88 (100%)	0	100	100
All	All	2174/3136 (69%)	2160 (99%)	14 (1%)	76	81

5 of 14 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	43	VAL
1	D	218	ILE
3	H	69	VAL
2	E	216	ILE
2	E	242	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	298	HIS
3	F	60	HIS
1	D	317	ASN
3	H	60	HIS
2	E	300	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

38 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	J	1	1,5	14,14,15	0.30	0	17,19,21	0.68	1 (5%)
5	NAG	J	2	5	14,14,15	0.41	0	17,19,21	0.42	0
6	NAG	K	1	1,6	14,14,15	0.20	0	17,19,21	0.61	0
6	NAG	K	2	6	14,14,15	0.34	0	17,19,21	0.61	0
6	BMA	K	3	6	11,11,12	0.69	0	15,15,17	0.83	0
6	MAN	K	4	6	11,11,12	0.79	0	15,15,17	1.18	2 (13%)
6	MAN	K	5	6	11,11,12	0.85	0	15,15,17	1.03	2 (13%)
7	NAG	L	1	7,2	14,14,15	0.60	1 (7%)	17,19,21	1.11	2 (11%)
7	NAG	L	2	7	14,14,15	0.42	0	17,19,21	1.07	1 (5%)
7	BMA	L	3	7	11,11,12	0.82	0	15,15,17	0.88	1 (6%)
6	NAG	M	1	6,2	14,14,15	0.27	0	17,19,21	0.67	1 (5%)
6	NAG	M	2	6	14,14,15	0.27	0	17,19,21	0.57	0
6	BMA	M	3	6	11,11,12	0.26	0	15,15,17	0.57	0
6	MAN	M	4	6	11,11,12	0.25	0	15,15,17	0.57	0
6	MAN	M	5	6	11,11,12	0.98	1 (9%)	15,15,17	1.20	1 (6%)
7	NAG	N	1	7,2	14,14,15	0.33	0	17,19,21	0.94	1 (5%)
7	NAG	N	2	7	14,14,15	0.28	0	17,19,21	0.56	0
7	BMA	N	3	7	11,11,12	0.78	0	15,15,17	0.93	1 (6%)
6	NAG	O	1	6,2	14,14,15	0.47	0	17,19,21	0.67	1 (5%)
6	NAG	O	2	6	14,14,15	0.36	0	17,19,21	1.14	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	BMA	O	3	6	11,11,12	0.72	0	15,15,17	0.90	0
6	MAN	O	4	6	11,11,12	0.98	1 (9%)	15,15,17	1.06	2 (13%)
6	MAN	O	5	6	11,11,12	0.76	0	15,15,17	1.24	2 (13%)
5	NAG	P	1	1,5	14,14,15	0.36	0	17,19,21	0.64	1 (5%)
5	NAG	P	2	5	14,14,15	0.86	1 (7%)	17,19,21	2.37	3 (17%)
6	NAG	Q	1	1,6	14,14,15	0.19	0	17,19,21	0.65	0
6	NAG	Q	2	6	14,14,15	0.29	0	17,19,21	0.77	1 (5%)
6	BMA	Q	3	6	11,11,12	0.76	0	15,15,17	0.79	0
6	MAN	Q	4	6	11,11,12	0.79	0	15,15,17	1.01	2 (13%)
6	MAN	Q	5	6	11,11,12	0.83	0	15,15,17	1.04	2 (13%)
7	NAG	R	1	7,2	14,14,15	0.50	0	17,19,21	1.13	1 (5%)
7	NAG	R	2	7	14,14,15	0.38	0	17,19,21	1.08	1 (5%)
7	BMA	R	3	7	11,11,12	0.77	0	15,15,17	1.31	1 (6%)
6	NAG	S	1	6,2	14,14,15	0.34	0	17,19,21	0.73	1 (5%)
6	NAG	S	2	6	14,14,15	0.28	0	17,19,21	1.30	3 (17%)
6	BMA	S	3	6	11,11,12	0.68	0	15,15,17	0.89	0
6	MAN	S	4	6	11,11,12	1.09	1 (9%)	15,15,17	0.99	1 (6%)
6	MAN	S	5	6	11,11,12	0.80	0	15,15,17	1.09	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	J	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
6	NAG	K	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	BMA	K	3	6	-	0/2/19/22	0/1/1/1
6	MAN	K	4	6	-	0/2/19/22	0/1/1/1
6	MAN	K	5	6	-	0/2/19/22	0/1/1/1
7	NAG	L	1	7,2	-	4/6/23/26	0/1/1/1
7	NAG	L	2	7	-	4/6/23/26	0/1/1/1
7	BMA	L	3	7	-	1/2/19/22	0/1/1/1
6	NAG	M	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	M	2	6	-	1/6/23/26	0/1/1/1
6	BMA	M	3	6	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MAN	M	4	6	-	0/2/19/22	0/1/1/1
6	MAN	M	5	6	-	2/2/19/22	0/1/1/1
7	NAG	N	1	7,2	-	1/6/23/26	0/1/1/1
7	NAG	N	2	7	-	1/6/23/26	0/1/1/1
7	BMA	N	3	7	-	1/2/19/22	0/1/1/1
6	NAG	O	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	O	2	6	-	4/6/23/26	0/1/1/1
6	BMA	O	3	6	-	0/2/19/22	0/1/1/1
6	MAN	O	4	6	-	2/2/19/22	0/1/1/1
6	MAN	O	5	6	-	0/2/19/22	0/1/1/1
5	NAG	P	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	4/6/23/26	0/1/1/1
6	NAG	Q	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1
6	BMA	Q	3	6	-	0/2/19/22	0/1/1/1
6	MAN	Q	4	6	-	0/2/19/22	0/1/1/1
6	MAN	Q	5	6	-	1/2/19/22	0/1/1/1
7	NAG	R	1	7,2	-	4/6/23/26	0/1/1/1
7	NAG	R	2	7	-	4/6/23/26	0/1/1/1
7	BMA	R	3	7	-	1/2/19/22	0/1/1/1
6	NAG	S	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	S	2	6	-	4/6/23/26	0/1/1/1
6	BMA	S	3	6	-	1/2/19/22	0/1/1/1
6	MAN	S	4	6	-	0/2/19/22	0/1/1/1
6	MAN	S	5	6	-	0/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	5	MAN	C1-C2	2.80	1.58	1.52
6	S	4	MAN	C1-C2	2.72	1.58	1.52
5	P	2	NAG	C1-C2	2.59	1.55	1.52
6	O	4	MAN	C1-C2	2.55	1.58	1.52
7	L	1	NAG	C1-C2	2.04	1.55	1.52

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	2	NAG	C2-N2-C7	8.20	133.89	122.90
5	P	2	NAG	C1-C2-N2	4.02	116.77	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	O	5	MAN	C1-O5-C5	3.91	117.42	112.19
7	R	3	BMA	C1-O5-C5	3.75	117.21	112.19
6	K	4	MAN	C1-O5-C5	3.52	116.91	112.19

There are no chirality outliers.

5 of 54 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	N	1	NAG	C1-C2-N2-C7
7	N	2	NAG	C1-C2-N2-C7
7	L	2	NAG	O5-C5-C6-O6
5	P	1	NAG	O5-C5-C6-O6
6	M	3	BMA	C4-C5-C6-O6


There are no ring outliers.


7 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	S	3	BMA	1	0
6	M	4	MAN	1	0
6	O	4	MAN	1	0
6	M	3	BMA	1	0
7	L	1	NAG	1	0
6	O	3	BMA	1	0
6	S	4	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.






















5.6 Ligand geometry

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	Y01	A	709	-	31,31,38	0.66	0	48,48,57	1.48	9 (18%)
9	Y01	D	709	-	31,31,38	0.68	1 (3%)	48,48,57	1.42	6 (12%)
8	NCT	D	701	-	13,13,13	0.52	0	17,17,17	1.64	5 (29%)
11	NAG	E	701	2	14,14,15	0.59	0	17,19,21	1.02	1 (5%)
11	NAG	C	702	2	14,14,15	0.30	0	17,19,21	0.52	0
9	Y01	E	711	-	31,31,38	0.67	0	48,48,57	1.35	8 (16%)
9	Y01	A	710	-	31,31,38	0.74	1 (3%)	48,48,57	1.28	6 (12%)
9	Y01	B	712	-	31,31,38	0.70	1 (3%)	48,48,57	1.31	5 (10%)
9	Y01	D	710	-	31,31,38	0.66	0	48,48,57	1.47	7 (14%)
9	Y01	B	711	-	31,31,38	0.69	1 (3%)	48,48,57	1.27	6 (12%)
8	NCT	A	701	-	13,13,13	0.50	0	17,17,17	1.61	5 (29%)
9	Y01	C	712	-	31,31,38	0.71	1 (3%)	48,48,57	1.41	6 (12%)
11	NAG	E	702	2	14,14,15	0.39	0	17,19,21	0.58	0
11	NAG	B	702	2	14,14,15	0.33	0	17,19,21	0.58	0
9	Y01	C	711	-	31,31,38	0.66	0	48,48,57	1.47	8 (16%)
11	NAG	C	701	2	14,14,15	0.47	0	17,19,21	0.57	0
9	Y01	E	712	-	31,31,38	0.70	1 (3%)	48,48,57	1.42	5 (10%)
11	NAG	B	701	2	14,14,15	0.45	0	17,19,21	0.58	0
12	DD9	C	713	-	8,8,8	0.33	0	7,7,7	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	Y01	A	709	-	-	4/10/68/77	0/4/4/4
9	Y01	D	709	-	-	6/10/68/77	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NCT	D	701	-	-	0/4/14/14	0/2/2/2
11	NAG	E	701	2	-	4/6/23/26	0/1/1/1
11	NAG	C	702	2	-	2/6/23/26	0/1/1/1
9	Y01	E	711	-	-	4/10/68/77	0/4/4/4
9	Y01	A	710	-	-	7/10/68/77	0/4/4/4
9	Y01	B	712	-	-	4/10/68/77	0/4/4/4
9	Y01	D	710	-	-	5/10/68/77	0/4/4/4
9	Y01	B	711	-	-	7/10/68/77	0/4/4/4
8	NCT	A	701	-	-	0/4/14/14	0/2/2/2
9	Y01	C	712	-	-	5/10/68/77	0/4/4/4
11	NAG	E	702	2	-	2/6/23/26	0/1/1/1
11	NAG	B	702	2	-	2/6/23/26	0/1/1/1
9	Y01	C	711	-	-	6/10/68/77	0/4/4/4
11	NAG	C	701	2	-	2/6/23/26	0/1/1/1
9	Y01	E	712	-	-	6/10/68/77	0/4/4/4
11	NAG	B	701	2	-	2/6/23/26	0/1/1/1
12	DD9	C	713	-	-	0/6/6/6	-

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	710	Y01	CBH-CBF	-2.27	1.52	1.56
9	C	712	Y01	CBH-CBF	-2.20	1.52	1.56
9	B	712	Y01	CBH-CBF	-2.14	1.52	1.56
9	B	711	Y01	CBH-CBF	-2.04	1.52	1.56
9	D	709	Y01	CBH-CBF	-2.04	1.52	1.56

The worst 5 of 77 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	712	Y01	CBI-CBE-CBB	-4.20	113.01	119.50
9	C	711	Y01	CBI-CBE-CBB	-4.19	113.03	119.50
9	E	712	Y01	CBI-CBE-CBB	-4.01	113.31	119.50
9	D	710	Y01	CBI-CBE-CBB	-3.83	113.58	119.50
9	E	712	Y01	CBI-CBG-CBD	-3.71	109.15	114.41

There are no chirality outliers.

5 of 68 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	C	711	Y01	CAC-CBB-CBE-CBI
9	C	712	Y01	CAC-CBB-CBE-CBI
9	D	710	Y01	CAC-CBB-CBE-CBI
9	E	712	Y01	CAC-CBB-CBE-CBI
9	B	712	Y01	CAC-CBB-CBE-CAP



There are no ring outliers.


11 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	709	Y01	2	0
9	D	709	Y01	1	0
11	C	702	NAG	1	0
9	E	711	Y01	2	0
9	A	710	Y01	2	0
9	B	712	Y01	2	0
9	D	710	Y01	3	0
9	B	711	Y01	2	0
9	C	712	Y01	2	0
9	C	711	Y01	3	0
9	E	712	Y01	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20487. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 138




Y Index: 118




Z Index: 163


6.3.2 Raw map



X Index: 138



Y Index: 118




Z Index: 163


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0275. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 105 nm³; this corresponds to an approximate mass of 95 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.299 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.299 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.34	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.90	4.47	3.97

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.90 differs from the reported value 3.34 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20487 and PDB model 6PV7. Per-residue inclusion information can be found in section [3](#) on page [11](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0275 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0275).

9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0275) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6990	 0.5010
A	 0.7240	 0.5150
B	 0.7000	 0.4980
C	 0.6990	 0.4960
D	 0.7310	 0.5140
E	 0.7220	 0.5030
F	 0.6630	 0.4900
G	 0.7030	 0.4980
H	 0.6770	 0.5010
I	 0.7240	 0.5210
J	 0.3930	 0.4040
K	 0.4920	 0.4310
L	 0.1540	 0.1720
M	 0.3110	 0.3120
N	 0.1540	 0.3370
O	 0.2460	 0.3520
P	 0.3570	 0.4350
Q	 0.6070	 0.4880
R	 0.2820	 0.3210
S	 0.3280	 0.3060

