



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:40 PM UTC

PDB ID : 1PWY / pdb_00001pwy
Title : CRYSTAL STRUCTURE OF HUMAN PNP COMPLEXED WITH ACYCLOVIR
Authors : Dos Santos, D.M.; Canduri, F.; Pereira, J.H.; Vinicius Bertacine Dias, M.; Silva, R.G.; Mendes, M.A.; Palma, M.S.; Basso, L.A.; De Azevedo, W.F.; Santos, D.S.
Deposited on : 2003-07-02
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	288	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2325 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Purine nucleoside phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	288	Total	C	N	O	S	0	0	0
			2251	1429	394	413	15			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 9-HYROXYETHOXYMETHYLGUANINE (CCD ID: AC2) (formula: C₈H₁₁N₅O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	E	1	Total	C	N	O	0	0
			16	8	5	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	43	Total	O	0	0
			43	43		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Purine nucleoside phosphorylase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	139.06Å 139.06Å 160.57Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	7.00 – 2.80 7.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	91.5 (7.00-2.80) 85.3 (7.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.22 (at 2.81Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, R_{free}	0.215 , 0.301 0.217 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	56.3	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 104.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	2325	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, AC2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	0.76	1/2303 (0.0%)	1.28	29/3115 (0.9%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	61	VAL	CA-CB	5.40	1.56	1.54

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	262	ALA	N-CA-C	-12.49	97.35	110.97
1	E	258	GLU	N-CA-C	-9.54	100.74	111.71
1	E	254	LYS	N-CA-C	9.36	123.90	110.14
1	E	175	LEU	N-CA-C	-8.54	101.92	111.82
1	E	195	VAL	N-CA-C	-8.22	97.00	108.27
1	E	267	ALA	N-CA-C	-7.92	102.59	111.07
1	E	197	GLY	CA-C-N	6.98	128.56	119.84
1	E	197	GLY	C-N-CA	6.98	128.56	119.84
1	E	54	PRO	N-CA-C	6.55	125.97	112.47
1	E	260	VAL	N-CA-C	-6.39	105.45	112.80
1	E	257	HIS	N-CA-C	-6.35	104.23	112.23
1	E	266	GLN	N-CA-C	-6.24	104.94	113.30
1	E	26	GLN	N-CA-C	-6.12	106.45	114.04
1	E	228	ALA	N-CA-C	-6.07	104.75	111.36
1	E	138	LEU	CA-C-N	-6.04	113.59	119.87
1	E	138	LEU	C-N-CA	-6.04	113.59	119.87
1	E	121	ASN	CA-C-N	5.93	125.63	119.05
1	E	121	ASN	C-N-CA	5.93	125.63	119.05
1	E	58	ARG	N-CA-C	-5.92	102.19	110.35
1	E	253	GLU	N-CA-C	-5.87	100.14	109.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	252	LEU	N-CA-C	-5.82	106.57	113.38
1	E	131	LEU	N-CA-C	-5.71	101.39	109.96
1	E	263	ALA	N-CA-C	-5.68	106.19	113.01
1	E	95	LYS	N-CA-C	-5.64	106.44	113.55
1	E	92	PRO	N-CA-C	-5.08	103.31	111.38
1	E	65	ALA	N-CA-C	-5.05	100.05	110.80
1	E	202	THR	N-CA-C	-5.03	102.34	110.14
1	E	61	VAL	N-CA-CB	5.01	113.88	110.52
1	E	116	ALA	N-CA-C	-5.00	102.36	110.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2251	0	2223	162	0
2	E	15	0	0	1	0
3	E	16	0	11	4	0
4	E	43	0	0	6	0
All	All	2325	0	2234	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:120:LEU:HD23	1:E:245:VAL:HG21	1.37	1.04
1:E:206:CYS:HB3	1:E:247:MET:HE2	1.47	0.95
1:E:256:ASN:HB2	1:E:259:GLU:HB3	1.60	0.82
1:E:207:ARG:O	1:E:211:LYS:HG3	1.82	0.80
1:E:260:VAL:HG22	1:E:263:ALA:HB3	1.64	0.78
1:E:257:HIS:O	1:E:260:VAL:HB	1.85	0.77
1:E:29:ILE:HD12	1:E:80:MET:HE2	1.69	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:259:GLU:HA	1:E:261:LEU:HD13	1.71	0.73
1:E:29:ILE:HG12	1:E:112:VAL:HG13	1.71	0.71
1:E:59:SER:HA	1:E:91:TYR:OH	1.90	0.71
1:E:74:ASN:HB3	1:E:279:MET:HB2	1.72	0.71
1:E:201:GLU:H	1:E:201:GLU:CD	1.99	0.71
1:E:119:GLY:O	1:E:245:VAL:HG22	1.91	0.70
1:E:57:PRO:HG3	1:E:95:LYS:HG2	1.72	0.70
1:E:177:THR:O	1:E:181:MET:SD	2.50	0.70
1:E:265:LYS:HG3	1:E:266:GLN:HG2	1.73	0.70
1:E:265:LYS:HG3	1:E:266:GLN:H	1.56	0.69
1:E:207:ARG:HA	1:E:210:GLN:HG2	1.74	0.69
1:E:21:THR:HA	1:E:46:GLN:HE22	1.59	0.68
1:E:17:LEU:O	1:E:21:THR:HG22	1.94	0.67
1:E:271:LEU:O	1:E:275:VAL:HG23	1.95	0.66
1:E:47:ILE:HG23	1:E:67:ARG:HG3	1.78	0.66
1:E:243:ASN:ND2	1:E:255:ALA:HB1	2.13	0.63
1:E:185:ARG:HH12	1:E:188:GLN:HG2	1.63	0.63
1:E:261:LEU:O	1:E:265:LYS:HB2	1.99	0.62
1:E:261:LEU:HA	1:E:264:GLY:HA3	1.81	0.61
1:E:61:VAL:N	1:E:62:PRO:HD2	2.16	0.61
1:E:261:LEU:C	1:E:264:GLY:H	2.09	0.61
1:E:207:ARG:HH21	1:E:248:ASP:HA	1.65	0.61
1:E:81:MET:HE1	1:E:99:PRO:HG3	1.83	0.60
1:E:42:LEU:HD13	1:E:71:GLY:HA3	1.81	0.60
1:E:222:VAL:O	1:E:226:ILE:HG12	2.01	0.60
1:E:120:LEU:HD23	1:E:245:VAL:CG2	2.24	0.60
1:E:205:GLU:O	1:E:209:LEU:HD13	2.02	0.60
1:E:147:LEU:HD22	1:E:226:ILE:HG22	1.84	0.59
1:E:167:ASP:O	1:E:171:ARG:HD3	2.03	0.59
1:E:160:PRO:HG2	1:E:230:HIS:HD2	1.68	0.59
1:E:210:GLN:HG3	1:E:211:LYS:N	2.18	0.59
1:E:112:VAL:HA	1:E:236:PHE:O	2.04	0.58
1:E:167:ASP:C	1:E:171:ARG:HD3	2.28	0.58
1:E:243:ASN:HB2	1:E:255:ALA:HA	1.85	0.58
1:E:274:PHE:CE1	1:E:278:LEU:HD11	2.38	0.58
1:E:160:PRO:CG	1:E:230:HIS:HD2	2.17	0.58
1:E:63:GLY:C	1:E:65:ALA:H	2.11	0.57
1:E:269:GLN:O	1:E:273:GLN:HG2	2.04	0.57
1:E:28:ALA:HB1	1:E:103:PHE:CD2	2.39	0.57
1:E:254:LYS:HB3	1:E:256:ASN:ND2	2.19	0.57
1:E:98:PHE:N	1:E:99:PRO:HD2	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:147:LEU:CD2	1:E:226:ILE:HG22	2.36	0.56
1:E:206:CYS:SG	1:E:245:VAL:HB	2.46	0.56
1:E:59:SER:HB2	1:E:63:GLY:HA2	1.88	0.55
1:E:35:LEU:CD1	1:E:114:THR:HB	2.37	0.55
1:E:229:ARG:NE	1:E:229:ARG:HA	2.21	0.54
1:E:21:THR:O	1:E:24:ARG:NH2	2.41	0.54
1:E:233:LEU:O	1:E:235:VAL:HG23	2.08	0.54
1:E:22:LYS:HD2	1:E:23:HIS:NE2	2.23	0.53
1:E:59:SER:HB2	1:E:63:GLY:CA	2.38	0.53
1:E:256:ASN:CB	1:E:259:GLU:HB3	2.35	0.53
1:E:207:ARG:NH2	1:E:248:ASP:HA	2.24	0.52
1:E:219:MET:HE3	3:E:290:AC2:N2	2.24	0.52
1:E:260:VAL:O	1:E:263:ALA:N	2.43	0.52
1:E:4:GLY:HA3	1:E:94:TRP:CZ3	2.44	0.52
1:E:160:PRO:HG2	1:E:230:HIS:CD2	2.45	0.52
1:E:172:GLN:C	1:E:174:ALA:H	2.19	0.51
1:E:185:ARG:NH1	1:E:188:GLN:HG2	2.25	0.51
1:E:254:LYS:HB3	1:E:256:ASN:HD21	1.75	0.51
1:E:251:SER:C	1:E:253:GLU:H	2.18	0.51
1:E:56:PHE:CZ	1:E:99:PRO:HB3	2.46	0.51
1:E:18:LEU:C	1:E:20:HIS:H	2.19	0.51
1:E:49:ASP:HB2	4:E:307:HOH:O	2.10	0.51
1:E:28:ALA:HB2	1:E:108:VAL:HG11	1.92	0.50
1:E:133:ARG:HG3	1:E:171:ARG:HH21	1.75	0.50
1:E:265:LYS:CG	1:E:266:GLN:H	2.18	0.50
1:E:195:VAL:O	1:E:219:MET:HG2	2.11	0.50
1:E:259:GLU:HA	1:E:261:LEU:CD1	2.42	0.50
1:E:256:ASN:HB2	1:E:259:GLU:CB	2.39	0.49
1:E:26:GLN:OE1	1:E:76:ARG:HD2	2.13	0.49
1:E:31:CYS:HA	1:E:114:THR:OG1	2.12	0.49
1:E:210:GLN:OE1	1:E:247:MET:SD	2.71	0.49
1:E:47:ILE:HD13	1:E:67:ARG:NH1	2.28	0.48
1:E:88:TYR:HD1	4:E:326:HOH:O	1.95	0.48
1:E:199:SER:HA	4:E:321:HOH:O	2.13	0.48
1:E:166:TYR:HA	1:E:235:VAL:O	2.13	0.48
1:E:57:PRO:CG	1:E:95:LYS:HG2	2.42	0.47
1:E:178:TRP:CD1	1:E:187:LEU:H	2.32	0.47
1:E:41:LYS:NZ	1:E:269:GLN:HE22	2.12	0.47
1:E:79:VAL:HG13	1:E:79:VAL:O	2.15	0.47
1:E:120:LEU:CD2	1:E:245:VAL:HG21	2.26	0.47
1:E:228:ALA:O	1:E:233:LEU:HB2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:126:VAL:HA	1:E:241:ILE:HG22	1.98	0.46
1:E:176:SER:O	1:E:179:LYS:N	2.47	0.46
1:E:28:ALA:O	1:E:111:LEU:HA	2.16	0.46
1:E:135:HIS:C	1:E:135:HIS:CD2	2.93	0.46
1:E:139:PRO:O	1:E:144:GLN:HB2	2.15	0.46
1:E:158:ARG:C	1:E:160:PRO:HD3	2.40	0.46
1:E:181:MET:HE2	1:E:183:GLU:OE2	2.16	0.46
1:E:256:ASN:ND2	1:E:256:ASN:H	2.14	0.46
1:E:129:ILE:CD1	1:E:271:LEU:HB2	2.46	0.45
1:E:42:LEU:HB3	1:E:71:GLY:HA3	1.97	0.45
1:E:87:MET:HE1	1:E:144:GLN:HG3	1.98	0.45
1:E:193:VAL:HB	1:E:214:ALA:HB2	1.98	0.45
1:E:47:ILE:CG2	1:E:67:ARG:HG3	2.43	0.45
1:E:116:ALA:HB1	1:E:242:THR:HG21	1.98	0.45
1:E:28:ALA:CB	1:E:108:VAL:HG11	2.47	0.45
1:E:129:ILE:HD13	1:E:271:LEU:HB2	1.98	0.45
1:E:167:ASP:OD1	1:E:169:THR:HB	2.17	0.45
1:E:192:TYR:CD2	1:E:192:TYR:C	2.95	0.44
1:E:23:HIS:H	1:E:23:HIS:CD2	2.35	0.44
1:E:232:GLY:O	1:E:233:LEU:C	2.59	0.44
1:E:38:LEU:HG	1:E:272:GLU:HG2	2.00	0.44
1:E:76:ARG:NH2	1:E:279:MET:O	2.51	0.44
1:E:166:TYR:O	1:E:171:ARG:NH1	2.50	0.44
1:E:84:ARG:HD2	2:E:293:SO4:O4	2.18	0.44
1:E:251:SER:C	1:E:253:GLU:N	2.73	0.44
1:E:265:LYS:C	4:E:317:HOH:O	2.60	0.43
1:E:121:ASN:OD1	1:E:123:LYS:HG2	2.18	0.43
1:E:268:ALA:O	1:E:272:GLU:HG3	2.18	0.43
1:E:270:LYS:NZ	1:E:273:GLN:NE2	2.66	0.43
1:E:55:ASN:HB2	1:E:98:PHE:CZ	2.54	0.43
1:E:196:ALA:HA	4:E:326:HOH:O	2.18	0.43
1:E:201:GLU:CD	1:E:201:GLU:N	2.72	0.43
1:E:273:GLN:HG3	1:E:274:PHE:N	2.33	0.43
1:E:29:ILE:HB	1:E:80:MET:HG3	2.00	0.43
1:E:41:LYS:HZ3	1:E:269:GLN:HE22	1.67	0.43
1:E:85:PHE:HB2	1:E:96:VAL:HA	2.01	0.43
1:E:20:HIS:O	1:E:46:GLN:NE2	2.52	0.43
1:E:27:VAL:HG21	1:E:76:ARG:HG2	2.01	0.42
1:E:31:CYS:SG	1:E:80:MET:HG2	2.58	0.42
1:E:32:GLY:HA3	1:E:115:ASN:HA	2.00	0.42
1:E:200:PHE:HZ	3:E:290:AC2:H2'2	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:255:ALA:HB3	4:E:300:HOH:O	2.18	0.42
1:E:22:LYS:CD	1:E:23:HIS:CD2	3.02	0.42
1:E:178:TRP:CG	1:E:187:LEU:HB2	2.54	0.42
3:E:290:AC2:C8	3:E:290:AC2:O3'	2.67	0.42
1:E:2:GLU:HA	1:E:101:ARG:HH21	1.84	0.42
1:E:125:GLU:O	1:E:126:VAL:C	2.62	0.42
1:E:21:THR:HA	1:E:46:GLN:NE2	2.29	0.42
1:E:49:ASP:O	1:E:50:TYR:C	2.63	0.42
1:E:88:TYR:CD2	1:E:88:TYR:C	2.98	0.42
1:E:176:SER:O	1:E:179:LYS:HB2	2.19	0.42
1:E:6:THR:O	1:E:9:ASP:HB2	2.20	0.42
1:E:254:LYS:CB	1:E:256:ASN:HD21	2.33	0.42
1:E:273:GLN:HG3	1:E:274:PHE:H	1.84	0.42
1:E:5:TYR:HE1	1:E:55:ASN:HB3	1.84	0.42
1:E:28:ALA:HA	1:E:79:VAL:HG13	2.02	0.41
1:E:23:HIS:CE1	1:E:44:GLN:O	2.73	0.41
1:E:35:LEU:HD13	1:E:114:THR:HB	2.01	0.41
1:E:165:ALA:HA	1:E:229:ARG:HD3	2.02	0.41
1:E:269:GLN:NE2	1:E:269:GLN:HA	2.35	0.41
1:E:242:THR:OG1	3:E:290:AC2:H8	2.21	0.41
1:E:270:LYS:HZ3	1:E:273:GLN:NE2	2.18	0.41
1:E:121:ASN:OD1	1:E:122:PRO:HD2	2.21	0.41
1:E:203:VAL:HG22	1:E:246:ILE:O	2.20	0.41
1:E:210:GLN:HG3	1:E:211:LYS:H	1.85	0.41
1:E:175:LEU:O	1:E:179:LYS:HG3	2.20	0.41
1:E:274:PHE:CZ	1:E:278:LEU:HD11	2.55	0.41
1:E:63:GLY:C	1:E:65:ALA:N	2.79	0.41
1:E:261:LEU:HA	1:E:264:GLY:CA	2.48	0.41
1:E:38:LEU:HB3	1:E:80:MET:SD	2.61	0.41
1:E:113:VAL:O	1:E:113:VAL:HG23	2.20	0.40
1:E:34:GLY:O	1:E:268:ALA:HB1	2.22	0.40
1:E:177:THR:O	1:E:180:GLN:HB3	2.21	0.40
1:E:179:LYS:O	1:E:182:GLY:N	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	E	286/288 (99%)	235 (82%)	39 (14%)	12 (4%)	2 7

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	65	ALA
1	E	199	SER
1	E	287	LYS
1	E	3	ASN
1	E	79	VAL
1	E	233	LEU
1	E	261	LEU
1	E	19	SER
1	E	184	GLN
1	E	197	GLY
1	E	220	SER
1	E	54	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	E	239/239 (100%)	200 (84%)	39 (16%)	2 8

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	18	LEU
1	E	22	LYS
1	E	24	ARG
1	E	51	SER
1	E	54	PRO
1	E	56	PHE
1	E	58	ARG
1	E	59	SER
1	E	67	ARG
1	E	80	MET
1	E	101	ARG
1	E	106	LEU
1	E	112	VAL
1	E	125	GLU
1	E	126	VAL
1	E	131	LEU
1	E	135	HIS
1	E	138	LEU
1	E	147	LEU
1	E	148	ARG
1	E	158	ARG
1	E	172	GLN
1	E	181	MET
1	E	192	TYR
1	E	195	VAL
1	E	208	VAL
1	E	212	LEU
1	E	227	VAL
1	E	241	ILE
1	E	243	ASN
1	E	247	MET
1	E	250	GLU
1	E	256	ASN
1	E	257	HIS
1	E	259	GLU
1	E	261	LEU
1	E	265	LYS
1	E	266	GLN
1	E	286	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	23	HIS
1	E	243	ASN
1	E	256	ASN
1	E	266	GLN
1	E	269	GLN
1	E	273	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	E	291	-	4,4,4	0.75	0	6,6,6	0.49	0
2	SO4	E	292	-	4,4,4	0.63	0	6,6,6	0.51	0
3	AC2	E	290	-	17,17,17	0.75	0	23,23,23	0.46	0
2	SO4	E	293	-	4,4,4	0.64	0	6,6,6	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AC2	E	290	-	-	2/5/5/5	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	290	AC2	O1'-C2'-C3'-O3'
3	E	290	AC2	C3'-C2'-O1'-C1'

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	290	AC2	4	0
2	E	293	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	E	288/288 (100%)	-0.14	16 (5%) 30 23	11, 38, 68, 75	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	264	GLY	5.8
1	E	255	ALA	5.0
1	E	65	ALA	4.7
1	E	63	GLY	4.5
1	E	259	GLU	3.8
1	E	262	ALA	3.4
1	E	261	LEU	3.2
1	E	62	PRO	3.2
1	E	64	HIS	3.0
1	E	61	VAL	3.0
1	E	288	ALA	2.7
1	E	251	SER	2.2
1	E	252	LEU	2.2
1	E	128	ASP	2.1
1	E	8	GLU	2.1
1	E	250	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	AC2	E	290	16/16	0.88	0.09	36,39,55,57	0
2	SO4	E	293	5/5	0.98	0.05	26,27,30,31	0
2	SO4	E	291	5/5	0.98	0.07	38,41,43,43	0
2	SO4	E	292	5/5	1.00	0.06	26,27,32,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.