



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:17 PM UTC

PDB ID : 4PWL / pdb_00004pwl
Title : Crystal structure of the complex between PPARgamma-LBD and the S enantiomer of Mbx-102 (Metaglidasen)
Authors : Pochetti, G.; Montanari, R.; Capelli, D.; Loiodice, F.; Laghezza, A.; Lavecchia, A.; Piemontese, L.
Deposited on : 2014-03-20
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	5% 54% 28% 6% 11%
1	B	287	6% 54% 26% 7% 12%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4178 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			2038	1315	332	381	10			
1	B	252	Total	C	N	O	S	17	0	0
			2012	1297	327	378	10			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is (2S)-(4-chlorophenyl)[3-(trifluoromethyl)phenoxy]ethanoic acid (CCD ID: MSZ) (formula: C₁₅H₁₀ClF₃O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	O	0	0
			22	15	1	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	57	Total	O	0	0
			57	57		
3	B	49	Total	O	0	0
			49	49		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.12Å 61.74Å 118.72Å 90.00° 102.31° 90.00°	Depositor
Resolution (Å)	57.99 – 2.60 57.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.4 (57.99-2.60) 93.4 (57.99-2.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.218 , 0.308 0.232 , 0.311	Depositor DCC
R_{free} test set	1977 reflections (9.65%)	wwPDB-VP
Wilson B-factor (Å ²)	59.7	Xtriage
Anisotropy	0.700	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4178	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MSZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	1/2071 (0.0%)	1.06	10/2790 (0.4%)
1	B	0.69	2/2045 (0.1%)	0.95	5/2757 (0.2%)
All	All	0.65	3/4116 (0.1%)	1.01	15/5547 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	260	ASP	CG-OD2	11.07	1.46	1.25
1	A	357	ARG	C-N	6.41	1.46	1.33
1	B	467	PRO	N-CD	5.49	1.55	1.47

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	277	VAL	N-CA-C	8.02	117.96	110.42
1	A	255	LEU	N-CA-C	-7.53	103.02	111.07
1	A	403	VAL	N-CA-C	6.61	116.71	110.30
1	A	254	SER	N-CA-C	-6.19	106.33	114.31
1	A	365	GLU	CA-C-N	-6.05	113.45	119.56
1	A	365	GLU	C-N-CA	-6.05	113.45	119.56
1	A	454	GLN	N-CA-C	-6.02	106.57	114.04
1	B	466	HIS	CA-C-N	-5.57	112.88	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	466	HIS	C-N-CA	-5.57	112.88	119.84
1	A	466	HIS	CA-C-N	5.39	125.47	119.32
1	A	466	HIS	C-N-CA	5.39	125.47	119.32
1	B	358	LYS	CA-C-N	-5.30	113.07	118.85
1	B	358	LYS	C-N-CA	-5.30	113.07	118.85
1	A	457	LYS	N-CA-C	-5.13	108.29	114.75
1	A	248	VAL	N-CA-C	5.06	115.87	108.58

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	260	ASP	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2038	0	2098	81	0
1	B	2012	0	2061	87	0
2	A	22	0	9	4	0
3	A	57	0	0	3	0
3	B	49	0	0	3	0
All	All	4178	0	4168	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:HIS:CD2	1:B:469:LEU:HD12	1.54	1.43
1:B:243:ASP:O	1:B:244:LYS:HG3	1.15	1.29
1:B:241:THR:HG23	1:B:242:THR:H	0.94	1.09
1:B:243:ASP:O	1:B:244:LYS:CG	2.03	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:HIS:CD2	1:B:469:LEU:CD1	2.41	1.03
1:B:241:THR:HG23	1:B:242:THR:N	1.70	1.02
1:A:293:VAL:HG22	1:A:322:VAL:HG11	1.39	1.02
1:A:358:LYS:CB	1:A:359:PRO:HD3	1.89	1.02
1:B:241:THR:CG2	1:B:242:THR:H	1.73	1.00
1:A:358:LYS:HB3	1:A:359:PRO:HD3	1.43	0.98
1:A:320:TYR:OH	1:A:397:ARG:HB3	1.64	0.95
1:B:466:HIS:NE2	1:B:469:LEU:HD12	1.85	0.90
1:B:358:LYS:O	1:B:358:LYS:HD2	1.73	0.88
1:A:293:VAL:HG22	1:A:322:VAL:CG1	2.09	0.83
1:B:466:HIS:HD2	1:B:469:LEU:HD12	1.35	0.82
1:B:236:ILE:HA	1:B:241:THR:HB	1.61	0.82
1:A:358:LYS:CB	1:A:359:PRO:CD	2.57	0.81
1:B:453:LEU:O	1:B:456:ILE:HG12	1.83	0.78
1:B:447:THR:O	1:B:450:VAL:HG22	1.84	0.78
1:A:359:PRO:HB2	1:A:452:LEU:HD21	1.66	0.76
1:B:241:THR:O	1:B:242:THR:CB	2.34	0.76
1:B:467:PRO:HG2	1:B:468:LEU:H	1.50	0.74
1:A:288:ARG:NH2	1:A:343:GLU:H	1.87	0.73
1:B:451:GLN:O	1:B:454:GLN:HG2	1.89	0.73
1:B:456:ILE:HG13	1:B:457:LYS:N	2.04	0.72
1:A:318:LEU:O	1:A:322:VAL:CG2	2.37	0.71
1:A:318:LEU:O	1:A:322:VAL:HG23	1.90	0.71
1:A:358:LYS:HB2	1:A:359:PRO:HD3	1.70	0.71
1:B:241:THR:O	1:B:242:THR:HB	1.92	0.68
1:B:466:HIS:HD2	1:B:469:LEU:CG	2.05	0.68
1:A:325:ILE:HG23	1:A:388:ILE:HD12	1.76	0.67
1:A:333:LEU:HB3	1:A:340:LEU:HB2	1.77	0.67
1:A:363:PHE:HE1	1:A:452:LEU:HB3	1.59	0.67
1:B:466:HIS:O	1:B:470:GLN:HG3	1.95	0.67
1:A:391:ILE:O	1:A:397:ARG:NH2	2.26	0.67
1:A:358:LYS:HB2	1:A:359:PRO:CD	2.25	0.65
1:A:320:TYR:HE2	1:A:397:ARG:HD2	1.62	0.65
2:A:501:MSZ:F21	3:A:645:HOH:O	2.05	0.64
1:A:394:SER:OG	1:A:397:ARG:NE	2.31	0.64
1:B:237:LEU:HD11	1:B:333:LEU:O	1.97	0.64
1:A:288:ARG:HH22	1:A:343:GLU:H	1.44	0.63
1:A:255:LEU:O	1:A:259:GLU:HG3	1.99	0.62
1:A:320:TYR:OH	1:A:397:ARG:CB	2.42	0.62
1:B:276:GLU:HG3	1:B:277:VAL:N	2.13	0.62
1:B:466:HIS:HD2	1:B:469:LEU:CD1	1.97	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:ASP:OD1	1:A:312:ASN:ND2	2.33	0.61
1:B:324:GLU:HG3	1:B:446:VAL:HG21	1.83	0.61
1:B:237:LEU:CD2	1:B:347:PHE:CE1	2.84	0.60
1:B:452:LEU:O	1:B:455:VAL:HG22	2.01	0.60
1:A:234:ARG:NH2	1:A:334:MET:O	2.35	0.59
1:A:320:TYR:CZ	1:A:397:ARG:HB3	2.36	0.59
1:A:283:GLN:NE2	1:A:463:MET:SD	2.75	0.59
1:A:363:PHE:CE1	1:A:452:LEU:HB3	2.38	0.58
1:A:366:PRO:HA	1:A:369:GLU:HG3	1.85	0.58
1:B:467:PRO:O	1:B:468:LEU:C	2.47	0.57
1:B:466:HIS:NE2	1:B:469:LEU:CD1	2.61	0.57
1:B:319:LYS:NZ	3:B:533:HOH:O	2.35	0.57
1:B:340:LEU:HD13	1:B:344:GLY:HA2	1.86	0.57
1:B:243:ASP:C	1:B:244:LYS:HG3	2.15	0.57
1:B:467:PRO:O	1:B:469:LEU:N	2.38	0.57
1:A:210:ASP:HB2	1:A:211:LEU:HG	1.87	0.56
1:B:293:VAL:HG22	1:B:322:VAL:HG21	1.87	0.56
1:B:456:ILE:HG13	1:B:457:LYS:HG2	1.87	0.56
1:B:380:ASP:OD2	1:B:382:SER:OG	2.22	0.56
1:A:455:VAL:C	1:A:457:LYS:H	2.13	0.55
1:B:452:LEU:C	1:B:454:GLN:H	2.12	0.55
1:B:467:PRO:HG2	1:B:468:LEU:N	2.20	0.55
1:A:394:SER:HA	1:A:410:GLN:OE1	2.08	0.54
1:B:456:ILE:HG13	1:B:457:LYS:H	1.73	0.54
1:B:256:MET:O	1:B:257:MET:HB2	2.08	0.54
1:A:327:TYR:CE1	1:A:367:LYS:HE3	2.42	0.53
1:B:288:ARG:NH2	3:B:521:HOH:O	2.34	0.53
1:A:384:LEU:O	1:A:388:ILE:HG12	2.10	0.52
1:A:342:SER:C	1:A:343:GLU:HG2	2.34	0.52
1:A:440:THR:HG21	1:B:443:ARG:HD2	1.91	0.52
1:A:394:SER:OG	1:A:395:GLY:N	2.41	0.52
1:B:446:VAL:O	1:B:450:VAL:HG13	2.09	0.52
1:B:341:ILE:HG22	1:B:346:GLY:HA3	1.91	0.52
1:B:444:GLN:NE2	1:B:448:GLU:OE2	2.43	0.51
1:A:404:LYS:N	1:A:405:PRO:HD2	2.25	0.51
1:B:466:HIS:HD2	1:B:469:LEU:CB	2.24	0.51
1:A:252:MET:SD	1:A:277:VAL:HG11	2.51	0.51
1:A:359:PRO:CB	1:A:452:LEU:HD21	2.39	0.51
1:A:455:VAL:O	1:A:457:LYS:N	2.39	0.50
1:B:317:LEU:HD13	1:B:400:LEU:HD21	1.94	0.49
1:A:221:SER:O	1:A:225:SER:N	2.44	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:LEU:HB3	1:A:416:ALA:HA	1.94	0.49
1:A:471:GLU:HG2	1:A:474:LYS:HE2	1.94	0.48
1:B:226:PHE:CE1	1:B:329:MET:HE1	2.48	0.48
1:B:277:VAL:HG13	1:B:278:ALA:N	2.28	0.48
1:A:368:PHE:O	1:A:372:VAL:HG23	2.12	0.48
1:A:317:LEU:HD22	1:A:392:ILE:O	2.14	0.48
1:B:244:LYS:O	1:B:245:SER:C	2.56	0.48
1:B:253:ASN:O	1:B:256:MET:O	2.32	0.47
1:A:320:TYR:CE2	1:A:397:ARG:HB3	2.50	0.47
1:B:237:LEU:CD2	1:B:347:PHE:CD1	2.97	0.47
1:B:334:MET:HG2	1:B:368:PHE:CE1	2.48	0.47
1:A:256:MET:C	1:A:258:GLY:N	2.73	0.47
1:A:466:HIS:CG	1:A:467:PRO:HD2	2.49	0.47
1:A:357:ARG:O	1:A:358:LYS:C	2.58	0.47
1:B:452:LEU:C	1:B:454:GLN:N	2.73	0.47
1:A:369:GLU:O	1:A:373:LYS:HG2	2.15	0.47
1:B:307:VAL:O	1:B:314:GLN:NE2	2.48	0.47
1:A:307:VAL:HA	1:A:314:GLN:NE2	2.29	0.46
1:B:326:ILE:HG22	1:B:327:TYR:CD1	2.50	0.46
1:A:457:LYS:HA	1:A:457:LYS:HD2	1.63	0.46
1:B:288:ARG:NH2	3:B:508:HOH:O	2.44	0.46
1:A:358:LYS:HB3	1:A:359:PRO:CD	2.27	0.46
1:B:404:LYS:N	1:B:405:PRO:HD2	2.31	0.46
1:B:469:LEU:HD23	1:B:472:ILE:HD12	1.97	0.46
1:A:216:LYS:O	3:A:609:HOH:O	2.20	0.46
1:B:363:PHE:O	1:B:367:LYS:NZ	2.49	0.46
1:A:393:LEU:O	1:A:410:GLN:HB2	2.16	0.45
1:A:452:LEU:O	1:A:452:LEU:HD23	2.17	0.45
1:B:237:LEU:CD2	1:B:347:PHE:HE1	2.28	0.45
1:A:317:LEU:HD23	1:A:317:LEU:HA	1.81	0.45
1:A:342:SER:O	1:A:345:GLN:N	2.46	0.44
1:A:427:GLU:OE2	1:A:428:SER:HB2	2.17	0.44
1:A:289:SER:O	1:A:293:VAL:HG23	2.17	0.44
1:B:237:LEU:HD21	1:B:347:PHE:CD1	2.53	0.44
1:B:341:ILE:HG12	1:B:348:MET:HE3	1.98	0.44
1:A:207:GLU:HA	1:A:210:ASP:OD1	2.16	0.44
1:B:310:ASP:O	1:B:314:GLN:HG3	2.18	0.44
1:B:325:ILE:HG22	1:B:329:MET:HE2	2.00	0.44
1:A:440:THR:HG23	1:B:440:THR:HA	2.00	0.44
1:B:293:VAL:HG22	1:B:322:VAL:CG2	2.47	0.44
1:A:290:VAL:O	1:A:294:GLN:HG3	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:370:PHE:HA	1:A:373:LYS:HE2	2.00	0.43
1:A:430:GLN:HG3	1:A:433:ALA:HB3	1.98	0.43
1:B:320:TYR:HB3	1:B:397:ARG:HD2	2.00	0.43
1:B:459:THR:OG1	1:B:460:GLU:N	2.47	0.43
1:A:350:ARG:NH2	1:A:365:GLU:OE2	2.43	0.43
1:B:319:LYS:HG2	1:B:320:TYR:CD1	2.53	0.43
1:B:419:LEU:O	1:B:423:LEU:HG	2.18	0.43
1:A:288:ARG:HH22	1:A:343:GLU:N	2.15	0.43
1:A:449:HIS:O	1:A:453:LEU:HB2	2.18	0.43
1:A:251:ASP:OD1	1:A:251:ASP:C	2.61	0.43
1:A:226:PHE:CD2	1:A:329:MET:HE1	2.54	0.43
1:B:220:ASP:O	1:B:223:ILE:HG22	2.18	0.43
1:A:444:GLN:O	1:A:448:GLU:HG3	2.18	0.43
1:B:289:SER:O	1:B:293:VAL:HG23	2.19	0.43
1:B:255:LEU:CD2	1:B:277:VAL:HG23	2.49	0.42
2:A:501:MSZ:H2	2:A:501:MSZ:H5	1.75	0.42
1:B:210:ASP:HA	1:B:213:ALA:HB3	2.00	0.42
1:A:373:LYS:NZ	3:A:639:HOH:O	2.42	0.42
1:B:235:ALA:O	1:B:241:THR:HB	2.19	0.42
1:B:317:LEU:HG	1:B:392:ILE:O	2.19	0.42
1:B:456:ILE:O	1:B:459:THR:HG22	2.20	0.42
1:B:463:MET:O	1:B:465:LEU:N	2.53	0.42
1:B:252:MET:H	1:B:252:MET:HG3	1.56	0.42
1:B:467:PRO:CG	1:B:468:LEU:H	2.20	0.42
1:A:282:PHE:CE2	1:A:463:MET:HE2	2.55	0.42
1:B:363:PHE:HE1	1:B:449:HIS:ND1	2.17	0.41
1:B:459:THR:C	1:B:461:THR:H	2.28	0.41
1:A:287:PHE:HD2	2:A:501:MSZ:C5	2.33	0.41
1:A:456:ILE:HD12	1:A:456:ILE:O	2.21	0.41
1:A:395:GLY:HA2	1:A:400:LEU:HD13	2.03	0.41
1:A:287:PHE:HD2	2:A:501:MSZ:H10	1.85	0.41
1:A:319:LYS:HD3	1:A:320:TYR:CE1	2.56	0.41
1:B:216:LYS:HA	1:B:219:TYR:HB3	2.01	0.41
1:A:441:ASP:O	1:A:445:ILE:HG12	2.20	0.41
1:B:223:ILE:HD12	1:B:223:ILE:HA	1.94	0.40
1:B:467:PRO:O	1:B:470:GLN:N	2.42	0.40
1:A:455:VAL:C	1:A:457:LYS:N	2.79	0.40
1:B:466:HIS:HD2	1:B:469:LEU:HB2	1.86	0.40
1:B:467:PRO:C	1:B:469:LEU:N	2.79	0.40
1:A:370:PHE:HA	1:A:373:LYS:CE	2.51	0.40
1:A:216:LYS:HB3	1:A:216:LYS:HE3	1.77	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/287 (88%)	225 (90%)	21 (8%)	5 (2%)	6	12
1	B	248/287 (86%)	218 (88%)	20 (8%)	10 (4%)	2	3
All	All	499/574 (87%)	443 (89%)	41 (8%)	15 (3%)	3	6

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	256	MET
1	A	358	LYS
1	A	456	ILE
1	B	244	LYS
1	B	467	PRO
1	B	468	LEU
1	A	208	SER
1	A	342	SER
1	B	237	LEU
1	B	242	THR
1	B	357	ARG
1	B	394	SER
1	B	240	LYS
1	B	241	THR
1	B	257	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/258 (88%)	210 (92%)	18 (8%)	11	26
1	B	225/258 (87%)	204 (91%)	21 (9%)	8	18
All	All	453/516 (88%)	414 (91%)	39 (9%)	10	22

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	210	ASP
1	A	216	LYS
1	A	221	SER
1	A	245	SER
1	A	256	MET
1	A	257	MET
1	A	277	VAL
1	A	280	ARG
1	A	291	GLU
1	A	320	TYR
1	A	332	SER
1	A	343	GLU
1	A	363	PHE
1	A	437	GLN
1	A	440	THR
1	A	457	LYS
1	A	471	GLU
1	A	472	ILE
1	B	229	THR
1	B	276	GLU
1	B	302	SER
1	B	317	LEU
1	B	319	LYS
1	B	322	VAL
1	B	341	ILE
1	B	343	GLU
1	B	369	GLU
1	B	378	GLU
1	B	412	ASN
1	B	438	LYS
1	B	451	GLN
1	B	453	LEU
1	B	454	GLN
1	B	455	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	456	ILE
1	B	457	LYS
1	B	466	HIS
1	B	469	LEU
1	B	471	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	253	ASN
1	B	308	ASN
1	B	437	GLN
1	B	454	GLN
1	B	466	HIS
1	B	470	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MSZ	A	501	-	21,23,23	2.53	2 (9%)	29,33,33	1.19	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MSZ	A	501	-	-	0/18/18/18	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	MSZ	C2-CL	-10.32	1.50	1.74
2	A	501	MSZ	O11-C9	2.74	1.30	1.22

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	MSZ	O12-C8-C7	2.79	111.94	107.72
2	A	501	MSZ	F21-C19-C15	-2.44	107.68	112.90

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	MSZ	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	255/287 (88%)	0.52	13 (5%) 33 28	49, 72, 101, 122	0
1	B	250/287 (87%)	0.49	16 (6%) 25 20	49, 73, 120, 148	0
All	All	505/574 (87%)	0.51	29 (5%) 29 24	49, 73, 110, 148	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	258	GLY	5.4
1	A	320	TYR	5.4
1	B	473	TYR	5.2
1	A	322	VAL	5.2
1	A	321	GLY	4.2
1	A	318	LEU	4.1
1	A	262	ILE	3.7
1	B	466	HIS	3.5
1	B	455	VAL	3.4
1	B	463	MET	3.4
1	B	471	GLU	3.2
1	B	464	SER	3.1
1	A	456	ILE	3.0
1	B	363	PHE	3.0
1	B	465	LEU	3.0
1	A	257	MET	2.8
1	B	359	PRO	2.7
1	A	278	ALA	2.5
1	B	467	PRO	2.4
1	B	457	LYS	2.3
1	A	261	LYS	2.2
1	B	360	PHE	2.2
1	A	452	LEU	2.2
1	B	456	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	238	THR	2.1
1	A	463	MET	2.1
1	B	237	LEU	2.0
1	A	341	ILE	2.0
1	A	250	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MSZ	A	501	22/22	0.69	0.18	75,92,97,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.