



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:12 PM UTC

PDB ID : 4PY3 / pdb_00004py3
Title : Crystal Structure of the N-terminal FIC domain of Bep8 protein (VirB-translocated Bartonella effector protein) from Bartonella sp. 1-1C
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2014-03-25
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	81% 7% 12%
1	B	241	83% 5% 12%
1	C	241	81% 8% 10%
1	D	241	87% • 10%
1	E	241	79% 8% • 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	241	 82% 5% • 12%
1	G	241	 83% • • 10%
1	H	241	 82% 7% • 10%
1	I	241	 78% 9% • 12%
1	J	241	 79% 9% 12%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 16715 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bartonella effector protein (Bep) substrate of VirB T4SS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	213	Total 1639	C 1043	N 282	O 302	S 12	0	0	0
1	B	213	Total 1650	C 1057	N 274	O 308	S 11	0	0	0
1	C	216	Total 1677	C 1071	N 281	O 313	S 12	0	0	0
1	D	216	Total 1563	C 1006	N 261	O 288	S 8	0	0	0
1	E	215	Total 1739	C 1112	N 295	O 319	S 13	0	1	0
1	F	211	Total 1549	C 986	N 261	O 294	S 8	0	0	0
1	G	217	Total 1667	C 1068	N 281	O 308	S 10	0	0	0
1	H	216	Total 1610	C 1025	N 270	O 306	S 9	0	0	0
1	I	213	Total 1701	C 1086	N 287	O 316	S 12	0	0	0
1	J	212	Total 1645	C 1051	N 277	O 306	S 11	0	0	0

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP E6YV77
A	2	ALA	-	expression tag	UNP E6YV77
A	3	HIS	-	expression tag	UNP E6YV77
A	4	HIS	-	expression tag	UNP E6YV77
A	5	HIS	-	expression tag	UNP E6YV77
A	6	HIS	-	expression tag	UNP E6YV77
A	7	HIS	-	expression tag	UNP E6YV77
A	8	HIS	-	expression tag	UNP E6YV77
A	9	MET	-	expression tag	UNP E6YV77

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP E6YV77
B	2	ALA	-	expression tag	UNP E6YV77
B	3	HIS	-	expression tag	UNP E6YV77
B	4	HIS	-	expression tag	UNP E6YV77
B	5	HIS	-	expression tag	UNP E6YV77
B	6	HIS	-	expression tag	UNP E6YV77
B	7	HIS	-	expression tag	UNP E6YV77
B	8	HIS	-	expression tag	UNP E6YV77
B	9	MET	-	expression tag	UNP E6YV77
C	1	MET	-	initiating methionine	UNP E6YV77
C	2	ALA	-	expression tag	UNP E6YV77
C	3	HIS	-	expression tag	UNP E6YV77
C	4	HIS	-	expression tag	UNP E6YV77
C	5	HIS	-	expression tag	UNP E6YV77
C	6	HIS	-	expression tag	UNP E6YV77
C	7	HIS	-	expression tag	UNP E6YV77
C	8	HIS	-	expression tag	UNP E6YV77
C	9	MET	-	expression tag	UNP E6YV77
D	1	MET	-	initiating methionine	UNP E6YV77
D	2	ALA	-	expression tag	UNP E6YV77
D	3	HIS	-	expression tag	UNP E6YV77
D	4	HIS	-	expression tag	UNP E6YV77
D	5	HIS	-	expression tag	UNP E6YV77
D	6	HIS	-	expression tag	UNP E6YV77
D	7	HIS	-	expression tag	UNP E6YV77
D	8	HIS	-	expression tag	UNP E6YV77
D	9	MET	-	expression tag	UNP E6YV77
E	1	MET	-	initiating methionine	UNP E6YV77
E	2	ALA	-	expression tag	UNP E6YV77
E	3	HIS	-	expression tag	UNP E6YV77
E	4	HIS	-	expression tag	UNP E6YV77
E	5	HIS	-	expression tag	UNP E6YV77
E	6	HIS	-	expression tag	UNP E6YV77
E	7	HIS	-	expression tag	UNP E6YV77
E	8	HIS	-	expression tag	UNP E6YV77
E	9	MET	-	expression tag	UNP E6YV77
F	1	MET	-	initiating methionine	UNP E6YV77
F	2	ALA	-	expression tag	UNP E6YV77
F	3	HIS	-	expression tag	UNP E6YV77
F	4	HIS	-	expression tag	UNP E6YV77
F	5	HIS	-	expression tag	UNP E6YV77
F	6	HIS	-	expression tag	UNP E6YV77

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	7	HIS	-	expression tag	UNP E6YV77
F	8	HIS	-	expression tag	UNP E6YV77
F	9	MET	-	expression tag	UNP E6YV77
G	1	MET	-	initiating methionine	UNP E6YV77
G	2	ALA	-	expression tag	UNP E6YV77
G	3	HIS	-	expression tag	UNP E6YV77
G	4	HIS	-	expression tag	UNP E6YV77
G	5	HIS	-	expression tag	UNP E6YV77
G	6	HIS	-	expression tag	UNP E6YV77
G	7	HIS	-	expression tag	UNP E6YV77
G	8	HIS	-	expression tag	UNP E6YV77
G	9	MET	-	expression tag	UNP E6YV77
H	1	MET	-	initiating methionine	UNP E6YV77
H	2	ALA	-	expression tag	UNP E6YV77
H	3	HIS	-	expression tag	UNP E6YV77
H	4	HIS	-	expression tag	UNP E6YV77
H	5	HIS	-	expression tag	UNP E6YV77
H	6	HIS	-	expression tag	UNP E6YV77
H	7	HIS	-	expression tag	UNP E6YV77
H	8	HIS	-	expression tag	UNP E6YV77
H	9	MET	-	expression tag	UNP E6YV77
I	1	MET	-	initiating methionine	UNP E6YV77
I	2	ALA	-	expression tag	UNP E6YV77
I	3	HIS	-	expression tag	UNP E6YV77
I	4	HIS	-	expression tag	UNP E6YV77
I	5	HIS	-	expression tag	UNP E6YV77
I	6	HIS	-	expression tag	UNP E6YV77
I	7	HIS	-	expression tag	UNP E6YV77
I	8	HIS	-	expression tag	UNP E6YV77
I	9	MET	-	expression tag	UNP E6YV77
J	1	MET	-	initiating methionine	UNP E6YV77
J	2	ALA	-	expression tag	UNP E6YV77
J	3	HIS	-	expression tag	UNP E6YV77
J	4	HIS	-	expression tag	UNP E6YV77
J	5	HIS	-	expression tag	UNP E6YV77
J	6	HIS	-	expression tag	UNP E6YV77
J	7	HIS	-	expression tag	UNP E6YV77
J	8	HIS	-	expression tag	UNP E6YV77
J	9	MET	-	expression tag	UNP E6YV77

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	I	1	Total C O 4 2 2	0	0
2	I	1	Total C O 4 2 2	0	0


- Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	14	Total O 14 14	0	0
3	B	32	Total O 32 32	0	0
3	C	25	Total O 25 25	0	0
3	D	8	Total O 8 8	0	0
3	E	56	Total O 56 56	0	0
3	F	2	Total O 2 2	0	0
3	G	20	Total O 20 20	0	0
3	H	5	Total O 5 5	0	0
3	I	70	Total O 70 70	0	0
3	J	35	Total O 35 35	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bartonella effector protein (Bep) substrate of VirB T4SS

Chain A: 





- Molecule 1: Bartonella effector protein (Bep) substrate of VirB T4SS

Chain B: 



- Molecule 1: Bartonella effector protein (Bep) substrate of VirB T4SS

Chain C: 




- Molecule 1: Bartonella effector protein (Bep) substrate of VirB T4SS

Chain D: 



- Molecule 1: Bartonella effector protein (Bep) substrate of VirB T4SS

Chain E: 

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.81Å 324.16Å 86.13Å 90.00° 109.24° 90.00°	Depositor
Resolution (Å)	50.00 – 2.35 50.00 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.00-2.35) 97.6 (50.00-2.35)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 2.34Å)	Xtrriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.242 , 0.259 0.241 , 0.256	Depositor DCC
R_{free} test set	5731 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtrriage
Anisotropy	0.678	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	0.206 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16715	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/1678	0.85	3/2272 (0.1%)
1	B	0.63	1/1688 (0.1%)	0.81	2/2284 (0.1%)
1	C	0.60	0/1716	0.79	0/2323
1	D	0.54	0/1600	0.80	0/2182
1	E	0.71	0/1780	0.87	6/2398 (0.3%)
1	F	0.57	0/1585	0.88	5/2159 (0.2%)
1	G	0.59	2/1705 (0.1%)	0.81	2/2308 (0.1%)
1	H	0.56	1/1648 (0.1%)	0.86	3/2242 (0.1%)
1	I	0.70	0/1740	0.83	1/2346 (0.0%)
1	J	0.62	0/1682	0.81	2/2273 (0.1%)
All	All	0.62	4/16822 (0.0%)	0.83	24/22787 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	104	ASP	CA-CB	6.91	1.62	1.52
1	B	84	SER	CA-CB	6.87	1.61	1.52
1	G	26	ASN	CA-CB	5.60	1.61	1.53
1	H	103	LEU	CA-C	5.14	1.59	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	89	ASP	CB-CA-C	-9.44	90.59	110.31
1	H	103	LEU	N-CA-C	8.97	124.07	112.41
1	F	89	ASP	CB-CG-OD1	7.45	135.54	118.40
1	F	89	ASP	CA-CB-CG	7.26	119.86	112.60
1	E	19	ASN	CB-CA-C	-6.77	96.16	110.31
1	H	11	ARG	N-CA-CB	-6.75	99.47	110.14
1	F	89	ASP	OD1-CG-OD2	-6.21	108.01	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	19	ASN	CB-CA-C	-6.06	97.64	110.31
1	E	51	GLU	CB-CA-C	6.00	117.50	108.86
1	B	59	SER	CB-CA-C	-5.83	101.11	110.79
1	J	163	GLN	CA-CB-CG	5.77	125.63	114.10
1	E	71	GLU	CB-CA-C	-5.73	100.03	110.63
1	F	163	GLN	CA-CB-CG	5.67	125.43	114.10
1	E	51	GLU	N-CA-CB	5.64	116.85	110.03
1	A	51	GLU	CB-CA-C	5.50	116.78	108.86
1	A	51	GLU	N-CA-CB	5.47	116.65	110.03
1	G	163	GLN	CA-CB-CG	5.44	124.98	114.10
1	E	59	SER	CB-CA-C	-5.44	101.76	110.79
1	H	133	LEU	CA-CB-CG	5.44	135.33	116.30
1	G	133	LEU	CA-CB-CG	5.41	135.25	116.30
1	E	71	GLU	CA-CB-CG	5.38	124.87	114.10
1	J	16	PRO	N-CA-C	5.36	120.81	113.84
1	B	9	MET	N-CA-C	5.21	117.00	108.55
1	I	215	SER	CA-CB-OG	5.12	121.34	111.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1639	0	1499	11	0
1	B	1650	0	1539	3	0
1	C	1677	0	1562	14	0
1	D	1563	0	1360	2	0
1	E	1739	0	1685	11	0
1	F	1549	0	1338	9	0
1	G	1667	0	1547	9	0
1	H	1610	0	1423	8	0
1	I	1701	0	1631	21	0
1	J	1645	0	1550	15	0
2	I	8	0	12	0	0
3	A	14	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	32	0	0	0	0
3	C	25	0	0	0	0
3	D	8	0	0	0	0
3	E	56	0	0	1	0
3	F	2	0	0	0	0
3	G	20	0	0	0	0
3	H	5	0	0	0	0
3	I	70	0	0	0	0
3	J	35	0	0	1	0
All	All	16715	0	15146	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:81:ARG:NH1	1:H:153:ALA:O	1.83	1.10
1:C:84:SER:OG	1:C:94:GLU:OE2	1.67	1.09
1:I:43:LYS:HD2	1:J:88:ASP:OD1	1.85	0.77
1:G:26:ASN:O	1:G:26:ASN:ND2	2.19	0.73
1:I:183:ALA:HB3	1:I:214:ILE:HD11	1.73	0.71
1:G:177:GLN:HG2	1:G:220:ILE:HD13	1.78	0.66
1:I:183:ALA:CB	1:I:214:ILE:HD11	2.26	0.66
1:E:96:PRO:HD2	3:E:322:HOH:O	1.96	0.65
1:I:182:VAL:HG22	1:I:214:ILE:HG12	1.81	0.63
1:E:220:ILE:O	1:E:221:ALA:HB2	1.99	0.62
1:H:81:ARG:NH2	1:H:108:VAL:O	2.33	0.62
1:F:98:MET:HE1	1:F:156:ARG:HD2	1.82	0.61
1:J:98:MET:HE1	1:J:156:ARG:HD2	1.83	0.60
1:I:98:MET:HE1	1:I:156:ARG:HD2	1.84	0.59
1:C:202:MET:HA	1:C:205:LYS:HG3	1.84	0.59
1:J:135:ARG:NH1	1:J:215:SER:OG	2.36	0.59
1:G:159:ASN:O	1:G:163:GLN:HG3	2.04	0.58
1:C:98:MET:HE1	1:C:156:ARG:HD2	1.85	0.58
1:H:182:VAL:HG22	1:H:214:ILE:HG22	1.86	0.58
1:B:135:ARG:NH1	1:B:215:SER:OG	2.37	0.57
1:A:98:MET:HE1	1:A:156:ARG:HD2	1.86	0.57
1:B:133:LEU:HD22	1:B:137:GLU:HG2	1.85	0.57
1:J:159:ASN:O	1:J:163:GLN:HG3	2.05	0.57
1:A:95:MET:SD	1:A:98:MET:HE2	2.45	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:18:MET:SD	1:J:28:MET:HE3	2.46	0.56
1:C:95:MET:SD	1:C:98:MET:HE2	2.44	0.56
1:F:159:ASN:O	1:F:163:GLN:HG3	2.06	0.55
1:I:210:LEU:CD1	1:I:214:ILE:HD12	2.36	0.55
1:I:95:MET:SD	1:I:98:MET:HE2	2.46	0.55
1:C:95:MET:SD	1:C:98:MET:CE	2.96	0.54
1:J:95:MET:SD	1:J:98:MET:HE2	2.47	0.54
1:A:95:MET:SD	1:A:98:MET:CE	2.96	0.54
1:F:95:MET:SD	1:F:98:MET:HE2	2.47	0.54
1:I:95:MET:SD	1:I:98:MET:CE	2.96	0.54
1:A:202:MET:HE1	1:I:197:THR:HG22	1.88	0.54
1:C:200:ASP:OD1	1:C:201:ASN:N	2.41	0.53
1:A:202:MET:HE1	1:I:197:THR:CG2	2.38	0.53
1:J:95:MET:SD	1:J:98:MET:CE	2.97	0.53
1:E:67:GLN:O	1:E:71:GLU:HG3	2.09	0.52
1:F:95:MET:SD	1:F:98:MET:CE	2.97	0.52
1:H:182:VAL:CG2	1:H:214:ILE:HG22	2.39	0.52
1:E:8:HIS:O	1:E:11:ARG:HG2	2.10	0.51
1:J:189:MET:HE3	1:J:193:ILE:HD11	1.93	0.51
1:E:200:ASP:OD1	1:E:201:ASN:N	2.41	0.51
1:H:200:ASP:OD1	1:H:201:ASN:N	2.41	0.51
1:G:18:MET:HE2	1:G:28:MET:O	2.11	0.51
1:I:8:HIS:O	1:I:11:ARG:HG2	2.10	0.51
1:G:177:GLN:HG2	1:G:220:ILE:CD1	2.40	0.51
1:A:8:HIS:O	1:A:11:ARG:HG2	2.11	0.50
1:J:84:SER:HB2	1:J:94:GLU:OE2	2.11	0.50
1:C:8:HIS:O	1:C:11:ARG:HG2	2.12	0.49
1:F:135:ARG:NH1	1:F:215:SER:OG	2.46	0.49
1:F:182:VAL:HG12	1:F:214:ILE:HG22	1.95	0.48
1:E:45:ILE:HD11	1:E:69:LEU:HD21	1.96	0.48
1:E:220:ILE:O	1:E:221:ALA:CB	2.61	0.47
1:C:140:ASP:OD1	1:C:208:LYS:HD3	2.14	0.47
1:G:186:LYS:O	1:G:190:ARG:HG3	2.15	0.47
1:C:8:HIS:O	1:C:11:ARG:NH1	2.48	0.46
1:I:88:ASP:OD1	1:J:43:LYS:HE3	2.15	0.46
1:E:48:LEU:O	1:E:51:GLU:HG2	2.16	0.45
1:I:38:GLU:HG2	1:I:42:LYS:HE2	1.98	0.45
1:I:210:LEU:HD11	1:I:214:ILE:HD12	1.98	0.45
1:G:33:LEU:O	1:G:37:CYS:HB2	2.17	0.45
1:A:124:LEU:CD2	1:A:145:LEU:CD2	2.95	0.45
1:I:210:LEU:HD11	1:I:214:ILE:CD1	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:34:ALA:O	1:H:38:GLU:HG3	2.16	0.44
1:I:186:LYS:O	1:I:190:ARG:HG3	2.16	0.44
1:I:135:ARG:HH11	1:I:215:SER:HB3	1.83	0.44
1:J:33:LEU:O	1:J:37:CYS:HB2	2.17	0.44
1:J:84:SER:HA	1:J:94:GLU:CG	2.47	0.44
1:D:33:LEU:O	1:D:37:CYS:HB2	2.18	0.43
1:J:157:ALA:HB1	3:J:307:HOH:O	2.18	0.43
1:D:138:PHE:HB2	1:D:176:HIS:CE1	2.53	0.43
1:H:184:THR:HG23	1:H:187:ARG:H	1.84	0.43
1:J:84:SER:CB	1:J:94:GLU:OE2	2.67	0.43
1:I:184:THR:HG23	1:I:187:ARG:H	1.84	0.43
1:B:33:LEU:O	1:B:37:CYS:HB2	2.19	0.43
1:E:33:LEU:O	1:E:37:CYS:HB2	2.19	0.42
1:C:33:LEU:O	1:C:37:CYS:HB2	2.19	0.42
1:I:33:LEU:O	1:I:37:CYS:HB2	2.19	0.42
1:C:100:VAL:CG2	1:C:105:ILE:HG23	2.49	0.42
1:F:98:MET:CE	1:F:156:ARG:HD2	2.49	0.42
1:I:179:ASP:H	1:I:214:ILE:HG23	1.84	0.42
1:E:7:HIS:NE2	1:E:9:MET:HE3	2.34	0.42
1:J:98:MET:CE	1:J:156:ARG:HD2	2.49	0.42
1:A:33:LEU:O	1:A:37:CYS:HB2	2.20	0.42
1:A:202:MET:HE1	1:I:197:THR:HB	2.02	0.42
1:F:33:LEU:O	1:F:37:CYS:HB2	2.18	0.41
1:C:43:LYS:HE3	1:G:88:ASP:OD1	2.20	0.41
1:G:18:MET:CE	1:G:28:MET:O	2.69	0.41
1:H:33:LEU:O	1:H:37:CYS:HB2	2.19	0.41
1:A:98:MET:HE1	1:A:156:ARG:HA	2.03	0.41
1:A:48:LEU:O	1:A:51:GLU:HG2	2.21	0.41
1:C:98:MET:HE1	1:C:156:ARG:HA	2.03	0.40
1:E:100:VAL:CG2	1:E:105:ILE:HG23	2.51	0.40
1:C:98:MET:CE	1:C:156:ARG:HD2	2.51	0.40
1:F:98:MET:HE1	1:F:156:ARG:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/241 (88%)	206 (98%)	4 (2%)	1 (0%)	24	27
1	B	211/241 (88%)	206 (98%)	4 (2%)	1 (0%)	24	27
1	C	214/241 (89%)	208 (97%)	5 (2%)	1 (0%)	24	27
1	D	214/241 (89%)	208 (97%)	4 (2%)	2 (1%)	14	14
1	E	214/241 (89%)	208 (97%)	4 (2%)	2 (1%)	14	14
1	F	209/241 (87%)	205 (98%)	3 (1%)	1 (0%)	24	27
1	G	215/241 (89%)	208 (97%)	5 (2%)	2 (1%)	14	14
1	H	214/241 (89%)	208 (97%)	5 (2%)	1 (0%)	24	27
1	I	211/241 (88%)	206 (98%)	4 (2%)	1 (0%)	24	27
1	J	210/241 (87%)	206 (98%)	3 (1%)	1 (0%)	24	27
All	All	2123/2410 (88%)	2069 (98%)	41 (2%)	13 (1%)	21	24

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	220	ILE
1	A	200	ASP
1	B	200	ASP
1	C	200	ASP
1	D	200	ASP
1	E	200	ASP
1	F	200	ASP
1	G	200	ASP
1	H	200	ASP
1	I	200	ASP
1	J	200	ASP
1	G	220	ILE
1	E	220	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/213 (75%)	157 (98%)	3 (2%)	50	65
1	B	165/213 (78%)	162 (98%)	3 (2%)	51	66
1	C	168/213 (79%)	165 (98%)	3 (2%)	51	66
1	D	135/213 (63%)	134 (99%)	1 (1%)	76	86
1	E	184/213 (86%)	178 (97%)	6 (3%)	33	44
1	F	138/213 (65%)	136 (99%)	2 (1%)	59	73
1	G	162/213 (76%)	156 (96%)	6 (4%)	30	40
1	H	150/213 (70%)	145 (97%)	5 (3%)	33	44
1	I	178/213 (84%)	175 (98%)	3 (2%)	53	68
1	J	166/213 (78%)	164 (99%)	2 (1%)	63	77
All	All	1606/2130 (75%)	1572 (98%)	34 (2%)	47	61

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	130	LEU
1	A	135	ARG
1	A	206	GLU
1	B	84	SER
1	B	189	MET
1	B	206	GLU
1	C	135	ARG
1	C	163	GLN
1	C	206	GLU
1	D	130	LEU
1	E	48	LEU
1	E	99	LYS
1	E	105	ILE
1	E	128	ASN
1	E	135	ARG
1	E	189	MET
1	F	68	ARG
1	F	182	VAL
1	G	18	MET
1	G	26	ASN
1	G	104	ASP
1	G	118	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	133	LEU
1	G	177	GLN
1	H	84	SER
1	H	99	LYS
1	H	128	ASN
1	H	133	LEU
1	H	184	THR
1	I	163	GLN
1	I	184	THR
1	I	214	ILE
1	J	119	LYS
1	J	144	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	35	HIS
1	A	39	HIS
1	A	114	GLN
1	A	116	ASN
1	A	129	ASN
1	B	39	HIS
1	C	116	ASN
1	C	129	ASN
1	E	129	ASN
1	F	116	ASN
1	F	150	ASN
1	F	163	GLN
1	G	114	GLN
1	G	163	GLN
1	H	114	GLN
1	H	116	ASN
1	H	122	GLN
1	I	39	HIS
1	I	109	GLN
1	I	163	GLN
1	J	129	ASN
1	J	163	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	I	302	-	3,3,3	0.41	0	2,2,2	0.43	0
2	EDO	I	301	-	3,3,3	0.62	0	2,2,2	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	I	302	-	-	1/1/1/1	-
2	EDO	I	301	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	302	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/241 (88%)	-0.79	0 100 100	30, 53, 79, 96	0
1	B	213/241 (88%)	-0.96	0 100 100	21, 41, 70, 77	0
1	C	216/241 (89%)	-0.90	0 100 100	28, 46, 67, 95	0
1	D	216/241 (89%)	-0.55	0 100 100	35, 70, 102, 124	0
1	E	215/241 (89%)	-1.06	0 100 100	20, 34, 57, 67	1 (0%)
1	F	211/241 (87%)	-0.57	0 100 100	45, 67, 88, 109	0
1	G	217/241 (90%)	-0.80	0 100 100	33, 58, 91, 114	0
1	H	216/241 (89%)	-0.72	0 100 100	40, 64, 88, 108	0
1	I	213/241 (88%)	-1.07	0 100 100	19, 33, 58, 70	0
1	J	212/241 (87%)	-0.97	0 100 100	22, 42, 70, 91	0
All	All	2142/2410 (88%)	-0.84	0 100 100	19, 50, 87, 124	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	EDO	I	302	4/4	0.95	0.10	57,58,58,59	0
2	EDO	I	301	4/4	0.97	0.11	58,62,63,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.