



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:43 AM UTC

PDB ID : 1PZF / pdb_00001pzf
Title : T.gondii LDH1 ternary complex with APAD+ and oxalate
Authors : Kavanagh, K.L.; Elling, R.A.; Wilson, D.K.
Deposited on : 2003-07-10
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	85% 13% ..
1	B	331	83% 15% ..
1	C	331	80% 18% ..
1	D	331	80% 17% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OXL	A	402	-	X	-	-
2	OXL	B	404	-	X	-	-
2	OXL	C	406	-	X	-	-
2	OXL	D	408	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10446 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called lactate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2474	1566	418	467	23			
1	B	328	Total	C	N	O	S	0	0	0
			2474	1566	418	467	23			
1	C	326	Total	C	N	O	S	0	0	0
			2462	1558	416	465	23			
1	D	326	Total	C	N	O	S	0	0	0
			2462	1558	416	465	23			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	334	PRO	-	cloning artifact	UNP P90613
B	334	PRO	-	cloning artifact	UNP P90613
C	334	PRO	-	cloning artifact	UNP P90613
D	334	PRO	-	cloning artifact	UNP P90613
A	335	GLY	-	cloning artifact	UNP P90613
B	335	GLY	-	cloning artifact	UNP P90613
C	335	GLY	-	cloning artifact	UNP P90613
D	335	GLY	-	cloning artifact	UNP P90613

- Molecule 2 is OXALATE ION (CCD ID: OXL) (formula: C₂O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	2	4		
2	B	1	Total	C	O	0	0
			6	2	4		
2	C	1	Total	C	O	0	0
			6	2	4		
2	D	1	Total	C	O	0	0
			6	2	4		

- Molecule 3 is 3-ACETILPYRIDINE ADENINE DINUCLEOTIDE (CCD ID: A3D) (formula: C₂₂H₂₈N₆O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	22	6	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	22	6	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	22	6	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	22	6	14	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	106	Total	O	0	0
			106	106		
4	B	96	Total	O	0	0
			96	96		
4	C	87	Total	O	0	0
			87	87		
4	D	85	Total	O	0	0
			85	85		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: lactate dehydrogenase




- Molecule 1: lactate dehydrogenase




- Molecule 1: lactate dehydrogenase



- Molecule 1: lactate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.06Å 124.98Å 86.69Å 90.00° 106.09° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (30.00-2.20) 99.3 (30.00-2.20)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.18 (at 2.20Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.177 , 0.218 0.177 , 0.217	Depositor DCC
R_{free} test set	3562 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	15.8	Xtriage
Anisotropy	0.499	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10446	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A3D, OXL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/2513	0.95	10/3400 (0.3%)
1	B	0.52	0/2513	0.96	4/3400 (0.1%)
1	C	0.51	0/2500	0.96	9/3381 (0.3%)
1	D	0.49	0/2500	0.96	8/3381 (0.2%)
All	All	0.52	0/10026	0.96	31/13562 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	200	VAL	N-CA-C	9.41	117.47	108.15
1	D	200	VAL	N-CA-C	7.73	115.81	108.15
1	C	47	ASP	N-CA-C	-6.64	101.14	110.50
1	A	130	TYR	N-CA-C	6.45	121.22	113.23
1	B	142	LEU	N-CA-C	6.23	121.59	111.37
1	C	142	LEU	N-CA-C	6.07	123.73	110.80
1	C	326	LYS	N-CA-C	-6.06	104.60	111.14
1	C	88	LEU	N-CA-C	5.91	119.68	112.23
1	A	27	GLY	N-CA-C	-5.90	99.20	113.18
1	A	88	LEU	N-CA-C	5.82	120.52	112.90
1	B	96	VAL	N-CA-C	5.73	116.36	107.99
1	C	130	TYR	N-CA-C	5.69	120.49	113.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	129	LYS	N-CA-C	5.64	117.23	111.14
1	D	116	ASN	N-CA-C	5.57	120.13	113.23
1	C	96	VAL	N-CA-C	5.52	116.05	107.99
1	D	47	ASP	N-CA-C	-5.42	102.86	110.50
1	C	269	ILE	CA-C-N	-5.41	114.35	119.76
1	C	269	ILE	C-N-CA	-5.41	114.35	119.76
1	D	96	VAL	N-CA-C	5.40	115.56	107.51
1	B	332	GLN	N-CA-C	5.39	118.25	110.28
1	C	27	GLY	N-CA-C	-5.33	100.54	113.18
1	D	142	LEU	N-CA-C	5.33	122.15	110.80
1	D	130	TYR	N-CA-C	5.29	119.87	113.41
1	D	37	GLY	N-CA-C	-5.28	106.39	112.73
1	A	142	LEU	N-CA-C	5.20	121.88	110.80
1	A	289	LEU	CA-C-N	-5.18	114.58	119.76
1	A	289	LEU	C-N-CA	-5.18	114.58	119.76
1	A	15	ALA	N-CA-C	5.14	117.76	110.10
1	A	47	ASP	N-CA-C	-5.08	103.34	110.50
1	A	96	VAL	N-CA-C	5.06	115.38	107.99
1	B	130	TYR	N-CA-C	5.05	119.57	113.41

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	38	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2474	0	2530	25	0
1	B	2474	0	2530	36	0
1	C	2462	0	2518	46	0
1	D	2462	0	2518	40	0
2	A	6	0	0	0	0
2	B	6	0	0	0	0
2	C	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	6	0	0	0	0
3	A	44	0	27	1	0
3	B	44	0	27	0	0
3	C	44	0	27	2	0
3	D	44	0	27	0	0
4	A	106	0	0	0	0
4	B	96	0	0	0	0
4	C	87	0	0	1	0
4	D	85	0	0	1	0
All	All	10446	0	10204	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:142:LEU:HD22	1:C:164:ALA:HB2	1.46	0.96
1:C:113:LEU:HD11	1:C:328:VAL:HG12	1.48	0.95
1:D:142:LEU:HD22	1:D:164:ALA:HB2	1.52	0.91
1:B:142:LEU:HD22	1:B:164:ALA:HB2	1.52	0.89
1:C:120:ILE:HG23	1:C:149:MET:HE2	1.66	0.77
1:C:319:VAL:HG12	1:C:323:MET:HE2	1.67	0.75
1:D:121:ARG:NH1	1:D:332:GLN:HB2	2.01	0.74
1:C:113:LEU:HD12	1:C:113:LEU:O	1.90	0.71
1:D:319:VAL:HG12	1:D:323:MET:HE2	1.73	0.71
1:B:319:VAL:HG12	1:B:323:MET:HE2	1.73	0.70
1:C:310:GLU:HG3	1:C:314:GLN:HE21	1.57	0.69
1:A:30:MET:HE1	1:C:30:MET:HE1	1.76	0.67
1:B:30:MET:HE1	1:D:30:MET:HE1	1.76	0.66
1:B:222:LYS:O	1:B:227:GLU:HG3	1.97	0.65
1:C:331:LEU:O	1:C:332:GLN:HB2	1.97	0.64
1:B:279:TYR:CE2	1:B:289:LEU:HD22	2.33	0.64
1:C:194:THR:HG22	1:C:318:SER:OG	1.98	0.64
1:B:194:THR:HG21	1:B:322:VAL:HB	1.80	0.63
1:A:50:VAL:HG11	1:A:87:ALA:HA	1.79	0.63
1:A:290:PRO:HG2	1:A:303:ILE:HB	1.80	0.62
1:C:50:VAL:HG11	1:C:87:ALA:HA	1.82	0.61
1:A:144:CYS:SG	1:A:328:VAL:HG21	2.41	0.61
1:C:113:LEU:HD12	1:C:113:LEU:C	2.26	0.61
1:D:113:LEU:HD11	1:D:328:VAL:HG22	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:222:LYS:O	1:C:227:GLU:HG3	2.01	0.60
1:C:113:LEU:HD11	1:C:328:VAL:CG1	2.29	0.60
1:D:222:LYS:O	1:D:227:GLU:HG3	2.02	0.59
1:D:22:LYS:HE3	1:D:50:VAL:HG21	1.85	0.59
1:D:50:VAL:HG11	1:D:87:ALA:HA	1.85	0.58
1:C:142:LEU:O	1:C:146:VAL:HG23	2.02	0.58
1:D:113:LEU:HD11	1:D:328:VAL:CG2	2.33	0.58
1:D:140:ASN:HA	1:D:142:LEU:N	2.18	0.58
1:B:142:LEU:HD22	1:B:164:ALA:CB	2.29	0.58
1:D:22:LYS:HE3	1:D:50:VAL:CG2	2.34	0.57
1:D:79:ARG:HG2	4:D:479:HOH:O	2.05	0.57
1:C:36:MET:SD	1:C:95:ILE:HG21	2.45	0.56
1:A:171:ARG:HG2	1:C:68:HIS:CE1	2.41	0.56
1:C:310:GLU:HG3	1:C:314:GLN:NE2	2.20	0.56
1:D:56:LYS:HA	1:D:83:TYR:HE2	1.71	0.55
1:B:86(A):GLU:HG2	1:B:130:TYR:CE2	2.41	0.55
1:C:325(B):ASN:HA	1:C:328:VAL:HG22	1.89	0.55
1:B:120:ILE:HG23	1:B:149:MET:HE2	1.90	0.54
1:D:121:ARG:HH12	1:D:332:GLN:HB2	1.73	0.53
1:D:14:PRO:HG2	1:D:15:ALA:H	1.74	0.53
1:C:121:ARG:O	1:C:125:GLN:HG3	2.09	0.52
1:D:290:PRO:HG2	1:D:303:ILE:HB	1.91	0.52
1:C:121:ARG:HH12	1:C:332:GLN:HG2	1.75	0.52
1:B:124:GLY:O	1:B:153:SER:HA	2.10	0.52
1:C:101:THR:HG22	3:C:405:A3D:H3D	1.92	0.52
1:D:142:LEU:HD22	1:D:164:ALA:CB	2.34	0.52
1:C:121:ARG:NH1	1:C:332:GLN:HG2	2.26	0.51
1:A:68:HIS:CE1	1:C:171:ARG:HG2	2.44	0.51
1:B:56:LYS:HG2	1:B:83:TYR:CD2	2.45	0.51
1:D:172:PHE:CD2	1:D:189:ALA:HB1	2.45	0.51
1:B:140:ASN:HA	1:B:142:LEU:N	2.25	0.51
1:D:301:ARG:HB2	1:D:301:ARG:HH11	1.74	0.51
1:D:58:MET:HB3	1:D:59:PRO:HD3	1.93	0.51
1:C:58:MET:HB3	1:C:59:PRO:HD3	1.92	0.51
1:D:142:LEU:O	1:D:146:VAL:HG23	2.10	0.51
1:B:121:ARG:NH1	1:B:332:GLN:HG2	2.26	0.50
1:C:308:ASN:OD1	1:C:311:GLU:HG3	2.12	0.50
1:B:211:LYS:HE2	1:C:304:GLU:O	2.11	0.50
1:C:247:TYR:C	1:C:250:PRO:HD2	2.36	0.50
1:C:164:ALA:HB3	4:C:444:HOH:O	2.12	0.49
1:B:163:MET:C	1:B:163:MET:SD	2.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:LEU:CD1	1:C:328:VAL:HG12	2.33	0.48
1:C:114:PRO:HG2	1:C:115:PHE:CD1	2.48	0.48
1:D:120:ILE:HG23	1:D:149:MET:HE2	1.96	0.48
1:B:247:TYR:C	1:B:250:PRO:HD2	2.39	0.47
1:C:285:MET:HE3	1:C:322:VAL:HG11	1.95	0.47
1:D:319:VAL:O	1:D:323:MET:HG3	2.14	0.47
1:B:142:LEU:O	1:B:146:VAL:HG23	2.14	0.47
1:A:113:LEU:HD11	1:A:328:VAL:CG2	2.44	0.47
1:B:22:LYS:HE2	1:B:50:VAL:CG2	2.45	0.47
1:A:142:LEU:O	1:A:146:VAL:HG23	2.14	0.47
1:B:279:TYR:CZ	1:B:304:GLU:HA	2.50	0.46
1:B:113:LEU:HB3	1:B:114:PRO:HD3	1.97	0.46
1:C:110:ASN:OD1	1:C:325(A):LEU:HD11	2.16	0.46
1:A:56:LYS:NZ	1:A:83:TYR:HB3	2.29	0.46
1:D:270:PRO:HA	1:D:290:PRO:HA	1.98	0.46
1:C:163:MET:SD	1:C:163:MET:C	2.99	0.45
1:B:56:LYS:HG2	1:B:83:TYR:CE2	2.52	0.45
1:D:308:ASN:OD1	1:D:311:GLU:HG3	2.15	0.45
1:A:44:GLU:O	1:A:44:GLU:HG2	2.16	0.45
1:A:120:ILE:HG23	1:A:149:MET:HE2	1.99	0.45
1:A:332:GLN:HG2	1:A:333:ALA:N	2.31	0.45
1:C:140:ASN:HA	1:C:142:LEU:N	2.31	0.45
1:A:194:THR:HG21	1:A:322:VAL:HB	1.97	0.45
1:D:301:ARG:HB2	1:D:301:ARG:NH1	2.31	0.45
1:B:22:LYS:HE2	1:B:50:VAL:HG21	1.98	0.45
1:B:194:THR:CG2	1:B:322:VAL:HB	2.47	0.44
1:C:158:ASN:ND2	1:D:14:PRO:HD2	2.32	0.44
1:D:86(A):GLU:HB2	1:D:130:TYR:CZ	2.52	0.44
1:B:249:ALA:N	1:B:250:PRO:CD	2.80	0.44
1:B:103(A):VAL:HG13	1:B:103(B):PRO:HD2	1.99	0.44
1:D:97:THR:HG22	1:D:138:VAL:HB	2.00	0.44
1:B:50:VAL:HG13	1:B:81:GLU:HG2	2.00	0.44
1:C:331:LEU:O	1:C:332:GLN:CB	2.64	0.44
1:C:142:LEU:HD22	1:C:164:ALA:CB	2.31	0.44
1:A:129:LYS:HE2	1:A:130:TYR:CE2	2.53	0.43
1:C:219:VAL:HG23	1:C:223:GLN:CD	2.43	0.43
1:B:60:GLU:HG2	1:D:242(A):PHE:CZ	2.53	0.43
1:A:36:MET:SD	1:A:95:ILE:HG21	2.58	0.43
1:B:213:ILE:HA	1:B:219:VAL:O	2.18	0.43
1:C:22:LYS:HE3	1:C:50:VAL:HG21	2.00	0.43
1:A:58:MET:HB3	1:A:59:PRO:HD3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:PRO:HB2	1:C:71:SER:HA	2.01	0.43
1:A:317:LYS:HE3	1:A:317:LYS:HB2	1.84	0.43
1:A:319:VAL:O	1:A:323:MET:HG3	2.19	0.43
1:B:56:LYS:HA	1:B:83:TYR:CE2	2.53	0.43
1:C:164:ALA:HB1	1:C:195:HIS:HB2	2.00	0.43
1:D:163:MET:SD	1:D:163:MET:C	3.02	0.43
1:B:134:PHE:HB2	1:B:261:PHE:CZ	2.54	0.43
1:A:100:LEU:HD12	1:A:115:PHE:CB	2.49	0.42
1:C:119:ILE:HG23	3:C:405:A3D:N6A	2.34	0.42
1:B:325(A):LEU:O	1:B:328:VAL:HG23	2.20	0.42
1:D:30:MET:HE3	1:D:247:TYR:CZ	2.55	0.42
1:D:199:MET:O	1:D:233:LYS:HE2	2.19	0.42
1:A:279:TYR:CE2	1:A:289:LEU:HD22	2.55	0.42
1:A:103(D):LYS:HA	1:A:103(E):PRO:HD3	1.91	0.41
1:D:113:LEU:HB3	1:D:114:PRO:HD3	2.01	0.41
1:A:163:MET:C	1:A:163:MET:SD	3.03	0.41
1:A:270:PRO:HA	1:A:290:PRO:HA	2.01	0.41
1:B:278:GLU:C	1:B:280:GLY:N	2.76	0.41
1:D:111:ASP:O	1:D:114:PRO:HD2	2.21	0.41
1:B:31:ILE:O	1:B:36:MET:HG3	2.21	0.41
1:B:111:ASP:O	1:B:114:PRO:HD2	2.21	0.41
1:C:144:CYS:SG	1:C:328:VAL:HG11	2.60	0.41
1:D:103(D):LYS:HA	1:D:103(E):PRO:HD3	1.93	0.41
1:D:249:ALA:N	1:D:250:PRO:CD	2.84	0.41
1:D:56:LYS:HA	1:D:83:TYR:CE2	2.52	0.41
1:D:283:ASP:O	1:D:283:ASP:CG	2.65	0.41
1:C:308:ASN:O	1:C:312:LYS:HG3	2.20	0.40
1:D:171:ARG:HD3	1:D:235:SER:CB	2.51	0.40
1:A:138:VAL:O	3:A:401:A3D:H2N	2.20	0.40
1:B:278:GLU:C	1:B:280:GLY:H	2.29	0.40
1:B:66:LEU:HB2	1:B:78:VAL:HG11	2.04	0.40
1:C:209(C):TYR:HA	1:C:209(D):PRO:HD3	1.89	0.40
1:C:249:ALA:N	1:C:250:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/331 (98%)	319 (98%)	6 (2%)	1 (0%)	36	42
1	B	326/331 (98%)	319 (98%)	6 (2%)	1 (0%)	36	42
1	C	324/331 (98%)	315 (97%)	9 (3%)	0	100	100
1	D	324/331 (98%)	317 (98%)	6 (2%)	1 (0%)	36	42
All	All	1300/1324 (98%)	1270 (98%)	27 (2%)	3 (0%)	43	51

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	ALA
1	D	164	ALA
1	B	164	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/271 (100%)	269 (100%)	1 (0%)	84	92
1	B	270/271 (100%)	268 (99%)	2 (1%)	76	87
1	C	269/271 (99%)	268 (100%)	1 (0%)	84	92
1	D	269/271 (99%)	265 (98%)	4 (2%)	57	73
All	All	1078/1084 (99%)	1070 (99%)	8 (1%)	76	87

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	LEU
1	B	221	GLU
1	B	318	SER
1	C	318	SER
1	D	128	LYS
1	D	223	GLN
1	D	301	ARG
1	D	318	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	125	GLN
1	A	276	ASN
1	B	276	ASN
1	C	276	ASN
1	C	314	GLN
1	D	126	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	OXL	C	406	-	5,5,5	2.62	2 (40%)	6,6,6	2.13	2 (33%)
3	A3D	B	403	-	46,48,48	1.98	11 (23%)	64,73,73	1.36	9 (14%)
3	A3D	A	401	-	46,48,48	1.97	13 (28%)	64,73,73	1.38	9 (14%)
2	OXL	B	404	-	5,5,5	2.47	1 (20%)	6,6,6	2.10	2 (33%)
2	OXL	A	402	-	5,5,5	2.88	2 (40%)	6,6,6	2.00	2 (33%)
3	A3D	C	405	-	46,48,48	1.90	14 (30%)	64,73,73	1.33	8 (12%)
3	A3D	D	407	-	46,48,48	1.98	14 (30%)	64,73,73	1.33	8 (12%)
2	OXL	D	408	-	5,5,5	2.54	2 (40%)	6,6,6	2.10	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OXL	C	406	-	-	4/4/4/4	-
3	A3D	B	403	-	-	6/30/62/62	0/5/5/5
3	A3D	A	401	-	-	6/30/62/62	0/5/5/5
2	OXL	B	404	-	-	4/4/4/4	-
2	OXL	A	402	-	-	4/4/4/4	-
3	A3D	C	405	-	-	6/30/62/62	0/5/5/5
3	A3D	D	407	-	-	6/30/62/62	0/5/5/5
2	OXL	D	408	-	-	4/4/4/4	-

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	403	A3D	C2N-N1N	5.83	1.41	1.35
3	D	407	A3D	C4N-C3N	5.60	1.47	1.39
2	A	402	OXL	C2-C1	-5.59	1.45	1.54
3	C	405	A3D	C4N-C3N	5.44	1.47	1.39
3	B	403	A3D	C4N-C3N	5.43	1.47	1.39
3	A	401	A3D	C4N-C3N	5.41	1.47	1.39
3	A	401	A3D	C2N-N1N	5.32	1.40	1.35
3	D	407	A3D	C2N-N1N	5.32	1.40	1.35
2	C	406	OXL	C2-C1	-4.90	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	408	OXL	C2-C1	-4.84	1.46	1.54
2	B	404	OXL	C2-C1	-4.72	1.46	1.54
3	C	405	A3D	C2N-N1N	4.65	1.40	1.35
3	B	403	A3D	O4D-C1D	4.62	1.47	1.40
3	D	407	A3D	C2A-N1A	4.03	1.41	1.33
3	A	401	A3D	C2A-N1A	3.98	1.41	1.33
3	C	405	A3D	C2A-N1A	3.96	1.41	1.33
3	A	401	A3D	C6N-N1N	3.90	1.44	1.35
3	C	405	A3D	C6N-N1N	3.87	1.44	1.35
3	C	405	A3D	O4D-C1D	3.77	1.45	1.40
3	B	403	A3D	C2A-N1A	3.74	1.40	1.33
3	A	401	A3D	O4D-C1D	3.73	1.45	1.40
3	B	403	A3D	C6N-N1N	3.63	1.43	1.35
3	D	407	A3D	C6N-N1N	3.61	1.43	1.35
3	C	405	A3D	C2A-N3A	3.17	1.39	1.33
3	B	403	A3D	C2A-N3A	3.08	1.39	1.33
3	D	407	A3D	C2A-N3A	3.06	1.39	1.33
3	A	401	A3D	C2A-N3A	3.05	1.39	1.33
3	D	407	A3D	PA-O1A	-3.01	1.40	1.50
3	D	407	A3D	C5N-C4N	3.00	1.44	1.38
3	B	403	A3D	PA-O1A	-2.97	1.40	1.50
3	D	407	A3D	O4D-C1D	2.97	1.44	1.40
3	B	403	A3D	C5N-C4N	2.81	1.43	1.38
3	C	405	A3D	C4A-N3A	2.78	1.39	1.34
3	B	403	A3D	C4A-N3A	2.78	1.39	1.34
3	A	401	A3D	C4A-N3A	2.71	1.39	1.34
3	A	401	A3D	PA-O1A	-2.59	1.41	1.50
3	C	405	A3D	C5N-C4N	2.51	1.43	1.38
3	D	407	A3D	PN-O3	-2.45	1.56	1.59
3	A	401	A3D	PA-O3	-2.43	1.56	1.59
2	C	406	OXL	O4-C2	-2.41	1.24	1.30
3	A	401	A3D	C5N-C4N	2.41	1.43	1.38
3	D	407	A3D	C4A-N3A	2.39	1.38	1.34
3	A	401	A3D	C3N-C7N	2.31	1.54	1.49
3	A	401	A3D	C3B-C4B	2.30	1.58	1.53
3	B	403	A3D	C3N-C7N	2.30	1.54	1.49
3	C	405	A3D	PA-O1A	-2.22	1.43	1.50
3	D	407	A3D	O4B-C4B	2.22	1.49	1.45
3	D	407	A3D	C3B-C4B	2.21	1.58	1.53
2	A	402	OXL	O4-C2	-2.20	1.24	1.30
3	D	407	A3D	C6N-C5N	2.20	1.43	1.38
3	C	405	A3D	O4B-C4B	2.18	1.49	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	A3D	C6A-N1A	2.15	1.41	1.35
3	D	407	A3D	PA-O3	-2.14	1.57	1.59
3	C	405	A3D	C3B-C4B	2.14	1.58	1.53
3	C	405	A3D	C6A-N1A	2.11	1.41	1.35
2	D	408	OXL	O4-C2	-2.10	1.24	1.30
3	C	405	A3D	C6N-C5N	2.07	1.42	1.38
3	B	403	A3D	C6A-N1A	2.04	1.41	1.35
3	C	405	A3D	C3N-C7N	2.04	1.53	1.49

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	A3D	O5B-C5B-C4B	-3.93	95.60	108.99
3	A	401	A3D	N3A-C2A-N1A	-3.91	122.66	128.58
2	D	408	OXL	O4-C2-C1	3.89	120.38	112.83
3	D	407	A3D	N3A-C2A-N1A	-3.88	122.71	128.58
2	C	406	OXL	O4-C2-C1	3.81	120.23	112.83
3	B	403	A3D	N3A-C2A-N1A	-3.81	122.82	128.58
2	B	404	OXL	O4-C2-C1	3.80	120.20	112.83
3	C	405	A3D	N3A-C2A-N1A	-3.71	122.97	128.58
3	C	405	A3D	O5B-C5B-C4B	-3.70	96.39	108.99
3	D	407	A3D	O4B-C1B-N9A	3.60	115.00	108.09
2	A	402	OXL	O4-C2-C1	3.58	119.78	112.83
3	B	403	A3D	O5B-C5B-C4B	-3.52	97.02	108.99
3	B	403	A3D	O4B-C1B-N9A	3.45	114.71	108.09
3	D	407	A3D	O5B-C5B-C4B	-3.43	97.31	108.99
3	C	405	A3D	O4B-C1B-N9A	3.24	114.32	108.09
3	A	401	A3D	O4B-C1B-N9A	3.11	114.07	108.09
2	C	406	OXL	O3-C1-C2	2.95	118.55	112.83
3	A	401	A3D	C1B-N9A-C8A	2.91	133.55	127.09
2	B	404	OXL	O3-C1-C2	2.86	118.37	112.83
2	A	402	OXL	O3-C1-C2	2.83	118.33	112.83
3	A	401	A3D	C4A-N9A-C1B	-2.83	120.01	126.63
2	D	408	OXL	O3-C1-C2	2.76	118.19	112.83
3	C	405	A3D	C1B-N9A-C8A	2.73	133.16	127.09
3	D	407	A3D	C1B-N9A-C8A	2.69	133.08	127.09
3	A	401	A3D	C4D-O4D-C1D	-2.62	107.52	109.92
3	B	403	A3D	C1B-N9A-C8A	2.59	132.85	127.09
3	C	405	A3D	C2N-C3N-C4N	2.58	121.26	118.26
3	A	401	A3D	C2N-C3N-C4N	2.53	121.20	118.26
3	C	405	A3D	C4A-N9A-C1B	-2.50	120.78	126.63
3	D	407	A3D	C5N-C4N-C3N	-2.50	117.91	120.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	407	A3D	C5N-C6N-N1N	-2.50	116.98	120.38
3	B	403	A3D	C4D-O4D-C1D	-2.49	107.64	109.92
3	C	405	A3D	C5N-C4N-C3N	-2.49	117.92	120.36
3	B	403	A3D	C2N-C3N-C4N	2.47	121.14	118.26
3	D	407	A3D	C4A-N9A-C1B	-2.46	120.89	126.63
3	D	407	A3D	C2N-C3N-C4N	2.45	121.11	118.26
3	A	401	A3D	C5N-C4N-C3N	-2.41	118.00	120.36
3	B	403	A3D	C5N-C4N-C3N	-2.39	118.02	120.36
3	B	403	A3D	C4A-N9A-C1B	-2.35	121.13	126.63
3	B	403	A3D	C5N-C6N-N1N	-2.26	117.30	120.38
3	A	401	A3D	C5N-C6N-N1N	-2.21	117.37	120.38
3	C	405	A3D	C5N-C6N-N1N	-2.14	117.46	120.38

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	402	OXL	O1-C1-C2-O2
2	A	402	OXL	O1-C1-C2-O4
2	A	402	OXL	O3-C1-C2-O2
2	A	402	OXL	O3-C1-C2-O4
2	B	404	OXL	O1-C1-C2-O4
2	C	406	OXL	O1-C1-C2-O2
2	C	406	OXL	O1-C1-C2-O4
2	C	406	OXL	O3-C1-C2-O2
2	C	406	OXL	O3-C1-C2-O4
2	D	408	OXL	O1-C1-C2-O2
2	D	408	OXL	O1-C1-C2-O4
2	D	408	OXL	O3-C1-C2-O2
2	D	408	OXL	O3-C1-C2-O4
3	A	401	A3D	O4D-C1D-N1N-C2N
3	A	401	A3D	O4D-C1D-N1N-C6N
3	A	401	A3D	C2D-C1D-N1N-C2N
3	A	401	A3D	C2D-C1D-N1N-C6N
3	B	403	A3D	O4D-C1D-N1N-C2N
3	B	403	A3D	O4D-C1D-N1N-C6N
3	B	403	A3D	C2D-C1D-N1N-C2N
3	B	403	A3D	C2D-C1D-N1N-C6N
3	C	405	A3D	O4D-C1D-N1N-C2N
3	C	405	A3D	O4D-C1D-N1N-C6N
3	C	405	A3D	C2D-C1D-N1N-C2N
3	C	405	A3D	C2D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	407	A3D	O4D-C1D-N1N-C2N
3	D	407	A3D	O4D-C1D-N1N-C6N
3	D	407	A3D	C2D-C1D-N1N-C2N
3	D	407	A3D	C2D-C1D-N1N-C6N
2	B	404	OXL	O1-C1-C2-O2
2	B	404	OXL	O3-C1-C2-O4
2	B	404	OXL	O3-C1-C2-O2
3	B	403	A3D	C2B-C1B-N9A-C8A
3	C	405	A3D	C2B-C1B-N9A-C8A
3	B	403	A3D	O4B-C1B-N9A-C8A
3	C	405	A3D	O4B-C1B-N9A-C8A
3	A	401	A3D	C2B-C1B-N9A-C8A
3	D	407	A3D	C2B-C1B-N9A-C8A
3	A	401	A3D	O4B-C1B-N9A-C8A
3	D	407	A3D	O4B-C1B-N9A-C8A


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	A3D	1	0
3	C	405	A3D	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/331 (99%)	-0.58	3 (0%) 81 79	7, 14, 32, 47	0
1	B	328/331 (99%)	-0.51	2 (0%) 85 83	7, 15, 34, 49	0
1	C	326/331 (98%)	-0.47	3 (0%) 81 79	6, 16, 34, 52	0
1	D	326/331 (98%)	-0.47	4 (1%) 76 74	7, 16, 34, 51	0
All	All	1308/1324 (98%)	-0.51	12 (0%) 81 79	6, 15, 34, 52	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	14	PRO	4.8
1	A	14	PRO	3.8
1	D	14	PRO	3.4
1	B	83	TYR	3.1
1	D	83	TYR	2.8
1	B	14	PRO	2.7
1	D	332	GLN	2.6
1	A	83	TYR	2.5
1	C	15	ALA	2.5
1	A	279	TYR	2.3
1	D	331	LEU	2.2
1	C	56	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	OXL	D	408	6/6	0.93	0.10	20,25,33,35	0
2	OXL	A	402	6/6	0.95	0.07	16,18,19,20	0
2	OXL	C	406	6/6	0.96	0.05	15,20,25,26	0
3	A3D	B	403	44/44	0.96	0.07	5,16,30,39	0
3	A3D	A	401	44/44	0.97	0.06	8,12,30,37	0
2	OXL	B	404	6/6	0.97	0.04	18,22,23,23	0
3	A3D	C	405	44/44	0.97	0.07	12,19,33,39	0
3	A3D	D	407	44/44	0.97	0.06	13,17,29,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around A3D A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A3D C 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.