



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 09:15 PM UTC

PDB ID : 6PZZ / pdb_00006pzz
EMDB ID : EMD-20541
Title : CryoEM derived model of NA-80 Fab in complex with N9 Shanghai2
Authors : Ward, A.B.; Turner, H.L.; Zhu, X.
Deposited on : 2019-08-01
Resolution : 3.60 Å(reported)
Based on initial model : 5L14

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12797 (3.10 - 4.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	
1	B	429	
1	C	429	
1	D	429	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	214	9% 47% 50%
2	G	214	9% 47% 50%
2	J	214	9% 47% 50%
2	L	214	9% 47% 50%
3	F	224	10% 51% 46%
3	H	224	10% 50% 46%
3	I	224	10% 50% 46%
3	K	224	9% 50% 46%
4	M	2	50% 100%
4	O	2	50% 100%
4	Q	2	50% 100%
4	S	2	50% 100%
5	N	9	22% 100%
5	P	9	22% 100%
5	R	9	22% 100%
5	T	9	22% 100%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 19772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	388	Total	C	N	O	S	0	0
			3054	1902	541	588	23		
1	B	388	Total	C	N	O	S	0	0
			3054	1902	541	588	23		
1	C	388	Total	C	N	O	S	0	0
			3054	1902	541	588	23		
1	D	388	Total	C	N	O	S	0	0
			3054	1902	541	588	23		

- Molecule 2 is a protein called NA-80 fragment antibody light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	108	Total	C	N	O	S	0	0
			817	514	134	166	3		
2	E	108	Total	C	N	O	S	0	0
			817	514	134	166	3		
2	G	108	Total	C	N	O	S	0	0
			817	514	134	166	3		
2	J	108	Total	C	N	O	S	0	0
			817	514	134	166	3		

- Molecule 3 is a protein called NA-80 fragment antibody heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	120	Total	C	N	O	S	0	0
			925	582	157	181	5		
3	F	120	Total	C	N	O	S	0	0
			925	582	157	181	5		
3	I	120	Total	C	N	O	S	0	0
			925	582	157	181	5		
3	K	120	Total	C	N	O	S	0	0
			925	582	157	181	5		


- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a

cetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	M	2	Total	C	N	O	0	0
			28	16	2	10		
4	O	2	Total	C	N	O	0	0
			28	16	2	10		
4	Q	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	N	9	Total	C	N	O	0	0
			105	58	2	45		
5	P	9	Total	C	N	O	0	0
			105	58	2	45		
5	R	9	Total	C	N	O	0	0
			105	58	2	45		
5	T	9	Total	C	N	O	0	0
			105	58	2	45		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	D	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Neuraminidase




• Molecule 1: Neuraminidase





• Molecule 1: Neuraminidase







- Molecule 1: Neuraminidase



- Molecule 2: NA-80 fragment antibody light chain




- Molecule 2: NA-80 fragment antibody light chain




- Molecule 2: NA-80 fragment antibody light chain







• Molecule 2: NA-80 fragment antibody light chain



• Molecule 3: NA-80 fragment antibody heavy chain



• Molecule 3: NA-80 fragment antibody heavy chain



• Molecule 3: NA-80 fragment antibody heavy chain



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C4	Depositor
Number of particles used	11240	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	29000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.955	Depositor
Minimum map value	-0.997	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.090	Depositor
Recommended contour level	0.641	Depositor
Map size (Å)	296.63998, 296.63998, 296.63998	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.29	5/3136 (0.2%)	1.35	40/4271 (0.9%)
1	B	1.29	5/3136 (0.2%)	1.35	40/4271 (0.9%)
1	C	1.29	5/3136 (0.2%)	1.35	40/4271 (0.9%)
1	D	1.29	5/3136 (0.2%)	1.35	40/4271 (0.9%)
2	E	1.21	1/836 (0.1%)	1.32	6/1136 (0.5%)
2	G	1.21	1/836 (0.1%)	1.31	6/1136 (0.5%)
2	J	1.21	1/836 (0.1%)	1.31	6/1136 (0.5%)
2	L	1.21	1/836 (0.1%)	1.31	6/1136 (0.5%)
3	F	1.19	1/946 (0.1%)	1.22	2/1289 (0.2%)
3	H	1.19	1/946 (0.1%)	1.22	2/1289 (0.2%)
3	I	1.19	1/946 (0.1%)	1.22	2/1289 (0.2%)
3	K	1.19	1/946 (0.1%)	1.22	2/1289 (0.2%)
All	All	1.26	28/19672 (0.1%)	1.32	192/26784 (0.7%)

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	161	TRP	NE1-CE2	-7.35	1.29	1.37
1	B	161	TRP	NE1-CE2	-7.31	1.29	1.37
1	A	161	TRP	NE1-CE2	-7.23	1.29	1.37
1	C	161	TRP	NE1-CE2	-7.23	1.29	1.37
3	I	100(C)	TYR	CB-CG	-6.81	1.36	1.51
3	H	100(C)	TYR	CB-CG	-6.79	1.36	1.51
3	F	100(C)	TYR	CB-CG	-6.79	1.36	1.51
3	K	100(C)	TYR	CB-CG	-6.79	1.36	1.51
1	B	155	TYR	CB-CG	-5.94	1.38	1.51
1	C	155	TYR	CB-CG	-5.94	1.38	1.51
1	A	155	TYR	CB-CG	-5.90	1.38	1.51
1	D	155	TYR	CB-CG	-5.90	1.38	1.51
1	A	178	TRP	NE1-CE2	-5.66	1.31	1.37
1	B	178	TRP	NE1-CE2	-5.66	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	178	TRP	NE1-CE2	-5.66	1.31	1.37
1	D	178	TRP	NE1-CE2	-5.60	1.31	1.37
2	L	46	LEU	CB-CG	-5.47	1.42	1.53
2	E	46	LEU	CB-CG	-5.47	1.42	1.53
2	G	46	LEU	CB-CG	-5.44	1.42	1.53
2	J	46	LEU	CB-CG	-5.44	1.42	1.53
1	C	274	HIS	CB-CG	-5.28	1.42	1.50
1	A	150	HIS	CB-CG	-5.28	1.42	1.50
1	C	150	HIS	CB-CG	-5.26	1.42	1.50
1	D	150	HIS	CB-CG	-5.26	1.42	1.50
1	B	150	HIS	CB-CG	-5.24	1.42	1.50
1	D	274	HIS	CB-CG	-5.24	1.42	1.50
1	A	274	HIS	CB-CG	-5.23	1.42	1.50
1	B	274	HIS	CB-CG	-5.23	1.42	1.50

All (192) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	196	GLY	CA-C-N	9.65	129.48	120.21
1	B	196	GLY	C-N-CA	9.65	129.48	120.21
1	C	196	GLY	CA-C-N	9.65	129.48	120.21
1	C	196	GLY	C-N-CA	9.65	129.48	120.21
1	A	196	GLY	CA-C-N	9.62	129.45	120.21
1	A	196	GLY	C-N-CA	9.62	129.45	120.21
1	D	196	GLY	CA-C-N	9.59	129.42	120.21
1	D	196	GLY	C-N-CA	9.59	129.42	120.21
1	A	330	ASP	CA-C-N	9.22	130.85	120.98
1	A	330	ASP	C-N-CA	9.22	130.85	120.98
1	D	330	ASP	CA-C-N	9.22	130.85	120.98
1	D	330	ASP	C-N-CA	9.22	130.85	120.98
1	B	330	ASP	CA-C-N	9.21	130.84	120.98
1	B	330	ASP	C-N-CA	9.21	130.84	120.98
1	C	330	ASP	CA-C-N	9.16	130.78	120.98
1	C	330	ASP	C-N-CA	9.16	130.78	120.98
1	D	226	GLN	N-CA-C	9.02	121.19	111.36
1	C	226	GLN	N-CA-C	8.99	121.16	111.36
1	A	226	GLN	N-CA-C	8.99	121.16	111.36
1	B	226	GLN	N-CA-C	8.99	121.16	111.36
1	B	341	TYR	CA-C-N	8.67	128.53	120.21
1	B	341	TYR	C-N-CA	8.67	128.53	120.21
1	A	341	TYR	CA-C-N	8.67	128.53	120.21
1	A	341	TYR	C-N-CA	8.67	128.53	120.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	341	TYR	CA-C-N	8.64	128.51	120.21
1	C	341	TYR	C-N-CA	8.64	128.51	120.21
1	D	341	TYR	CA-C-N	8.62	128.49	120.21
1	D	341	TYR	C-N-CA	8.62	128.49	120.21
1	A	300	ARG	CA-C-N	7.42	127.35	119.85
1	A	300	ARG	C-N-CA	7.42	127.35	119.85
1	B	300	ARG	CA-C-N	7.42	127.35	119.85
1	B	300	ARG	C-N-CA	7.42	127.35	119.85
1	C	300	ARG	CA-C-N	7.39	127.31	119.85
1	C	300	ARG	C-N-CA	7.39	127.31	119.85
1	D	300	ARG	CA-C-N	7.38	127.30	119.85
1	D	300	ARG	C-N-CA	7.38	127.30	119.85
1	A	319	SER	CA-C-N	7.05	127.20	119.87
1	A	319	SER	C-N-CA	7.05	127.20	119.87
1	C	319	SER	CA-C-N	7.02	127.17	119.87
1	C	319	SER	C-N-CA	7.02	127.17	119.87
1	B	319	SER	CA-C-N	6.98	127.13	119.87
1	B	319	SER	C-N-CA	6.98	127.13	119.87
1	D	319	SER	CA-C-N	6.96	127.11	119.87
1	D	319	SER	C-N-CA	6.96	127.11	119.87
1	D	327	ARG	CA-C-N	6.95	126.91	120.03
1	D	327	ARG	C-N-CA	6.95	126.91	120.03
1	D	275	ILE	N-CA-C	6.93	118.11	108.12
1	A	275	ILE	N-CA-C	6.93	118.09	108.12
1	C	275	ILE	N-CA-C	6.92	118.09	108.12
1	B	275	ILE	N-CA-C	6.91	118.07	108.12
2	E	99	GLY	N-CA-C	-6.91	103.60	112.10
2	L	99	GLY	N-CA-C	-6.89	103.62	112.10
2	G	99	GLY	N-CA-C	-6.89	103.63	112.10
1	C	327	ARG	CA-C-N	6.88	126.84	120.03
1	C	327	ARG	C-N-CA	6.88	126.84	120.03
1	B	327	ARG	CA-C-N	6.88	126.84	120.03
1	B	327	ARG	C-N-CA	6.88	126.84	120.03
2	J	99	GLY	N-CA-C	-6.86	103.66	112.10
1	A	327	ARG	CA-C-N	6.85	126.81	120.03
1	A	327	ARG	C-N-CA	6.85	126.81	120.03
2	G	96	PHE	CA-CB-CG	-6.84	106.95	113.80
2	L	96	PHE	CA-CB-CG	-6.83	106.97	113.80
2	J	96	PHE	CA-CB-CG	-6.83	106.97	113.80
2	E	96	PHE	CA-CB-CG	-6.81	106.99	113.80
1	C	119	GLU	CA-C-N	6.69	126.86	120.31
1	C	119	GLU	C-N-CA	6.69	126.86	120.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	119	GLU	CA-C-N	6.64	126.82	120.31
1	D	119	GLU	C-N-CA	6.64	126.82	120.31
1	B	119	GLU	CA-C-N	6.63	126.80	120.31
1	B	119	GLU	C-N-CA	6.63	126.80	120.31
1	A	119	GLU	CA-C-N	6.59	126.77	120.31
1	A	119	GLU	C-N-CA	6.59	126.77	120.31
1	A	180	SER	N-CA-C	6.58	118.21	108.60
1	A	460	ASP	CA-CB-CG	-6.58	106.02	112.60
1	B	460	ASP	CA-CB-CG	-6.58	106.02	112.60
1	C	460	ASP	CA-CB-CG	-6.58	106.02	112.60
1	D	460	ASP	CA-CB-CG	-6.58	106.02	112.60
1	C	180	SER	N-CA-C	6.57	118.19	108.60
1	B	180	SER	N-CA-C	6.56	118.17	108.60
1	D	180	SER	N-CA-C	6.54	118.15	108.60
3	I	97	PRO	N-CA-C	-6.47	101.03	111.19
3	F	97	PRO	N-CA-C	-6.47	101.03	111.19
3	H	97	PRO	N-CA-C	-6.44	101.08	111.19
3	K	97	PRO	N-CA-C	-6.44	101.08	111.19
2	G	30	SER	CB-CA-C	-6.44	109.16	116.63
2	E	30	SER	CB-CA-C	-6.42	109.18	116.63
2	J	30	SER	CB-CA-C	-6.42	109.19	116.63
2	L	30	SER	CB-CA-C	-6.41	109.20	116.63
3	F	52(A)	ALA	N-CA-C	6.27	118.12	111.28
3	I	52(A)	ALA	N-CA-C	6.25	118.10	111.28
3	K	52(A)	ALA	N-CA-C	6.25	118.10	111.28
2	G	99	GLY	CA-C-N	6.24	125.93	119.56
2	G	99	GLY	C-N-CA	6.24	125.93	119.56
2	L	99	GLY	CA-C-N	6.24	125.92	119.56
2	L	99	GLY	C-N-CA	6.24	125.92	119.56
2	E	99	GLY	CA-C-N	6.24	125.93	119.56
2	E	99	GLY	C-N-CA	6.24	125.93	119.56
3	H	52(A)	ALA	N-CA-C	6.23	118.08	111.28
2	J	99	GLY	CA-C-N	6.18	125.87	119.56
2	J	99	GLY	C-N-CA	6.18	125.87	119.56
1	D	296	GLN	N-CA-C	6.06	121.48	112.94
1	B	296	GLN	N-CA-C	6.04	121.45	112.94
1	C	296	GLN	N-CA-C	6.04	121.45	112.94
1	A	296	GLN	N-CA-C	6.02	121.42	112.94
1	C	390	LYS	CA-C-N	5.96	125.90	119.76
1	C	390	LYS	C-N-CA	5.96	125.90	119.76
1	A	390	LYS	CA-C-N	5.95	125.89	119.76
1	A	390	LYS	C-N-CA	5.95	125.89	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	390	LYS	CA-C-N	5.95	125.89	119.76
1	B	390	LYS	C-N-CA	5.95	125.89	119.76
1	B	458	TRP	CA-C-N	5.94	126.27	119.92
1	B	458	TRP	C-N-CA	5.94	126.27	119.92
1	C	458	TRP	CA-C-N	5.94	126.27	119.92
1	C	458	TRP	C-N-CA	5.94	126.27	119.92
1	D	458	TRP	CA-C-N	5.94	126.27	119.92
1	D	458	TRP	C-N-CA	5.94	126.27	119.92
1	A	458	TRP	CA-C-N	5.92	126.26	119.92
1	A	458	TRP	C-N-CA	5.92	126.26	119.92
1	D	390	LYS	CA-C-N	5.92	125.86	119.76
1	D	390	LYS	C-N-CA	5.92	125.86	119.76
1	D	306	ASP	CA-C-N	5.84	125.95	119.87
1	D	306	ASP	C-N-CA	5.84	125.95	119.87
1	C	306	ASP	CA-C-N	5.81	125.91	119.87
1	C	306	ASP	C-N-CA	5.81	125.91	119.87
2	G	3	VAL	N-CA-C	5.81	116.67	108.36
1	B	306	ASP	CA-C-N	5.80	125.90	119.87
1	B	306	ASP	C-N-CA	5.80	125.90	119.87
2	E	3	VAL	N-CA-C	5.80	116.65	108.36
1	A	306	ASP	CA-C-N	5.78	125.88	119.87
1	A	306	ASP	C-N-CA	5.78	125.88	119.87
2	L	3	VAL	N-CA-C	5.78	116.62	108.36
2	J	3	VAL	N-CA-C	5.76	116.59	108.36
1	A	161	TRP	CA-C-N	5.65	125.58	119.76
1	A	161	TRP	C-N-CA	5.65	125.58	119.76
1	C	161	TRP	CA-C-N	5.62	125.55	119.76
1	C	161	TRP	C-N-CA	5.62	125.55	119.76
1	D	161	TRP	CA-C-N	5.62	125.55	119.76
1	D	161	TRP	C-N-CA	5.62	125.55	119.76
1	B	165	SER	CA-C-N	5.60	123.69	119.66
1	B	165	SER	C-N-CA	5.60	123.69	119.66
1	A	283	GLU	N-CA-C	5.57	117.13	107.93
1	A	165	SER	CA-C-N	5.57	123.67	119.66
1	A	165	SER	C-N-CA	5.57	123.67	119.66
1	C	165	SER	CA-C-N	5.57	123.67	119.66
1	C	165	SER	C-N-CA	5.57	123.67	119.66
1	D	165	SER	CA-C-N	5.57	123.67	119.66
1	D	165	SER	C-N-CA	5.57	123.67	119.66
1	B	161	TRP	CA-C-N	5.57	125.50	119.76
1	B	161	TRP	C-N-CA	5.57	125.50	119.76
1	D	283	GLU	N-CA-C	5.55	117.09	107.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	283	GLU	N-CA-C	5.54	117.08	107.93
1	C	283	GLU	N-CA-C	5.52	117.04	107.93
1	A	125	ASP	CA-C-N	5.48	125.15	119.56
1	A	125	ASP	C-N-CA	5.48	125.15	119.56
1	B	125	ASP	CA-C-N	5.48	125.15	119.56
1	B	125	ASP	C-N-CA	5.48	125.15	119.56
1	D	125	ASP	CA-C-N	5.48	125.15	119.56
1	D	125	ASP	C-N-CA	5.48	125.15	119.56
1	C	125	ASP	CA-C-N	5.47	125.14	119.56
1	C	125	ASP	C-N-CA	5.47	125.14	119.56
1	A	155	TYR	N-CA-C	-5.35	105.98	112.88
1	B	153	SER	N-CA-C	-5.32	106.55	114.64
1	C	153	SER	N-CA-C	-5.31	106.57	114.64
1	D	153	SER	N-CA-C	-5.31	106.57	114.64
1	A	153	SER	N-CA-C	-5.31	106.58	114.64
1	C	155	TYR	N-CA-C	-5.30	106.04	112.88
1	B	155	TYR	N-CA-C	-5.29	106.05	112.88
1	D	155	TYR	N-CA-C	-5.29	106.05	112.88
1	D	339	ASP	CA-C-N	5.24	125.14	119.85
1	D	339	ASP	C-N-CA	5.24	125.14	119.85
1	A	339	ASP	CA-C-N	5.19	125.09	119.85
1	A	339	ASP	C-N-CA	5.19	125.09	119.85
1	C	339	ASP	CA-C-N	5.19	125.09	119.85
1	C	339	ASP	C-N-CA	5.19	125.09	119.85
1	B	339	ASP	CA-C-N	5.18	125.08	119.85
1	B	339	ASP	C-N-CA	5.18	125.08	119.85
1	D	277	GLU	N-CA-C	5.15	118.50	111.39
1	B	277	GLU	N-CA-C	5.14	118.48	111.39
1	C	277	GLU	N-CA-C	5.14	118.48	111.39
1	A	277	GLU	N-CA-C	5.13	118.47	111.39
1	A	297	GLY	N-CA-C	5.12	118.05	110.42
1	C	297	GLY	N-CA-C	5.11	118.04	110.42
1	B	297	GLY	N-CA-C	5.11	118.03	110.42
1	D	308	VAL	N-CA-C	-5.11	106.70	111.45
1	D	297	GLY	N-CA-C	5.09	118.00	110.42
1	A	330	ASP	N-CA-C	5.08	116.80	109.48
1	B	330	ASP	N-CA-C	5.08	116.80	109.48
1	C	330	ASP	N-CA-C	5.08	116.80	109.48
1	D	330	ASP	N-CA-C	5.08	116.80	109.48
1	A	308	VAL	N-CA-C	-5.07	106.73	111.45
1	B	308	VAL	N-CA-C	-5.06	106.75	111.45
1	C	308	VAL	N-CA-C	-5.05	106.75	111.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3054	0	2877	12	0
1	B	3054	0	2877	14	0
1	C	3054	0	2877	12	0
1	D	3054	0	2877	12	0
2	E	817	0	793	1	0
2	G	817	0	793	1	0
2	J	817	0	793	1	0
2	L	817	0	793	1	0
3	F	925	0	888	2	0
3	H	925	0	888	3	0
3	I	925	0	888	3	0
3	K	925	0	888	3	0
4	M	28	0	25	0	0
4	O	28	0	25	0	0
4	Q	28	0	25	0	0
4	S	28	0	25	0	0
5	N	105	0	83	0	0
5	P	105	0	83	0	0
5	R	105	0	83	0	0
5	T	105	0	83	0	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
6	C	14	0	13	0	0
6	D	14	0	13	0	0
All	All	19772	0	18716	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:460:ASP:N	1:D:460:ASP:OD1	2.39	0.56
1:B:460:ASP:OD1	1:B:460:ASP:N	2.39	0.55
1:C:460:ASP:OD1	1:C:460:ASP:N	2.39	0.55
1:D:225:THR:OG1	1:D:226:GLN:N	2.42	0.52
1:B:127:ASP:OD1	1:B:127:ASP:N	2.40	0.52
1:A:460:ASP:OD1	1:A:460:ASP:N	2.39	0.52
3:F:62:ASN:OD1	3:F:62:ASN:N	2.43	0.52
3:I:62:ASN:OD1	3:I:62:ASN:N	2.43	0.51
3:H:62:ASN:N	3:H:62:ASN:OD1	2.43	0.51
1:C:127:ASP:OD1	1:C:127:ASP:N	2.40	0.50
3:K:56:ASN:O	3:K:57:THR:OG1	2.29	0.50
1:C:225:THR:OG1	1:C:226:GLN:N	2.42	0.50
3:I:56:ASN:O	3:I:57:THR:OG1	2.29	0.49
1:C:400:ASN:OD1	1:C:400:ASN:N	2.44	0.49
1:D:198:ASN:OD1	1:D:198:ASN:N	2.45	0.49
1:A:400:ASN:OD1	1:A:400:ASN:N	2.44	0.49
1:A:127:ASP:OD1	1:A:127:ASP:N	2.40	0.49
2:L:76:SER:OG	2:L:77:SER:N	2.45	0.48
2:E:76:SER:OG	2:E:77:SER:N	2.45	0.48
1:B:225:THR:OG1	1:B:226:GLN:N	2.42	0.48
1:B:400:ASN:N	1:B:400:ASN:OD1	2.44	0.48
3:K:62:ASN:N	3:K:62:ASN:OD1	2.43	0.48
2:G:76:SER:OG	2:G:77:SER:N	2.45	0.48
1:D:127:ASP:N	1:D:127:ASP:OD1	2.40	0.48
1:B:198:ASN:OD1	1:B:198:ASN:N	2.45	0.48
1:A:225:THR:OG1	1:A:226:GLN:N	2.42	0.48
1:C:198:ASN:OD1	1:C:198:ASN:N	2.45	0.47
1:D:400:ASN:OD1	1:D:400:ASN:N	2.44	0.46
1:A:198:ASN:OD1	1:A:198:ASN:N	2.45	0.45
2:J:76:SER:OG	2:J:77:SER:N	2.45	0.45
3:H:56:ASN:O	3:H:57:THR:OG1	2.29	0.45
3:F:100(B):ASP:O	3:F:100(C):TYR:HB3	2.17	0.44
1:C:416:ASP:N	1:C:416:ASP:OD1	2.42	0.44
3:I:100(B):ASP:O	3:I:100(C):TYR:HB3	2.17	0.44
3:H:100(B):ASP:O	3:H:100(C):TYR:HB3	2.17	0.44
1:C:412:ASP:OD1	1:C:412:ASP:C	2.60	0.44
1:D:188:SER:OG	1:D:189:ARG:N	2.51	0.44
1:A:188:SER:OG	1:A:189:ARG:N	2.51	0.43
1:A:412:ASP:OD1	1:A:412:ASP:C	2.60	0.43
3:K:100(B):ASP:O	3:K:100(C):TYR:HB3	2.17	0.43
1:C:354:TYR:OH	1:C:421:CYS:O	2.36	0.43
1:D:412:ASP:C	1:D:412:ASP:OD1	2.60	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:ASP:OD1	1:B:151:ASP:N	2.46	0.43
1:B:416:ASP:OD1	1:B:416:ASP:N	2.42	0.43
1:C:269:THR:OG1	1:C:270:GLY:N	2.52	0.43
1:D:151:ASP:OD1	1:D:151:ASP:N	2.46	0.42
1:B:412:ASP:OD1	1:B:412:ASP:C	2.60	0.42
1:C:188:SER:OG	1:C:189:ARG:N	2.51	0.42
1:A:269:THR:OG1	1:A:270:GLY:N	2.52	0.42
1:B:188:SER:OG	1:B:189:ARG:N	2.51	0.42
1:D:170:ASN:OD1	1:D:170:ASN:C	2.63	0.42
1:B:434:ASP:OD1	1:B:434:ASP:N	2.48	0.42
1:B:269:THR:OG1	1:B:270:GLY:N	2.52	0.42
1:B:354:TYR:OH	1:B:421:CYS:O	2.36	0.42
1:A:170:ASN:OD1	1:A:170:ASN:C	2.63	0.42
1:A:299:ASN:OD1	1:A:299:ASN:N	2.50	0.41
1:C:184:HIS:CD2	1:C:186:GLY:H	2.39	0.41
1:D:184:HIS:CD2	1:D:186:GLY:H	2.39	0.41
1:B:170:ASN:OD1	1:B:170:ASN:C	2.63	0.41
1:C:170:ASN:OD1	1:C:170:ASN:C	2.63	0.41
1:A:184:HIS:CD2	1:A:186:GLY:H	2.39	0.40
1:A:354:TYR:OH	1:A:421:CYS:O	2.36	0.40
1:B:184:HIS:CD2	1:B:186:GLY:H	2.39	0.40
1:D:306:ASP:OD1	1:D:306:ASP:C	2.65	0.40
1:D:354:TYR:OH	1:D:421:CYS:O	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	386/429 (90%)	375 (97%)	10 (3%)	1 (0%)	36 65
1	B	386/429 (90%)	375 (97%)	10 (3%)	1 (0%)	36 65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	386/429 (90%)	375 (97%)	10 (3%)	1 (0%)	36	65
1	D	386/429 (90%)	375 (97%)	10 (3%)	1 (0%)	36	65
2	E	106/214 (50%)	103 (97%)	3 (3%)	0	100	100
2	G	106/214 (50%)	103 (97%)	3 (3%)	0	100	100
2	J	106/214 (50%)	103 (97%)	3 (3%)	0	100	100
2	L	106/214 (50%)	103 (97%)	3 (3%)	0	100	100
3	F	118/224 (53%)	114 (97%)	4 (3%)	0	100	100
3	H	118/224 (53%)	114 (97%)	4 (3%)	0	100	100
3	I	118/224 (53%)	114 (97%)	4 (3%)	0	100	100
3	K	118/224 (53%)	114 (97%)	4 (3%)	0	100	100
All	All	2440/3468 (70%)	2368 (97%)	68 (3%)	4 (0%)	44	72

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	222	ILE
1	B	222	ILE
1	C	222	ILE
1	D	222	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/379 (89%)	339 (100%)	0	100	100
1	B	339/379 (89%)	339 (100%)	0	100	100
1	C	339/379 (89%)	339 (100%)	0	100	100
1	D	339/379 (89%)	339 (100%)	0	100	100
2	E	93/188 (50%)	93 (100%)	0	100	100
2	G	93/188 (50%)	93 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	93/188 (50%)	93 (100%)	0	100	100
2	L	93/188 (50%)	93 (100%)	0	100	100
3	F	98/188 (52%)	98 (100%)	0	100	100
3	H	98/188 (52%)	98 (100%)	0	100	100
3	I	98/188 (52%)	98 (100%)	0	100	100
3	K	98/188 (52%)	98 (100%)	0	100	100
All	All	2120/3020 (70%)	2120 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	HIS
2	L	37	GLN
2	L	90	GLN
1	B	184	HIS
1	B	338	ASN
2	E	37	GLN
1	C	184	HIS
1	C	338	ASN
2	G	37	GLN
1	D	184	HIS
2	J	37	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

44 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	M	1	4,1	14,14,15	2.05	3 (21%)	17,19,21	1.38	3 (17%)
4	NAG	M	2	4	14,14,15	2.09	3 (21%)	17,19,21	1.01	1 (5%)
5	NAG	N	1	1,5	14,14,15	1.89	3 (21%)	17,19,21	1.12	2 (11%)
5	NAG	N	2	5	14,14,15	2.03	2 (14%)	17,19,21	1.52	3 (17%)
5	BMA	N	3	5	11,11,12	1.92	2 (18%)	15,15,17	1.14	1 (6%)
5	MAN	N	4	5	11,11,12	1.36	2 (18%)	15,15,17	1.17	2 (13%)
5	MAN	N	5	5	11,11,12	1.64	3 (27%)	15,15,17	1.47	4 (26%)
5	MAN	N	6	5	11,11,12	1.94	3 (27%)	15,15,17	1.16	1 (6%)
5	MAN	N	7	5	11,11,12	1.88	3 (27%)	15,15,17	1.60	3 (20%)
5	MAN	N	8	5	11,11,12	1.79	2 (18%)	15,15,17	1.19	2 (13%)
5	MAN	N	9	5	11,11,12	1.83	2 (18%)	15,15,17	1.48	3 (20%)
4	NAG	O	1	4,1	14,14,15	2.06	3 (21%)	17,19,21	1.38	3 (17%)
4	NAG	O	2	4	14,14,15	2.11	3 (21%)	17,19,21	1.00	1 (5%)
5	NAG	P	1	1,5	14,14,15	1.89	3 (21%)	17,19,21	1.12	2 (11%)
5	NAG	P	2	5	14,14,15	2.03	2 (14%)	17,19,21	1.51	3 (17%)
5	BMA	P	3	5	11,11,12	1.91	2 (18%)	15,15,17	1.14	1 (6%)
5	MAN	P	4	5	11,11,12	1.35	2 (18%)	15,15,17	1.17	2 (13%)
5	MAN	P	5	5	11,11,12	1.66	3 (27%)	15,15,17	1.46	4 (26%)
5	MAN	P	6	5	11,11,12	1.94	3 (27%)	15,15,17	1.16	1 (6%)
5	MAN	P	7	5	11,11,12	1.86	3 (27%)	15,15,17	1.60	3 (20%)
5	MAN	P	8	5	11,11,12	1.78	2 (18%)	15,15,17	1.19	2 (13%)
5	MAN	P	9	5	11,11,12	1.83	2 (18%)	15,15,17	1.47	3 (20%)
4	NAG	Q	1	4,1	14,14,15	2.05	3 (21%)	17,19,21	1.38	3 (17%)
4	NAG	Q	2	4	14,14,15	2.09	3 (21%)	17,19,21	1.00	1 (5%)
5	NAG	R	1	1,5	14,14,15	1.89	3 (21%)	17,19,21	1.12	2 (11%)
5	NAG	R	2	5	14,14,15	2.04	2 (14%)	17,19,21	1.52	3 (17%)
5	BMA	R	3	5	11,11,12	1.91	2 (18%)	15,15,17	1.14	1 (6%)
5	MAN	R	4	5	11,11,12	1.35	2 (18%)	15,15,17	1.17	2 (13%)
5	MAN	R	5	5	11,11,12	1.64	3 (27%)	15,15,17	1.46	4 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	R	6	5	11,11,12	1.94	3 (27%)	15,15,17	1.16	1 (6%)
5	MAN	R	7	5	11,11,12	1.88	3 (27%)	15,15,17	1.59	3 (20%)
5	MAN	R	8	5	11,11,12	1.78	2 (18%)	15,15,17	1.20	2 (13%)
5	MAN	R	9	5	11,11,12	1.83	2 (18%)	15,15,17	1.48	3 (20%)
4	NAG	S	1	4,1	14,14,15	2.05	3 (21%)	17,19,21	1.38	3 (17%)
4	NAG	S	2	4	14,14,15	2.10	3 (21%)	17,19,21	1.00	1 (5%)
5	NAG	T	1	1,5	14,14,15	1.89	3 (21%)	17,19,21	1.12	2 (11%)
5	NAG	T	2	5	14,14,15	2.03	2 (14%)	17,19,21	1.51	3 (17%)
5	BMA	T	3	5	11,11,12	1.92	2 (18%)	15,15,17	1.14	1 (6%)
5	MAN	T	4	5	11,11,12	1.35	2 (18%)	15,15,17	1.17	2 (13%)
5	MAN	T	5	5	11,11,12	1.62	3 (27%)	15,15,17	1.47	4 (26%)
5	MAN	T	6	5	11,11,12	1.95	3 (27%)	15,15,17	1.16	1 (6%)
5	MAN	T	7	5	11,11,12	1.87	3 (27%)	15,15,17	1.60	3 (20%)
5	MAN	T	8	5	11,11,12	1.79	2 (18%)	15,15,17	1.20	2 (13%)
5	MAN	T	9	5	11,11,12	1.83	2 (18%)	15,15,17	1.48	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	M	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	M	2	4	-	1/6/23/26	0/1/1/1
5	NAG	N	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	1/6/23/26	0/1/1/1
5	BMA	N	3	5	-	0/2/19/22	0/1/1/1
5	MAN	N	4	5	-	2/2/19/22	0/1/1/1
5	MAN	N	5	5	-	2/2/19/22	0/1/1/1
5	MAN	N	6	5	-	0/2/19/22	0/1/1/1
5	MAN	N	7	5	-	2/2/19/22	0/1/1/1
5	MAN	N	8	5	-	2/2/19/22	0/1/1/1
5	MAN	N	9	5	-	2/2/19/22	0/1/1/1
4	NAG	O	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	O	2	4	-	1/6/23/26	0/1/1/1
5	NAG	P	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	P	2	5	-	1/6/23/26	0/1/1/1
5	BMA	P	3	5	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MAN	P	4	5	-	2/2/19/22	0/1/1/1
5	MAN	P	5	5	-	2/2/19/22	0/1/1/1
5	MAN	P	6	5	-	0/2/19/22	0/1/1/1
5	MAN	P	7	5	-	2/2/19/22	0/1/1/1
5	MAN	P	8	5	-	2/2/19/22	0/1/1/1
5	MAN	P	9	5	-	2/2/19/22	0/1/1/1
4	NAG	Q	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	1/6/23/26	0/1/1/1
5	NAG	R	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	1/6/23/26	0/1/1/1
5	BMA	R	3	5	-	0/2/19/22	0/1/1/1
5	MAN	R	4	5	-	2/2/19/22	0/1/1/1
5	MAN	R	5	5	-	2/2/19/22	0/1/1/1
5	MAN	R	6	5	-	0/2/19/22	0/1/1/1
5	MAN	R	7	5	-	2/2/19/22	0/1/1/1
5	MAN	R	8	5	-	2/2/19/22	0/1/1/1
5	MAN	R	9	5	-	2/2/19/22	0/1/1/1
4	NAG	S	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	S	2	4	-	1/6/23/26	0/1/1/1
5	NAG	T	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	T	2	5	-	1/6/23/26	0/1/1/1
5	BMA	T	3	5	-	0/2/19/22	0/1/1/1
5	MAN	T	4	5	-	2/2/19/22	0/1/1/1
5	MAN	T	5	5	-	2/2/19/22	0/1/1/1
5	MAN	T	6	5	-	0/2/19/22	0/1/1/1
5	MAN	T	7	5	-	2/2/19/22	0/1/1/1
5	MAN	T	8	5	-	2/2/19/22	0/1/1/1
5	MAN	T	9	5	-	2/2/19/22	0/1/1/1

All (112) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	P	2	NAG	O5-C1	6.58	1.54	1.43
5	T	2	NAG	O5-C1	6.58	1.54	1.43
5	N	2	NAG	O5-C1	6.57	1.54	1.43
5	R	2	NAG	O5-C1	6.57	1.54	1.43
4	O	2	NAG	O5-C1	6.45	1.54	1.43
4	S	2	NAG	O5-C1	6.44	1.54	1.43
4	Q	2	NAG	O5-C1	6.40	1.54	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	2	NAG	O5-C1	6.40	1.54	1.43
4	O	1	NAG	O5-C1	5.98	1.53	1.43
4	M	1	NAG	O5-C1	5.93	1.53	1.43
4	Q	1	NAG	O5-C1	5.93	1.53	1.43
4	S	1	NAG	O5-C1	5.93	1.53	1.43
5	P	1	NAG	O5-C1	5.13	1.52	1.43
5	R	1	NAG	O5-C1	5.13	1.52	1.43
5	T	1	NAG	O5-C1	5.13	1.52	1.43
5	N	1	NAG	O5-C1	5.11	1.52	1.43
5	P	6	MAN	O2-C2	-4.39	1.34	1.43
5	R	6	MAN	O2-C2	-4.39	1.34	1.43
5	T	6	MAN	O2-C2	-4.39	1.34	1.43
5	T	3	BMA	O2-C2	-4.38	1.34	1.43
5	N	3	BMA	O2-C2	-4.36	1.34	1.43
5	R	3	BMA	O2-C2	-4.35	1.34	1.43
5	N	6	MAN	O2-C2	-4.35	1.34	1.43
5	P	3	BMA	O2-C2	-4.33	1.34	1.43
5	P	9	MAN	O2-C2	-4.24	1.34	1.43
5	N	8	MAN	O2-C2	-4.23	1.34	1.43
5	N	9	MAN	O2-C2	-4.23	1.34	1.43
5	R	9	MAN	O2-C2	-4.23	1.34	1.43
5	T	9	MAN	O2-C2	-4.23	1.34	1.43
5	T	8	MAN	O2-C2	-4.23	1.34	1.43
5	R	8	MAN	O2-C2	-4.21	1.34	1.43
5	P	8	MAN	O2-C2	-4.19	1.34	1.43
5	T	7	MAN	O2-C2	-4.07	1.34	1.43
5	N	7	MAN	O2-C2	-4.06	1.34	1.43
5	P	7	MAN	O2-C2	-4.06	1.34	1.43
5	R	7	MAN	O2-C2	-4.06	1.34	1.43
5	P	5	MAN	O2-C2	-3.04	1.37	1.43
5	N	5	MAN	O2-C2	-3.01	1.37	1.43
5	R	5	MAN	O2-C2	-3.01	1.37	1.43
4	M	1	NAG	C3-C2	-2.98	1.46	1.52
4	O	1	NAG	C3-C2	-2.98	1.46	1.52
4	Q	1	NAG	C3-C2	-2.98	1.46	1.52
4	S	1	NAG	C3-C2	-2.98	1.46	1.52
5	T	5	MAN	O2-C2	-2.96	1.37	1.43
5	N	7	MAN	C2-C3	-2.80	1.48	1.52
5	R	7	MAN	C2-C3	-2.80	1.48	1.52
5	P	7	MAN	C2-C3	-2.72	1.48	1.52
5	T	7	MAN	C2-C3	-2.72	1.48	1.52
5	N	6	MAN	C2-C3	-2.71	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	T	6	MAN	C2-C3	-2.71	1.48	1.52
5	P	6	MAN	C2-C3	-2.69	1.48	1.52
5	R	6	MAN	C2-C3	-2.67	1.48	1.52
5	P	1	NAG	C3-C2	-2.61	1.47	1.52
5	R	1	NAG	C3-C2	-2.61	1.47	1.52
5	T	1	NAG	C3-C2	-2.61	1.47	1.52
5	N	3	BMA	C2-C3	-2.60	1.48	1.52
5	N	1	NAG	C3-C2	-2.57	1.47	1.52
5	N	9	MAN	C2-C3	-2.57	1.48	1.52
5	R	9	MAN	C2-C3	-2.57	1.48	1.52
5	T	9	MAN	C2-C3	-2.57	1.48	1.52
4	O	2	NAG	C3-C2	-2.56	1.47	1.52
4	S	2	NAG	C3-C2	-2.56	1.47	1.52
5	P	3	BMA	C2-C3	-2.54	1.48	1.52
5	T	3	BMA	C2-C3	-2.54	1.48	1.52
4	Q	2	NAG	C3-C2	-2.53	1.47	1.52
5	P	1	NAG	C1-C2	-2.52	1.48	1.52
5	R	1	NAG	C1-C2	-2.52	1.48	1.52
4	M	2	NAG	C3-C2	-2.52	1.47	1.52
5	P	9	MAN	C2-C3	-2.50	1.48	1.52
5	N	1	NAG	C1-C2	-2.50	1.48	1.52
5	T	1	NAG	C1-C2	-2.50	1.48	1.52
5	R	3	BMA	C2-C3	-2.48	1.48	1.52
5	T	5	MAN	O5-C1	2.40	1.47	1.43
5	N	4	MAN	C2-C3	-2.40	1.48	1.52
5	P	4	MAN	C2-C3	-2.40	1.48	1.52
5	R	5	MAN	O5-C1	2.38	1.47	1.43
5	N	5	MAN	O5-C1	2.38	1.47	1.43
5	P	5	MAN	O5-C1	2.38	1.47	1.43
5	R	4	MAN	C2-C3	-2.36	1.48	1.52
5	T	4	MAN	C2-C3	-2.35	1.48	1.52
5	P	5	MAN	C2-C3	-2.29	1.49	1.52
5	T	8	MAN	C2-C3	-2.27	1.49	1.52
4	M	1	NAG	C1-C2	-2.24	1.49	1.52
4	O	1	NAG	C1-C2	-2.24	1.49	1.52
4	Q	1	NAG	C1-C2	-2.24	1.49	1.52
4	S	1	NAG	C1-C2	-2.24	1.49	1.52
5	P	8	MAN	C2-C3	-2.24	1.49	1.52
5	N	5	MAN	C2-C3	-2.24	1.49	1.52
5	R	5	MAN	C2-C3	-2.23	1.49	1.52
5	N	8	MAN	C2-C3	-2.20	1.49	1.52
5	R	8	MAN	C2-C3	-2.20	1.49	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	2	NAG	C3-C2	-2.16	1.48	1.52
5	R	2	NAG	C3-C2	-2.16	1.48	1.52
5	T	2	NAG	C3-C2	-2.16	1.48	1.52
5	T	5	MAN	C2-C3	-2.15	1.49	1.52
5	P	2	NAG	C3-C2	-2.13	1.48	1.52
4	O	2	NAG	C1-C2	-2.11	1.49	1.52
5	P	7	MAN	C6-C5	2.10	1.58	1.51
4	Q	2	NAG	C1-C2	-2.09	1.49	1.52
4	S	2	NAG	C1-C2	-2.09	1.49	1.52
5	N	7	MAN	C6-C5	2.09	1.58	1.51
5	T	7	MAN	C6-C5	2.08	1.58	1.51
4	M	2	NAG	C1-C2	-2.07	1.49	1.52
5	R	7	MAN	C6-C5	2.06	1.58	1.51
5	R	4	MAN	O2-C2	-2.04	1.39	1.43
5	T	4	MAN	O2-C2	-2.04	1.39	1.43
5	N	6	MAN	C6-C5	2.04	1.58	1.51
5	T	6	MAN	C6-C5	2.04	1.58	1.51
5	P	6	MAN	C6-C5	2.04	1.58	1.51
5	R	6	MAN	C6-C5	2.04	1.58	1.51
5	P	4	MAN	O2-C2	-2.02	1.39	1.43
5	N	4	MAN	O2-C2	-2.02	1.39	1.43

All (100) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	2	NAG	C3-C4-C5	-4.01	102.96	110.23
5	N	2	NAG	C3-C4-C5	-3.99	102.99	110.23
5	T	2	NAG	C3-C4-C5	-3.99	102.99	110.23
5	P	2	NAG	C3-C4-C5	-3.98	103.01	110.23
5	P	7	MAN	C2-C3-C4	-3.57	104.58	110.86
5	T	7	MAN	C2-C3-C4	-3.57	104.58	110.86
5	N	7	MAN	C2-C3-C4	-3.54	104.63	110.86
5	R	7	MAN	C2-C3-C4	-3.54	104.64	110.86
5	T	4	MAN	O2-C2-C3	-3.14	103.65	110.15
5	N	4	MAN	O2-C2-C3	-3.11	103.70	110.15
5	R	4	MAN	O2-C2-C3	-3.11	103.72	110.15
5	P	4	MAN	O2-C2-C3	-3.10	103.73	110.15
4	S	1	NAG	C3-C4-C5	-2.96	104.87	110.23
4	M	1	NAG	C3-C4-C5	-2.94	104.90	110.23
4	O	1	NAG	C3-C4-C5	-2.94	104.90	110.23
4	Q	1	NAG	C3-C4-C5	-2.94	104.90	110.23
5	R	9	MAN	C1-O5-C5	2.94	116.12	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	T	9	MAN	C1-O5-C5	2.94	116.12	112.19
5	R	2	NAG	C4-C3-C2	2.94	115.32	111.02
5	N	2	NAG	C4-C3-C2	2.92	115.30	111.02
5	T	2	NAG	C4-C3-C2	2.92	115.30	111.02
5	N	9	MAN	C1-O5-C5	2.91	116.09	112.19
5	P	2	NAG	C4-C3-C2	2.91	115.28	111.02
5	P	9	MAN	C1-O5-C5	2.87	116.04	112.19
4	S	1	NAG	O4-C4-C3	-2.84	103.68	110.38
4	M	1	NAG	O4-C4-C3	-2.83	103.70	110.38
4	Q	1	NAG	O4-C4-C3	-2.83	103.70	110.38
4	O	1	NAG	O4-C4-C3	-2.83	103.72	110.38
4	O	1	NAG	C1-O5-C5	-2.82	108.40	112.19
4	S	1	NAG	C1-O5-C5	-2.81	108.42	112.19
5	T	8	MAN	C2-C3-C4	-2.81	105.92	110.86
5	P	8	MAN	C2-C3-C4	-2.80	105.93	110.86
5	R	8	MAN	C2-C3-C4	-2.80	105.94	110.86
5	N	8	MAN	C2-C3-C4	-2.79	105.96	110.86
4	M	1	NAG	C1-O5-C5	-2.79	108.45	112.19
4	Q	1	NAG	C1-O5-C5	-2.79	108.45	112.19
5	R	3	BMA	C2-C3-C4	-2.77	105.99	110.86
5	N	3	BMA	C2-C3-C4	-2.76	106.00	110.86
5	P	3	BMA	C2-C3-C4	-2.76	106.00	110.86
5	T	3	BMA	C2-C3-C4	-2.76	106.01	110.86
4	M	2	NAG	C4-C3-C2	-2.74	107.00	111.02
5	T	5	MAN	O2-C2-C3	-2.73	104.49	110.15
5	N	9	MAN	C1-C2-C3	2.73	113.62	109.64
5	T	9	MAN	C1-C2-C3	2.73	113.62	109.64
5	N	5	MAN	O2-C2-C3	-2.73	104.51	110.15
5	R	9	MAN	C1-C2-C3	2.72	113.61	109.64
4	Q	2	NAG	C4-C3-C2	-2.72	107.04	111.02
4	S	2	NAG	C4-C3-C2	-2.71	107.05	111.02
5	R	5	MAN	O2-C2-C3	-2.71	104.54	110.15
5	P	9	MAN	C1-C2-C3	2.70	113.58	109.64
4	O	2	NAG	C4-C3-C2	-2.69	107.07	111.02
5	P	5	MAN	O2-C2-C3	-2.69	104.59	110.15
5	N	9	MAN	C2-C3-C4	-2.59	106.31	110.86
5	P	9	MAN	C2-C3-C4	-2.59	106.31	110.86
5	N	2	NAG	C1-O5-C5	-2.58	108.73	112.19
5	R	2	NAG	C1-O5-C5	-2.58	108.73	112.19
5	R	9	MAN	C2-C3-C4	-2.57	106.34	110.86
5	T	9	MAN	C2-C3-C4	-2.57	106.34	110.86
5	T	2	NAG	C1-O5-C5	-2.57	108.75	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	2	NAG	C1-O5-C5	-2.56	108.75	112.19
5	P	5	MAN	C3-C4-C5	-2.56	105.59	110.23
5	N	5	MAN	C3-C4-C5	-2.55	105.62	110.23
5	R	5	MAN	C3-C4-C5	-2.53	105.64	110.23
5	T	5	MAN	C3-C4-C5	-2.52	105.66	110.23
5	P	5	MAN	O5-C1-C2	-2.46	104.93	110.79
5	P	7	MAN	C1-C2-C3	2.45	113.22	109.64
5	T	7	MAN	C1-C2-C3	2.45	113.22	109.64
5	N	5	MAN	O5-C1-C2	-2.45	104.95	110.79
5	R	5	MAN	O5-C1-C2	-2.44	104.96	110.79
5	T	5	MAN	O5-C1-C2	-2.44	104.97	110.79
5	R	7	MAN	C1-C2-C3	2.43	113.19	109.64
5	N	7	MAN	C1-C2-C3	2.42	113.17	109.64
5	N	5	MAN	C6-C5-C4	-2.41	107.11	113.02
5	P	5	MAN	C6-C5-C4	-2.41	107.11	113.02
5	R	5	MAN	C6-C5-C4	-2.40	107.12	113.02
5	T	5	MAN	C6-C5-C4	-2.39	107.14	113.02
5	N	4	MAN	C2-C3-C4	-2.36	106.72	110.86
5	P	4	MAN	C2-C3-C4	-2.35	106.72	110.86
5	R	4	MAN	C2-C3-C4	-2.34	106.74	110.86
5	R	1	NAG	C3-C4-C5	-2.33	106.01	110.23
5	T	4	MAN	C2-C3-C4	-2.33	106.77	110.86
5	N	1	NAG	C3-C4-C5	-2.32	106.03	110.23
5	P	1	NAG	C3-C4-C5	-2.32	106.03	110.23
5	T	1	NAG	C3-C4-C5	-2.32	106.03	110.23
5	T	8	MAN	C1-C2-C3	2.32	113.02	109.64
5	N	6	MAN	C3-C4-C5	-2.31	106.04	110.23
5	R	6	MAN	C3-C4-C5	-2.31	106.04	110.23
5	P	6	MAN	C3-C4-C5	-2.31	106.05	110.23
5	T	6	MAN	C3-C4-C5	-2.31	106.05	110.23
5	T	7	MAN	O6-C6-C5	2.31	119.19	111.33
5	N	8	MAN	C1-C2-C3	2.30	112.99	109.64
5	R	8	MAN	C1-C2-C3	2.30	112.99	109.64
5	P	8	MAN	C1-C2-C3	2.29	112.98	109.64
5	R	7	MAN	O6-C6-C5	2.29	119.12	111.33
5	P	7	MAN	O6-C6-C5	2.29	119.12	111.33
5	N	7	MAN	O6-C6-C5	2.28	119.10	111.33
5	N	1	NAG	O5-C5-C6	-2.18	103.42	107.66
5	T	1	NAG	O5-C5-C6	-2.17	103.44	107.66
5	P	1	NAG	O5-C5-C6	-2.17	103.45	107.66
5	R	1	NAG	O5-C5-C6	-2.16	103.45	107.66

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	N	7	MAN	C4-C5-C6-O6
5	P	7	MAN	C4-C5-C6-O6
5	R	7	MAN	C4-C5-C6-O6
5	T	7	MAN	C4-C5-C6-O6
5	N	8	MAN	O5-C5-C6-O6
5	P	8	MAN	O5-C5-C6-O6
5	R	8	MAN	O5-C5-C6-O6
5	T	8	MAN	O5-C5-C6-O6
5	N	9	MAN	C4-C5-C6-O6
5	P	9	MAN	C4-C5-C6-O6
5	R	9	MAN	C4-C5-C6-O6
5	T	9	MAN	C4-C5-C6-O6
5	N	4	MAN	O5-C5-C6-O6
5	P	4	MAN	O5-C5-C6-O6
5	R	4	MAN	O5-C5-C6-O6
5	T	4	MAN	O5-C5-C6-O6
5	N	7	MAN	O5-C5-C6-O6
5	P	7	MAN	O5-C5-C6-O6
5	R	7	MAN	O5-C5-C6-O6
5	T	7	MAN	O5-C5-C6-O6
5	N	9	MAN	O5-C5-C6-O6
5	P	9	MAN	O5-C5-C6-O6
5	R	9	MAN	O5-C5-C6-O6
5	T	9	MAN	O5-C5-C6-O6
5	N	4	MAN	C4-C5-C6-O6
5	P	4	MAN	C4-C5-C6-O6
5	R	4	MAN	C4-C5-C6-O6
5	T	4	MAN	C4-C5-C6-O6
5	N	5	MAN	O5-C5-C6-O6
5	P	5	MAN	O5-C5-C6-O6
5	T	5	MAN	O5-C5-C6-O6
5	R	5	MAN	O5-C5-C6-O6
4	M	2	NAG	O5-C5-C6-O6
4	O	2	NAG	O5-C5-C6-O6
4	Q	2	NAG	O5-C5-C6-O6
4	S	2	NAG	O5-C5-C6-O6
5	N	8	MAN	C4-C5-C6-O6
5	P	8	MAN	C4-C5-C6-O6
5	R	8	MAN	C4-C5-C6-O6
5	T	8	MAN	C4-C5-C6-O6
5	N	2	NAG	O5-C5-C6-O6
5	T	2	NAG	O5-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	P	2	NAG	O5-C5-C6-O6
5	R	2	NAG	O5-C5-C6-O6
5	T	5	MAN	C4-C5-C6-O6
5	R	5	MAN	C4-C5-C6-O6
5	N	5	MAN	C4-C5-C6-O6
5	P	5	MAN	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	C	501	1	14,14,15	2.06	2 (14%)	17,19,21	0.94	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	A	501	1	14,14,15	2.06	2 (14%)	17,19,21	0.94	1 (5%)
6	NAG	D	501	1	14,14,15	2.07	2 (14%)	17,19,21	0.94	1 (5%)
6	NAG	B	501	1	14,14,15	2.05	2 (14%)	17,19,21	0.93	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	501	1	-	1/6/23/26	0/1/1/1
6	NAG	A	501	1	-	1/6/23/26	0/1/1/1
6	NAG	D	501	1	-	1/6/23/26	0/1/1/1
6	NAG	B	501	1	-	1/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	501	NAG	O5-C1	6.52	1.54	1.43
6	A	501	NAG	O5-C1	6.47	1.54	1.43
6	B	501	NAG	O5-C1	6.47	1.54	1.43
6	C	501	NAG	O5-C1	6.45	1.54	1.43
6	A	501	NAG	C3-C2	-2.44	1.47	1.52
6	C	501	NAG	C3-C2	-2.44	1.47	1.52
6	B	501	NAG	C3-C2	-2.42	1.47	1.52
6	D	501	NAG	C3-C2	-2.42	1.47	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	501	NAG	C1-O5-C5	-2.41	108.96	112.19
6	A	501	NAG	C1-O5-C5	-2.40	108.97	112.19
6	B	501	NAG	C1-O5-C5	-2.37	109.01	112.19
6	C	501	NAG	C1-O5-C5	-2.36	109.02	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	501	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	501	NAG	O5-C5-C6-O6
6	C	501	NAG	O5-C5-C6-O6
6	D	501	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20541. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 166




Y Index: 122




Z Index: 146


6.3.2 Raw map



X Index: 122



Y Index: 166




Z Index: 146


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.641. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_20541_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 100 nm³; this corresponds to an approximate mass of 90 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.80	4.35	3.84
Unmasked-calculated*	5.63	8.57	6.06

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.63 differs from the reported value 3.6 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20541 and PDB model 6PZZ. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.641).

9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.641) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6410	0.4540
A	0.6890	0.4770
B	0.6880	0.4760
C	0.6870	0.4760
D	0.6870	0.4760
E	0.5750	0.4190
F	0.5630	0.4140
G	0.5760	0.4220
H	0.5610	0.4120
I	0.5600	0.4140
J	0.5770	0.4230
K	0.5610	0.4140
L	0.5760	0.4190
M	0.4290	0.4580
N	0.5520	0.4040
O	0.4290	0.4400
P	0.5520	0.4040
Q	0.4290	0.4530
R	0.5330	0.4000
S	0.4290	0.4560
T	0.5430	0.3980

1.0

0.0

<0.0