



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:54 AM UTC

PDB ID : 2Q0F / pdb_00002q0f
Title : Terminal uridylyl transferase 4 from Trypanosoma brucei with bound UTP and UMP
Authors : Stagno, J.; Luecke, H.
Deposited on : 2007-05-21
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	
1	B	353	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5389 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA uridylyl transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	324	Total	C	N	O	S	0	0	0
			2582	1642	460	473	7			
1	B	318	Total	C	N	O	S	0	0	0
			2550	1624	453	466	7			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	cloning artifact	UNP Q381M1
A	-18	GLY	-	cloning artifact	UNP Q381M1
A	-17	SER	-	cloning artifact	UNP Q381M1
A	-16	SER	-	cloning artifact	UNP Q381M1
A	-15	HIS	-	expression tag	UNP Q381M1
A	-14	HIS	-	expression tag	UNP Q381M1
A	-13	HIS	-	expression tag	UNP Q381M1
A	-12	HIS	-	expression tag	UNP Q381M1
A	-11	HIS	-	expression tag	UNP Q381M1
A	-10	HIS	-	expression tag	UNP Q381M1
A	-9	SER	-	cloning artifact	UNP Q381M1
A	-8	SER	-	cloning artifact	UNP Q381M1
A	-7	GLY	-	cloning artifact	UNP Q381M1
A	-6	LEU	-	cloning artifact	UNP Q381M1
A	-5	VAL	-	cloning artifact	UNP Q381M1
A	-4	PRO	-	cloning artifact	UNP Q381M1
A	-3	ARG	-	cloning artifact	UNP Q381M1
A	-2	GLY	-	cloning artifact	UNP Q381M1
A	-1	SER	-	cloning artifact	UNP Q381M1
A	0	HIS	-	cloning artifact	UNP Q381M1
B	-19	MET	-	cloning artifact	UNP Q381M1
B	-18	GLY	-	cloning artifact	UNP Q381M1
B	-17	SER	-	cloning artifact	UNP Q381M1
B	-16	SER	-	cloning artifact	UNP Q381M1
B	-15	HIS	-	expression tag	UNP Q381M1

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP Q381M1
B	-13	HIS	-	expression tag	UNP Q381M1
B	-12	HIS	-	expression tag	UNP Q381M1
B	-11	HIS	-	expression tag	UNP Q381M1
B	-10	HIS	-	expression tag	UNP Q381M1
B	-9	SER	-	cloning artifact	UNP Q381M1
B	-8	SER	-	cloning artifact	UNP Q381M1
B	-7	GLY	-	cloning artifact	UNP Q381M1
B	-6	LEU	-	cloning artifact	UNP Q381M1
B	-5	VAL	-	cloning artifact	UNP Q381M1
B	-4	PRO	-	cloning artifact	UNP Q381M1
B	-3	ARG	-	cloning artifact	UNP Q381M1
B	-2	GLY	-	cloning artifact	UNP Q381M1
B	-1	SER	-	cloning artifact	UNP Q381M1
B	0	HIS	-	cloning artifact	UNP Q381M1

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Mg 2 2	0	0

- Molecule 3 is URIDINE 5'-TRIPHOSPHATE (CCD ID: UTP) (formula: C₉H₁₅N₂O₁₅P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			29	9	2	15	3		

- Molecule 4 is URIDINE-5'-MONOPHOSPHATE (CCD ID: U5P) (formula: $C_9H_{13}N_2O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
4	B	1	Total	C	N	O	P	0	0
			21	9	2	9	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	111	Total	O	0	0
			111	111		
5	B	73	Total	O	0	0
			73	73		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RNA uridylyl transferase



• Molecule 1: RNA uridylyl transferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.62Å 41.92Å 106.02Å 90.00° 94.37° 90.00°	Depositor
Resolution (Å)	38.98 – 2.40 38.98 – 2.40	Depositor EDS
% Data completeness (in resolution range)	93.8 (38.98-2.40) 93.8 (38.98-2.40)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.223 , 0.293 0.221 , 0.292	Depositor DCC
R_{free} test set	1364 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	34.8	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5389	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UTP, MG, U5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/2639	1.04	6/3581 (0.2%)
1	B	0.73	1/2605 (0.0%)	1.01	3/3529 (0.1%)
All	All	0.77	1/5244 (0.0%)	1.02	9/7110 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	218	VAL	CA-CB	5.09	1.60	1.54

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	159	PRO	N-CA-C	6.24	118.31	110.70
1	B	54	SER	N-CA-C	5.86	118.45	111.71
1	A	159	PRO	N-CA-C	5.81	117.79	110.70
1	B	63	LYS	N-CA-C	5.67	119.01	111.75
1	A	186	ILE	N-CA-C	5.65	116.24	107.99
1	A	209	PRO	CA-C-N	5.51	125.86	119.47
1	A	209	PRO	C-N-CA	5.51	125.86	119.47
1	A	110	LEU	N-CA-C	5.08	117.48	111.33
1	A	191	PHE	N-CA-C	5.03	116.76	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2582	0	2582	55	0
1	B	2550	0	2549	52	0
2	A	2	0	0	0	0
3	A	29	0	11	1	0
4	A	21	0	11	1	0
4	B	21	0	11	0	0
5	A	111	0	0	8	0
5	B	73	0	0	0	0
All	All	5389	0	5164	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:MET:HE2	1:A:295:ILE:HD11	1.54	0.90
1:B:241:VAL:HG11	1:B:329:LEU:HD21	1.58	0.83
1:B:202:ARG:O	1:B:203:ASN:HB2	1.81	0.79
1:B:241:VAL:HG11	1:B:329:LEU:CD2	2.12	0.79
1:A:235:LEU:O	1:A:239:THR:HG22	1.83	0.77
1:A:194:MET:HE2	1:A:295:ILE:CD1	2.18	0.74
1:B:241:VAL:CG1	1:B:329:LEU:HD21	2.21	0.70
1:A:329:LEU:O	5:A:553:HOH:O	2.11	0.67
1:A:185:SER:HB3	1:A:313:LYS:HD3	1.75	0.67
1:A:152:ARG:NH2	1:A:223:PRO:O	2.28	0.67
1:A:300:GLU:HG3	1:A:303:LEU:HD22	1.78	0.66
1:B:48:ARG:HH11	1:B:77:VAL:HG11	1.60	0.66
4:A:502:U5P:H6	4:A:502:U5P:O5'	1.96	0.65
1:B:146:ARG:NH1	1:B:213:ILE:O	2.31	0.64
1:B:102:ALA:HA	1:B:105:ILE:HG12	1.81	0.63
1:A:118:ARG:HD3	1:B:263:ARG:HD2	1.80	0.62
1:A:3:PRO:HD2	1:A:326:ASP:HA	1.81	0.62
1:A:258:VAL:HG21	1:A:272:LEU:HD12	1.81	0.62
1:A:306:GLY:HA2	5:A:593:HOH:O	2.00	0.60
1:B:39:CYS:HB3	1:B:101:LEU:HD11	1.83	0.60
1:B:48:ARG:NH1	1:B:77:VAL:HG11	2.17	0.59
1:B:39:CYS:SG	1:B:105:ILE:HG22	2.43	0.58
1:A:107:GLN:HA	5:A:544:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:LYS:HE3	1:A:290:HIS:CE1	2.39	0.58
1:B:108:LYS:NZ	1:B:108:LYS:HB3	2.19	0.57
1:A:56:VAL:O	1:A:152:ARG:NH1	2.36	0.56
1:A:141:ARG:HD2	5:A:514:HOH:O	2.04	0.56
1:A:118:ARG:NH2	1:B:264:PRO:O	2.39	0.56
1:B:185:SER:HB3	1:B:313:LYS:HD3	1.88	0.56
1:B:36:VAL:HG23	1:B:49:LEU:HD21	1.88	0.55
1:A:241:VAL:O	1:A:242:LEU:C	2.49	0.55
1:B:44:ASP:HB2	1:B:47:MET:HB3	1.89	0.55
1:A:4:SER:O	1:A:8:VAL:HG23	2.07	0.54
1:A:312:LEU:O	1:A:315:ASP:HB3	2.07	0.54
1:A:64:GLY:HA2	5:A:612:HOH:O	2.07	0.54
1:B:90:ALA:HA	1:B:93:LEU:HB2	1.89	0.53
1:A:35:LEU:O	1:A:38:ASP:HB2	2.08	0.53
1:A:135:PHE:CE1	1:A:137:ILE:HD11	2.44	0.53
1:B:202:ARG:HH22	1:B:251:GLU:CD	2.19	0.51
1:A:198:TYR:CE1	1:A:202:ARG:HG3	2.46	0.51
1:A:283:ARG:HG3	1:A:287:GLU:H	1.76	0.51
1:B:318:ARG:HA	1:B:321:LEU:HD12	1.93	0.50
1:B:9:GLY:HA3	1:B:234:GLY:O	2.10	0.50
1:A:282:ALA:CB	1:A:289:VAL:HG22	2.42	0.50
1:A:282:ALA:HB1	1:A:289:VAL:HG22	1.93	0.50
1:B:36:VAL:HG23	1:B:49:LEU:CD2	2.42	0.49
1:A:81:LYS:HE3	1:A:214:ASP:HB2	1.94	0.49
1:B:241:VAL:HG11	1:B:329:LEU:HD22	1.95	0.49
1:B:94:GLN:HG2	1:B:140:TYR:HB2	1.94	0.49
1:B:176:GLY:HA2	1:B:181:VAL:HG11	1.95	0.48
1:A:284:MET:SD	1:A:303:LEU:HD12	2.54	0.48
1:B:94:GLN:HE21	1:B:140:TYR:HB2	1.79	0.48
1:B:253:ASP:OD1	1:B:255:ASP:HB2	2.14	0.47
1:A:135:PHE:HE1	1:A:137:ILE:HD11	1.79	0.47
1:B:75:THR:HA	1:B:78:GLU:HG2	1.97	0.47
1:B:185:SER:HB2	1:B:309:VAL:HG22	1.96	0.47
1:A:94:GLN:O	1:A:98:LEU:HG	2.15	0.47
1:B:258:VAL:HG21	1:B:272:LEU:HD12	1.97	0.47
1:B:164:LEU:HD12	1:B:241:VAL:HG22	1.96	0.46
1:A:152:ARG:NH2	1:A:225:LEU:HG	2.30	0.46
1:A:292:GLN:HB2	5:A:543:HOH:O	2.16	0.46
1:A:146:ARG:HG3	1:A:215:VAL:CG2	2.46	0.46
1:A:146:ARG:HG3	1:A:215:VAL:HG23	1.98	0.46
1:B:217:ARG:HA	1:B:217:ARG:HE	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:ASP:CB	1:B:47:MET:HB3	2.46	0.46
1:B:209:PRO:O	1:B:212:THR:HB	2.15	0.46
1:A:154:TYR:O	1:A:157:GLN:HB2	2.15	0.46
1:A:90:ALA:O	1:A:94:GLN:HG3	2.16	0.45
1:A:141:ARG:NH1	5:A:514:HOH:O	2.31	0.45
1:B:146:ARG:HD2	1:B:215:VAL:HG23	1.98	0.45
1:B:164:LEU:HD23	1:B:195:VAL:HG13	1.98	0.45
1:B:197:TYR:O	1:B:201:GLN:HG2	2.16	0.45
1:A:10:ARG:HG2	1:A:233:GLU:HG2	2.00	0.44
1:B:178:ASN:O	1:B:184:GLY:HA3	2.18	0.44
1:A:146:ARG:CG	1:A:215:VAL:HG23	2.47	0.44
1:A:13:VAL:HG22	1:A:230:PRO:HG2	1.99	0.44
1:B:102:ALA:HA	1:B:105:ILE:CG1	2.46	0.44
1:A:174:GLN:HB3	1:A:330:LEU:HD12	2.00	0.43
1:B:63:LYS:HE3	1:B:63:LYS:HA	2.00	0.43
1:A:232:ASP:OD1	1:A:232:ASP:N	2.50	0.43
1:A:117:VAL:HB	1:A:124:VAL:HG13	2.01	0.43
1:A:283:ARG:HA	1:A:287:GLU:O	2.19	0.43
1:B:124:VAL:HG21	1:B:136:ASP:OD2	2.18	0.43
1:B:163:TRP:NE1	1:B:227:LEU:HD22	2.34	0.43
1:A:131:GLY:C	1:A:133:VAL:N	2.76	0.43
1:B:289:VAL:HG21	1:B:291:TYR:CE2	2.52	0.42
1:A:242:LEU:HD23	1:A:242:LEU:HA	1.92	0.42
1:B:6:ALA:HB2	1:B:235:LEU:HD13	2.00	0.42
1:B:100:LYS:HG3	1:B:103:ARG:NH2	2.35	0.42
1:A:47:MET:HG2	1:A:71:VAL:HG22	2.02	0.42
1:A:324:ALA:HB1	1:A:329:LEU:HD23	2.02	0.42
1:A:49:LEU:HD11	1:A:69:PHE:HB3	2.03	0.41
1:B:114:VAL:HG12	1:B:127:VAL:HG13	2.02	0.41
1:A:200:LEU:O	1:A:201:GLN:C	2.64	0.41
1:A:200:LEU:HD12	1:A:205:LEU:HB2	2.02	0.41
1:A:3:PRO:HB2	1:A:4:SER:H	1.77	0.41
1:B:108:LYS:HB3	1:B:108:LYS:HZ2	1.86	0.41
1:B:33:TYR:CD2	1:B:221:LEU:HD22	2.56	0.41
1:A:260:SER:OG	1:A:296:GLU:OE1	2.28	0.40
1:A:73:ASN:ND2	5:A:590:HOH:O	2.52	0.40
1:A:189:TYR:HB2	3:A:501:UTP:H3'	2.03	0.40
1:B:8:VAL:HG22	1:B:328:ALA:HB2	2.04	0.40
1:B:12:LEU:HD21	1:B:329:LEU:HD23	2.04	0.40
1:B:159:PRO:N	1:B:160:PRO:HD2	2.36	0.40
1:B:200:LEU:HD13	1:B:205:LEU:HB2	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:PHE:O	1:B:285:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/353 (91%)	297 (93%)	21 (7%)	2 (1%)	21	32
1	B	310/353 (88%)	294 (95%)	15 (5%)	1 (0%)	36	50
All	All	630/706 (89%)	591 (94%)	36 (6%)	3 (0%)	24	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	132	ALA
1	A	216	SER
1	B	36	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/309 (92%)	263 (93%)	20 (7%)	13	23
1	B	281/309 (91%)	256 (91%)	25 (9%)	9	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	564/618 (91%)	519 (92%)	45 (8%)	11	19

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	20	VAL
1	A	28	HIS
1	A	30	ASP
1	A	46	LEU
1	A	51	THR
1	A	60	VAL
1	A	71	VAL
1	A	75	THR
1	A	93	LEU
1	A	137	ILE
1	A	145	VAL
1	A	200	LEU
1	A	203	ASN
1	A	227	LEU
1	A	237	LEU
1	A	263	ARG
1	A	276	LYS
1	A	289	VAL
1	A	319	ARG
1	B	10	ARG
1	B	18	GLN
1	B	24	LEU
1	B	25	HIS
1	B	43	VAL
1	B	44	ASP
1	B	63	LYS
1	B	91	LYS
1	B	108	LYS
1	B	114	VAL
1	B	141	ARG
1	B	145	VAL
1	B	146	ARG
1	B	200	LEU
1	B	212	THR
1	B	227	LEU
1	B	233	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	237	LEU
1	B	270	GLU
1	B	275	THR
1	B	287	GLU
1	B	289	VAL
1	B	319	ARG
1	B	325	ARG
1	B	329	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	107	GLN
1	A	192	ASN
1	A	290	HIS
1	B	14	ASN
1	B	18	GLN
1	B	73	ASN
1	B	94	GLN
1	B	109	HIS
1	B	158	ASN
1	B	204	HIS
1	B	224	HIS
1	B	290	HIS
1	B	308	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	U5P	A	502	2	22,22,22	1.28	4 (18%)	32,33,33	1.76	7 (21%)
4	U5P	B	503	-	22,22,22	1.29	3 (13%)	32,33,33	1.85	6 (18%)
3	UTP	A	501	2	29,30,30	1.91	6 (20%)	43,47,47	1.71	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	U5P	A	502	2	-	0/10/26/26	0/2/2/2
4	U5P	B	503	-	-	0/10/26/26	0/2/2/2
3	UTP	A	501	2	-	7/22/38/38	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	UTP	O4-C4	6.48	1.37	1.24
3	A	501	UTP	PB-O3B	4.50	1.64	1.59
4	B	503	U5P	C2-N1	3.25	1.43	1.38
3	A	501	UTP	PB-O3A	3.21	1.63	1.59
4	A	502	U5P	C2-N1	3.04	1.43	1.38
3	A	501	UTP	PA-O3A	2.94	1.62	1.59
4	A	502	U5P	C4-N3	-2.46	1.34	1.38
4	B	503	U5P	C4-N3	-2.45	1.34	1.38
4	A	502	U5P	C2-N3	-2.32	1.33	1.38
4	A	502	U5P	C6-C5	2.32	1.40	1.35
3	A	501	UTP	O2-C2	2.31	1.27	1.23
3	A	501	UTP	C6-C5	2.30	1.40	1.35
4	B	503	U5P	C2-N3	-2.07	1.34	1.38

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503	U5P	C4-N3-C2	-4.97	120.44	126.61
3	A	501	UTP	C4-N3-C2	-4.43	121.12	126.61
4	A	502	U5P	C5-C4-N3	4.42	120.99	114.80
4	B	503	U5P	C5-C4-N3	4.40	120.96	114.80
3	A	501	UTP	N3-C2-N1	4.31	120.50	114.89
4	A	502	U5P	N3-C2-N1	4.29	120.47	114.89
4	A	502	U5P	C4-N3-C2	-4.17	121.44	126.61
4	B	503	U5P	N3-C2-N1	3.78	119.81	114.89
3	A	501	UTP	C5-C4-N3	3.40	119.57	114.80
4	B	503	U5P	O4-C4-C5	-3.38	119.34	125.16
3	A	501	UTP	O3B-PB-O2B	-3.31	100.74	110.70
4	B	503	U5P	O2P-P-O5'	-2.90	99.10	106.67
4	A	502	U5P	O4-C4-C5	-2.78	120.38	125.16
3	A	501	UTP	O2-C2-N3	-2.77	116.39	121.49
4	A	502	U5P	C6-N1-C2	-2.48	117.97	121.00
3	A	501	UTP	O3A-PB-O2B	-2.34	103.67	110.70
4	B	503	U5P	O3P-P-O2P	2.29	116.38	107.80
3	A	501	UTP	O2A-PA-O3A	-2.23	101.24	107.27
4	A	502	U5P	O2-C2-N3	-2.21	117.41	121.49
3	A	501	UTP	O4-C4-C5	-2.19	121.39	125.16
4	A	502	U5P	O5'-P-O1P	-2.05	100.91	106.44

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	501	UTP	C5'-O5'-PA-O1A
3	A	501	UTP	PB-O3B-PG-O2G
3	A	501	UTP	C5'-O5'-PA-O2A
3	A	501	UTP	C5'-O5'-PA-O3A
3	A	501	UTP	O4'-C4'-C5'-O5'
3	A	501	UTP	PA-O3A-PB-O2B
3	A	501	UTP	PA-O3A-PB-O1B


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	502	U5P	1	0
3	A	501	UTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	324/353 (91%)	-0.11	6 (1%) 66 62	18, 33, 55, 69	0
1	B	318/353 (90%)	0.25	9 (2%) 55 51	22, 47, 73, 81	0
All	All	642/706 (90%)	0.07	15 (2%) 61 57	18, 38, 69, 81	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	90	ALA	3.1
1	A	129	GLY	3.0
1	A	284	MET	2.9
1	B	44	ASP	2.8
1	A	332	ILE	2.6
1	B	231	ALA	2.4
1	B	92	GLY	2.3
1	B	3	PRO	2.2
1	A	28	HIS	2.2
1	A	130	GLY	2.1
1	B	91	LYS	2.1
1	B	93	LEU	2.1
1	A	20	VAL	2.1
1	B	122	VAL	2.0
1	B	105	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	U5P	A	502	21/21	0.91	0.09	47,50,52,53	0
4	U5P	B	503	21/21	0.93	0.07	44,46,50,51	0
3	UTP	A	501	29/29	0.96	0.06	24,29,34,37	0
2	MG	A	402	1/1	0.98	0.03	24,24,24,24	0
2	MG	A	401	1/1	0.98	0.04	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U5P A 502:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U5P B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.