



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:16 AM UTC

PDB ID : 2Q0K / pdb_00002q0k
Title : Oxidized thioredoxin reductase from *Helicobacter pylori* in complex with NADP+
Authors : Sandalova, T.; Gustafsson, T.; Lu, J.; Holmgren, A.; Schneider, G.
Deposited on : 2007-05-22
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	22% 90% 9%
1	B	311	31% 89% 10%

2 Entry composition ⓘ


There are 4 unique types of molecules in this entry. The entry contains 5247 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioredoxin reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	310	Total	C	N	O	S	0	0	0
			2344	1487	393	449	15			
1	B	310	Total	C	N	O	S	0	0	0
			2344	1487	393	449	15			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	193	Total	O	0	0
			193	193		
4	B	164	Total	O	0	0
			164	164		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Thioredoxin reductase



• Molecule 1: Thioredoxin reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.13Å 99.19Å 64.44Å 90.00° 100.02° 90.00°	Depositor
Resolution (Å)	63.50 – 1.70 63.45 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.3 (63.50-1.70) 98.3 (63.45-1.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.188 , 0.226 0.196 , 0.232	Depositor DCC
R_{free} test set	3364 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	22.5	Xtriage
Anisotropy	0.457	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5247	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/2387	0.78	2/3219 (0.1%)
1	B	0.65	0/2387	0.77	0/3219
All	All	0.65	0/4774	0.77	2/6438 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	PRO	CB-CA-C	7.61	124.11	111.56
1	A	165	ILE	CB-CA-C	-5.56	106.16	111.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2344	0	2331	24	0
1	B	2344	0	2331	30	0
2	A	53	0	31	2	0
2	B	53	0	31	2	0
3	A	48	0	25	0	0
3	B	48	0	25	0	0
4	A	193	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	164	0	0	4	0
All	All	5247	0	4774	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:LYS:HD3	1:B:210:SER:O	1.40	1.22
1:A:36:PRO:HB2	1:A:66:GLN:HE22	1.12	1.07
1:A:164:ASN:HB3	4:A:452:HOH:O	1.74	0.86
1:B:128:LYS:HD3	1:B:210:SER:C	2.05	0.81
1:A:36:PRO:HB2	1:A:66:GLN:NE2	1.95	0.80
1:B:253:MET:HE3	4:B:539:HOH:O	1.83	0.78
1:B:253:MET:HE1	4:B:487:HOH:O	1.83	0.77
1:A:36:PRO:CB	1:A:66:GLN:HE22	1.96	0.77
1:B:36:PRO:HB2	1:B:66:GLN:HE22	1.52	0.74
1:B:128:LYS:HG2	1:B:211:GLY:HA3	1.69	0.73
1:A:135:THR:HG22	4:A:426:HOH:O	1.92	0.68
1:A:77:GLU:HG3	1:A:79:THR:HG22	1.75	0.68
1:A:135:THR:HG21	4:A:433:HOH:O	1.99	0.63
1:B:18:LEU:HD11	1:B:72:PHE:HE1	1.64	0.60
1:B:18:LEU:HD11	1:B:72:PHE:CE1	2.37	0.60
1:B:136:CYS:SG	2:B:400:FAD:C4X	2.90	0.60
1:A:35:MET:O	1:A:36:PRO:C	2.48	0.55
1:B:210:SER:OG	1:B:211:GLY:N	2.39	0.54
1:B:129:GLY:HA3	1:B:212:VAL:HG12	1.91	0.53
1:B:36:PRO:HB2	1:B:66:GLN:NE2	2.21	0.52
1:B:18:LEU:HD13	1:B:69:CYS:HA	1.91	0.52
1:B:26:LYS:HD3	4:B:443:HOH:O	2.10	0.52
1:B:253:MET:HE2	1:B:253:MET:HA	1.91	0.52
1:B:138:GLY:O	1:B:165:ILE:HD11	2.11	0.51
1:B:32:GLU:HB3	1:B:76:HIS:HE1	1.76	0.51
1:B:128:LYS:O	1:B:128:LYS:CG	2.59	0.50
1:A:165:ILE:HD11	1:B:24:GLY:HA3	1.94	0.49
1:B:176:ASP:OD2	1:B:198:THR:HG23	2.13	0.49
1:B:32:GLU:HB3	1:B:76:HIS:CE1	2.48	0.48
1:B:18:LEU:CD1	1:B:72:PHE:CE1	2.96	0.48
1:B:129:GLY:HA3	1:B:212:VAL:CG1	2.45	0.47
1:A:48:ASN:HD21	1:A:289:GLN:HE22	1.61	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:ILE:HD12	1:A:81:VAL:HG21	1.97	0.47
1:A:136:CYS:SG	2:A:400:FAD:C4X	3.03	0.46
1:B:86:LYS:HD2	1:B:90:HIS:O	2.16	0.46
1:A:35:MET:HG2	1:A:36:PRO:HD2	1.98	0.45
1:A:32:GLU:OE1	2:A:400:FAD:H1B	2.16	0.45
1:B:48:ASN:HD21	1:B:289:GLN:HE22	1.65	0.45
1:A:45:GLU:OE2	1:A:140:PHE:CE2	2.70	0.44
1:A:18:LEU:CD1	1:A:72:PHE:HE1	2.31	0.44
1:A:18:LEU:HD11	1:A:72:PHE:HE1	1.83	0.44
1:A:219:ASN:O	1:A:223:ASN:N	2.53	0.42
1:A:35:MET:C	1:A:36:PRO:O	2.63	0.42
1:B:9:GLY:O	1:B:36:PRO:HB3	2.19	0.42
1:A:40:ILE:O	1:A:58:GLY:HA3	2.20	0.41
1:A:87:LYS:HE3	1:A:92:VAL:HG21	2.03	0.41
1:A:250:ASP:O	1:A:251:ASN:HB2	2.20	0.41
1:B:37:GLY:HA2	1:B:62:MET:HE2	2.03	0.41
1:B:119:ILE:HD13	1:B:202:VAL:HB	2.03	0.40
1:B:292:CYS:HB3	4:B:439:HOH:O	2.20	0.40
1:A:18:LEU:CD1	1:A:72:PHE:CE1	3.04	0.40
1:B:136:CYS:SG	2:B:400:FAD:N5	2.95	0.40
1:A:145:GLU:O	1:A:231:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	308/311 (99%)	302 (98%)	6 (2%)	0	100	100
1	B	308/311 (99%)	298 (97%)	10 (3%)	0	100	100
All	All	616/622 (99%)	600 (97%)	16 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/250 (100%)	247 (99%)	2 (1%)	73	65
1	B	249/250 (100%)	246 (99%)	3 (1%)	63	51
All	All	498/500 (100%)	493 (99%)	5 (1%)	68	58

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	33	LYS
1	B	165	ILE
1	B	274	GLN
1	B	309	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	76	HIS
1	A	143	ASN
1	A	164	ASN
1	A	248	GLN
1	A	289	GLN
1	A	310	HIS
1	B	66	GLN
1	B	76	HIS
1	B	223	ASN
1	B	274	GLN
1	B	289	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	B	400	-	58,58,58	1.51	6 (10%)	85,89,89	1.46	15 (17%)
2	FAD	A	400	-	58,58,58	1.26	6 (10%)	85,89,89	1.60	17 (20%)
3	NAP	A	401	-	50,52,52	1.89	11 (22%)	71,80,80	2.21	21 (29%)
3	NAP	B	401	-	50,52,52	2.00	11 (22%)	71,80,80	2.18	19 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	400	-	-	1/34/50/50	0/6/6/6
2	FAD	A	400	-	-	0/34/50/50	0/6/6/6
3	NAP	A	401	-	-	6/35/67/67	0/5/5/5
3	NAP	B	401	-	-	9/35/67/67	0/5/5/5

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	NAP	PN-O3	8.50	1.68	1.59
2	B	400	FAD	P-O3P	6.76	1.66	1.59
3	A	401	NAP	PN-O3	5.79	1.65	1.59
3	A	401	NAP	C2N-N1N	5.39	1.40	1.35
3	A	401	NAP	PA-O3	5.09	1.65	1.59
3	B	401	NAP	C2N-N1N	5.00	1.40	1.35
2	A	400	FAD	P-O3P	4.68	1.64	1.59
2	B	400	FAD	C4X-N5	4.16	1.39	1.30
3	A	401	NAP	O4D-C1D	3.92	1.46	1.40
3	A	401	NAP	P2B-O1X	3.87	1.62	1.50
3	B	401	NAP	PA-O3	3.75	1.63	1.59
2	B	400	FAD	C10-N1	3.41	1.40	1.33
2	A	400	FAD	C4X-N5	3.35	1.38	1.30
3	B	401	NAP	O4D-C1D	3.34	1.45	1.40
3	B	401	NAP	C5A-N7A	-3.34	1.33	1.39
3	B	401	NAP	P2B-O1X	3.24	1.60	1.50
2	A	400	FAD	C10-N1	3.20	1.39	1.33
3	A	401	NAP	C5A-N7A	-2.91	1.33	1.39
3	B	401	NAP	P2B-O2X	2.77	1.65	1.54
2	B	400	FAD	C4A-N9A	-2.66	1.32	1.37
3	B	401	NAP	C6N-N1N	2.60	1.41	1.35
2	A	400	FAD	C5A-N7A	-2.59	1.34	1.39
3	A	401	NAP	C3N-C7N	2.55	1.54	1.50
3	A	401	NAP	C6N-N1N	2.49	1.41	1.35
2	B	400	FAD	C8A-N9A	-2.48	1.33	1.37
2	B	400	FAD	C5A-N7A	-2.47	1.34	1.39
3	B	401	NAP	C3N-C7N	2.33	1.54	1.50
3	B	401	NAP	C4A-N9A	-2.29	1.32	1.37
3	A	401	NAP	O4B-C1B	2.23	1.47	1.42
3	B	401	NAP	O4B-C1B	2.15	1.47	1.42
2	A	400	FAD	C8A-N9A	-2.15	1.33	1.37
3	A	401	NAP	C8A-N9A	-2.10	1.34	1.37
2	A	400	FAD	C4A-N9A	-2.09	1.33	1.37
3	A	401	NAP	C4A-N9A	-2.06	1.33	1.37

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	NAP	O3-PN-O1N	-8.00	86.63	110.70
3	B	401	NAP	O2N-PN-O3	-7.82	86.13	107.27
3	A	401	NAP	O2N-PN-O3	-6.68	89.21	107.27
3	B	401	NAP	O3-PN-O1N	-6.61	90.82	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	NAP	O5B-PA-O1A	-6.03	85.03	108.94
3	A	401	NAP	O5B-PA-O1A	-5.95	85.36	108.94
2	A	400	FAD	C5A-C4A-N3A	-5.18	119.58	126.72
3	B	401	NAP	N3A-C2A-N1A	-5.17	120.76	128.58
3	A	401	NAP	N3A-C2A-N1A	-4.76	121.38	128.58
2	A	400	FAD	N3A-C2A-N1A	-4.40	121.92	128.58
3	B	401	NAP	C5A-C4A-N3A	-4.25	120.86	126.72
2	B	400	FAD	C5A-C4A-N3A	-4.15	121.01	126.72
3	A	401	NAP	C5A-C4A-N3A	-4.07	121.12	126.72
2	B	400	FAD	N3A-C2A-N1A	-3.81	122.82	128.58
3	B	401	NAP	O2A-PA-O5B	-3.80	90.32	107.57
3	B	401	NAP	O2A-PA-O3	3.61	117.03	107.27
2	A	400	FAD	C2A-N3A-C4A	3.52	120.43	111.83
3	A	401	NAP	N9A-C8A-N7A	-3.52	108.94	113.94
3	B	401	NAP	N3A-C4A-N9A	3.45	133.03	127.17
2	B	400	FAD	C4A-C5A-N7A	-3.22	106.90	110.58
2	A	400	FAD	N3A-C4A-N9A	3.22	132.64	127.17
3	A	401	NAP	O2A-PA-O5B	-3.16	93.22	107.57
3	B	401	NAP	O3-PA-O1A	3.15	120.19	110.70
2	A	400	FAD	C4A-C5A-N7A	-3.13	107.00	110.58
3	A	401	NAP	O3-PA-O1A	3.11	120.05	110.70
3	A	401	NAP	O2A-PA-O3	3.09	115.63	107.27
2	B	400	FAD	C10-C4X-N5	-3.07	118.53	124.81
2	B	400	FAD	N9A-C8A-N7A	-3.05	109.61	113.94
2	B	400	FAD	C4X-C10-N10	3.05	120.84	116.48
2	A	400	FAD	N9A-C8A-N7A	-3.04	109.62	113.94
3	B	401	NAP	C2A-N3A-C4A	3.04	119.25	111.83
3	A	401	NAP	O5D-PN-O1N	3.02	120.91	108.94
2	A	400	FAD	C4-N3-C2	-2.98	120.34	125.64
2	A	400	FAD	O2P-P-O3P	-2.95	99.29	107.27
3	A	401	NAP	C2A-N3A-C4A	2.95	119.04	111.83
2	A	400	FAD	C4X-C10-N10	2.94	120.69	116.48
3	A	401	NAP	N3A-C4A-N9A	2.88	132.07	127.17
2	B	400	FAD	C4A-N9A-C8A	2.87	108.75	105.74
2	B	400	FAD	N3A-C4A-N9A	2.86	132.03	127.17
3	A	401	NAP	C5A-N7A-C8A	2.85	107.93	103.45
2	A	400	FAD	C10-C4X-N5	-2.82	119.05	124.81
2	A	400	FAD	C5A-N7A-C8A	2.80	107.85	103.45
2	B	400	FAD	C4-C4X-N5	2.79	122.06	118.21
2	B	400	FAD	C5A-N7A-C8A	2.75	107.77	103.45
2	B	400	FAD	C2A-N3A-C4A	2.73	118.50	111.83
3	A	401	NAP	C4A-N9A-C8A	2.70	108.57	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	NAP	O2N-PN-O1N	2.68	124.93	112.44
3	B	401	NAP	C6N-N1N-C2N	-2.62	119.65	121.88
2	B	400	FAD	O2-C2-N1	-2.62	117.46	121.80
3	A	401	NAP	C6N-N1N-C2N	-2.61	119.66	121.88
3	B	401	NAP	O2N-PN-O5D	2.58	119.27	107.57
2	A	400	FAD	C9A-C5X-N5	-2.54	119.76	122.45
3	A	401	NAP	O2A-PA-O1A	2.52	124.18	112.44
3	A	401	NAP	C4A-C5A-N7A	-2.49	107.73	110.58
3	B	401	NAP	C5D-C4D-C3D	-2.47	106.32	115.21
3	B	401	NAP	C2A-N1A-C6A	2.45	122.76	118.73
2	A	400	FAD	C4-C4X-C10	2.44	121.12	116.93
3	B	401	NAP	O2N-PN-O1N	2.37	123.45	112.44
3	B	401	NAP	N9A-C8A-N7A	-2.28	110.70	113.94
2	B	400	FAD	C9A-C5X-N5	-2.27	120.05	122.45
2	A	400	FAD	C4X-C4-N3	2.20	118.84	113.25
2	A	400	FAD	O2-C2-N1	-2.20	118.15	121.80
3	B	401	NAP	O2A-PA-O1A	2.18	122.60	112.44
2	A	400	FAD	C5X-N5-C4X	2.14	121.54	118.09
3	B	401	NAP	O4D-C4D-C3D	2.11	109.34	105.15
2	A	400	FAD	C4X-C10-N1	-2.11	119.42	124.59
2	B	400	FAD	C5B-C4B-C3B	-2.11	107.63	115.21
3	A	401	NAP	C4D-O4D-C1D	-2.09	108.01	109.92
3	A	401	NAP	O4B-C4B-C5B	-2.09	102.63	109.33
3	B	401	NAP	C4A-N9A-C8A	2.03	107.87	105.74
2	B	400	FAD	O2-C2-N3	2.03	122.48	118.58
3	A	401	NAP	O3X-P2B-O2X	2.01	115.34	107.80

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	400	FAD	PA-O3P-P-O5'
3	A	401	NAP	C5D-O5D-PN-O1N
3	B	401	NAP	C5D-O5D-PN-O3
3	B	401	NAP	C3D-C4D-C5D-O5D
3	A	401	NAP	C3B-C2B-O2B-P2B
3	B	401	NAP	C3B-C2B-O2B-P2B
3	A	401	NAP	C1B-C2B-O2B-P2B
3	B	401	NAP	C1B-C2B-O2B-P2B
3	B	401	NAP	O4D-C4D-C5D-O5D
3	A	401	NAP	PA-O3-PN-O5D
3	B	401	NAP	PA-O3-PN-O5D

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	401	NAP	C5D-O5D-PN-O1N
3	A	401	NAP	C3D-C4D-C5D-O5D
3	B	401	NAP	C2N-C3N-C7N-N7N
3	B	401	NAP	C2N-C3N-C7N-O7N
3	A	401	NAP	O4D-C4D-C5D-O5D


There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	400	FAD	2	0
2	A	400	FAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	310/311 (99%)	1.47	69 (22%) 2 2	18, 29, 35, 40	0
1	B	310/311 (99%)	1.60	97 (31%) 1 1	18, 30, 36, 40	0
All	All	620/622 (99%)	1.53	166 (26%) 1 1	18, 29, 36, 40	0

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	208	ASP	6.7
1	A	34	GLY	6.3
1	B	209	ALA	6.3
1	A	35	MET	5.8
1	B	220	THR	5.7
1	B	210	SER	5.3
1	B	221	ALA	5.2
1	A	114	PRO	5.1
1	B	140	PHE	5.1
1	B	172	ILE	4.7
1	A	107	ILE	4.5
1	B	160	ILE	4.3
1	B	36	PRO	4.3
1	A	310	HIS	4.3
1	A	108	ILE	4.2
1	B	211	GLY	4.2
1	B	163	ALA	4.1
1	B	164	ASN	4.1
1	A	36	PRO	4.0
1	B	183	ILE	3.9
1	B	165	ILE	3.9
1	B	127	GLY	3.8
1	B	197	LEU	3.8
1	B	146	VAL	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	128	LYS	3.7
1	B	222	THR	3.7
1	B	212	VAL	3.6
1	B	310	HIS	3.6
1	A	257	CYS	3.6
1	B	161	TYR	3.6
1	B	119	ILE	3.6
1	B	149	LEU	3.5
1	B	34	GLY	3.5
1	A	113	SER	3.5
1	B	125	TYR	3.5
1	B	147	ALA	3.4
1	B	139	PHE	3.4
1	B	148	VAL	3.4
1	B	35	MET	3.4
1	B	177	GLY	3.4
1	B	227	GLU	3.4
1	B	136	CYS	3.4
1	B	117	THR	3.3
1	B	178	PHE	3.3
1	B	187	HIS	3.3
1	B	260	TYR	3.3
1	A	109	ALA	3.3
1	A	260	TYR	3.3
1	A	106	VAL	3.3
1	A	78	MET	3.2
1	A	65	TRP	3.2
1	B	108	ILE	3.2
1	A	64	PRO	3.2
1	B	143	ASN	3.2
1	A	183	ILE	3.2
1	B	135	THR	3.2
1	B	126	TRP	3.1
1	B	123	SER	3.1
1	B	138	GLY	3.1
1	B	133	CYS	3.1
1	A	192	ASP	3.1
1	B	141	TYR	3.0
1	A	110	THR	3.0
1	B	192	ASP	3.0
1	A	140	PHE	3.0
1	B	230	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	134	ALA	2.9
1	A	61	PHE	2.9
1	A	221	ALA	2.9
1	A	111	GLY	2.9
1	B	118	GLY	2.9
1	B	205	ILE	2.8
1	A	251	ASN	2.8
1	B	76	HIS	2.8
1	B	219	ASN	2.8
1	A	74	LEU	2.8
1	A	209	ALA	2.7
1	A	91	PHE	2.7
1	A	32	GLU	2.7
1	A	69	CYS	2.7
1	A	89	SER	2.7
1	B	174	ARG	2.7
1	B	115	LYS	2.7
1	B	240	ASP	2.7
1	B	181	ALA	2.6
1	B	193	LYS	2.6
1	A	1	MET	2.6
1	A	93	ILE	2.6
1	A	100	THR	2.5
1	B	184	THR	2.5
1	A	255	CYS	2.5
1	B	33	LYS	2.5
1	B	201	VAL	2.5
1	A	135	THR	2.5
1	A	254	LEU	2.5
1	A	76	HIS	2.5
1	B	228	LEU	2.5
1	A	165	ILE	2.5
1	A	217	ILE	2.5
1	B	2	ILE	2.5
1	A	62	MET	2.5
1	B	175	ARG	2.5
1	B	309	GLU	2.5
1	A	112	GLY	2.4
1	B	23	GLY	2.4
1	B	151	GLY	2.4
1	B	152	GLY	2.4
1	A	84	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	212	VAL	2.4
1	A	229	VAL	2.4
1	B	116	ARG	2.4
1	B	142	LYS	2.4
1	B	171	LEU	2.4
1	B	198	THR	2.4
1	A	126	TRP	2.4
1	A	87	LYS	2.4
1	B	107	ILE	2.4
1	A	79	THR	2.3
1	A	188	ALA	2.3
1	B	113	SER	2.3
1	A	19	TYR	2.3
1	B	109	ALA	2.3
1	B	185	LEU	2.3
1	B	190	ASN	2.3
1	B	239	TYR	2.3
1	B	194	ILE	2.3
1	A	25	VAL	2.3
1	B	229	VAL	2.3
1	A	12	ALA	2.2
1	B	153	ASP	2.2
1	A	223	ASN	2.2
1	A	123	SER	2.2
1	A	207	GLY	2.2
1	B	199	PRO	2.2
1	B	237	VAL	2.2
1	A	16	ALA	2.2
1	A	92	VAL	2.1
1	A	63	GLN	2.1
1	B	215	LEU	2.1
1	A	70	PHE	2.1
1	A	72	PHE	2.1
1	B	234	PHE	2.1
1	A	309	GLU	2.1
1	B	170	TYR	2.1
1	B	200	TYR	2.1
1	B	144	LYS	2.1
1	A	14	LEU	2.1
1	A	31	PHE	2.1
1	A	7	ILE	2.1
1	A	160	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	99	LYS	2.1
1	B	121	GLY	2.1
1	B	202	VAL	2.1
1	B	241	VAL	2.1
1	A	219	ASN	2.1
1	B	88	ASP	2.1
1	A	149	LEU	2.1
1	B	91	PHE	2.1
1	A	172	ILE	2.1
1	A	241	VAL	2.0
1	B	26	LYS	2.0
1	B	182	PRO	2.0
1	A	147	ALA	2.0
1	A	201	VAL	2.0
1	B	29	VAL	2.0
1	B	166	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAP	B	401	48/48	0.74	0.25	11,21,22,23	0
3	NAP	A	401	48/48	0.87	0.11	19,23,25,28	0
2	FAD	A	400	53/53	0.94	0.09	16,19,24,25	0
2	FAD	B	400	53/53	0.95	0.08	18,21,26,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 400:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.