



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:36 PM UTC

PDB ID : 7Q0L / pdb_00007q0l
Title : Crystal structure of the peptide transporter YePEPT-K314A at 2.93 Å
Authors : Jeckelmann, J.M.; Stauffer, M.; Ilgue, H.; Boggavarapu, R.; Fotiadis, D.
Deposited on : 2021-10-15
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4348 (2.74-2.70)
Clashscore	190562	4665 (2.74-2.70)
Ramachandran outliers	187476	4584 (2.74-2.70)
Sidechain outliers	187428	4585 (2.74-2.70)
RSRZ outliers	180081	4348 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	20% 63% 30% 7%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptide transporter YePEPT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	482	Total	C	N	O	S	0	0	0
			3681	2453	593	606	29			


There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	314	ALA	LYS	engineered mutation	UNP A0A2R9TD79
A	512	LEU	-	expression tag	UNP A0A2R9TD79
A	513	GLU	-	expression tag	UNP A0A2R9TD79
A	514	LEU	-	expression tag	UNP A0A2R9TD79
A	515	GLU	-	expression tag	UNP A0A2R9TD79
A	516	VAL	-	expression tag	UNP A0A2R9TD79
A	517	LEU	-	expression tag	UNP A0A2R9TD79
A	518	PHE	-	expression tag	UNP A0A2R9TD79
A	519	GLN	-	expression tag	UNP A0A2R9TD79

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Peptide transporter YePEPT



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.98Å 101.06Å 103.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.81 – 2.71 28.81 – 2.71	Depositor EDS
% Data completeness (in resolution range)	80.6 (28.81-2.71) 74.3 (28.81-2.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.84 (at 2.73Å)	Xtriage
Refinement program	PHENIX 1.14	Depositor
R, R_{free}	0.260 , 0.292 0.272 , 0.312	Depositor DCC
R_{free} test set	1048 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	72.9	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.014 for -h,l,k	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	3681	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/3780	0.79	4/5139 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	288	ARG	N-CA-C	-7.48	103.13	111.28
1	A	427	GLY	N-CA-C	5.61	119.01	112.50
1	A	430	THR	N-CA-C	-5.10	105.80	111.36
1	A	114	GLY	CA-C-O	-5.02	118.70	122.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3681	0	3794	127	2
All	All	3681	0	3794	127	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:ARG:CD	1:A:336:PRO:HG3	1.75	1.15
1:A:201:ARG:HA	1:A:205:ILE:HD12	1.24	1.11
1:A:178:ARG:HD2	1:A:336:PRO:HG3	1.07	1.02
1:A:178:ARG:HD2	1:A:336:PRO:CG	1.94	0.95
1:A:86:TRP:CE3	1:A:87:LEU:HD23	2.10	0.86
1:A:13:PHE:CE2	1:A:157:LEU:HD21	2.10	0.85
1:A:39:PRO:HB3	1:A:341:GLN:HG3	1.58	0.84
1:A:6:ASN:HB2	1:A:11:ARG:HD2	1.59	0.83
1:A:86:TRP:CE3	1:A:87:LEU:CD2	2.64	0.81
1:A:86:TRP:CZ3	1:A:87:LEU:CD2	2.63	0.80
1:A:89:GLN:NE2	1:A:138:VAL:HB	1.97	0.79
1:A:249:ILE:HG22	1:A:254:ILE:HG13	1.65	0.78
1:A:279:TYR:HD1	1:A:280:LEU:HD12	1.47	0.78
1:A:201:ARG:HA	1:A:205:ILE:CD1	2.11	0.78
1:A:86:TRP:CZ3	1:A:87:LEU:HD23	2.23	0.74
1:A:214:GLU:HG2	1:A:215:VAL:HG23	1.71	0.73
1:A:86:TRP:CZ3	1:A:87:LEU:HD21	2.25	0.72
1:A:149:ALA:O	1:A:150:ARG:HB2	1.92	0.69
1:A:423:LEU:C	1:A:423:LEU:HD23	2.18	0.69
1:A:250:SER:HB3	1:A:256:ILE:HD11	1.75	0.67
1:A:40:LEU:CD2	1:A:338:VAL:HG11	2.27	0.64
1:A:249:ILE:CG2	1:A:254:ILE:HG13	2.27	0.64
1:A:314:ALA:HA	1:A:318:PHE:HB2	1.79	0.64
1:A:86:TRP:HZ3	1:A:87:LEU:HD21	1.64	0.62
1:A:432:THR:HG22	1:A:443:VAL:HG21	1.81	0.62
1:A:145:LYS:HG2	1:A:146:PRO:HD2	1.81	0.62
1:A:245:ILE:O	1:A:249:ILE:HG12	2.00	0.62
1:A:13:PHE:CE2	1:A:157:LEU:CD2	2.81	0.62
1:A:54:MET:HE1	1:A:119:PHE:HZ	1.64	0.62
1:A:159:TYR:O	1:A:162:ILE:HB	2.00	0.61
1:A:286:MET:HE2	1:A:290:ASP:HB3	1.80	0.61
1:A:178:ARG:CD	1:A:336:PRO:CG	2.66	0.60
1:A:89:GLN:HE22	1:A:138:VAL:HB	1.67	0.60
1:A:250:SER:HB3	1:A:256:ILE:CD1	2.32	0.60
1:A:407:LEU:HA	1:A:410:VAL:HB	1.83	0.60
1:A:40:LEU:HD23	1:A:338:VAL:HG11	1.84	0.59
1:A:351:LEU:HB3	1:A:355:PHE:HE2	1.67	0.59
1:A:378:GLY:HA2	1:A:419:GLY:HA2	1.85	0.59
1:A:276:TYR:O	1:A:280:LEU:HD13	2.03	0.59
1:A:12:THR:HB	1:A:16:HIS:O	2.04	0.58
1:A:428:LEU:HD21	1:A:444:MET:HG3	1.86	0.57
1:A:31:ARG:HG3	1:A:162:ILE:HG12	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:440:ARG:O	1:A:443:VAL:HG22	2.05	0.56
1:A:13:PHE:HE2	1:A:157:LEU:CD2	2.19	0.56
1:A:178:ARG:HD3	1:A:336:PRO:HG3	1.81	0.55
1:A:238:ILE:O	1:A:242:VAL:HG23	2.06	0.55
1:A:408:TRP:O	1:A:412:SER:OG	2.20	0.55
1:A:219:SER:HB3	1:A:223:LYS:HD2	1.88	0.55
1:A:498:ILE:O	1:A:502:MET:N	2.34	0.54
1:A:286:MET:HE1	1:A:436:PRO:CB	2.38	0.54
1:A:54:MET:HE1	1:A:119:PHE:CZ	2.42	0.54
1:A:203:PHE:C	1:A:206:PRO:HD2	2.33	0.53
1:A:86:TRP:HZ3	1:A:87:LEU:CD2	2.17	0.53
1:A:201:ARG:HD2	1:A:205:ILE:HD12	1.90	0.52
1:A:351:LEU:HB3	1:A:355:PHE:CE2	2.45	0.52
1:A:286:MET:HE1	1:A:436:PRO:HB2	1.93	0.51
1:A:205:ILE:HB	1:A:206:PRO:HD3	1.93	0.51
1:A:494:LEU:HA	1:A:497:PRO:HG2	1.92	0.51
1:A:139:MET:O	1:A:142:THR:OG1	2.23	0.50
1:A:328:ARG:CZ	1:A:337:THR:HG22	2.40	0.50
1:A:86:TRP:CE3	1:A:87:LEU:HD21	2.42	0.50
1:A:200:PHE:HA	1:A:204:ALA:HB3	1.94	0.50
1:A:60:GLN:NE2	1:A:258:PRO:HD2	2.27	0.50
1:A:281:PHE:CE1	1:A:291:ARG:HB2	2.47	0.49
1:A:323:ASN:OD1	1:A:337:THR:HG21	2.12	0.49
1:A:76:ALA:HB1	1:A:134:THR:HG21	1.94	0.49
1:A:372:ILE:O	1:A:376:VAL:HG23	2.11	0.49
1:A:423:LEU:HD23	1:A:423:LEU:O	2.12	0.49
1:A:424:SER:N	1:A:425:PRO:CD	2.75	0.49
1:A:438:ARG:O	1:A:438:ARG:HD2	2.12	0.49
1:A:212:ASP:HB2	1:A:217:LEU:HD12	1.94	0.49
1:A:428:LEU:O	1:A:432:THR:HG23	2.12	0.49
1:A:220:SER:HA	1:A:223:LYS:O	2.13	0.48
1:A:77:LEU:O	1:A:81:LEU:HG	2.13	0.48
1:A:439:MET:O	1:A:443:VAL:HG13	2.14	0.47
1:A:86:TRP:HE3	1:A:87:LEU:CD2	2.21	0.47
1:A:382:ALA:HA	1:A:416:LEU:HD23	1.95	0.47
1:A:83:ALA:HA	1:A:87:LEU:HB2	1.95	0.47
1:A:89:GLN:NE2	1:A:138:VAL:CB	2.74	0.47
1:A:18:TYR:N	1:A:19:PRO:HD2	2.31	0.46
1:A:298:PHE:O	1:A:302:VAL:HG23	2.15	0.46
1:A:174:GLY:O	1:A:177:LEU:HB3	2.15	0.46
1:A:423:LEU:C	1:A:423:LEU:CD2	2.89	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:ALA:HB3	1:A:53:GLY:HA3	1.97	0.46
1:A:435:ALA:HB2	1:A:443:VAL:HG11	1.96	0.46
1:A:238:ILE:O	1:A:241:VAL:HB	2.15	0.46
1:A:432:THR:HG22	1:A:443:VAL:CG2	2.44	0.46
1:A:411:MET:HE2	1:A:411:MET:HB2	1.80	0.46
1:A:54:MET:HG2	1:A:115:ASN:OD1	2.16	0.45
1:A:279:TYR:CD1	1:A:280:LEU:HD12	2.38	0.45
1:A:250:SER:HA	1:A:254:ILE:HB	1.98	0.45
1:A:7:THR:N	1:A:8:PRO:HD2	2.32	0.45
1:A:293:ARG:HB3	1:A:434:LEU:O	2.16	0.45
1:A:37:ILE:O	1:A:41:LEU:HG	2.17	0.45
1:A:310:ALA:HB1	1:A:386:PHE:CE1	2.53	0.44
1:A:316:THR:OG1	1:A:317:SER:N	2.43	0.44
1:A:7:THR:N	1:A:8:PRO:CD	2.80	0.44
1:A:155:PHE:O	1:A:158:PHE:HB3	2.18	0.44
1:A:253:VAL:O	1:A:255:PRO:HD3	2.17	0.44
1:A:439:MET:HE3	1:A:443:VAL:HG12	2.00	0.44
1:A:285:LYS:O	1:A:286:MET:HG3	2.18	0.43
1:A:60:GLN:NE2	1:A:259:VAL:HG23	2.33	0.43
1:A:138:VAL:O	1:A:142:THR:HG23	2.18	0.43
1:A:9:GLY:C	1:A:11:ARG:H	2.27	0.43
1:A:328:ARG:NE	1:A:337:THR:HG22	2.33	0.43
1:A:30:GLU:O	1:A:33:SER:OG	2.27	0.43
1:A:169:ALA:HB3	1:A:170:PRO:HD3	2.00	0.43
1:A:353:PRO:O	1:A:357:TRP:N	2.48	0.43
1:A:372:ILE:HD11	1:A:498:ILE:HG21	2.01	0.43
1:A:242:VAL:O	1:A:245:ILE:HG13	2.19	0.42
1:A:370:SER:N	1:A:373:THR:OG1	2.52	0.42
1:A:191:ILE:O	1:A:195:VAL:HG23	2.19	0.42
1:A:237:ALA:O	1:A:241:VAL:HG23	2.20	0.42
1:A:82:LEU:HD12	1:A:82:LEU:HA	1.94	0.42
1:A:100:ILE:HB	1:A:193:MET:HE2	2.01	0.42
1:A:203:PHE:O	1:A:206:PRO:HD2	2.19	0.41
1:A:188:ILE:HD12	1:A:188:ILE:HA	1.95	0.41
1:A:393:ALA:O	1:A:396:VAL:HB	2.20	0.41
1:A:312:GLU:OE2	1:A:312:GLU:HA	2.21	0.41
1:A:426:ILE:HD12	1:A:426:ILE:C	2.46	0.41
1:A:466:LYS:HE2	1:A:469:GLN:HG3	2.02	0.41
1:A:100:ILE:HG22	1:A:193:MET:HG2	2.03	0.41
1:A:58:ARG:NH2	1:A:324:ASP:OD2	2.51	0.40
1:A:149:ALA:O	1:A:150:ARG:CB	2.67	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:PHE:HD2	1:A:20:LEU:HD23	1.86	0.40
1:A:58:ARG:HH22	1:A:324:ASP:CG	2.30	0.40
1:A:170:PRO:HA	1:A:173:SER:OG	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:PRO:CG	1:A:51:ASP:OD1[2_455]	2.16	0.04
1:A:251:GLN:OE1	1:A:496:VAL:CG2[3_555]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	474/519 (91%)	464 (98%)	10 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	382/412 (93%)	381 (100%)	1 (0%)	86 93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	85	ASN
1	A	89	GLN
1	A	469	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	482/519 (92%)	1.15	106 (21%) 2 2	45, 75, 120, 152	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	59	GLU	8.8
1	A	503	ASN	7.6
1	A	223	LYS	7.5
1	A	251	GLN	6.2
1	A	357	TRP	6.2
1	A	224	PRO	6.2
1	A	502	MET	6.2
1	A	86	TRP	5.9
1	A	11	ARG	5.6
1	A	496	VAL	5.0
1	A	220	SER	5.0
1	A	50	PHE	4.9
1	A	9	GLY	4.7
1	A	285	LYS	4.6
1	A	332	GLY	4.5
1	A	219	SER	4.5
1	A	466	LYS	4.3
1	A	222	ASN	4.2
1	A	360	PRO	4.2
1	A	85	ASN	4.2
1	A	479	ARG	4.2
1	A	184	TRP	4.1
1	A	91	ARG	4.0
1	A	411	MET	4.0
1	A	500	ARG	4.0
1	A	6	ASN	4.0
1	A	248	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	12	THR	3.8
1	A	447	TRP	3.6
1	A	499	ARG	3.6
1	A	437	ASP	3.5
1	A	76	ALA	3.5
1	A	322	ALA	3.5
1	A	214	GLU	3.5
1	A	235	VAL	3.5
1	A	149	ALA	3.4
1	A	169	ALA	3.4
1	A	501	LEU	3.4
1	A	287	SER	3.3
1	A	293	ARG	3.3
1	A	141	GLY	3.3
1	A	225	THR	3.2
1	A	321	PHE	3.2
1	A	178	ARG	3.2
1	A	82	LEU	3.2
1	A	79	GLY	3.2
1	A	326	THR	3.1
1	A	358	ALA	3.1
1	A	170	PRO	3.0
1	A	90	GLN	3.0
1	A	37	ILE	3.0
1	A	448	PHE	3.0
1	A	323	ASN	3.0
1	A	402	ALA	3.0
1	A	460	LEU	2.9
1	A	13	PHE	2.9
1	A	175	TRP	2.8
1	A	14	PHE	2.8
1	A	87	LEU	2.8
1	A	239	MET	2.8
1	A	246	ILE	2.8
1	A	226	ASN	2.8
1	A	409	LEU	2.8
1	A	42	ILE	2.7
1	A	196	ALA	2.7
1	A	468	ASP	2.7
1	A	7	THR	2.7
1	A	5	THR	2.7
1	A	34	PHE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	337	THR	2.6
1	A	73	TYR	2.6
1	A	210	ARG	2.6
1	A	240	ALA	2.6
1	A	493	LEU	2.5
1	A	494	LEU	2.5
1	A	242	VAL	2.5
1	A	247	ALA	2.5
1	A	308	TRP	2.5
1	A	36	GLY	2.4
1	A	160	MET	2.4
1	A	209	LYS	2.4
1	A	359	TRP	2.4
1	A	172	LEU	2.3
1	A	205	ILE	2.3
1	A	238	ILE	2.3
1	A	480	CYS	2.3
1	A	81	LEU	2.3
1	A	288	ARG	2.3
1	A	69	ALA	2.2
1	A	26	SER	2.2
1	A	183	HIS	2.2
1	A	286	MET	2.2
1	A	236	THR	2.2
1	A	325	TYR	2.2
1	A	130	GLY	2.2
1	A	475	THR	2.1
1	A	216	GLY	2.1
1	A	188	ILE	2.1
1	A	213	ALA	2.1
1	A	218	ASP	2.1
1	A	463	GLY	2.1
1	A	349	ILE	2.0
1	A	498	ILE	2.0
1	A	440	ARG	2.0
1	A	331	MET	2.0
1	A	343	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.