



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:45 PM UTC

PDB ID : 4Q3L / pdb_00004q3l
Title : Crystal structure of MGS-M2, an alpha/beta hydrolase enzyme from a Medee basin deep-sea metagenome library
Authors : Stogios, P.J.; Xu, X.; Cui, H.; Alcaide, M.; Ferrer, M.; Savchenko, A.
Deposited on : 2014-04-11
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	0% 73%19%7%
1	B	297	3% 78%15%6%
1	C	297	3% 74%19%6%
1	D	297	2% 74%17%7%
1	E	297	2% 80%12%7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	297	2% 73% 19% • 7%
1	G	297	4% 75% 17% • 6%
1	H	297	3% 77% 14% • 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MGS-M2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2223	1439	355	420	9			
1	B	280	Total	C	N	O	S	0	0	0
			2266	1469	361	427	9			
1	C	278	Total	C	N	O	S	0	0	0
			2243	1451	359	424	9			
1	D	275	Total	C	N	O	S	0	1	0
			2231	1444	358	420	9			
1	E	275	Total	C	N	O	S	0	0	0
			2223	1439	355	420	9			
1	F	275	Total	C	N	O	S	0	0	0
			2223	1439	355	420	9			
1	G	278	Total	C	N	O	S	0	0	0
			2243	1451	359	424	9			
1	H	280	Total	C	N	O	S	0	0	0
			2266	1469	361	427	9			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	43	Total	O	0	0
			43	43		
3	B	33	Total	O	0	0
			33	33		
3	C	38	Total	O	0	0
			38	38		
3	D	37	Total	O	0	0
			37	37		
3	E	38	Total	O	0	3
			41	41		
3	F	30	Total	O	0	1
			31	31		
3	G	36	Total	O	0	0
			36	36		
3	H	37	Total	O	0	0
			37	37		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MGS-M2




• Molecule 1: MGS-M2




• Molecule 1: MGS-M2




● Molecule 1: MGS-M2

Chain D: 


● Molecule 1: MGS-M2


Chain E: 

● Molecule 1: MGS-M2



Chain F: 

● Molecule 1: MGS-M2

Chain G: 



● Molecule 1: MGS-M2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	105.57Å 139.13Å 111.11Å 90.00° 89.94° 90.00°	Depositor
Resolution (Å)	31.67 – 3.01 31.67 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.2 (31.67-3.01) 91.7 (31.67-3.01)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.66 (at 3.00Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1631)	Depositor
R, R_{free}	0.201 , 0.255 (Not available) , 0.211	Depositor DCC
R_{free} test set	1996 reflections (3.16%)	wwPDB-VP
Wilson B-factor (Å ²)	42.2	Xtriage
Anisotropy	0.475	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 80.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.060 for -l,k,h 0.397 for h,-k,-l 0.069 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	18226	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2276	0.75	3/3090 (0.1%)
1	B	0.33	0/2321	0.75	2/3151 (0.1%)
1	C	0.29	0/2296	0.75	3/3117 (0.1%)
1	D	0.36	0/2287	0.74	1/3104 (0.0%)
1	E	0.32	0/2276	0.75	2/3090 (0.1%)
1	F	0.38	0/2276	0.77	4/3090 (0.1%)
1	G	0.39	0/2296	0.77	2/3117 (0.1%)
1	H	0.33	0/2321	0.78	6/3151 (0.2%)
All	All	0.35	0/18349	0.76	23/24910 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	H	0	1
All	All	0	2

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	224	THR	CA-C-N	7.39	125.05	119.66
1	C	224	THR	C-N-CA	7.39	125.05	119.66
1	B	224	THR	CA-C-N	7.25	124.95	119.66
1	B	224	THR	C-N-CA	7.25	124.95	119.66
1	G	1	VAL	N-CA-C	-7.00	97.77	107.99
1	F	224	THR	CA-C-N	6.63	124.50	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	224	THR	C-N-CA	6.63	124.50	119.66
1	F	22	ASN	N-CA-C	6.55	118.50	111.36
1	E	7	GLN	N-CA-C	6.33	120.38	111.52
1	H	224	THR	CA-C-N	6.21	124.20	119.66
1	H	224	THR	C-N-CA	6.21	124.20	119.66
1	H	173	ARG	N-CA-C	-6.10	104.70	111.71
1	F	20	ASP	N-CA-C	-5.80	100.13	108.60
1	A	224	THR	CA-C-N	5.67	123.80	119.66
1	A	224	THR	C-N-CA	5.67	123.80	119.66
1	H	225	PRO	CA-C-N	5.64	125.75	119.32
1	H	225	PRO	C-N-CA	5.64	125.75	119.32
1	G	20	ASP	N-CA-C	-5.35	101.17	109.14
1	D	154	ILE	CB-CA-C	-5.18	108.86	114.35
1	H	154	ILE	CB-CA-C	-5.17	108.87	114.35
1	A	19	LEU	O-C-N	5.16	129.52	122.82
1	E	154	ILE	CB-CA-C	-5.13	108.91	114.35
1	C	154	ILE	CB-CA-C	-5.09	108.95	114.35

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	0	GLY	Peptide
1	H	-3	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2223	0	2210	37	0
1	B	2266	0	2251	27	0
1	C	2243	0	2233	28	0
1	D	2231	0	2223	51	0
1	E	2223	0	2210	20	0
1	F	2223	0	2210	35	0
1	G	2243	0	2233	32	0
1	H	2266	0	2251	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	6	0	8	0	0
2	G	6	0	8	1	0
3	A	43	0	0	1	0
3	B	33	0	0	0	0
3	C	38	0	0	0	0
3	D	37	0	0	0	0
3	E	41	0	0	1	0
3	F	31	0	0	1	0
3	G	36	0	0	0	0
3	H	37	0	0	0	0
All	All	18226	0	17837	254	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (254) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:7:GLN:OE1	1:F:8:GLU:N	1.87	1.08
1:A:8:GLU:N	1:A:8:GLU:OE1	2.00	0.94
1:E:7:GLN:O	1:E:8:GLU:HB2	1.68	0.91
1:D:252:MET:HE3	1:D:252:MET:H	1.38	0.89
1:D:250:ALA:HA	1:D:252:MET:HE1	1.56	0.88
1:A:20:ASP:OD1	1:A:22:ASN:HB3	1.79	0.82
1:D:252:MET:HE3	1:D:252:MET:N	1.95	0.81
1:H:-3:TYR:H3	1:H:-2:PHE:HD1	1.29	0.80
1:D:250:ALA:CA	1:D:252:MET:HE1	2.12	0.79
1:H:-3:TYR:N	1:H:-2:PHE:HB2	2.00	0.77
1:D:252:MET:H	1:D:252:MET:CE	1.99	0.76
1:B:116:ARG:NH1	1:B:269:GLN:O	2.20	0.75
1:D:7:GLN:C	1:D:8:GLU:HG3	2.11	0.75
1:G:271:LYS:HD2	1:G:272:LEU:H	1.51	0.74
1:A:7:GLN:HB3	1:A:8:GLU:OE1	1.88	0.73
1:G:233:GLN:HG3	1:G:241:LEU:HB2	1.69	0.73
1:D:20:ASP:OD1	1:D:21:ILE:N	2.22	0.72
1:D:250:ALA:HA	1:D:252:MET:CE	2.20	0.70
1:A:8:GLU:H	1:A:8:GLU:CD	1.98	0.70
1:B:141:ALA:O	1:B:184:ARG:NH2	2.25	0.70
1:D:250:ALA:C	1:D:252:MET:HE3	2.16	0.69
1:F:233:GLN:HG3	1:F:241:LEU:HB2	1.74	0.69
1:H:-3:TYR:H3	1:H:-2:PHE:HB2	1.57	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:PRO:O	1:A:237:GLN:NE2	2.22	0.68
1:B:20:ASP:OD1	1:B:21:ILE:N	2.27	0.68
1:F:19:LEU:HD12	1:F:51:VAL:HG11	1.76	0.67
1:B:65:LYS:HZ2	1:B:189:ARG:HE	1.43	0.67
1:E:7:GLN:O	1:E:8:GLU:CB	2.39	0.66
1:G:90:GLN:HG2	1:G:115:LYS:HG3	1.77	0.66
1:C:31:GLY:O	1:C:60:GLN:NE2	2.29	0.65
1:D:250:ALA:C	1:D:252:MET:CE	2.70	0.65
1:G:19:LEU:HD13	1:G:51:VAL:HG11	1.79	0.64
1:H:244:ILE:HG21	1:H:255:VAL:HG21	1.78	0.64
1:D:250:ALA:CA	1:D:252:MET:CE	2.75	0.64
1:H:-3:TYR:N	1:H:-2:PHE:HD1	1.96	0.64
1:H:233:GLN:HG3	1:H:241:LEU:HB2	1.80	0.64
1:F:273:ASP:OD1	1:F:274:TYR:N	2.33	0.61
1:G:6:TYR:CE1	1:G:7:GLN:HG2	2.36	0.61
1:A:21:ILE:N	1:A:21:ILE:HD13	2.15	0.61
1:C:230:LYS:NZ	1:C:234:GLU:OE2	2.31	0.61
1:C:0:GLY:HA2	1:C:3:ILE:HB	1.83	0.60
1:C:96:ILE:HD13	1:C:252:MET:HE2	1.83	0.60
1:F:214:LEU:HD12	1:F:240:GLU:HB3	1.83	0.60
1:G:271:LYS:HD2	1:G:272:LEU:N	2.15	0.60
1:A:96:ILE:HD13	1:A:252:MET:HE2	1.83	0.60
1:H:-3:TYR:H3	1:H:-2:PHE:CB	2.14	0.60
1:D:176:LEU:HD11	1:H:173:ARG:HG3	1.83	0.59
1:F:8:GLU:HA	1:F:8:GLU:OE1	2.01	0.59
1:E:207:PRO:O	1:E:237:GLN:NE2	2.35	0.58
1:E:253:TYR:HA	1:H:276:ILE:HD13	1.83	0.58
1:D:4:PHE:CE2	1:D:6:TYR:HB2	2.38	0.58
1:G:244:ILE:HG21	1:G:255:VAL:HG21	1.84	0.58
1:B:233:GLN:HG3	1:B:241:LEU:HB2	1.85	0.58
1:E:244:ILE:HG21	1:E:255:VAL:HG21	1.86	0.57
1:C:244:ILE:HG21	1:C:255:VAL:HG21	1.87	0.57
1:B:218:SER:HB2	1:B:221:ASP:HB2	1.86	0.57
1:G:118:VAL:HG22	1:G:214:LEU:HB3	1.86	0.57
1:F:244:ILE:HG21	1:F:255:VAL:HG21	1.87	0.57
1:A:21:ILE:HG22	1:A:21:ILE:O	2.04	0.56
1:B:269:GLN:NE2	1:B:274:TYR:OH	2.39	0.56
1:A:244:ILE:HG21	1:A:255:VAL:HG21	1.88	0.56
1:E:257:LYS:O	1:H:269:GLN:NE2	2.38	0.55
1:C:15:ILE:HD11	1:C:86:LEU:HD13	1.88	0.55
1:D:106:PHE:HD2	1:D:114:ILE:HD11	1.72	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:PRO:O	1:B:129:TRP:NE1	2.33	0.55
1:B:80:LYS:HD2	1:B:110:TYR:CZ	2.42	0.54
1:D:96:ILE:CD1	1:D:252:MET:HE2	2.38	0.54
1:D:72:GLN:OE1	1:D:105:GLN:NE2	2.40	0.54
1:D:233:GLN:HG3	1:D:241:LEU:HB2	1.89	0.54
1:H:-3:TYR:C	1:H:-2:PHE:CD1	2.85	0.54
1:G:218:SER:HB2	1:G:221:ASP:HB2	1.89	0.54
1:D:7:GLN:OE1	1:D:7:GLN:HA	2.07	0.53
1:E:106:PHE:HD2	1:E:114:ILE:HD11	1.74	0.53
1:A:4:PHE:CE2	1:A:6:TYR:HB2	2.43	0.53
1:C:233:GLN:HG3	1:C:241:LEU:HB2	1.89	0.53
1:A:275:GLN:N	1:A:275:GLN:OE1	2.41	0.53
1:F:96:ILE:HD13	1:F:252:MET:HE2	1.89	0.53
1:E:169:TRP:NE1	1:H:276:ILE:OXT	2.35	0.53
1:A:106:PHE:HD2	1:A:114:ILE:HD11	1.74	0.53
1:F:45:ASN:ND2	1:G:274:TYR:OH	2.42	0.52
1:F:106:PHE:HD2	1:F:114:ILE:HD11	1.74	0.52
1:A:21:ILE:N	1:A:21:ILE:CD1	2.73	0.52
1:B:24:ASP:OD2	1:B:50:HIS:ND1	2.42	0.52
1:D:174:LYS:HG2	1:H:37:LYS:HE2	1.91	0.52
1:G:9:LYS:HB3	1:G:64:SER:HB2	1.90	0.52
1:B:104:LEU:HD11	1:B:232:LEU:HD11	1.92	0.52
1:D:80:LYS:HD2	1:D:110:TYR:CZ	2.45	0.52
1:G:31:GLY:O	1:G:60:GLN:NE2	2.43	0.52
1:F:270:THR:OG1	1:G:48:LYS:NZ	2.38	0.51
1:F:118:VAL:HG22	1:F:214:LEU:HB3	1.92	0.51
1:C:106:PHE:HD2	1:C:114:ILE:HD11	1.75	0.51
1:G:97:SER:OG	1:G:98:TYR:N	2.44	0.51
1:G:214:LEU:HD21	1:G:262:LEU:HD22	1.92	0.50
1:B:139:GLU:HA	1:B:142:LYS:HD3	1.92	0.50
1:H:271:LYS:HD2	1:H:272:LEU:H	1.75	0.50
1:A:59:ASP:CG	1:A:192:ARG:HH21	2.18	0.50
1:B:244:ILE:HG21	1:B:255:VAL:HG21	1.92	0.50
1:C:29:LEU:HD23	1:C:102:ILE:HB	1.94	0.50
1:B:27:VAL:HG21	1:B:83:LEU:HD21	1.92	0.50
1:D:40:ASP:OD1	1:D:54:ARG:NH1	2.39	0.50
1:G:172:LYS:O	1:G:175:GLU:HG2	2.10	0.50
1:C:214:LEU:HD21	1:C:262:LEU:HD22	1.93	0.50
1:D:7:GLN:O	1:D:8:GLU:HG3	2.12	0.50
1:D:176:LEU:HD21	1:H:173:ARG:HE	1.77	0.50
1:D:251:SER:N	1:D:252:MET:HE3	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:21:ILE:CD1	1:F:21:ILE:N	2.75	0.50
1:C:129:TRP:NE1	1:D:155:PRO:O	2.34	0.49
1:A:25:VAL:HG11	1:A:88:ILE:HD13	1.94	0.49
1:G:80:LYS:HD3	1:G:110:TYR:CZ	2.48	0.49
1:B:210:LYS:HD2	1:B:237:GLN:NE2	2.28	0.49
1:D:220:GLU:OE1	1:D:222:TYR:OH	2.21	0.49
1:E:157:ILE:HG22	1:E:250:ALA:HB2	1.94	0.49
1:G:6:TYR:CD1	1:G:7:GLN:N	2.81	0.49
1:B:106:PHE:HD2	1:B:114:ILE:HD11	1.78	0.49
1:C:139:GLU:HA	1:C:142:LYS:HD3	1.94	0.49
1:B:65:LYS:NZ	1:B:189:ARG:HE	2.09	0.49
1:C:271:LYS:HB3	1:C:271:LYS:HE3	1.57	0.49
1:D:250:ALA:CB	1:D:252:MET:HE1	2.44	0.48
1:H:-3:TYR:N	1:H:-2:PHE:CB	2.73	0.48
1:D:77:GLU:O	1:D:81:ASN:ND2	2.46	0.48
1:H:-3:TYR:H2	1:H:-2:PHE:HB2	1.77	0.48
1:H:72:GLN:OE1	1:H:105:GLN:NE2	2.47	0.48
1:C:20:ASP:OD1	1:C:22:ASN:HB3	2.13	0.48
1:F:90:GLN:HG2	1:F:115:LYS:HG2	1.95	0.48
1:D:20:ASP:OD2	1:D:22:ASN:HB3	2.14	0.48
1:G:116:ARG:HE	2:G:301:GOL:H2	1.78	0.48
1:A:80:LYS:HD3	1:A:110:TYR:CZ	2.49	0.48
1:G:106:PHE:HD2	1:G:114:ILE:HD11	1.79	0.48
1:A:233:GLN:HG3	1:A:241:LEU:HB2	1.96	0.47
1:E:218:SER:HB2	1:E:221:ASP:HB2	1.95	0.47
1:F:141:ALA:O	1:F:184:ARG:NH2	2.48	0.47
1:D:8:GLU:C	1:D:9:LYS:HG2	2.38	0.47
1:D:20:ASP:CG	1:D:22:ASN:H	2.22	0.47
1:F:4:PHE:CE2	1:F:6:TYR:HB2	2.49	0.47
1:F:269:GLN:NE2	1:G:257:LYS:O	2.48	0.47
1:A:218:SER:HB2	1:A:221:ASP:HB2	1.97	0.47
1:F:163:TYR:CE2	1:F:170:MET:HE2	2.49	0.47
1:C:142:LYS:C	1:C:184:ARG:HH22	2.23	0.47
1:A:213:THR:O	1:A:240:GLU:N	2.42	0.47
1:A:7:GLN:HB3	1:A:8:GLU:H	1.64	0.47
1:F:25:VAL:HG11	1:F:88:ILE:HD13	1.97	0.47
1:G:30:ASN:HB3	1:G:34:MET:HB2	1.97	0.47
1:H:139:GLU:HA	1:H:142:LYS:HE3	1.96	0.47
1:F:236:LEU:HB2	1:F:239:ALA:HB2	1.97	0.46
1:F:218:SER:HB2	1:F:221:ASP:HB2	1.97	0.46
1:A:265:GLY:O	1:A:269:GLN:HG3	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:7:GLN:CD	1:F:8:GLU:H	2.06	0.46
1:C:118:VAL:HG22	1:C:214:LEU:HB3	1.97	0.46
1:B:257:LYS:HB2	1:D:240:GLU:OE1	2.16	0.46
1:C:193:LEU:O	1:C:196:SER:OG	2.31	0.46
1:A:140:VAL:HG21	1:A:152:ILE:HD13	1.98	0.46
1:F:80:LYS:HD3	1:F:110:TYR:CZ	2.50	0.46
1:C:45:ASN:HD22	1:C:260:THR:HG21	1.80	0.46
1:C:46:PHE:HA	1:C:264:LEU:HD21	1.97	0.46
1:B:169:TRP:CZ2	1:B:173:ARG:HD2	2.51	0.45
1:B:65:LYS:HZ3	1:B:189:ARG:HH21	1.62	0.45
1:G:6:TYR:CD1	1:G:7:GLN:HG2	2.51	0.45
1:A:137:TRP:CE2	1:A:153:THR:HG22	2.52	0.45
1:A:153:THR:O	1:A:157:ILE:HG12	2.17	0.45
1:A:163:TYR:CE2	1:A:170:MET:HE2	2.51	0.45
1:A:271:LYS:NZ	3:A:319:HOH:O	2.40	0.45
1:H:-3:TYR:HA	1:H:-1:GLN:H	1.82	0.45
1:G:137:TRP:CE2	1:G:153:THR:HG22	2.52	0.45
1:A:176:LEU:C	1:A:179:PRO:HD2	2.42	0.45
1:D:163:TYR:CE2	1:D:170:MET:HE2	2.52	0.45
1:H:59:ASP:OD2	1:H:70:TYR:OH	2.30	0.45
1:C:167:ASN:O	1:C:171:GLU:HG2	2.17	0.45
1:D:271:LYS:HD2	1:D:272:LEU:H	1.82	0.45
1:H:193:LEU:O	1:H:196:SER:OG	2.31	0.45
1:D:176:LEU:C	1:D:179:PRO:HD2	2.42	0.44
1:E:142:LYS:HA	1:E:184:ARG:HH22	1.82	0.44
1:F:57:MET:HB3	1:F:75:GLN:OE1	2.17	0.44
1:H:31:GLY:O	1:H:60:GLN:NE2	2.50	0.44
1:D:140:VAL:HG21	1:D:152:ILE:HD13	1.99	0.44
1:D:251:SER:N	1:D:252:MET:CE	2.80	0.44
1:A:218:SER:HB3	1:A:247:CYS:O	2.18	0.44
1:E:265:GLY:O	1:E:269:GLN:HG3	2.17	0.44
1:H:-2:PHE:O	1:H:-1:GLN:HG3	2.17	0.44
1:B:66:ILE:HG22	1:B:68:GLU:H	1.83	0.44
1:H:139:GLU:O	1:H:142:LYS:HG2	2.17	0.44
1:A:225:PRO:HB2	1:A:227:PHE:CD2	2.52	0.44
1:C:244:ILE:HD12	1:C:258:THR:HG21	2.00	0.44
1:D:152:ILE:HG13	1:D:153:THR:HG23	1.99	0.44
1:E:80:LYS:HD3	1:E:110:TYR:CZ	2.53	0.44
1:C:265:GLY:O	1:C:269:GLN:HG3	2.18	0.44
1:F:131:LYS:NZ	3:F:307:HOH:O	2.51	0.44
1:H:96:ILE:CD1	1:H:252:MET:SD	3.06	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:137:TRP:HH2	1:H:223:LEU:HD21	1.82	0.44
1:A:9:LYS:HB3	1:A:64:SER:HB2	1.99	0.43
1:E:21:ILE:O	1:E:21:ILE:HG22	2.17	0.43
1:G:265:GLY:O	1:G:269:GLN:HG3	2.17	0.43
1:A:210:LYS:HB3	1:A:210:LYS:HE3	1.73	0.43
1:B:257:LYS:HB2	1:D:240:GLU:CD	2.44	0.43
1:C:225:PRO:HB2	1:C:227:PHE:CD1	2.53	0.43
1:D:16:ASP:HB2	1:D:52:LEU:HB3	2.00	0.43
1:H:80:LYS:HD2	1:H:110:TYR:CZ	2.54	0.43
1:C:137:TRP:CE2	1:C:153:THR:HG22	2.54	0.43
1:D:6:TYR:CE2	1:D:7:GLN:HB2	2.53	0.43
1:F:176:LEU:C	1:F:179:PRO:HD2	2.44	0.43
1:H:106:PHE:HD2	1:H:114:ILE:HD11	1.84	0.43
1:D:244:ILE:HG21	1:D:255:VAL:HG21	2.01	0.43
1:F:265:GLY:O	1:F:269:GLN:HG3	2.18	0.43
1:C:176:LEU:C	1:C:179:PRO:HD2	2.43	0.43
1:D:14:GLU:OE2	1:D:54:ARG:NH2	2.52	0.43
1:B:2:SER:HB2	1:B:13:TYR:O	2.18	0.43
1:A:7:GLN:OE1	1:A:7:GLN:HA	2.17	0.42
1:D:8:GLU:HB2	1:D:9:LYS:HG2	2.00	0.42
1:G:193:LEU:O	1:G:196:SER:OG	2.34	0.42
1:D:22:ASN:OD1	1:D:22:ASN:O	2.36	0.42
1:D:131:LYS:HE2	1:D:135:ASP:OD2	2.19	0.42
1:E:77:GLU:O	1:E:81:ASN:ND2	2.42	0.42
1:F:116:ARG:NH1	1:F:269:GLN:O	2.46	0.42
1:H:-3:TYR:HA	1:H:-1:GLN:N	2.34	0.42
1:D:7:GLN:O	1:D:9:LYS:HG3	2.19	0.42
1:F:72:GLN:OE1	1:F:105:GLN:NE2	2.52	0.42
1:H:218:SER:HB2	1:H:221:ASP:HB2	2.01	0.42
1:H:265:GLY:O	1:H:269:GLN:HG3	2.19	0.42
1:E:115:LYS:NZ	3:E:329:HOH:O	2.50	0.42
1:F:21:ILE:N	1:F:21:ILE:HD13	2.35	0.42
1:G:139:GLU:HA	1:G:142:LYS:HD3	2.02	0.42
1:H:244:ILE:HD12	1:H:258:THR:HG21	2.01	0.42
1:D:137:TRP:CE2	1:D:153:THR:HG22	2.55	0.42
1:D:218:SER:HB2	1:D:221:ASP:HB2	2.02	0.42
1:H:204:LYS:HB3	1:H:204:LYS:HE3	1.87	0.42
1:A:157:ILE:HG22	1:A:250:ALA:HB2	2.02	0.42
1:H:141:ALA:HB2	1:H:149:TYR:CE1	2.55	0.42
1:F:140:VAL:HG21	1:F:152:ILE:HD13	2.01	0.41
1:F:257:LYS:O	1:G:269:GLN:NE2	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:ASP:O	1:B:23:SER:HB2	2.21	0.41
1:C:140:VAL:HG21	1:C:152:ILE:HD13	2.02	0.41
1:E:244:ILE:HD12	1:E:258:THR:HG21	2.03	0.41
1:E:66:ILE:O	1:E:192:ARG:NE	2.54	0.41
1:G:15:ILE:HD11	1:G:86:LEU:HD13	2.02	0.41
1:C:80:LYS:HD3	1:C:110:TYR:CZ	2.55	0.41
1:A:57:MET:HB3	1:A:75:GLN:OE1	2.21	0.41
1:C:157:ILE:HG22	1:C:250:ALA:HB2	2.03	0.41
1:E:206:LEU:HB2	1:E:207:PRO:HD3	2.02	0.41
1:F:214:LEU:HD21	1:F:262:LEU:HB3	2.03	0.41
1:G:225:PRO:HB2	1:G:227:PHE:CD1	2.56	0.41
1:H:137:TRP:CH2	1:H:223:LEU:HD21	2.56	0.41
1:B:169:TRP:CE2	1:B:173:ARG:HD2	2.56	0.40
1:D:34:MET:HE2	1:D:34:MET:HB3	1.96	0.40
1:F:36:THR:HG23	1:F:56:ASP:OD1	2.21	0.40
1:B:46:PHE:HE1	1:B:260:THR:HG23	1.85	0.40
1:G:140:VAL:HG21	1:G:152:ILE:HD13	2.03	0.40
1:H:4:PHE:CE2	1:H:6:TYR:HB2	2.55	0.40
1:F:48:LYS:HD2	1:F:48:LYS:HA	1.84	0.40
1:H:275:GLN:HA	1:H:275:GLN:OE1	2.22	0.40
1:A:184:ARG:HD2	1:A:184:ARG:HA	1.93	0.40
1:A:226:PRO:O	1:A:230:LYS:HG2	2.21	0.40
1:E:137:TRP:CE2	1:E:153:THR:HG22	2.57	0.40
1:B:206:LEU:HB2	1:B:207:PRO:HD3	2.04	0.40
1:D:206:LEU:HB2	1:D:207:PRO:HD3	2.04	0.40
1:G:46:PHE:HE1	1:G:260:THR:HG23	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/297 (92%)	263 (96%)	10 (4%)	0	100	100
1	B	278/297 (94%)	270 (97%)	8 (3%)	0	100	100
1	C	276/297 (93%)	266 (96%)	10 (4%)	0	100	100
1	D	274/297 (92%)	260 (95%)	14 (5%)	0	100	100
1	E	273/297 (92%)	261 (96%)	12 (4%)	0	100	100
1	F	273/297 (92%)	260 (95%)	13 (5%)	0	100	100
1	G	276/297 (93%)	267 (97%)	9 (3%)	0	100	100
1	H	278/297 (94%)	266 (96%)	12 (4%)	0	100	100
All	All	2201/2376 (93%)	2113 (96%)	88 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/266 (93%)	241 (98%)	6 (2%)	43	72
1	B	251/266 (94%)	245 (98%)	6 (2%)	43	72
1	C	249/266 (94%)	242 (97%)	7 (3%)	38	69
1	D	248/266 (93%)	242 (98%)	6 (2%)	43	72
1	E	247/266 (93%)	241 (98%)	6 (2%)	43	72
1	F	247/266 (93%)	242 (98%)	5 (2%)	48	75
1	G	249/266 (94%)	241 (97%)	8 (3%)	34	66
1	H	251/266 (94%)	240 (96%)	11 (4%)	25	58
All	All	1989/2128 (94%)	1934 (97%)	55 (3%)	38	69

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	8	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	21	ILE
1	A	23	SER
1	A	94	VAL
1	A	154	ILE
1	B	21	ILE
1	B	65	LYS
1	B	94	VAL
1	B	154	ILE
1	B	270	THR
1	B	273	ASP
1	C	-1	GLN
1	C	18	THR
1	C	21	ILE
1	C	68	GLU
1	C	94	VAL
1	C	237	GLN
1	C	271	LYS
1	D	8	GLU
1	D	9	LYS
1	D	21	ILE
1	D	68	GLU
1	D	94	VAL
1	D	252	MET
1	E	22	ASN
1	E	94	VAL
1	E	223	LEU
1	E	234	GLU
1	E	252	MET
1	E	271	LYS
1	F	9	LYS
1	F	21	ILE
1	F	22	ASN
1	F	23	SER
1	F	94	VAL
1	G	1	VAL
1	G	2	SER
1	G	7	GLN
1	G	20	ASP
1	G	21	ILE
1	G	48	LYS
1	G	94	VAL
1	G	172	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	20	ASP
1	H	37	LYS
1	H	67	GLU
1	H	68	GLU
1	H	94	VAL
1	H	172	LYS
1	H	204	LYS
1	H	210	LYS
1	H	223	LEU
1	H	252	MET
1	H	271	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	GLN
1	A	90	GLN
1	A	105	GLN
1	A	121	ASN
1	A	167	ASN
1	A	238	ASN
1	A	269	GLN
1	B	-1	GLN
1	B	167	ASN
1	B	237	GLN
1	B	269	GLN
1	C	81	ASN
1	C	105	GLN
1	D	81	ASN
1	D	105	GLN
1	D	269	GLN
1	E	105	GLN
1	E	151	HIS
1	E	269	GLN
1	F	81	ASN
1	F	85	HIS
1	F	105	GLN
1	F	167	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	B	301	-	5,5,5	0.37	0	5,5,5	0.33	0
2	GOL	G	301	-	5,5,5	0.37	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	301	-	-	0/4/4/4	-
2	GOL	G	301	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	301	GOL	O1-C1-C2-C3
2	G	301	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	301	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/297 (92%)	0.13	3 (1%) 78 57	38, 57, 93, 161	0
1	B	280/297 (94%)	0.14	10 (3%) 46 26	34, 54, 86, 129	0
1	C	278/297 (93%)	0.19	8 (2%) 53 31	39, 57, 89, 130	0
1	D	275/297 (92%)	0.15	7 (2%) 58 35	35, 57, 89, 155	1 (0%)
1	E	275/297 (92%)	0.09	6 (2%) 62 39	40, 58, 87, 149	0
1	F	275/297 (92%)	0.14	5 (1%) 67 44	39, 58, 95, 149	0
1	G	278/297 (93%)	0.19	12 (4%) 40 21	39, 58, 96, 120	0
1	H	280/297 (94%)	0.18	10 (3%) 46 26	34, 56, 93, 129	0
All	All	2216/2376 (93%)	0.15	61 (2%) 55 32	34, 57, 93, 161	1 (0%)

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	-2	PHE	4.1
1	D	21	ILE	4.1
1	G	273	ASP	3.7
1	E	18	THR	3.4
1	G	67	GLU	3.4
1	A	19	LEU	3.4
1	F	20	ASP	3.4
1	H	169	TRP	3.3
1	F	21	ILE	3.3
1	H	67	GLU	3.3
1	E	21	ILE	3.2
1	C	-1	GLN	3.2
1	H	-2	PHE	3.2
1	B	-3	TYR	3.1
1	F	275	GLN	3.1
1	H	18	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	185	THR	3.1
1	D	238	ASN	3.0
1	A	21	ILE	3.0
1	H	21	ILE	2.9
1	D	23	SER	2.8
1	C	7	GLN	2.7
1	G	208	ASN	2.7
1	B	21	ILE	2.7
1	D	69	SER	2.7
1	G	69	SER	2.7
1	D	17	GLY	2.6
1	B	22	ASN	2.6
1	H	24	ASP	2.5
1	B	273	ASP	2.5
1	G	21	ILE	2.5
1	G	18	THR	2.5
1	B	20	ASP	2.5
1	F	7	GLN	2.5
1	A	273	ASP	2.4
1	H	0	GLY	2.4
1	B	169	TRP	2.4
1	C	185	THR	2.4
1	B	24	ASP	2.4
1	E	65	LYS	2.4
1	G	0	GLY	2.3
1	D	73	THR	2.3
1	G	276	ILE	2.3
1	C	208	ASN	2.3
1	E	8	GLU	2.3
1	G	68	GLU	2.3
1	C	115	LYS	2.3
1	G	-1	GLN	2.3
1	F	272	LEU	2.3
1	E	69	SER	2.3
1	C	2	SER	2.2
1	D	24	ASP	2.2
1	G	17	GLY	2.2
1	E	146	GLY	2.1
1	B	0	GLY	2.1
1	H	276	ILE	2.1
1	B	18	THR	2.1
1	G	275	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	275	GLN	2.0
1	H	275	GLN	2.0
1	C	66	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	B	301	6/6	0.76	0.15	70,80,84,86	0
2	GOL	G	301	6/6	0.77	0.18	67,74,80,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.