



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 01:47 AM UTC

PDB ID : 2Q4P / pdb_00002q4p
Title : Ensemble refinement of the crystal structure of protein from Mus musculus Mm.29898
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2007-05-31
Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7754 (2.34-2.30)
Ramachandran outliers	187476	8303 (2.34-2.30)
Sidechain outliers	187428	8303 (2.34-2.30)
RSRZ outliers	180081	7760 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	170	65% 56% 9% 34%
1	1-B	170	62% 57% 7% 36%
1	10-A	170	56% 9% 34%
1	10-B	170	55% 9% 36%
1	11-A	170	50% 16% 34%
1	11-B	170	55% 9% 36%
1	12-A	170	54% 12% 34%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	12-B	170	
1	13-A	170	
1	13-B	170	
1	14-A	170	
1	14-B	170	
1	15-A	170	
1	15-B	170	
1	16-A	170	
1	16-B	170	
1	2-A	170	
1	2-B	170	
1	3-A	170	
1	3-B	170	
1	4-A	170	
1	4-B	170	
1	5-A	170	
1	5-B	170	
1	6-A	170	
1	6-B	170	
1	7-A	170	
1	7-B	170	
1	8-A	170	
1	8-B	170	
1	9-A	170	
1	9-B	170	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 29392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein RS21-C6.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	2-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	3-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	4-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	5-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	6-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	7-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	8-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	9-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	10-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	11-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	12-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	13-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	14-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	15-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			
1	16-A	113	Total	C	N	O	S	Se	0	0	0
			922	589	163	168	1	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	2-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	3-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	4-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	5-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	6-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	7-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	8-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	9-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	10-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	11-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	12-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	13-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	14-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	15-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			
1	16-B	109	Total	C	N	O	S	Se	0	0	0
			891	569	157	163	1	1			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP Q9QY93
A	122	MSE	MET	modified residue	UNP Q9QY93
B	1	MSE	MET	modified residue	UNP Q9QY93
B	122	MSE	MET	modified residue	UNP Q9QY93


- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	1-A	12	Total O 12 12	0	0
2	2-A	11	Total O 11 11	0	0
2	3-A	12	Total O 12 12	0	0
2	4-A	11	Total O 11 11	0	0
2	5-A	12	Total O 12 12	0	0
2	6-A	11	Total O 11 11	0	0
2	7-A	12	Total O 12 12	0	0
2	8-A	13	Total O 13 13	0	0
2	9-A	11	Total O 11 11	0	0
2	10-A	10	Total O 10 10	0	0
2	11-A	12	Total O 12 12	0	0
2	12-A	12	Total O 12 12	0	0
2	13-A	13	Total O 13 13	0	0
2	14-A	12	Total O 12 12	0	0
2	15-A	12	Total O 12 12	0	0
2	16-A	13	Total O 13 13	0	0
2	1-B	12	Total O 12 12	0	0
2	2-B	13	Total O 13 13	0	0
2	3-B	12	Total O 12 12	0	0
2	4-B	13	Total O 13 13	0	0
2	5-B	12	Total O 12 12	0	0
2	6-B	13	Total O 13 13	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	7-B	12	Total 12	O 12	0	0
2	8-B	11	Total 11	O 11	0	0
2	9-B	13	Total 13	O 13	0	0
2	10-B	14	Total 14	O 14	0	0
2	11-B	12	Total 12	O 12	0	0
2	12-B	12	Total 12	O 12	0	0
2	13-B	11	Total 11	O 11	0	0
2	14-B	12	Total 12	O 12	0	0
2	15-B	12	Total 12	O 12	0	0
2	16-B	11	Total 11	O 11	0	0

Chain 2-B:  54% 10% 36%





- Molecule 1: Protein RS21-C6

Chain 3-A: 56% 11% 34%





- Molecule 1: Protein RS21-C6

Chain 3-B:  56% 8% 36%




- Molecule 1: Protein RS21-C6

Chain 4-A:  56% 9% . 34%





- Molecule 1: Protein RS21-C6

Chain 4-B: 54% 9% • 36%




- Molecule 1: Protein RS21-C6


Chain 5-A:  58% 8% 34%




- Molecule 1: Protein RS21-C6




- Molecule 1: Protein RS21-C6



- Molecule 1: Protein RS21-C6



- Molecule 1: Protein RS21-C6



- Molecule 1: Protein RS21-C6



LEU SER ASP THR
SER ARG GLY
GLY SER
ALA ALA
CYS
LYS
THR
ASP
LEU
PRO
ARG
THR
ILE
SER
GLU
ASN
GLN
ALA
VAL
GLY
ALA
GLY
ASP
PRO
ALA
SER
SER
GLU
LEU
ARG
ASP
GLN
ALA
ALA
SER
THR

• Molecule 1: Protein RS21-C6

Chain 8-A: 57% 9% 34%

MSE THR SER THR
SER ARG ALA
GLY SER
ASP ASP
GLY GLY
GLU ARG
THR ARG
THR THR
VAL VAL
GLY GLY
GLN GLN
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
SER ARG
P22
E28
L31
E44
W47
Q52
G62
E63
L70
P79
G80
P81
Q82
P85
P86
L92
K121
H132
L133
S134
ARG
GLY
SER
ALA
CYS
LYS
TYR

THR ASP
LEU PRO
PRO GLY
GLY THR
THR ILE
SER SER
ASN GLN
ALA VAL
GLY GLY
GLU ASP
SER GLY
SER ASP
PRO ALA
ALA SER
SER ARG

• Molecule 1: Protein RS21-C6

Chain 8-B: 54% 9% 36%

MSE SER SER THR
SER THR
ALA ALA
GLY GLY
CYS ASP
LYS THR
TYR GLY
THR GLU
ASP ARG
PRO GLY
THR THR
VAL VAL
GLY GLY
GLN GLN
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
ARG ARG
P22
F23
R24
R35
R36
L37
E40
E45
F50
H51
Q52
Q72
T77
P85
P86
K87
E95
V104
H111
L114
V118
P130
VAL
HIS
LEU
SER

ARG GLY
SER SER
ALA ALA
CYS CYS
LYS TYR
THR THR
ASP ASP
PRO PRO
ARG ARG
GLY GLY
THR THR
ILE ILE
SER SER
SER ASN
GLN GLN
ALA ALA
VAL VAL
ALA ALA
GLY GLY
ASP ASP
PRO PRO
ALA ALA
SER SER
THR THR

• Molecule 1: Protein RS21-C6

Chain 9-A: 54% 12% 34%

MSE SER SER THR
SER THR
ALA ALA
GLY GLY
CYS ASP
LYS THR
TYR GLY
THR GLU
ASP ARG
PRO GLY
THR THR
VAL VAL
GLY GLY
GLN GLN
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
ARG ARG
P22
F23
E28
L31
E44
W47
Q52
E63
L70
F71
P79
G80
P81
Q82
P85
P86
K87
E88
L92
Q93
E94
P115
K121
H132
L133
S134

ARG GLY
SER SER
ALA ALA
CYS CYS
LYS TYR
THR THR
ASP ASP
PRO PRO
ARG ARG
GLY GLY
THR THR
ILE ILE
SER SER
SER ASN
GLN GLN
ALA ALA
VAL VAL
ALA ALA
GLY GLY
ASP ASP
PRO PRO
ALA ALA
SER SER
THR THR

• Molecule 1: Protein RS21-C6

Chain 9-B: 56% 8% 36%

MSE SER SER THR
SER THR
ALA ALA
GLY GLY
CYS ASP
LYS THR
TYR GLY
THR GLU
ASP ARG
PRO GLY
THR THR
VAL VAL
GLY GLY
GLN GLN
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
ARG ARG
P22
F23
R24
R35
R36
L37
E40
Q52
Q72
T77
P85
R89
A90
E95
V104
L114
V118
F130
VAL
HIS
LEU
SER
ARG
GLY
SER
ALA
CYS

LYS TYR
THR THR
ASP ASP
LEU LEU
PRO PRO
ARG ARG
GLY GLY
THR THR
ILE ILE
SER SER
ASN ASN
GLN GLN
ALA VAL
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
PRO PRO
SER SER
SER SER
THR THR

• Molecule 1: Protein RS21-C6


Chain 10-A: 56% 9% 34%

MSE SER SER THR
SER THR
ALA ALA
GLY GLY
CYS ASP
LYS THR
TYR GLY
THR GLU
ASP ARG
PRO GLY
THR THR
VAL VAL
GLY GLY
GLN GLN
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
ARG ARG
P22
E28
L31
E44
Q52
E63
L70
F71
Q72
P79
G80
P81
Q82
A83
W84
P85
P86
L92
Q93
K121
H132
L133
S134
ARG
GLY
SER
SER
ALA
CYS
LYS

THR ASP
LEU LEU
PRO PRO
ARG ARG
GLY GLY
THR THR
ILE ILE
SER SER
ASN ASN
GLN GLN
ALA VAL
GLU GLU
ASP ASP
SER SER
ALA ALA
ALA ALA
PRO PRO
SER SER
SER SER
THR THR


• Molecule 1: Protein RS21-C6

Chain 10-B:  55% 9% 36%




• Molecule 1: Protein RS21-C6

Chain 11-A:  50% 16% 34%




• Molecule 1: Protein RS21-C6

Chain 11-B:  55% 9% 36%




• Molecule 1: Protein RS21-C6

Chain 12-A:  54% 12% 34%




• Molecule 1: Protein RS21-C6

Chain 12-B:  52% 12% 36%




• Molecule 1: Protein RS21-C6


Chain 13-A:  55% 11% 34%




- Molecule 1: Protein RS21-C6




- Molecule 1: Protein RS21-C6



- Molecule 1: Protein RS21-C6




- Molecule 1: Protein RS21-C6




- Molecule 1: Protein RS21-C6






• Molecule 1: Protein RS21-C6



• Molecule 1: Protein RS21-C6



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	73.54Å 73.54Å 236.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.93 – 2.32 37.93 – 2.32	Depositor EDS
% Data completeness (in resolution range)	98.3 (37.93-2.32) 98.4 (37.93-2.32)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 2.32Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.138 , 0.233 0.196 , 0.271	Depositor DCC
R_{free} test set	858 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	55.5	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.02 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.75	EDS
Total number of atoms	29392	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.17	0/947	0.23	0/1288
1	1-B	0.21	0/915	0.22	0/1244
1	2-A	0.17	0/947	0.23	0/1288
1	2-B	0.21	0/915	0.22	0/1244
1	3-A	0.17	0/947	0.23	0/1288
1	3-B	0.21	0/915	0.22	0/1244
1	4-A	0.17	0/947	0.23	0/1288
1	4-B	0.21	0/915	0.22	0/1244
1	5-A	0.17	0/947	0.23	0/1288
1	5-B	0.21	0/915	0.22	0/1244
1	6-A	0.17	0/947	0.23	0/1288
1	6-B	0.21	0/915	0.22	0/1244
1	7-A	0.17	0/947	0.23	0/1288
1	7-B	0.21	0/915	0.22	0/1244
1	8-A	0.17	0/947	0.23	0/1288
1	8-B	0.21	0/915	0.22	0/1244
1	9-A	0.17	0/947	0.23	0/1288
1	9-B	0.21	0/915	0.22	0/1244
1	10-A	0.17	0/947	0.23	0/1288
1	10-B	0.21	0/915	0.22	0/1244
1	11-A	0.17	0/947	0.23	0/1288
1	11-B	0.21	0/915	0.22	0/1244
1	12-A	0.17	0/947	0.23	0/1288
1	12-B	0.21	0/915	0.22	0/1244
1	13-A	0.17	0/947	0.23	0/1288
1	13-B	0.21	0/915	0.22	0/1244
1	14-A	0.17	0/947	0.23	0/1288
1	14-B	0.21	0/915	0.22	0/1244
1	15-A	0.17	0/947	0.23	0/1288
1	15-B	0.21	0/915	0.22	0/1244
1	16-A	0.17	0/947	0.23	0/1288
1	16-B	0.21	0/915	0.22	0/1244
All	All	0.19	0/29792	0.23	0/40512

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	5-B	0	1
1	9-A	0	1
1	11-A	0	1
1	12-A	0	1
1	13-B	0	2
1	16-A	0	1
1	16-B	0	1
All	All	0	8

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	11-A	102	TYR	Sidechain
1	12-A	129	TYR	Sidechain
1	13-B	102	TYR	Sidechain
1	13-B	41	PHE	Sidechain
1	16-A	102	TYR	Sidechain
1	16-B	41	PHE	Sidechain
1	5-B	51	HIS	Sidechain
1	9-A	71	PHE	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	922	0	901	0	0
1	1-B	891	0	869	0	0
1	2-A	922	0	901	0	0
1	2-B	891	0	869	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	3-A	922	0	901	0	0
1	3-B	891	0	869	0	0
1	4-A	922	0	901	0	0
1	4-B	891	0	869	0	0
1	5-A	922	0	901	0	0
1	5-B	891	0	869	0	0
1	6-A	922	0	901	0	0
1	6-B	891	0	869	0	0
1	7-A	922	0	901	0	0
1	7-B	891	0	869	0	0
1	8-A	922	0	901	0	0
1	8-B	891	0	869	0	0
1	9-A	922	0	901	0	0
1	9-B	891	0	869	0	0
1	10-A	922	0	901	0	0
1	10-B	891	0	869	0	0
1	11-A	922	0	901	0	0
1	11-B	891	0	869	0	0
1	12-A	922	0	901	0	0
1	12-B	891	0	869	0	0
1	13-A	922	0	901	0	0
1	13-B	891	0	869	0	0
1	14-A	922	0	901	0	0
1	14-B	891	0	869	0	0
1	15-A	922	0	901	0	0
1	15-B	891	0	869	0	0
1	16-A	922	0	901	0	0
1	16-B	891	0	869	0	0
2	1-A	12	0	0	0	0
2	1-B	12	0	0	0	0
2	2-A	11	0	0	0	0
2	2-B	13	0	0	0	0
2	3-A	12	0	0	0	0
2	3-B	12	0	0	0	0
2	4-A	11	0	0	0	0
2	4-B	13	0	0	0	0
2	5-A	12	0	0	0	0
2	5-B	12	0	0	0	0
2	6-A	11	0	0	0	0
2	6-B	13	0	0	0	0
2	7-A	12	0	0	0	0
2	7-B	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	8-A	13	0	0	0	0
2	8-B	11	0	0	0	0
2	9-A	11	0	0	0	0
2	9-B	13	0	0	0	0
2	10-A	10	0	0	0	0
2	10-B	14	0	0	0	0
2	11-A	12	0	0	0	0
2	11-B	12	0	0	0	0
2	12-A	12	0	0	0	0
2	12-B	12	0	0	0	0
2	13-A	13	0	0	0	0
2	13-B	11	0	0	0	0
2	14-A	12	0	0	0	0
2	14-B	12	0	0	0	0
2	15-A	12	0	0	0	0
2	15-B	12	0	0	0	0
2	16-A	13	0	0	0	0
2	16-B	11	0	0	0	0
All	All	29392	0	28320	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	111/170 (65%)	83 (75%)	23 (21%)	5 (4%)	2	1
1	1-B	107/170 (63%)	83 (78%)	22 (21%)	2 (2%)	6	5
1	2-A	111/170 (65%)	89 (80%)	18 (16%)	4 (4%)	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	2-B	107/170 (63%)	90 (84%)	10 (9%)	7 (6%)	1	0
1	3-A	111/170 (65%)	97 (87%)	9 (8%)	5 (4%)	2	1
1	3-B	107/170 (63%)	98 (92%)	6 (6%)	3 (3%)	4	2
1	4-A	111/170 (65%)	92 (83%)	14 (13%)	5 (4%)	2	1
1	4-B	107/170 (63%)	85 (79%)	14 (13%)	8 (8%)	1	0
1	5-A	111/170 (65%)	95 (86%)	12 (11%)	4 (4%)	2	1
1	5-B	107/170 (63%)	98 (92%)	6 (6%)	3 (3%)	4	2
1	6-A	111/170 (65%)	91 (82%)	13 (12%)	7 (6%)	1	0
1	6-B	107/170 (63%)	85 (79%)	16 (15%)	6 (6%)	1	0
1	7-A	111/170 (65%)	85 (77%)	18 (16%)	8 (7%)	1	0
1	7-B	107/170 (63%)	85 (79%)	10 (9%)	12 (11%)	0	0
1	8-A	111/170 (65%)	96 (86%)	12 (11%)	3 (3%)	4	2
1	8-B	107/170 (63%)	80 (75%)	18 (17%)	9 (8%)	0	0
1	9-A	111/170 (65%)	80 (72%)	22 (20%)	9 (8%)	1	0
1	9-B	107/170 (63%)	92 (86%)	11 (10%)	4 (4%)	2	1
1	10-A	111/170 (65%)	90 (81%)	16 (14%)	5 (4%)	2	1
1	10-B	107/170 (63%)	85 (79%)	15 (14%)	7 (6%)	1	0
1	11-A	111/170 (65%)	79 (71%)	17 (15%)	15 (14%)	0	0
1	11-B	107/170 (63%)	87 (81%)	14 (13%)	6 (6%)	1	0
1	12-A	111/170 (65%)	82 (74%)	19 (17%)	10 (9%)	0	0
1	12-B	107/170 (63%)	75 (70%)	22 (21%)	10 (9%)	0	0
1	13-A	111/170 (65%)	85 (77%)	19 (17%)	7 (6%)	1	0
1	13-B	107/170 (63%)	82 (77%)	16 (15%)	9 (8%)	0	0
1	14-A	111/170 (65%)	77 (69%)	21 (19%)	13 (12%)	0	0
1	14-B	107/170 (63%)	81 (76%)	14 (13%)	12 (11%)	0	0
1	15-A	111/170 (65%)	80 (72%)	20 (18%)	11 (10%)	0	0
1	15-B	107/170 (63%)	84 (78%)	16 (15%)	7 (6%)	1	0
1	16-A	111/170 (65%)	75 (68%)	23 (21%)	13 (12%)	0	0
1	16-B	107/170 (63%)	76 (71%)	19 (18%)	12 (11%)	0	0
All	All	3488/5440 (64%)	2742 (79%)	505 (14%)	241 (7%)	1	0

All (241) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	78	GLU
1	1-A	128	ARG
1	1-B	86	PRO
1	2-A	81	PRO
1	2-B	72	GLN
1	2-B	81	PRO
1	2-B	86	PRO
1	3-A	41	PHE
1	4-A	47	TRP
1	4-B	72	GLN
1	4-B	79	PRO
1	4-B	81	PRO
1	5-A	26	SER
1	5-B	78	GLU
1	5-B	86	PRO
1	6-A	27	PRO
1	6-A	76	ASP
1	6-A	111	HIS
1	6-A	124	THR
1	6-A	129	TYR
1	6-B	72	GLN
1	6-B	82	GLN
1	6-B	86	PRO
1	7-A	30	THR
1	7-A	74	LYS
1	7-A	88	GLU
1	7-B	75	SER
1	7-B	81	PRO
1	7-B	95	GLU
1	7-B	96	LEU
1	7-B	111	HIS
1	7-B	118	VAL
1	7-B	119	ILE
1	7-B	120	SER
1	8-B	72	GLN
1	8-B	85	PRO
1	8-B	86	PRO
1	8-B	87	LYS
1	8-B	111	HIS
1	9-A	23	PHE
1	9-A	47	TRP
1	9-A	82	GLN
1	9-A	93	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	9-A	94	GLU
1	9-B	72	GLN
1	10-A	72	GLN
1	10-A	81	PRO
1	10-A	86	PRO
1	10-B	25	PHE
1	10-B	78	GLU
1	10-B	122	MSE
1	11-A	23	PHE
1	11-A	47	TRP
1	11-A	48	GLU
1	11-A	80	GLY
1	11-A	107	ALA
1	12-A	81	PRO
1	12-B	72	GLN
1	12-B	75	SER
1	12-B	86	PRO
1	12-B	87	LYS
1	13-A	49	GLN
1	13-A	111	HIS
1	13-B	76	ASP
1	13-B	83	ALA
1	13-B	110	CYS
1	14-A	30	THR
1	14-A	78	GLU
1	14-A	81	PRO
1	14-A	97	SER
1	14-A	98	ASP
1	14-B	42	ALA
1	14-B	43	ALA
1	14-B	70	LEU
1	14-B	121	LYS
1	14-B	126	ARG
1	14-B	129	TYR
1	15-A	28	GLU
1	15-A	47	TRP
1	15-A	48	GLU
1	15-A	75	SER
1	15-A	76	ASP
1	15-A	81	PRO
1	15-A	90	ALA
1	15-B	86	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	15-B	87	LYS
1	16-A	49	GLN
1	16-A	53	PRO
1	16-A	54	ARG
1	16-A	69	GLU
1	16-A	81	PRO
1	16-A	82	GLN
1	16-A	83	ALA
1	16-A	111	HIS
1	16-B	24	ARG
1	16-B	30	THR
1	16-B	129	TYR
1	1-A	119	ILE
1	1-A	127	GLN
1	2-A	47	TRP
1	4-B	78	GLU
1	4-B	83	ALA
1	6-B	81	PRO
1	7-A	87	LYS
1	7-B	117	ALA
1	8-A	47	TRP
1	8-A	62	GLY
1	8-B	37	LEU
1	9-A	87	LYS
1	9-B	89	ARG
1	10-B	74	LYS
1	10-B	86	PRO
1	11-A	81	PRO
1	11-A	87	LYS
1	11-A	108	ALA
1	11-B	25	PHE
1	11-B	85	PRO
1	12-A	45	ARG
1	12-A	86	PRO
1	12-A	127	GLN
1	12-A	128	ARG
1	12-B	41	PHE
1	12-B	122	MSE
1	13-A	50	PHE
1	13-B	127	GLN
1	14-A	132	HIS
1	14-B	120	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	15-A	72	GLN
1	15-B	46	ASP
1	15-B	80	GLY
1	15-B	83	ALA
1	16-B	53	PRO
1	16-B	54	ARG
1	16-B	72	GLN
1	16-B	113	ASP
1	1-A	79	PRO
1	1-B	87	LYS
1	2-B	80	GLY
1	3-A	76	ASP
1	4-A	77	THR
1	4-A	81	PRO
1	4-B	46	ASP
1	5-A	132	HIS
1	6-B	25	PHE
1	7-A	75	SER
1	7-A	76	ASP
1	7-B	94	GLU
1	8-B	50	PHE
1	9-A	88	GLU
1	9-B	85	PRO
1	9-B	90	ALA
1	10-A	84	TRP
1	11-A	75	SER
1	11-B	81	PRO
1	12-A	72	GLN
1	12-B	90	ALA
1	13-A	27	PRO
1	14-A	79	PRO
1	14-A	95	GLU
1	14-A	127	GLN
1	14-B	46	ASP
1	14-B	87	LYS
1	15-B	79	PRO
1	16-A	45	ARG
1	16-A	47	TRP
1	16-A	57	LEU
1	16-B	67	LEU
1	16-B	89	ARG
1	2-A	60	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2-B	45	ARG
1	2-B	58	LEU
1	3-A	40	GLU
1	3-B	85	PRO
1	4-B	77	THR
1	4-B	113	ASP
1	6-B	70	LEU
1	7-A	25	PHE
1	7-B	72	GLN
1	7-B	115	PRO
1	8-B	45	ARG
1	10-B	28	GLU
1	10-B	77	THR
1	11-A	43	ALA
1	11-A	86	PRO
1	13-B	46	ASP
1	13-B	85	PRO
1	14-A	75	SER
1	14-A	90	ALA
1	14-B	88	GLU
1	14-B	115	PRO
1	15-A	53	PRO
1	15-A	97	SER
1	16-B	76	ASP
1	2-A	53	PRO
1	2-B	79	PRO
1	3-A	42	ALA
1	3-B	84	TRP
1	3-B	86	PRO
1	4-A	84	TRP
1	4-A	126	ARG
1	7-A	72	GLN
1	10-A	93	GLN
1	11-A	91	ALA
1	11-A	115	PRO
1	12-A	27	PRO
1	12-A	82	GLN
1	12-B	115	PRO
1	14-A	27	PRO
1	14-A	56	LEU
1	14-B	86	PRO
1	15-A	127	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16-B	87	LYS
1	16-B	95	GLU
1	5-A	27	PRO
1	11-B	125	ASN
1	11-B	126	ARG
1	12-A	133	LEU
1	12-B	55	ASN
1	12-B	78	GLU
1	13-A	131	VAL
1	13-B	33	ASP
1	13-B	84	TRP
1	13-B	86	PRO
1	15-B	84	TRP
1	3-A	53	PRO
1	6-A	81	PRO
1	8-A	86	PRO
1	13-A	119	ILE
1	5-A	81	PRO
1	6-A	86	PRO
1	8-B	114	LEU
1	9-A	86	PRO
1	9-A	115	PRO
1	11-A	53	PRO
1	16-A	79	PRO
1	12-A	78	GLU
1	16-A	86	PRO
1	11-A	129	TYR
1	11-B	28	GLU
1	13-A	79	PRO
1	5-B	84	TRP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1-A	98/136 (72%)	85 (87%)	13 (13%)	4 4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	2-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	2-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	3-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	3-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	4-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	4-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	5-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	5-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	6-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	6-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	7-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	7-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	8-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	8-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	9-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	9-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	10-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	10-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	11-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	11-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	12-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	12-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	13-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	13-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	14-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	14-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	15-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	15-B	94/136 (69%)	84 (89%)	10 (11%)	6	7
1	16-A	98/136 (72%)	85 (87%)	13 (13%)	4	4
1	16-B	94/136 (69%)	84 (89%)	10 (11%)	6	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3072/4352 (71%)	2704 (88%)	368 (12%)	5 5

All (368) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	28	GLU
1	1-A	31	LEU
1	1-A	44	GLU
1	1-A	52	GLN
1	1-A	63	GLU
1	1-A	70	LEU
1	1-A	79	PRO
1	1-A	81	PRO
1	1-A	82	GLN
1	1-A	85	PRO
1	1-A	92	LEU
1	1-A	121	LYS
1	1-A	132	HIS
1	1-B	24	ARG
1	1-B	35	ARG
1	1-B	37	LEU
1	1-B	40	GLU
1	1-B	52	GLN
1	1-B	77	THR
1	1-B	95	GLU
1	1-B	104	VAL
1	1-B	114	LEU
1	1-B	118	VAL
1	2-A	28	GLU
1	2-A	31	LEU
1	2-A	44	GLU
1	2-A	52	GLN
1	2-A	63	GLU
1	2-A	70	LEU
1	2-A	79	PRO
1	2-A	81	PRO
1	2-A	82	GLN
1	2-A	85	PRO
1	2-A	92	LEU
1	2-A	121	LYS
1	2-A	132	HIS
1	2-B	24	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2-B	35	ARG
1	2-B	37	LEU
1	2-B	40	GLU
1	2-B	52	GLN
1	2-B	77	THR
1	2-B	95	GLU
1	2-B	104	VAL
1	2-B	114	LEU
1	2-B	118	VAL
1	3-A	28	GLU
1	3-A	31	LEU
1	3-A	44	GLU
1	3-A	52	GLN
1	3-A	63	GLU
1	3-A	70	LEU
1	3-A	79	PRO
1	3-A	81	PRO
1	3-A	82	GLN
1	3-A	85	PRO
1	3-A	92	LEU
1	3-A	121	LYS
1	3-A	132	HIS
1	3-B	24	ARG
1	3-B	35	ARG
1	3-B	37	LEU
1	3-B	40	GLU
1	3-B	52	GLN
1	3-B	77	THR
1	3-B	95	GLU
1	3-B	104	VAL
1	3-B	114	LEU
1	3-B	118	VAL
1	4-A	28	GLU
1	4-A	31	LEU
1	4-A	44	GLU
1	4-A	52	GLN
1	4-A	63	GLU
1	4-A	70	LEU
1	4-A	79	PRO
1	4-A	81	PRO
1	4-A	82	GLN
1	4-A	85	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	4-A	92	LEU
1	4-A	121	LYS
1	4-A	132	HIS
1	4-B	24	ARG
1	4-B	35	ARG
1	4-B	37	LEU
1	4-B	40	GLU
1	4-B	52	GLN
1	4-B	77	THR
1	4-B	95	GLU
1	4-B	104	VAL
1	4-B	114	LEU
1	4-B	118	VAL
1	5-A	28	GLU
1	5-A	31	LEU
1	5-A	44	GLU
1	5-A	52	GLN
1	5-A	63	GLU
1	5-A	70	LEU
1	5-A	79	PRO
1	5-A	81	PRO
1	5-A	82	GLN
1	5-A	85	PRO
1	5-A	92	LEU
1	5-A	121	LYS
1	5-A	132	HIS
1	5-B	24	ARG
1	5-B	35	ARG
1	5-B	37	LEU
1	5-B	40	GLU
1	5-B	52	GLN
1	5-B	77	THR
1	5-B	95	GLU
1	5-B	104	VAL
1	5-B	114	LEU
1	5-B	118	VAL
1	6-A	28	GLU
1	6-A	31	LEU
1	6-A	44	GLU
1	6-A	52	GLN
1	6-A	63	GLU
1	6-A	70	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	6-A	79	PRO
1	6-A	81	PRO
1	6-A	82	GLN
1	6-A	85	PRO
1	6-A	92	LEU
1	6-A	121	LYS
1	6-A	132	HIS
1	6-B	24	ARG
1	6-B	35	ARG
1	6-B	37	LEU
1	6-B	40	GLU
1	6-B	52	GLN
1	6-B	77	THR
1	6-B	95	GLU
1	6-B	104	VAL
1	6-B	114	LEU
1	6-B	118	VAL
1	7-A	28	GLU
1	7-A	31	LEU
1	7-A	44	GLU
1	7-A	52	GLN
1	7-A	63	GLU
1	7-A	70	LEU
1	7-A	79	PRO
1	7-A	81	PRO
1	7-A	82	GLN
1	7-A	85	PRO
1	7-A	92	LEU
1	7-A	121	LYS
1	7-A	132	HIS
1	7-B	24	ARG
1	7-B	35	ARG
1	7-B	37	LEU
1	7-B	40	GLU
1	7-B	52	GLN
1	7-B	77	THR
1	7-B	95	GLU
1	7-B	104	VAL
1	7-B	114	LEU
1	7-B	118	VAL
1	8-A	28	GLU
1	8-A	31	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	8-A	44	GLU
1	8-A	52	GLN
1	8-A	63	GLU
1	8-A	70	LEU
1	8-A	79	PRO
1	8-A	81	PRO
1	8-A	82	GLN
1	8-A	85	PRO
1	8-A	92	LEU
1	8-A	121	LYS
1	8-A	132	HIS
1	8-B	24	ARG
1	8-B	35	ARG
1	8-B	37	LEU
1	8-B	40	GLU
1	8-B	52	GLN
1	8-B	77	THR
1	8-B	95	GLU
1	8-B	104	VAL
1	8-B	114	LEU
1	8-B	118	VAL
1	9-A	28	GLU
1	9-A	31	LEU
1	9-A	44	GLU
1	9-A	52	GLN
1	9-A	63	GLU
1	9-A	70	LEU
1	9-A	79	PRO
1	9-A	81	PRO
1	9-A	82	GLN
1	9-A	85	PRO
1	9-A	92	LEU
1	9-A	121	LYS
1	9-A	132	HIS
1	9-B	24	ARG
1	9-B	35	ARG
1	9-B	37	LEU
1	9-B	40	GLU
1	9-B	52	GLN
1	9-B	77	THR
1	9-B	95	GLU
1	9-B	104	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	9-B	114	LEU
1	9-B	118	VAL
1	10-A	28	GLU
1	10-A	31	LEU
1	10-A	44	GLU
1	10-A	52	GLN
1	10-A	63	GLU
1	10-A	70	LEU
1	10-A	79	PRO
1	10-A	81	PRO
1	10-A	82	GLN
1	10-A	85	PRO
1	10-A	92	LEU
1	10-A	121	LYS
1	10-A	132	HIS
1	10-B	24	ARG
1	10-B	35	ARG
1	10-B	37	LEU
1	10-B	40	GLU
1	10-B	52	GLN
1	10-B	77	THR
1	10-B	95	GLU
1	10-B	104	VAL
1	10-B	114	LEU
1	10-B	118	VAL
1	11-A	28	GLU
1	11-A	31	LEU
1	11-A	44	GLU
1	11-A	52	GLN
1	11-A	63	GLU
1	11-A	70	LEU
1	11-A	79	PRO
1	11-A	81	PRO
1	11-A	82	GLN
1	11-A	85	PRO
1	11-A	92	LEU
1	11-A	121	LYS
1	11-A	132	HIS
1	11-B	24	ARG
1	11-B	35	ARG
1	11-B	37	LEU
1	11-B	40	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	11-B	52	GLN
1	11-B	77	THR
1	11-B	95	GLU
1	11-B	104	VAL
1	11-B	114	LEU
1	11-B	118	VAL
1	12-A	28	GLU
1	12-A	31	LEU
1	12-A	44	GLU
1	12-A	52	GLN
1	12-A	63	GLU
1	12-A	70	LEU
1	12-A	79	PRO
1	12-A	81	PRO
1	12-A	82	GLN
1	12-A	85	PRO
1	12-A	92	LEU
1	12-A	121	LYS
1	12-A	132	HIS
1	12-B	24	ARG
1	12-B	35	ARG
1	12-B	37	LEU
1	12-B	40	GLU
1	12-B	52	GLN
1	12-B	77	THR
1	12-B	95	GLU
1	12-B	104	VAL
1	12-B	114	LEU
1	12-B	118	VAL
1	13-A	28	GLU
1	13-A	31	LEU
1	13-A	44	GLU
1	13-A	52	GLN
1	13-A	63	GLU
1	13-A	70	LEU
1	13-A	79	PRO
1	13-A	81	PRO
1	13-A	82	GLN
1	13-A	85	PRO
1	13-A	92	LEU
1	13-A	121	LYS
1	13-A	132	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	13-B	24	ARG
1	13-B	35	ARG
1	13-B	37	LEU
1	13-B	40	GLU
1	13-B	52	GLN
1	13-B	77	THR
1	13-B	95	GLU
1	13-B	104	VAL
1	13-B	114	LEU
1	13-B	118	VAL
1	14-A	28	GLU
1	14-A	31	LEU
1	14-A	44	GLU
1	14-A	52	GLN
1	14-A	63	GLU
1	14-A	70	LEU
1	14-A	79	PRO
1	14-A	81	PRO
1	14-A	82	GLN
1	14-A	85	PRO
1	14-A	92	LEU
1	14-A	121	LYS
1	14-A	132	HIS
1	14-B	24	ARG
1	14-B	35	ARG
1	14-B	37	LEU
1	14-B	40	GLU
1	14-B	52	GLN
1	14-B	77	THR
1	14-B	95	GLU
1	14-B	104	VAL
1	14-B	114	LEU
1	14-B	118	VAL
1	15-A	28	GLU
1	15-A	31	LEU
1	15-A	44	GLU
1	15-A	52	GLN
1	15-A	63	GLU
1	15-A	70	LEU
1	15-A	79	PRO
1	15-A	81	PRO
1	15-A	82	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	15-A	85	PRO
1	15-A	92	LEU
1	15-A	121	LYS
1	15-A	132	HIS
1	15-B	24	ARG
1	15-B	35	ARG
1	15-B	37	LEU
1	15-B	40	GLU
1	15-B	52	GLN
1	15-B	77	THR
1	15-B	95	GLU
1	15-B	104	VAL
1	15-B	114	LEU
1	15-B	118	VAL
1	16-A	28	GLU
1	16-A	31	LEU
1	16-A	44	GLU
1	16-A	52	GLN
1	16-A	63	GLU
1	16-A	70	LEU
1	16-A	79	PRO
1	16-A	81	PRO
1	16-A	82	GLN
1	16-A	85	PRO
1	16-A	92	LEU
1	16-A	121	LYS
1	16-A	132	HIS
1	16-B	24	ARG
1	16-B	35	ARG
1	16-B	37	LEU
1	16-B	40	GLU
1	16-B	52	GLN
1	16-B	77	THR
1	16-B	95	GLU
1	16-B	104	VAL
1	16-B	114	LEU
1	16-B	118	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (142) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	93	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1-A	127	GLN
1	1-B	51	HIS
1	1-B	93	GLN
1	1-B	116	GLN
1	2-A	38	HIS
1	2-A	49	GLN
1	2-A	52	GLN
1	2-A	55	ASN
1	2-A	82	GLN
1	2-A	93	GLN
1	2-B	38	HIS
1	2-B	52	GLN
1	2-B	72	GLN
1	2-B	125	ASN
1	3-A	38	HIS
1	3-A	72	GLN
1	3-A	93	GLN
1	3-A	111	HIS
1	3-A	127	GLN
1	3-A	132	HIS
1	3-B	49	GLN
1	3-B	52	GLN
1	3-B	111	HIS
1	4-A	93	GLN
1	4-A	127	GLN
1	4-B	38	HIS
1	4-B	51	HIS
1	4-B	52	GLN
1	4-B	72	GLN
1	4-B	82	GLN
1	4-B	93	GLN
1	4-B	111	HIS
1	5-A	72	GLN
1	5-A	82	GLN
1	5-B	55	ASN
1	5-B	116	GLN
1	5-B	125	ASN
1	5-B	127	GLN
1	6-A	38	HIS
1	6-A	49	GLN
1	6-A	82	GLN
1	6-A	93	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	6-A	127	GLN
1	6-B	38	HIS
1	6-B	49	GLN
1	6-B	82	GLN
1	6-B	93	GLN
1	6-B	127	GLN
1	7-A	49	GLN
1	7-A	111	HIS
1	7-A	127	GLN
1	7-B	52	GLN
1	7-B	55	ASN
1	7-B	82	GLN
1	7-B	111	HIS
1	7-B	116	GLN
1	8-A	49	GLN
1	8-A	55	ASN
1	8-A	111	HIS
1	8-B	38	HIS
1	8-B	51	HIS
1	8-B	55	ASN
1	8-B	72	GLN
1	8-B	82	GLN
1	8-B	93	GLN
1	8-B	127	GLN
1	9-A	38	HIS
1	9-A	72	GLN
1	9-A	82	GLN
1	9-A	111	HIS
1	9-B	38	HIS
1	9-B	49	GLN
1	9-B	52	GLN
1	9-B	55	ASN
1	9-B	125	ASN
1	9-B	127	GLN
1	10-A	38	HIS
1	10-A	93	GLN
1	10-A	116	GLN
1	10-A	127	GLN
1	10-A	132	HIS
1	10-B	38	HIS
1	10-B	52	GLN
1	10-B	93	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	10-B	116	GLN
1	10-B	127	GLN
1	11-A	55	ASN
1	11-A	72	GLN
1	11-A	82	GLN
1	11-A	93	GLN
1	11-A	127	GLN
1	11-B	38	HIS
1	11-B	51	HIS
1	11-B	72	GLN
1	11-B	93	GLN
1	11-B	111	HIS
1	11-B	116	GLN
1	11-B	125	ASN
1	12-A	52	GLN
1	12-A	55	ASN
1	12-A	82	GLN
1	12-A	111	HIS
1	12-B	51	HIS
1	12-B	52	GLN
1	12-B	82	GLN
1	12-B	93	GLN
1	12-B	111	HIS
1	12-B	116	GLN
1	12-B	125	ASN
1	13-A	38	HIS
1	13-A	52	GLN
1	13-A	55	ASN
1	13-A	72	GLN
1	13-A	93	GLN
1	13-A	111	HIS
1	13-B	51	HIS
1	13-B	52	GLN
1	13-B	55	ASN
1	13-B	72	GLN
1	13-B	111	HIS
1	13-B	125	ASN
1	14-A	38	HIS
1	14-A	55	ASN
1	14-A	93	GLN
1	14-A	116	GLN
1	14-A	127	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	14-B	38	HIS
1	14-B	51	HIS
1	14-B	52	GLN
1	14-B	55	ASN
1	15-A	49	GLN
1	15-A	52	GLN
1	15-A	127	GLN
1	15-B	38	HIS
1	15-B	111	HIS
1	15-B	127	GLN
1	16-A	51	HIS
1	16-A	52	GLN
1	16-A	111	HIS
1	16-B	72	GLN
1	16-B	93	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	112/170 (65%)	4.78	110 (98%) 0 0	2, 3, 3, 4	112 (100%)
1	1-B	108/170 (63%)	4.54	106 (98%) 0 0	2, 3, 3, 4	108 (100%)
1	2-A	0/170	-	-	-	-
1	2-B	0/170	-	-	-	-
1	3-A	0/170	-	-	-	-
1	3-B	0/170	-	-	-	-
1	4-A	0/170	-	-	-	-
1	4-B	0/170	-	-	-	-
1	5-A	0/170	-	-	-	-
1	5-B	0/170	-	-	-	-
1	6-A	0/170	-	-	-	-
1	6-B	0/170	-	-	-	-
1	7-A	0/170	-	-	-	-
1	7-B	0/170	-	-	-	-
1	8-A	0/170	-	-	-	-
1	8-B	0/170	-	-	-	-
1	9-A	0/170	-	-	-	-
1	9-B	0/170	-	-	-	-
1	10-A	0/170	-	-	-	-
1	10-B	0/170	-	-	-	-
1	11-A	0/170	-	-	-	-
1	11-B	0/170	-	-	-	-
1	12-A	0/170	-	-	-	-
1	12-B	0/170	-	-	-	-
1	13-A	0/170	-	-	-	-
1	13-B	0/170	-	-	-	-
1	14-A	0/170	-	-	-	-
1	14-B	0/170	-	-	-	-
1	15-A	0/170	-	-	-	-
1	15-B	0/170	-	-	-	-
1	16-A	0/170	-	-	-	-
1	16-B	0/170	-	-	-	-

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	220/5440 (4%)	4.66	216 (98%) 0 0	2, 3, 3, 4	220 (100%)

All (216) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-A	40	GLU	10.8
1	1-A	76	ASP	10.5
1	1-A	56	LEU	10.4
1	1-B	119	ILE	10.4
1	1-B	124	THR	10.3
1	1-A	39	ALA	10.0
1	1-A	117	ALA	9.6
1	1-B	71	PHE	9.2
1	1-A	33	ASP	8.5
1	1-B	24	ARG	8.1
1	1-A	27	PRO	7.9
1	1-B	117	ALA	7.8
1	1-A	89	ARG	7.5
1	1-A	24	ARG	7.4
1	1-A	66	GLU	7.3
1	1-A	50	PHE	7.2
1	1-B	22	PRO	7.1
1	1-A	120	SER	6.9
1	1-B	118	VAL	6.9
1	1-A	29	PRO	6.8
1	1-A	129	TYR	6.8
1	1-B	46	ASP	6.7
1	1-B	81	PRO	6.7
1	1-A	22	PRO	6.5
1	1-A	114	LEU	6.4
1	1-B	33	ASP	6.4
1	1-B	34	ILE	6.3
1	1-B	36	ARG	6.3
1	1-A	23	PHE	6.3
1	1-A	133	LEU	6.2
1	1-A	101	ILE	6.2
1	1-B	84	TRP	6.2
1	1-B	63	GLU	6.1
1	1-B	125	ASN	6.1
1	1-B	37	LEU	6.1
1	1-B	113	ASP	6.1
1	1-A	80	GLY	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-B	109	ARG	6.0
1	1-B	85	PRO	6.0
1	1-A	70	LEU	6.0
1	1-B	116	GLN	5.9
1	1-A	34	ILE	5.9
1	1-B	39	ALA	5.9
1	1-A	42	ALA	5.9
1	1-A	85	PRO	5.9
1	1-A	53	PRO	5.8
1	1-B	47	TRP	5.8
1	1-A	61	VAL	5.8
1	1-B	95	GLU	5.8
1	1-A	84	TRP	5.7
1	1-A	75	SER	5.7
1	1-A	31	LEU	5.6
1	1-A	37	LEU	5.6
1	1-B	103	LEU	5.6
1	1-A	119	ILE	5.6
1	1-B	75	SER	5.5
1	1-A	82	GLN	5.5
1	1-A	95	GLU	5.5
1	1-A	52	GLN	5.5
1	1-A	81	PRO	5.5
1	1-A	93	GLN	5.5
1	1-B	73	TRP	5.4
1	1-B	115	PRO	5.4
1	1-A	115	PRO	5.4
1	1-A	64	VAL	5.4
1	1-B	30	THR	5.3
1	1-B	77	THR	5.3
1	1-A	118	VAL	5.3
1	1-B	126	ARG	5.3
1	1-B	112	VAL	5.2
1	1-B	101	ILE	5.2
1	1-B	104	VAL	5.2
1	1-B	25	PHE	5.2
1	1-B	120	SER	5.2
1	1-A	35	ARG	5.2
1	1-B	50	PHE	5.2
1	1-A	51	HIS	5.1
1	1-B	128	ARG	5.1
1	1-B	114	LEU	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	87	LYS	5.1
1	1-B	41	PHE	5.0
1	1-A	25	PHE	5.0
1	1-A	60	LEU	5.0
1	1-A	91	ALA	5.0
1	1-A	28	GLU	4.9
1	1-A	88	GLU	4.9
1	1-B	43	ALA	4.9
1	1-B	97	SER	4.9
1	1-B	130	PRO	4.9
1	1-B	64	VAL	4.9
1	1-A	107	ALA	4.8
1	1-B	123	ASP	4.8
1	1-A	124	THR	4.8
1	1-A	43	ALA	4.8
1	1-B	105	ALA	4.8
1	1-A	47	TRP	4.8
1	1-A	86	PRO	4.7
1	1-A	26	SER	4.7
1	1-A	134	SER	4.7
1	1-B	82	GLN	4.7
1	1-A	127	GLN	4.6
1	1-B	88	GLU	4.6
1	1-A	79	PRO	4.6
1	1-A	68	ALA	4.6
1	1-A	105	ALA	4.6
1	1-B	92	LEU	4.6
1	1-A	77	THR	4.5
1	1-B	32	GLU	4.5
1	1-A	126	ARG	4.5
1	1-B	23	PHE	4.5
1	1-B	62	GLY	4.4
1	1-A	130	PRO	4.4
1	1-B	42	ALA	4.4
1	1-B	72	GLN	4.4
1	1-B	31	LEU	4.4
1	1-B	108	ALA	4.3
1	1-A	36	ARG	4.3
1	1-A	100	LEU	4.3
1	1-B	96	LEU	4.3
1	1-A	104	VAL	4.3
1	1-A	125	ASN	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	71	PHE	4.3
1	1-B	93	GLN	4.3
1	1-B	107	ALA	4.2
1	1-A	38	HIS	4.2
1	1-B	51	HIS	4.2
1	1-A	57	LEU	4.2
1	1-B	111	HIS	4.1
1	1-A	116	GLN	4.1
1	1-A	62	GLY	4.1
1	1-B	68	ALA	4.0
1	1-A	58	LEU	4.0
1	1-B	57	LEU	4.0
1	1-B	48	GLU	4.0
1	1-B	69	GLU	4.0
1	1-B	102	TYR	4.0
1	1-A	121	LYS	3.9
1	1-B	44	GLU	3.9
1	1-B	83	ALA	3.9
1	1-B	65	GLY	3.9
1	1-A	55	ASN	3.9
1	1-B	26	SER	3.8
1	1-B	56	LEU	3.8
1	1-B	70	LEU	3.8
1	1-A	30	THR	3.8
1	1-B	90	ALA	3.8
1	1-A	48	GLU	3.8
1	1-B	53	PRO	3.7
1	1-A	128	ARG	3.7
1	1-A	44	GLU	3.7
1	1-A	131	VAL	3.7
1	1-B	121	LYS	3.6
1	1-B	99	VAL	3.6
1	1-B	79	PRO	3.6
1	1-A	109	ARG	3.5
1	1-A	92	LEU	3.5
1	1-B	59	ALA	3.5
1	1-A	54	ARG	3.5
1	1-B	54	ARG	3.5
1	1-A	41	PHE	3.5
1	1-A	67	LEU	3.5
1	1-A	113	ASP	3.5
1	1-B	66	GLU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-B	89	ARG	3.5
1	1-B	127	GLN	3.5
1	1-A	90	ALA	3.4
1	1-B	55	ASN	3.4
1	1-B	28	GLU	3.4
1	1-B	67	LEU	3.4
1	1-B	49	GLN	3.4
1	1-B	60	LEU	3.3
1	1-A	123	ASP	3.3
1	1-B	52	GLN	3.2
1	1-A	32	GLU	3.2
1	1-A	69	GLU	3.2
1	1-A	98	ASP	3.2
1	1-A	96	LEU	3.2
1	1-B	29	PRO	3.2
1	1-A	78	GLU	3.2
1	1-B	35	ARG	3.1
1	1-A	102	TYR	3.1
1	1-A	49	GLN	3.1
1	1-B	110	CYS	3.1
1	1-A	65	GLY	3.1
1	1-B	38	HIS	3.1
1	1-B	100	LEU	3.1
1	1-A	74	LYS	3.0
1	1-A	106	LEU	3.0
1	1-A	94	GLU	3.0
1	1-A	97	SER	3.0
1	1-B	91	ALA	2.9
1	1-A	73	TRP	2.9
1	1-A	83	ALA	2.9
1	1-B	61	VAL	2.9
1	1-B	86	PRO	2.8
1	1-B	87	LYS	2.8
1	1-B	80	GLY	2.8
1	1-B	94	GLU	2.7
1	1-A	108	ALA	2.7
1	1-A	72	GLN	2.7
1	1-A	112	VAL	2.7
1	1-A	110	CYS	2.6
1	1-A	63	GLU	2.5
1	1-A	46	ASP	2.5
1	1-B	106	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	59	ALA	2.5
1	1-B	129	TYR	2.4
1	1-B	58	LEU	2.4
1	1-B	74	LYS	2.3
1	1-B	76	ASP	2.3
1	1-A	103	LEU	2.3
1	1-A	45	ARG	2.2
1	1-B	27	PRO	2.2
1	1-B	45	ARG	2.2
1	1-B	40	GLU	2.1
1	1-A	132	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.