



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:20 PM UTC

PDB ID : 3Q5Y / pdb_00003q5y
Title : V beta/V beta homodimerization-based pre-TCR model suggested by TCR
beta crystal structures
Authors : Chen, Q.; Zhang, H.; Wang, J.-H.
Deposited on : 2010-12-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	4% 89% 10% .
1	B	240	5% 84% 15% .
1	C	240	4% 88% 12% .
1	D	240	5% 87% 11% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	248	-	-	X	-
3	PEG	B	249	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 8761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TCR N15 beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	4	0
			1959	1240	344	367	8			
1	B	238	Total	C	N	O	S	0	0	0
			1919	1215	337	360	7			
1	C	239	Total	C	N	O	S	0	2	0
			1936	1226	339	364	7			
1	D	238	Total	C	N	O	S	0	2	0
			1928	1221	337	363	7			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
4	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	250	Total	O	0	0
			250	250		
5	B	222	Total	O	0	0
			222	222		
5	C	230	Total	O	0	0
			230	230		
5	D	237	Total	O	0	0
			237	237		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TCR N15 beta




- Molecule 1: TCR N15 beta




- Molecule 1: TCR N15 beta



- Molecule 1: TCR N15 beta





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.18Å 129.56Å 129.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.4 (20.00-1.90) 99.2 (20.00-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.178 , 0.218 0.193 , 0.230	Depositor DCC
R_{free} test set	5146 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	22.3	Xtriage
Anisotropy	0.118	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 40.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8761	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7405e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, EPE, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/2023	0.70	0/2738
1	B	0.51	0/1974	0.71	0/2675
1	C	0.52	0/1997	0.72	0/2705
1	D	0.53	0/1989	0.74	2/2695 (0.1%)
All	All	0.52	0/7983	0.72	2/10813 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	229	SER	CA-C-N	5.08	125.32	119.83
1	D	229	SER	C-N-CA	5.08	125.32	119.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1959	0	1887	36	2
1	B	1919	0	1837	45	1
1	C	1936	0	1859	33	2
1	D	1928	0	1848	29	2
2	A	6	0	8	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	6	0	8	0	0
2	C	6	0	8	2	0
2	D	18	0	24	2	0
3	A	7	0	10	0	0
3	B	7	0	10	7	0
4	B	15	0	17	2	0
4	C	15	0	17	4	0
5	A	250	0	0	5	2
5	B	222	0	0	9	0
5	C	230	0	0	7	1
5	D	237	0	0	7	0
All	All	8761	0	7533	134	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:220:SER:OG	1:D:222:GLU:CG	1.76	1.33
1:D:220:SER:OG	1:D:222:GLU:HG3	1.11	1.27
1:B:211:ARG:HH12	1:C:207:ARG:NH2	1.30	1.25
1:A:141:GLN:HG2	5:A:788:HOH:O	1.35	1.22
1:C:156:HIS:HB2	5:C:683:HOH:O	1.56	1.04
1:B:211:ARG:NH1	1:C:207:ARG:NH2	2.04	1.04
1:A:117:GLU:H	2:A:248:GOL:C3	1.76	0.98
1:C:175:ASP:OD2	5:C:931:HOH:O	1.82	0.98
1:A:117:GLU:H	2:A:248:GOL:H31	1.29	0.95
1:A:18:ARG:NH2	1:A:18:ARG:HB2	1.80	0.95
1:C:126:LYS:HE2	5:C:909:HOH:O	1.68	0.94
1:D:220:SER:HG	1:D:222:GLU:HG3	1.23	0.92
1:A:117:GLU:HB2	2:A:248:GOL:H31	1.53	0.91
1:D:215:GLN:CD	5:D:698:HOH:O	2.16	0.89
1:B:211:ARG:HH12	1:C:207:ARG:CZ	1.89	0.84
1:D:187:TYR:CE1	2:D:248:GOL:H32	2.15	0.82
1:C:105:GLU:OE2	4:C:249:EPE:H81	1.80	0.80
1:A:14:GLU:CD	5:A:418:HOH:O	2.25	0.80
1:C:181:GLU:OE1	1:C:189:SER:OG	2.00	0.80
1:A:117:GLU:N	2:A:248:GOL:H31	1.98	0.79
1:B:105:GLU:OE2	4:B:250:EPE:H31	1.81	0.79
1:B:211:ARG:NH1	1:C:207:ARG:CZ	2.45	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:187:TYR:HE1	2:D:248:GOL:H32	1.48	0.78
1:B:126:LYS:N	1:B:126:LYS:CD	2.46	0.78
1:B:181:GLU:OE2	1:B:189:SER:OG	2.03	0.77
1:C:42:GLU:HG3	1:D:110:PRO:O	1.85	0.77
1:C:136:GLU:HG3	1:C:140:LYS:HE3	1.68	0.76
1:A:89:MET:HE1	1:A:113:ARG:HD3	1.67	0.74
1:B:211:ARG:HH12	1:C:207:ARG:HH22	1.35	0.74
1:A:117:GLU:N	2:A:248:GOL:C3	2.50	0.73
1:C:13:LYS:HD3	5:C:670:HOH:O	1.89	0.73
1:B:180:LYS:O	5:B:932:HOH:O	2.07	0.72
1:B:1:ASP:O	1:C:140:LYS:HE2	1.90	0.72
1:D:227:GLU:HA	1:D:227:GLU:OE1	1.89	0.72
1:B:126:LYS:N	1:B:126:LYS:HD3	2.05	0.71
1:A:117:GLU:H	2:A:248:GOL:H32	1.55	0.71
1:D:48:GLN:HE22	1:D:98:TRP:CD1	2.09	0.71
1:D:220:SER:OG	1:D:222:GLU:HG2	1.88	0.70
1:C:105:GLU:CD	4:C:249:EPE:H81	2.16	0.70
1:D:89:MET:HE1	1:D:113:ARG:HD3	1.74	0.69
1:A:201:THR:HG23	5:A:255:HOH:O	1.93	0.69
1:C:13:LYS:CD	5:C:670:HOH:O	2.43	0.67
1:A:89:MET:CE	1:A:113:ARG:HD3	2.26	0.66
1:D:215:GLN:OE1	5:D:698:HOH:O	2.10	0.65
1:A:181:GLU:O	5:B:932:HOH:O	2.13	0.65
1:A:18:ARG:HB2	1:A:18:ARG:HH21	1.57	0.65
1:C:178:ALA:H	2:C:248:GOL:C1	2.10	0.64
1:C:113:ARG:NH2	1:C:156:HIS:CD2	2.66	0.64
1:B:221:GLU:OE2	1:C:240:GLU:OE2	2.17	0.63
1:B:50:TYR:OH	1:B:97:ARG:HG2	1.98	0.62
1:A:117:GLU:CB	2:A:248:GOL:H31	2.27	0.62
1:B:136:GLU:HG3	1:B:140:LYS:HE3	1.82	0.61
1:A:18:ARG:HB2	1:A:18:ARG:CZ	2.30	0.60
1:B:117:GLU:CD	5:B:887:HOH:O	2.45	0.60
1:A:89:MET:HE1	1:A:113:ARG:HB2	1.84	0.59
4:C:249:EPE:HO8	1:D:98:TRP:CD1	2.21	0.59
1:B:1:ASP:O	1:C:140:LYS:CE	2.49	0.59
1:B:65:PHE:CE2	1:B:79:MET:HE3	2.38	0.59
1:B:126:LYS:HD3	1:B:126:LYS:H	1.67	0.59
1:D:215:GLN:NE2	5:D:698:HOH:O	2.31	0.58
1:D:44:LYS:HE3	5:D:553:HOH:O	2.04	0.57
1:B:121:ASN:ND2	5:B:565:HOH:O	1.97	0.57
1:B:177:GLN:HA	3:B:249:PEG:H42	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:ARG:CZ	1:A:18:ARG:CB	2.83	0.56
1:C:121:ASN:O	1:C:123:THR:HG23	2.05	0.56
1:B:178:ALA:H	3:B:249:PEG:H41	1.69	0.56
1:A:117:GLU:N	2:A:248:GOL:H32	2.18	0.56
1:D:89:MET:CE	1:D:113:ARG:HD3	2.35	0.56
1:D:220:SER:OG	1:D:222:GLU:CD	2.45	0.56
1:B:178:ALA:H	3:B:249:PEG:C4	2.18	0.56
1:C:113:ARG:NH1	5:C:778:HOH:O	2.38	0.56
1:B:141:GLN:NE2	5:B:580:HOH:O	2.22	0.55
1:C:221:GLU:HA	5:C:675:HOH:O	2.06	0.55
1:D:215:GLN:HG2	1:D:236:ASN:OD1	2.07	0.54
1:A:157:VAL:HG13	1:A:214:VAL:HG13	1.89	0.54
1:B:155:ASP:O	1:B:155:ASP:CG	2.51	0.54
1:A:15:LYS:NZ	5:A:461:HOH:O	2.35	0.54
1:A:116(A):LEU:HB3	2:A:248:GOL:H32	1.90	0.53
1:B:155:ASP:C	1:B:155:ASP:OD2	2.51	0.53
1:A:14:GLU:OE1	5:A:418:HOH:O	2.18	0.53
1:B:223:ASP:O	1:B:231:LYS:NZ	2.37	0.53
1:C:156:HIS:HB3	1:C:217:HIS:HB2	1.91	0.52
1:B:237:ILE:CD1	5:B:706:HOH:O	2.57	0.52
1:A:215:GLN:HG2	1:A:236:ASN:OD1	2.11	0.51
1:A:51[B]:GLU:O	1:A:52:LYS:HB2	2.12	0.50
1:B:126:LYS:N	1:B:126:LYS:HD2	2.25	0.49
1:D:64:ARG:HD2	1:D:80:SER:O	2.13	0.49
1:B:237:ILE:HD13	5:B:706:HOH:O	2.13	0.48
1:A:97[B]:ARG:CZ	1:A:97[B]:ARG:HB2	2.43	0.48
1:B:140:LYS:HD2	5:B:542:HOH:O	2.14	0.48
1:B:231:LYS:HD3	1:B:233:VAL:CG1	2.43	0.48
1:C:178:ALA:H	2:C:248:GOL:H12	1.78	0.48
1:C:132:PRO:HG3	1:C:143:ALA:HB1	1.95	0.47
1:D:140:LYS:HD3	5:D:499:HOH:O	2.14	0.47
4:B:250:EPE:H31	4:B:250:EPE:H81	1.53	0.47
1:B:155:ASP:OD1	3:B:249:PEG:O4	2.32	0.47
1:C:105:GLU:OE1	4:C:249:EPE:H81	2.14	0.46
1:A:89:MET:CE	1:A:113:ARG:CD	2.93	0.46
1:A:65:PHE:CZ	1:A:79:MET:HE3	2.51	0.46
1:B:50:TYR:CZ	1:B:97:ARG:HG2	2.51	0.46
1:B:229:SER:HB2	1:B:230:PRO:HD2	1.97	0.46
1:A:159:LEU:C	1:A:159:LEU:HD23	2.41	0.45
1:C:122:VAL:C	1:C:123:THR:CG2	2.89	0.45
1:C:122:VAL:C	1:C:123:THR:HG23	2.41	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:159:LEU:C	1:D:159:LEU:HD23	2.41	0.45
1:B:53:VAL:HB	1:B:55:ARG:HE	1.82	0.45
1:C:13:LYS:HE2	1:C:18:ARG:O	2.16	0.45
1:A:51[A]:GLU:O	1:A:52:LYS:HB2	2.17	0.44
1:B:65:PHE:CZ	1:B:79:MET:HE2	2.52	0.44
1:D:180:LYS:HG3	1:D:190:TYR:CE1	2.52	0.44
1:B:236:ASN:O	1:B:237:ILE:HD13	2.16	0.44
1:A:118:ASP:OD2	1:A:120:ARG:NH2	2.50	0.44
1:D:155:ASP:OD1	5:D:390:HOH:O	2.21	0.44
1:B:178:ALA:N	3:B:249:PEG:H41	2.32	0.44
1:A:89:MET:HE1	1:A:113:ARG:CD	2.43	0.43
1:C:21:LEU:HD22	1:C:112:THR:HG21	2.00	0.43
1:B:115:THR:HG1	1:B:156:HIS:CE1	2.37	0.43
1:B:192:LEU:HD21	3:B:249:PEG:H11	2.00	0.43
1:D:44:LYS:CE	5:D:553:HOH:O	2.64	0.43
1:A:89:MET:HG2	1:A:91:PHE:CZ	2.53	0.43
1:A:117:GLU:CA	2:A:248:GOL:H31	2.47	0.43
1:A:98:TRP:N	1:A:98:TRP:CD1	2.86	0.43
1:D:177:GLN:HG2	1:D:178:ALA:O	2.19	0.43
1:B:177:GLN:HA	3:B:249:PEG:C4	2.49	0.43
1:C:180:LYS:HD2	1:D:179:TYR:CD1	2.54	0.42
1:B:65:PHE:CZ	1:B:79:MET:CE	3.03	0.42
1:B:159:LEU:C	1:B:159:LEU:HD23	2.45	0.42
1:C:115:THR:OG1	1:C:156:HIS:NE2	2.45	0.41
1:B:237:ILE:HD11	5:B:706:HOH:O	2.21	0.41
1:D:155:ASP:HB2	1:D:190:TYR:CZ	2.55	0.41
1:D:33:VAL:HG13	1:D:45:PHE:HE1	1.86	0.41
1:B:125:PRO:C	1:B:126:LYS:HD2	2.46	0.40
1:A:155:ASP:HB2	1:A:190:TYR:CZ	2.56	0.40
1:D:48:GLN:OE1	1:D:56:ASP:HB2	2.22	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179:TYR:OH	5:C:551:HOH:O[3_545]	2.04	0.16
1:A:52:LYS:NZ	1:B:71:ASP:OD2[4_545]	2.11	0.09
1:C:180:LYS:O	5:A:447:HOH:O[4_445]	2.11	0.09
1:C:52:LYS:NZ	1:D:71:ASP:OD2[4_455]	2.12	0.08
1:D:179:TYR:OH	5:A:384:HOH:O[4_445]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/240 (101%)	236 (98%)	6 (2%)	0	100	100
1	B	236/240 (98%)	226 (96%)	10 (4%)	0	100	100
1	C	239/240 (100%)	231 (97%)	8 (3%)	0	100	100
1	D	238/240 (99%)	232 (98%)	6 (2%)	0	100	100
All	All	955/960 (100%)	925 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/213 (102%)	215 (99%)	2 (1%)	70	73
1	B	211/213 (99%)	209 (99%)	2 (1%)	70	73
1	C	214/213 (100%)	212 (99%)	2 (1%)	70	73
1	D	213/213 (100%)	209 (98%)	4 (2%)	50	47
All	All	855/852 (100%)	845 (99%)	10 (1%)	63	63

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ARG
1	A	98	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	19	SER
1	B	227	GLU
1	C	134	LYS
1	C	247	SER
1	D	56	ASP
1	D	126	LYS
1	D	222	GLU
1	D	224	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	121	ASN
1	A	215	GLN
1	C	10	HIS
1	C	106	GLN
1	D	121	ASN
1	D	177	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EPE	B	250	-	15,15,15	0.86	1 (6%)	19,20,20	0.83	1 (5%)
2	GOL	B	248	-	5,5,5	0.40	0	5,5,5	0.26	0
2	GOL	D	249	-	5,5,5	0.42	0	5,5,5	0.37	0
2	GOL	A	248	-	5,5,5	0.48	0	5,5,5	1.10	0
2	GOL	C	248	-	5,5,5	0.29	0	5,5,5	0.48	0
3	PEG	B	249	-	6,6,6	0.57	0	5,5,5	0.18	0
3	PEG	A	249	-	6,6,6	0.45	0	5,5,5	0.30	0
4	EPE	C	249	-	15,15,15	1.01	1 (6%)	19,20,20	0.85	1 (5%)
2	GOL	D	248	-	5,5,5	0.47	0	5,5,5	0.64	0
2	GOL	D	250	-	5,5,5	0.43	0	5,5,5	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EPE	B	250	-	-	4/9/19/19	0/1/1/1
2	GOL	B	248	-	-	0/4/4/4	-
2	GOL	D	249	-	-	0/4/4/4	-
2	GOL	A	248	-	-	2/4/4/4	-
2	GOL	C	248	-	-	4/4/4/4	-
3	PEG	B	249	-	-	3/4/4/4	-
3	PEG	A	249	-	-	3/4/4/4	-
4	EPE	C	249	-	-	8/9/19/19	0/1/1/1
2	GOL	D	248	-	-	2/4/4/4	-
2	GOL	D	250	-	-	0/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	249	EPE	C10-S	3.39	1.82	1.77
4	B	250	EPE	C10-S	2.75	1.81	1.77

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	250	EPE	O2S-S-C10	2.42	110.39	106.73
4	C	249	EPE	O3S-S-C10	2.28	110.46	106.00

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	248	GOL	O1-C1-C2-C3
2	C	248	GOL	C1-C2-C3-O3
2	C	248	GOL	O2-C2-C3-O3
2	D	248	GOL	O1-C1-C2-C3
4	B	250	EPE	C10-C9-N1-C6
4	B	250	EPE	C8-C7-N4-C3
4	C	249	EPE	C10-C9-N1-C2
4	B	250	EPE	N4-C7-C8-O8
4	C	249	EPE	N4-C7-C8-O8
4	C	249	EPE	C9-C10-S-O3S
3	A	249	PEG	O2-C3-C4-O4
2	C	248	GOL	O1-C1-C2-C3
3	B	249	PEG	O2-C3-C4-O4
2	A	248	GOL	O1-C1-C2-O2
2	C	248	GOL	O1-C1-C2-O2
2	D	248	GOL	O1-C1-C2-O2
3	A	249	PEG	O1-C1-C2-O2
4	C	249	EPE	C10-C9-N1-C6
4	C	249	EPE	C8-C7-N4-C3
4	C	249	EPE	C8-C7-N4-C5
4	C	249	EPE	C9-C10-S-O1S
4	C	249	EPE	C9-C10-S-O2S
3	B	249	PEG	C1-C2-O2-C3
3	B	249	PEG	O1-C1-C2-O2
4	B	250	EPE	C8-C7-N4-C5
3	A	249	PEG	C1-C2-O2-C3

There are no ring outliers.

6 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	250	EPE	2	0
2	A	248	GOL	10	0
2	C	248	GOL	2	0
3	B	249	PEG	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	249	EPE	4	0
2	D	248	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/240 (100%)	0.07	9 (3%) 44 47	9, 22, 41, 58	4 (1%)
1	B	238/240 (99%)	0.18	13 (5%) 30 32	12, 24, 44, 66	0
1	C	239/240 (99%)	0.15	9 (3%) 44 47	9, 23, 45, 74	2 (0%)
1	D	238/240 (99%)	0.15	11 (4%) 37 40	11, 23, 42, 64	2 (0%)
All	All	955/960 (99%)	0.14	42 (4%) 39 41	9, 23, 43, 74	8 (0%)

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	ASP	6.0
1	C	247	SER	5.7
1	D	59	PHE	5.4
1	A	98	TRP	4.6
1	D	1	ASP	4.5
1	C	59	PHE	4.4
1	A	59	PHE	4.3
1	D	140	LYS	4.2
1	C	1	ASP	3.9
1	A	0	MET	3.8
1	B	59	PHE	3.8
1	B	98	TRP	3.7
1	A	247	SER	3.7
1	A	1	ASP	3.5
1	A	227	GLU	3.4
1	D	222	GLU	3.4
1	C	98	TRP	3.3
1	D	98	TRP	3.1
1	B	228	GLY	3.1
1	A	228	GLY	3.1
1	D	227	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	140	LYS	3.0
1	B	246	ASP	2.9
1	D	246	ASP	2.7
1	B	221	GLU	2.7
1	C	156	HIS	2.6
1	B	156	HIS	2.4
1	B	224	LYS	2.4
1	D	139	ASN	2.4
1	B	2	SER	2.4
1	C	228	GLY	2.4
1	A	56	ASP	2.3
1	D	56	ASP	2.3
1	C	221	GLU	2.3
1	B	222	GLU	2.3
1	C	118	ASP	2.1
1	A	140	LYS	2.1
1	B	155	ASP	2.1
1	B	117	GLU	2.1
1	D	60	LEU	2.1
1	D	204	HIS	2.0
1	C	116	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EPE	B	250	15/15	0.69	0.18	56,57,63,63	0
3	PEG	A	249	7/7	0.72	0.21	66,66,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EPE	C	249	15/15	0.75	0.17	47,48,54,55	0
2	GOL	C	248	6/6	0.77	0.15	44,48,49,50	0
2	GOL	A	248	6/6	0.83	0.17	34,37,37,38	0
2	GOL	D	250	6/6	0.84	0.14	31,36,37,38	0
2	GOL	D	248	6/6	0.84	0.15	36,37,38,38	0
2	GOL	D	249	6/6	0.85	0.13	32,34,36,37	0
2	GOL	B	248	6/6	0.87	0.13	29,34,36,39	0
3	PEG	B	249	7/7	0.87	0.14	28,36,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.