



wwPDB EM Validation Summary Report ⓘ

Mar 6, 2026 – 03:38 PM UTC

PDB ID : 7Q59 / pdb_00007q59
EMDB ID : EMD-13829
Title : Cryo-EM structure of Mycobacterium tuberculosis RNA polymerase holoenzyme dimer comprising sigma factor SigB
Authors : Brodolin, K.
Deposited on : 2021-11-03
Resolution : 4.36 Å(reported)
Based on initial model : 7PP4

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3737 (3.87 - 4.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	 58% 6% 36%
1	B	347	 55% 11% 34%
1	a	347	 58% 6% 36%
1	b	347	 56% 10% 34%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	C	1174	
2	c	1174	
3	D	1319	
3	d	1319	
4	E	110	
4	e	110	
5	F	343	
5	f	343	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 47632 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	223	Total	C	N	O	S	0	0
			1700	1068	294	336	2		
1	B	230	Total	C	N	O	S	0	0
			1749	1099	301	347	2		
1	a	223	Total	C	N	O	S	0	0
			1700	1068	294	336	2		
1	b	230	Total	C	N	O	S	0	0
			1749	1099	301	347	2		

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	1112	Total	C	N	O	S	0	0
			8640	5408	1515	1678	39		
2	c	1112	Total	C	N	O	S	0	0
			8640	5408	1515	1678	39		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	5	MET	-	initiating methionine	UNP P9WGY9
C	6	VAL	ILE	conflict	UNP P9WGY9
c	5	MET	-	initiating methionine	UNP P9WGY9
c	6	VAL	ILE	conflict	UNP P9WGY9

- Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	1269	Total	C	N	O	S	0	0
			9951	6231	1805	1874	41		
3	d	1269	Total	C	N	O	S	0	0
			9951	6231	1805	1874	41		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1317	HIS	-	expression tag	UNP P9WGY7
D	1318	HIS	-	expression tag	UNP P9WGY7
D	1319	HIS	-	expression tag	UNP P9WGY7
D	1320	HIS	-	expression tag	UNP P9WGY7
D	1321	HIS	-	expression tag	UNP P9WGY7
D	1322	HIS	-	expression tag	UNP P9WGY7
d	1317	HIS	-	expression tag	UNP P9WGY7
d	1318	HIS	-	expression tag	UNP P9WGY7
d	1319	HIS	-	expression tag	UNP P9WGY7
d	1320	HIS	-	expression tag	UNP P9WGY7
d	1321	HIS	-	expression tag	UNP P9WGY7
d	1322	HIS	-	expression tag	UNP P9WGY7

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	E	83	Total	C	N	O	0	0
			654	417	108	129		
4	e	83	Total	C	N	O	0	0
			654	417	108	129		

- Molecule 5 is a protein called RNA polymerase sigma factor SigB.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	142	Total	C	N	O	S	0
			1119	705	210	201	3	0
5	f	142	Total	C	N	O	S	0
			1119	705	210	201	3	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	-19	MET	-	initiating methionine	UNP P9WGI5
F	-18	GLY	-	expression tag	UNP P9WGI5
F	-17	SER	-	expression tag	UNP P9WGI5
F	-16	SER	-	expression tag	UNP P9WGI5
F	-15	HIS	-	expression tag	UNP P9WGI5
F	-14	HIS	-	expression tag	UNP P9WGI5
F	-13	HIS	-	expression tag	UNP P9WGI5
F	-12	HIS	-	expression tag	UNP P9WGI5
F	-11	HIS	-	expression tag	UNP P9WGI5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-10	HIS	-	expression tag	UNP P9WGI5
F	-9	SER	-	expression tag	UNP P9WGI5
F	-8	SER	-	expression tag	UNP P9WGI5
F	-7	GLY	-	expression tag	UNP P9WGI5
F	-6	LEU	-	expression tag	UNP P9WGI5
F	-5	VAL	-	expression tag	UNP P9WGI5
F	-4	PRO	-	expression tag	UNP P9WGI5
F	-3	ARG	-	expression tag	UNP P9WGI5
F	-2	GLY	-	expression tag	UNP P9WGI5
F	-1	SER	-	expression tag	UNP P9WGI5
F	0	HIS	-	expression tag	UNP P9WGI5
f	-19	MET	-	initiating methionine	UNP P9WGI5
f	-18	GLY	-	expression tag	UNP P9WGI5
f	-17	SER	-	expression tag	UNP P9WGI5
f	-16	SER	-	expression tag	UNP P9WGI5
f	-15	HIS	-	expression tag	UNP P9WGI5
f	-14	HIS	-	expression tag	UNP P9WGI5
f	-13	HIS	-	expression tag	UNP P9WGI5
f	-12	HIS	-	expression tag	UNP P9WGI5
f	-11	HIS	-	expression tag	UNP P9WGI5
f	-10	HIS	-	expression tag	UNP P9WGI5
f	-9	SER	-	expression tag	UNP P9WGI5
f	-8	SER	-	expression tag	UNP P9WGI5
f	-7	GLY	-	expression tag	UNP P9WGI5
f	-6	LEU	-	expression tag	UNP P9WGI5
f	-5	VAL	-	expression tag	UNP P9WGI5
f	-4	PRO	-	expression tag	UNP P9WGI5
f	-3	ARG	-	expression tag	UNP P9WGI5
f	-2	GLY	-	expression tag	UNP P9WGI5
f	-1	SER	-	expression tag	UNP P9WGI5
f	0	HIS	-	expression tag	UNP P9WGI5


- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
6	D	2	Total Zn 2 2	0
6	d	2	Total Zn 2 2	0


- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
7	D	1	Total 1	Mg 1	0
7	d	1	Total 1	Mg 1	0


- Molecule 1: DNA-directed RNA polymerase subunit alpha




- Molecule 2: DNA-directed RNA polymerase subunit beta




- Molecule 2: DNA-directed RNA polymerase subunit beta







- Molecule 3: DNA-directed RNA polymerase subunit beta'




- Molecule 3: DNA-directed RNA polymerase subunit beta'







- Molecule 4: DNA-directed RNA polymerase subunit omega



- Molecule 4: DNA-directed RNA polymerase subunit omega



- Molecule 5: RNA polymerase sigma factor SigB



GLN	VAL	LEU	GLY	ASP	ASN	LEU	LYS	ILE	GLU	ALA	ARG	ILE	LYS	GLU	ARG	GLU	ASN	THR	ALA	GLY	ILE	PRO	ILE	ASP	LYS	ASP	ILE	ASN	ASP	LEU	LEU	GLN	GLY	PRO	VAL	SER	LEU	ASP	GLY	ASP	MET	PRO	VAL	ARG	GLY	THR	LEU	SER	GLU	GLY	ALA	PRO	LYS
LEU	GLY	PHE	ASP	PHE	LEU	SER	ILE	GLU	ASP	ALA	ALA	GLY	ALA	ARG	GLU	VAL	ASN	GLN	GLY	THR	ASP	ILE	ALA	ALA	ARG	GLY	VAL	LEU	SER	GLY	ALA	THR	ALA	ASP	GLY	VAL	LEU	ASP	GLY	GLN	GLY	ARG	VAL	THR	LEU	SER	ASP	GLN	ILE	GLY	ALA	PRO	LYS
LEU	PHE	GLY	GLY	LEU	SER	ILE	GLU	ARG	GLU	ARG	VAL	ARG	GLN	GLY	ASP	VAL	PRO	GLY	THR	ASP	ARG	ALA	ALA	ASP	ARG	ARG	LEU	THR	ARG	ALA	THR	TYR	ALA	SER																			

● Molecule 5: RNA polymerase sigma factor SigB



THR	LEU	ASP	GLN	ILE	GLY	LYS	PHE	GLY	LEU	SER	GLU	VAL	ARG	VAL	GLN	ILE	GLU	ASP	VAL	VAL	VAL	GLN	THR	HIS	ARG	GLY	LEU	ARG	LEU	SER	THR	GLY	ASP	LEU	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP	GLY	THR	GLY	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	115112	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	49.6	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	7000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.279	Depositor
Minimum map value	-0.340	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.038	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	495.0, 495.0, 495.0	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/1726	0.23	0/2348
1	B	0.11	0/1775	0.24	0/2414
1	a	0.10	0/1726	0.23	0/2348
1	b	0.11	0/1775	0.24	0/2414
2	C	0.17	0/8799	0.31	0/11929
2	c	0.17	0/8799	0.31	0/11929
3	D	0.24	0/10118	0.41	3/13675 (0.0%)
3	d	0.21	0/10118	0.37	0/13675
4	E	0.10	0/667	0.23	0/908
4	e	0.10	0/667	0.23	0/908
5	F	0.59	0/1134	1.13	7/1525 (0.5%)
5	f	0.58	0/1134	1.14	5/1525 (0.3%)
All	All	0.22	0/48438	0.41	15/65598 (0.0%)

There are no bond length outliers.

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	f	82	ASP	N-CA-C	-6.11	104.63	111.28
5	F	82	ASP	N-CA-C	-6.07	104.67	111.28
5	F	76	LEU	N-CA-C	-6.01	104.72	111.28
5	f	76	LEU	N-CA-C	-5.98	104.76	111.28
5	F	53	GLU	N-CA-C	-5.80	104.86	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1700	0	1734	15	0
1	B	1749	0	1781	27	0
1	a	1700	0	1734	14	0
1	b	1749	0	1781	25	0
2	C	8640	0	8584	88	0
2	c	8640	0	8584	87	0
3	D	9951	0	10035	151	0
3	d	9951	0	10035	147	0
4	E	654	0	648	3	0
4	e	654	0	648	5	0
5	F	1119	0	1155	27	0
5	f	1119	0	1155	34	0
6	D	2	0	0	0	0
6	d	2	0	0	0	0
7	D	1	0	0	0	0
7	d	1	0	0	0	0
All	All	47632	0	47874	583	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 583 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:f:58:ALA:O	5:f:62:LEU:CD1	2.11	0.98
5:f:58:ALA:O	5:f:62:LEU:HD13	1.66	0.95
3:d:326:PRO:O	3:d:337:THR:OG1	1.93	0.87
3:D:326:PRO:O	3:D:337:THR:OG1	1.93	0.84
5:F:129:LYS:HD2	3:d:62:CYS:O	1.79	0.83

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/347 (64%)	212 (96%)	9 (4%)	0	100	100
1	B	228/347 (66%)	222 (97%)	6 (3%)	0	100	100
1	a	221/347 (64%)	212 (96%)	9 (4%)	0	100	100
1	b	228/347 (66%)	222 (97%)	6 (3%)	0	100	100
2	C	1110/1174 (94%)	1075 (97%)	35 (3%)	0	100	100
2	c	1110/1174 (94%)	1075 (97%)	35 (3%)	0	100	100
3	D	1265/1319 (96%)	1217 (96%)	48 (4%)	0	100	100
3	d	1265/1319 (96%)	1216 (96%)	49 (4%)	0	100	100
4	E	81/110 (74%)	75 (93%)	6 (7%)	0	100	100
4	e	81/110 (74%)	75 (93%)	6 (7%)	0	100	100
5	F	140/343 (41%)	135 (96%)	5 (4%)	0	100	100
5	f	140/343 (41%)	136 (97%)	4 (3%)	0	100	100
All	All	6090/7280 (84%)	5872 (96%)	218 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/297 (65%)	191 (100%)	1 (0%)	81	81
1	B	197/297 (66%)	197 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	192/297 (65%)	191 (100%)	1 (0%)	81	81
1	b	197/297 (66%)	197 (100%)	0	100	100
2	C	946/995 (95%)	941 (100%)	5 (0%)	81	81
2	c	946/995 (95%)	941 (100%)	5 (0%)	81	81
3	D	1058/1098 (96%)	1053 (100%)	5 (0%)	81	81
3	d	1058/1098 (96%)	1051 (99%)	7 (1%)	76	79
4	E	70/90 (78%)	70 (100%)	0	100	100
4	e	70/90 (78%)	70 (100%)	0	100	100
5	F	111/284 (39%)	104 (94%)	7 (6%)	16	38
5	f	111/284 (39%)	105 (95%)	6 (5%)	20	42
All	All	5148/6122 (84%)	5111 (99%)	37 (1%)	73	79

5 of 37 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	d	256	MET
5	f	92	GLU
3	d	259	GLU
5	f	52	ILE
5	F	52	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
2	c	614	GLN
2	c	935	HIS
2	c	841	HIS
2	c	1034	HIS
2	C	986	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13829. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184



Y Index: 186




Z Index: 233


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_13829_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 759 nm³; this corresponds to an approximate mass of 685 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.229 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.229 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.36	-	-
Author-provided FSC curve	4.36	6.65	4.41
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-13829 and PDB model 7Q59. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8870	0.2570
A	0.8960	0.2770
B	0.9070	0.2670
C	0.9040	0.2590
D	0.8890	0.2760
E	0.9020	0.3000
F	0.8440	0.2480
a	0.8870	0.2430
b	0.8960	0.2190
c	0.8770	0.2370
d	0.8800	0.2580
e	0.8980	0.2870
f	0.8300	0.2040

1.0

0.0

<0.0