



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:35 PM UTC

PDB ID : 3Q6D / pdb_00003q6d
Title : Xaa-Pro dipeptidase from Bacillus anthracis.
Authors : Osipiuk, J.; Makowska-Grzyska, M.; Papazisi, L.; Anderson, W.F.;
Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CS-
GID)
Deposited on : 2010-12-31
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	87%11% .
1	B	356	93%6% .
1	C	356	6% 80%17% ..
1	D	356	3% 79%18% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proline dipeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	355	Total	C	N	O	S	0	13	0
			2804	1786	458	555	5			
1	B	355	Total	C	N	O	S	0	12	0
			2797	1780	459	552	6			
1	C	353	Total	C	N	O	S	0	16	0
			2806	1788	461	552	5			
1	D	353	Total	C	N	O	S	0	13	0
			2791	1779	458	549	5			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q81M33
A	-1	ASN	-	expression tag	UNP Q81M33
A	0	ALA	-	expression tag	UNP Q81M33
B	-2	SER	-	expression tag	UNP Q81M33
B	-1	ASN	-	expression tag	UNP Q81M33
B	0	ALA	-	expression tag	UNP Q81M33
C	-2	SER	-	expression tag	UNP Q81M33
C	-1	ASN	-	expression tag	UNP Q81M33
C	0	ALA	-	expression tag	UNP Q81M33
D	-2	SER	-	expression tag	UNP Q81M33
D	-1	ASN	-	expression tag	UNP Q81M33
D	0	ALA	-	expression tag	UNP Q81M33

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		
3	D	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	190	Total	O	0	0
			190	190		
4	B	208	Total	O	0	0
			208	208		
4	C	110	Total	O	0	0
			110	110		
4	D	145	Total	O	0	0
			145	145		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Proline dipeptidase




• Molecule 1: Proline dipeptidase




• Molecule 1: Proline dipeptidase



• Molecule 1: Proline dipeptidase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.50Å 107.91Å 252.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.90 – 1.97 45.90 – 1.97	Depositor EDS
% Data completeness (in resolution range)	97.3 (45.90-1.97) 97.5 (45.90-1.97)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.196 , 0.247 0.205 , 0.253	Depositor DCC
R_{free} test set	5699 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	32.4	Xtriage
Anisotropy	0.309	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11861	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.05	2/2885 (0.1%)	0.98	1/3895 (0.0%)
1	B	1.10	0/2878	1.02	2/3882 (0.1%)
1	C	0.93	0/2899	0.95	2/3911 (0.1%)
1	D	1.08	2/2874 (0.1%)	1.05	3/3877 (0.1%)
All	All	1.04	4/11536 (0.0%)	1.00	8/15565 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	349	GLU	N-CA	5.49	1.52	1.45
1	A	120	LEU	N-CA	5.25	1.52	1.46
1	A	289	ILE	C-O	-5.24	1.18	1.23
1	D	296	ALA	CA-CB	5.03	1.61	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	51	THR	N-CA-C	7.99	119.77	108.74
1	C	51	THR	N-CA-C	7.06	118.82	108.86
1	C	155	ARG	N-CA-C	5.79	113.34	108.13
1	B	97	THR	CB-CA-C	-5.74	100.01	109.65
1	D	316	GLU	CA-C-N	-5.64	114.45	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	316	GLU	C-N-CA	-5.64	114.45	120.03
1	A	0	ALA	N-CA-C	-5.59	105.19	111.28
1	D	183	ILE	N-CA-C	5.22	116.42	109.37

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	207	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2804	0	2827	28	0
1	B	2797	0	2821	17	0
1	C	2806	0	2840	45	0
1	D	2791	0	2831	60	0
2	A	6	0	8	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	190	0	0	2	0
4	B	208	0	0	7	0
4	C	110	0	0	2	0
4	D	145	0	0	4	0
All	All	11861	0	11327	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:7:LEU:HD22	1:D:30:MET:HE3	1.24	1.16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:16:ILE:HG22	1:C:115[B]:ILE:HD11	1.19	1.11
1:C:16:ILE:HG22	1:C:115[B]:ILE:CD1	1.92	0.97
1:D:20:LEU:HD11	1:D:39[A]:VAL:HG11	1.48	0.95
1:D:302[B]:ARG:NH1	4:D:641:HOH:O	2.02	0.91
1:D:20:LEU:HD11	1:D:39[B]:VAL:HG21	1.53	0.90
1:C:30:MET:HA	1:C:30:MET:HE2	1.61	0.82
1:D:51[A]:THR:HG22	1:D:52:ASP:O	1.80	0.82
1:D:240[A]:ILE:HD11	1:D:277:TYR:CE1	2.14	0.81
1:D:79:VAL:O	1:D:83:VAL:HG23	1.81	0.80
1:C:29:TYR:HD1	1:C:30:MET:HE3	1.47	0.79
1:D:272:ILE:HD12	1:D:319:ILE:HD11	1.66	0.78
1:D:110:ILE:O	4:D:548:HOH:O	2.04	0.76
1:A:323:GLY:C	1:A:324:ILE:HD12	2.11	0.75
1:C:161:ILE:HD12	1:C:200[A]:GLU:OE1	1.88	0.73
1:D:20:LEU:CD1	1:D:39[A]:VAL:HG11	2.20	0.72
1:D:321:ILE:CG2	1:D:324:ILE:HD12	2.21	0.71
1:B:34:THR:HG22	4:B:574:HOH:O	1.91	0.70
1:D:59:ALA:HB3	1:D:68:ILE:HD11	1.72	0.70
1:D:20:LEU:CD1	1:D:39[B]:VAL:HG21	2.20	0.70
1:C:29:TYR:CD1	1:C:30:MET:CE	2.75	0.70
1:D:7:LEU:HD22	1:D:30:MET:CE	2.13	0.70
1:D:30:MET:HE1	1:D:124:LEU:HD22	1.73	0.70
1:D:321:ILE:HG21	1:D:324:ILE:HD12	1.73	0.70
1:C:29:TYR:CD1	1:C:30:MET:HE3	2.26	0.70
1:D:19:ILE:HG22	1:D:42:ILE:HG23	1.72	0.70
1:D:90:LYS:HB3	1:D:115:ILE:CD1	2.22	0.70
1:A:228:ILE:C	1:A:228:ILE:HD12	2.18	0.69
1:C:228:ILE:C	1:C:228:ILE:HD12	2.18	0.68
1:A:-1:ASN:C	1:A:-1:ASN:ND2	2.51	0.68
1:D:21:LEU:O	1:D:39[B]:VAL:HG23	1.93	0.67
1:B:96:ASP:OD2	4:B:660:HOH:O	2.13	0.67
1:C:184:ILE:HB	1:C:212:ASP:HB3	1.77	0.66
1:C:56:VAL:HG21	1:C:70:GLN:HE21	1.61	0.65
1:A:279[B]:GLU:OE1	4:A:758:HOH:O	2.15	0.64
1:C:174:GLN:NE2	4:C:566:HOH:O	2.31	0.64
1:B:34:THR:CG2	4:B:574:HOH:O	2.45	0.64
1:D:90:LYS:HB3	1:D:115:ILE:HD11	1.80	0.63
1:D:60:SER:OG	1:D:68:ILE:HD13	1.99	0.63
1:C:29:TYR:HD1	1:C:30:MET:CE	2.09	0.63
1:B:13[B]:GLU:HG3	4:B:678:HOH:O	1.98	0.62
1:A:184:ILE:HB	1:A:212:ASP:HB3	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:75:ILE:O	1:C:79:VAL:HG23	2.00	0.61
1:C:16:ILE:CG2	1:C:115[B]:ILE:HD11	2.13	0.60
1:D:184:ILE:HB	1:D:212:ASP:HB3	1.82	0.60
1:D:228:ILE:HD12	1:D:228:ILE:C	2.26	0.60
1:C:76:ILE:HD12	1:C:76:ILE:H	1.65	0.60
1:C:4:ILE:CG2	1:C:8[B]:ARG:NH1	2.65	0.59
1:A:245:LEU:O	1:A:249:LEU:HD22	2.01	0.59
1:D:59:ALA:HB3	1:D:68:ILE:CD1	2.33	0.59
1:B:89:GLN:NE2	4:B:556:HOH:O	2.36	0.58
1:B:6:ARG:HD3	4:B:674:HOH:O	2.02	0.58
1:D:68:ILE:O	1:D:68:ILE:HG23	2.04	0.57
1:C:17:ASP:OD1	1:C:88:ILE:HG23	2.04	0.57
1:A:246:GLU:HG2	1:A:271:TYR:CZ	2.40	0.56
1:B:184:ILE:HB	1:B:212:ASP:HB3	1.86	0.55
1:C:16:ILE:HG22	1:C:115[B]:ILE:CG1	2.34	0.55
1:A:351:ILE:HG22	1:A:353:LEU:HD12	1.88	0.55
1:C:4:ILE:HD11	1:C:66:TYR:CE1	2.41	0.55
1:D:21:LEU:O	1:D:39[A]:VAL:HG13	2.06	0.55
1:D:30:MET:HE2	1:D:121:VAL:HG13	1.89	0.54
1:D:256:LYS:HB3	1:D:339:GLY:HA2	1.89	0.54
1:A:351:ILE:HG22	1:A:353:LEU:CD1	2.38	0.54
1:B:79:VAL:O	1:B:83:VAL:HG23	2.08	0.54
1:A:-1:ASN:C	1:A:-1:ASN:HD22	2.15	0.54
1:C:30:MET:HE2	1:C:30:MET:CA	2.37	0.53
1:A:324:ILE:HD12	1:A:324:ILE:N	2.23	0.53
1:C:259:LEU:HD22	1:C:263:GLU:HB3	1.89	0.53
1:A:19:ILE:HD12	1:A:120:LEU:HD22	1.90	0.53
1:D:48:GLN:HG2	1:D:67:GLU:HG3	1.90	0.53
1:C:187:SER:O	1:C:201:LYS:HE3	2.09	0.53
1:C:1:MET:HE1	1:C:65:GLY:O	2.09	0.52
1:D:19:ILE:CG2	1:D:42:ILE:HG23	2.40	0.51
1:B:51:THR:OG1	1:B:52:ASP:N	2.38	0.51
1:D:49:PHE:CD1	1:D:51[A]:THR:OG1	2.63	0.51
1:D:240[B]:ILE:HD11	1:D:321:ILE:HD12	1.92	0.51
1:A:2:GLU:HG2	1:A:3:LYS:N	2.26	0.51
1:D:90:LYS:HD2	1:D:115:ILE:HD11	1.93	0.50
1:A:113:GLU:HB3	1:A:115:ILE:HD11	1.93	0.50
1:C:240:ILE:HD11	1:C:321:ILE:CD1	2.41	0.50
1:C:83:VAL:HG21	1:C:91:LEU:HD22	1.92	0.50
1:D:279[B]:GLU:H	1:D:279[B]:GLU:CD	2.19	0.50
1:D:15:GLY:O	1:D:115:ILE:HD13	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:141:GLN:HG2	4:D:513:HOH:O	2.12	0.49
1:C:161:ILE:HG13	1:C:199:SER:O	2.13	0.49
1:C:4:ILE:HG21	1:C:8[B]:ARG:NH1	2.27	0.49
1:A:321:ILE:HG22	1:A:324:ILE:HD13	1.96	0.48
1:C:4:ILE:HG22	1:C:8[B]:ARG:NH1	2.27	0.48
1:A:5:GLU:OE2	1:A:8:ARG:NH1	2.41	0.48
1:C:308:GLU:HB2	1:C:311:MET:HE3	1.94	0.48
1:A:245:LEU:O	1:A:249:LEU:CD2	2.62	0.48
1:C:232:GLU:OE2	1:C:238:LYS:NZ	2.46	0.48
1:C:195:HIS:ND1	1:D:54:ARG:HD2	2.29	0.47
1:D:208:PHE:CE2	1:D:327:VAL:HG22	2.49	0.47
1:C:83:VAL:HG21	1:C:110:ILE:CD1	2.44	0.47
1:D:243:ILE:HG22	1:D:272:ILE:HD13	1.97	0.47
1:A:240[A]:ILE:HD11	1:A:321:ILE:HD12	1.97	0.47
1:C:184:ILE:HG23	1:C:196:GLY:O	2.15	0.47
1:C:83:VAL:HG13	1:C:88:ILE:HB	1.96	0.47
1:B:13[B]:GLU:CG	4:B:678:HOH:O	2.57	0.47
1:D:41:LEU:CD1	1:D:91:LEU:HD11	2.45	0.46
1:A:52[A]:ASP:CG	1:A:53:PHE:N	2.72	0.46
1:D:90:LYS:CB	1:D:115:ILE:HD11	2.45	0.46
1:D:240[A]:ILE:CD1	1:D:277:TYR:CE1	2.92	0.46
1:A:245:LEU:CD1	1:A:249:LEU:HD21	2.46	0.46
1:D:321:ILE:HG22	1:D:324:ILE:HD12	1.96	0.46
1:D:131:SER:O	1:D:135:ILE:HG12	2.16	0.45
1:C:240:ILE:HD11	1:C:321:ILE:HD12	1.98	0.45
1:C:262[B]:ARG:NH1	1:C:301:PHE:CE1	2.85	0.45
1:D:328:ARG:NH2	4:D:567:HOH:O	2.40	0.45
1:B:108[B]:GLU:OE2	1:D:173[B]:LYS:NZ	2.49	0.45
1:C:228:ILE:C	1:C:228:ILE:CD1	2.88	0.45
1:C:304:ASP:OD1	4:C:581:HOH:O	2.21	0.44
1:D:5:GLU:OE2	1:D:5:GLU:HA	2.18	0.44
1:D:4:ILE:HD11	1:D:66:TYR:CZ	2.53	0.44
1:A:316:GLU:HB3	1:A:330:GLU:HG3	1.98	0.44
1:C:240:ILE:HG21	1:C:240:ILE:HD13	1.69	0.44
1:D:126:LEU:HD13	1:D:296:ALA:HB3	1.99	0.44
1:D:39[B]:VAL:HG22	1:D:40:VAL:N	2.32	0.44
1:D:212:ASP:OD2	1:D:328:ARG:NH1	2.51	0.44
1:A:324:ILE:N	1:A:324:ILE:CD1	2.81	0.43
1:D:19:ILE:CG2	1:D:42:ILE:CG2	2.96	0.43
1:A:107:LYS:O	4:A:623:HOH:O	2.21	0.43
1:D:243:ILE:HG22	1:D:272:ILE:CD1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:208:PHE:HE2	1:D:327:VAL:HG22	1.83	0.43
1:C:4:ILE:HD11	1:C:66:TYR:CZ	2.53	0.43
1:A:79:VAL:O	1:A:83:VAL:HG23	2.19	0.43
1:D:120:LEU:O	1:D:124:LEU:HD13	2.18	0.43
1:A:83:VAL:HG13	1:A:88:ILE:HB	2.00	0.42
1:D:16:ILE:HG22	1:D:115:ILE:HD12	2.00	0.42
1:B:49:PHE:CE2	1:B:51:THR:HB	2.54	0.42
1:B:228:ILE:C	1:B:228:ILE:HD12	2.44	0.42
1:D:240[A]:ILE:HD11	1:D:277:TYR:CZ	2.53	0.42
1:A:228:ILE:C	1:A:228:ILE:CD1	2.87	0.41
1:C:191:SER:O	1:C:326:GLY:HA3	2.20	0.41
1:C:29:TYR:CE1	1:C:30:MET:CE	3.03	0.41
1:A:184:ILE:HG23	1:A:196:GLY:O	2.20	0.41
1:C:297:PRO:HD2	1:C:313:VAL:HG12	2.03	0.41
1:D:8:ARG:HG3	1:D:42:ILE:HD11	2.03	0.41
1:A:126:LEU:HG	1:A:311:MET:HE2	2.02	0.41
1:C:155:ARG:O	1:C:156:PRO:C	2.64	0.41
1:D:68:ILE:O	1:D:68:ILE:CG2	2.69	0.41
1:B:288:GLY:HA2	1:B:312:ALA:O	2.22	0.40
1:B:301:PHE:O	1:B:301:PHE:CG	2.72	0.40
1:C:90:LYS:HB3	1:C:115[A]:ILE:HD12	2.03	0.40
1:B:240:ILE:HD13	1:B:240:ILE:HG21	1.87	0.40
1:D:126:LEU:HD13	1:D:296:ALA:CB	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/356 (103%)	357 (98%)	9 (2%)	0	100	100
1	B	365/356 (102%)	360 (99%)	5 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	367/356 (103%)	351 (96%)	16 (4%)	0	100	100
1	D	364/356 (102%)	356 (98%)	8 (2%)	0	100	100
All	All	1462/1424 (103%)	1424 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/291 (104%)	288 (95%)	15 (5%)	22	10
1	B	302/291 (104%)	297 (98%)	5 (2%)	53	48
1	C	304/291 (104%)	280 (92%)	24 (8%)	11	3
1	D	302/291 (104%)	287 (95%)	15 (5%)	22	10
All	All	1211/1164 (104%)	1152 (95%)	59 (5%)	23	10

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	2	GLU
1	A	36[A]	THR
1	A	36[B]	THR
1	A	52[A]	ASP
1	A	52[B]	ASP
1	A	56	VAL
1	A	64	VAL
1	A	81	LYS
1	A	86	LEU
1	A	242	ASN
1	A	256	LYS
1	A	324	ILE
1	A	341	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	345	LYS
1	B	-1	ASN
1	B	2	GLU
1	B	34	THR
1	B	249	LEU
1	B	302	ARG
1	C	2	GLU
1	C	45	LYS
1	C	52[A]	ASP
1	C	52[B]	ASP
1	C	84	LYS
1	C	101	SER
1	C	110	ILE
1	C	150	ILE
1	C	152	SER
1	C	158	VAL
1	C	161	ILE
1	C	162	GLU
1	C	169	PHE
1	C	208	PHE
1	C	228	ILE
1	C	240	ILE
1	C	250	ARG
1	C	252	VAL
1	C	279	GLU
1	C	304	ASP
1	C	306	VAL
1	C	324	ILE
1	C	337	SER
1	C	349	GLU
1	D	1	MET
1	D	9	SER
1	D	19	ILE
1	D	32	ASN
1	D	42	ILE
1	D	44	LYS
1	D	56	VAL
1	D	67	GLU
1	D	70	GLN
1	D	86	LEU
1	D	148	GLU
1	D	161	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	173[A]	LYS
1	D	173[B]	LYS
1	D	259	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	71	HIS
1	A	242	ASN
1	B	174	GLN
1	B	340	ASN
1	C	32	ASN
1	C	58	GLN
1	C	70	GLN
1	C	340	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	501	-	5,5,5	0.53	0	5,5,5	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	501	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	355/356 (99%)	-0.10	3 (0%) 82 87	12, 31, 46, 59	13 (3%)
1	B	355/356 (99%)	-0.19	2 (0%) 85 90	15, 29, 44, 59	12 (3%)
1	C	353/356 (99%)	0.49	20 (5%) 29 38	18, 42, 58, 65	16 (4%)
1	D	353/356 (99%)	0.24	11 (3%) 51 61	16, 35, 50, 63	13 (3%)
All	All	1416/1424 (99%)	0.11	36 (2%) 58 68	12, 34, 52, 65	54 (3%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	0	ALA	5.2
1	C	53[A]	PHE	4.4
1	C	47	ALA	3.9
1	B	53	PHE	3.9
1	C	64	VAL	3.5
1	C	76	ILE	3.2
1	A	55[A]	TYR	3.0
1	C	169	PHE	3.0
1	B	301	PHE	3.0
1	C	1	MET	2.8
1	C	74	LEU	2.7
1	C	4	ILE	2.7
1	D	53	PHE	2.5
1	C	65	GLY	2.5
1	C	72	ALA	2.4
1	C	5	GLU	2.4
1	D	64	VAL	2.4
1	C	338	GLU	2.4
1	D	65	GLY	2.3
1	C	282	GLY	2.2
1	C	240	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	115	ILE	2.2
1	A	353	LEU	2.2
1	C	112	ALA	2.2
1	D	63	ALA	2.2
1	A	73	GLY	2.2
1	C	66	TYR	2.1
1	D	55	TYR	2.1
1	C	42	ILE	2.1
1	C	67	GLU	2.0
1	D	56	VAL	2.0
1	D	112	ALA	2.0
1	D	302[A]	ARG	2.0
1	C	16	ILE	2.0
1	D	42	ILE	2.0
1	D	69	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	A	502	1/1	0.91	0.10	42,42,42,42	1
3	CA	C	401	1/1	0.94	0.06	57,57,57,57	0
3	CA	B	401	1/1	0.95	0.05	46,46,46,46	1
2	GOL	A	501	6/6	0.96	0.07	30,31,32,33	0
3	CA	D	401	1/1	0.96	0.05	34,34,34,34	1

6.5 Other polymers [i](#)

There are no such residues in this entry.