



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 10:18 PM UTC

PDB ID : 3Q6J / pdb_00003q6j
Title : Structural basis for carbon dioxide binding by 2-ketopropyl coenzyme M Oxidoreductase/Carboxylase
Authors : Pandey, A.S.; Mulder, D.W.; Ensign, S.A.; Peters, J.W.
Deposited on : 2011-01-01
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	523	 85% 14%
1	B	523	 81% 19%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	BCT	B	524	-	-	X	-
8	ACN	B	1040	-	-	X	-

2 Entry composition [i](#)


There are 10 unique types of molecules in this entry. The entry contains 9351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-oxopropyl-CoM reductase, carboxylating.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	522	Total	C	N	O	S	0	1	0
			4030	2551	702	754	23			
1	B	522	Total	C	N	O	S	0	0	0
			4022	2546	699	754	23			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 4 is (2-[2-KETOPROPYLTHIO]ETHANESULFONATE (CCD ID: KPC) (formula: C₅H₁₀O₄S₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			11	5	4	2		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		

- Molecule 6 is BICARBONATE ION (CCD ID: BCT) (formula: CHO_3).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	1	3		
6	B	1	Total	C	O	0	0
			4	1	3		

- Molecule 7 is CARBON DIOXIDE (CCD ID: CO2) (formula: CO_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			3	1	2		

- Molecule 8 is ACETONE (CCD ID: ACN) (formula: C_3H_6O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			4	3	1		

- Molecule 9 is 1-THIOETHANESULFONIC ACID (CCD ID: COM) (formula: $C_2H_6O_3S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total	C	O	S	0	0
			7	2	3	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	555	Total	O	0	0
			555	555		
10	B	507	Total	O	0	0
			507	507		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 2-oxopropyl-CoM reductase, carboxylating



- Molecule 1: 2-oxopropyl-CoM reductase, carboxylating



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	88.47Å 59.80Å 105.46Å 90.00° 102.28° 90.00°	Depositor
Resolution (Å)	8.00 – 1.92 8.00 – 1.92	Depositor EDS
% Data completeness (in resolution range)	96.7 (8.00-1.92) 95.3 (8.00-1.92)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 1.93Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.164 , 0.221 0.164 , 0.221	Depositor DCC
R_{free} test set	3942 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	21.0	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.54 , 80.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9351	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACN, KPC, BCT, MG, FAD, CO2, COM, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	1/4116 (0.0%)	0.88	0/5570
1	B	0.82	0/4105	0.90	1/5556 (0.0%)
All	All	0.81	1/8221 (0.0%)	0.89	1/11126 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	86	ALA	CA-C	6.80	1.55	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	451	GLY	N-CA-C	5.01	117.86	111.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4030	0	3994	78	0
1	B	4022	0	3982	110	0
2	A	48	0	25	6	0
2	B	48	0	25	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	53	0	31	0	0
3	B	53	0	31	1	0
4	A	11	0	10	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	4	0	0	0	0
6	B	4	0	0	5	0
7	A	3	0	0	0	0
8	B	4	0	6	6	0
9	B	7	0	6	1	0
10	A	555	0	0	16	0
10	B	507	0	0	37	0
All	All	9351	0	8110	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:ARG:HB2	10:B:995:HOH:O	1.60	1.00
1:A:453:GLN:HE22	1:A:506:HIS:H	1.00	0.98
1:B:90:HIS:HE1	1:B:392:HIS:HD2	1.02	0.98
8:B:1040:ACN:H13	6:B:524:BCT:O1	1.65	0.96
8:B:1040:ACN:H13	6:B:524:BCT:C	1.97	0.93
1:B:90:HIS:HE1	1:B:392:HIS:CD2	1.88	0.92
1:A:359:MET:HB2	2:A:1526:NAP:H4D	1.49	0.91
1:B:90:HIS:CE1	1:B:392:HIS:HD2	1.89	0.91
1:B:69:GLN:HE22	1:B:151:GLU:H	1.14	0.90
1:A:479:GLN:HE22	1:B:503:ASN:HD22	1.19	0.89
1:B:141:ASN:HB2	10:B:905:HOH:O	1.73	0.87
1:B:276:SER:HB3	10:B:942:HOH:O	1.73	0.87
1:B:453:GLN:HE22	1:B:506:HIS:H	1.19	0.86
1:A:500:LEU:H	1:B:479:GLN:HE21	1.24	0.86
1:B:338:ASN:HD21	1:B:342:GLN:HE21	1.18	0.85
1:A:228:GLU:OE2	2:A:1526:NAP:H4N	1.75	0.85
1:B:4:TRP:HB3	10:B:1005:HOH:O	1.77	0.84
1:A:338:ASN:HD21	1:A:342:GLN:HE21	1.24	0.83
1:A:69:GLN:HE22	1:A:151:GLU:H	1.24	0.82
8:B:1040:ACN:C1	6:B:524:BCT:C	2.57	0.82
1:B:16:TRP:HA	10:B:995:HOH:O	1.81	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:270:MET:HE3	10:B:939:HOH:O	1.80	0.81
8:B:1040:ACN:C1	6:B:524:BCT:O1	2.28	0.80
1:A:453:GLN:NE2	1:A:506:HIS:H	1.81	0.78
1:B:36:VAL:HG23	10:B:991:HOH:O	1.84	0.77
1:B:273:ILE:HG22	10:B:942:HOH:O	1.85	0.77
1:B:31:GLU:HG3	10:B:1005:HOH:O	1.84	0.77
1:A:503:ASN:HD22	1:B:479:GLN:HE22	1.32	0.76
1:A:90:HIS:HE1	1:A:392:HIS:HD2	1.33	0.76
1:B:332:LYS:HB2	10:B:1010:HOH:O	1.86	0.76
1:A:266:LYS:HE3	10:A:964:HOH:O	1.84	0.76
1:A:90:HIS:HE1	1:A:392:HIS:CD2	2.06	0.73
1:A:82:CYS:SG	4:A:526:KPC:SAH	2.85	0.73
1:B:85:ASN:O	1:B:202:HIS:HD2	1.72	0.71
1:A:75:TRP:HH2	10:A:775:HOH:O	1.73	0.71
1:B:234:ASN:HB2	10:B:939:HOH:O	1.89	0.71
1:B:90:HIS:CE1	1:B:392:HIS:CD2	2.72	0.71
1:A:140:MET:HE3	4:A:526:KPC:HAK2	1.73	0.70
1:A:75:TRP:CH2	10:A:775:HOH:O	2.46	0.69
1:A:134:ASN:HB2	10:A:653:HOH:O	1.93	0.68
1:A:90:HIS:CE1	1:A:392:HIS:HD2	2.13	0.66
1:B:301:MET:HE2	1:B:303:ILE:HD11	1.76	0.66
1:B:82:CYS:HG	9:B:525:COM:HS1	0.67	0.66
1:A:383:THR:HG22	10:A:602:HOH:O	1.95	0.65
1:A:479:GLN:HE21	1:B:500:LEU:H	1.43	0.65
1:B:301:MET:CE	1:B:303:ILE:HD11	2.27	0.64
1:B:69:GLN:HG3	10:B:931:HOH:O	1.97	0.64
1:A:479:GLN:NE2	1:B:503:ASN:HD22	1.94	0.64
1:B:301:MET:HE2	1:B:303:ILE:CG1	2.29	0.63
1:A:230:GLY:HA3	10:A:968:HOH:O	1.99	0.62
1:A:90:HIS:CE1	1:A:392:HIS:CD2	2.87	0.62
1:A:113:PRO:HG3	1:B:113:PRO:HD3	1.82	0.62
1:B:19:ARG:HG3	10:B:836:HOH:O	2.00	0.62
1:B:301:MET:HE2	1:B:303:ILE:CD1	2.30	0.61
1:B:234:ASN:HD22	1:B:394:HIS:HE1	1.49	0.60
1:B:160:VAL:O	1:B:324:ILE:HG21	2.00	0.60
1:B:234:ASN:CB	10:B:939:HOH:O	2.47	0.60
1:A:255:ASN:HD22	1:A:258[A]:ARG:HH22	1.50	0.59
1:A:453:GLN:HE22	1:A:506:HIS:N	1.85	0.59
1:A:202:HIS:HE1	1:A:314:GLU:OE2	1.85	0.59
1:B:315:GLN:HG3	10:B:996:HOH:O	2.04	0.58
1:B:138:GLY:HA2	10:B:905:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:GLY:HA2	1:A:212:GLU:OE2	2.04	0.58
1:B:301:MET:HE2	1:B:303:ILE:HG13	1.84	0.58
1:B:19:ARG:HB3	10:B:988:HOH:O	2.04	0.57
1:B:228:GLU:OE2	2:B:1526:NAP:H4N	2.05	0.57
1:B:359:MET:HB2	2:B:1526:NAP:H4D	1.85	0.57
1:B:436:ARG:HD3	10:B:707:HOH:O	2.04	0.57
1:A:392:HIS:HE1	1:B:435:ASP:OD1	1.88	0.56
1:B:202:HIS:HE1	1:B:314:GLU:OE2	1.88	0.56
1:A:273:ILE:HD13	1:A:301:MET:SD	2.46	0.55
1:A:374:ASN:HD21	1:A:380:ILE:H	1.55	0.55
1:A:436:ARG:HD3	10:B:595:HOH:O	2.05	0.55
1:A:424:GLU:HB2	10:A:956:HOH:O	2.07	0.54
1:A:234:ASN:HD22	1:A:394:HIS:HE1	1.54	0.54
1:A:265:MET:HE2	1:A:272:ILE:HD11	1.90	0.54
1:B:11:LEU:HA	1:B:15:GLN:OE1	2.07	0.54
1:A:228:GLU:OE2	2:A:1526:NAP:C4N	2.55	0.53
1:B:91:HIS:HE1	1:B:475:LYS:NZ	2.07	0.53
1:A:255:ASN:ND2	1:A:258[A]:ARG:HH22	2.07	0.52
1:B:164:HIS:HD2	1:B:175:ALA:O	1.92	0.52
1:B:412:HIS:HD2	1:B:458:ASP:OD2	1.92	0.52
1:B:436:ARG:CD	10:B:707:HOH:O	2.58	0.52
1:A:163:ASN:H	1:A:163:ASN:HD22	1.58	0.52
1:B:224:LYS:HD2	2:B:1526:NAP:C3N	2.39	0.52
1:A:91:HIS:HE1	1:A:475:LYS:NZ	2.07	0.52
1:A:412:HIS:HD2	1:A:458:ASP:OD2	1.91	0.52
1:B:16:TRP:HB3	10:B:905:HOH:O	2.08	0.52
1:B:338:ASN:HB2	10:B:750:HOH:O	2.10	0.51
1:B:69:GLN:HE22	1:B:151:GLU:N	1.96	0.51
1:B:234:ASN:HD22	1:B:394:HIS:CE1	2.29	0.51
1:A:290:GLN:NE2	10:A:655:HOH:O	2.44	0.51
1:B:338:ASN:HD21	1:B:342:GLN:NE2	1.96	0.50
1:B:35:ASN:N	10:B:991:HOH:O	2.44	0.50
1:B:359:MET:O	2:B:1526:NAP:H1D	2.12	0.50
1:B:47:ILE:HG13	1:B:175:ALA:HB2	1.93	0.50
1:A:212:GLU:OE2	1:A:238:ARG:NH2	2.45	0.50
1:A:272:ILE:HD12	10:A:964:HOH:O	2.12	0.50
1:B:85:ASN:O	1:B:202:HIS:CD2	2.59	0.50
1:A:164:HIS:HE1	10:A:854:HOH:O	1.94	0.49
1:A:366:LYS:O	1:A:370:TYR:HD1	1.94	0.49
1:B:77:PHE:HA	1:B:141:ASN:HD21	1.77	0.49
1:A:163:ASN:HD22	1:A:163:ASN:N	2.10	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:ASN:HD21	1:B:380:ILE:H	1.61	0.49
1:B:99:GLU:HG2	10:B:595:HOH:O	2.11	0.49
1:B:153:ILE:HG12	10:B:991:HOH:O	2.12	0.49
1:A:113:PRO:HD3	1:B:113:PRO:HG3	1.95	0.48
1:B:389:ASP:HB3	1:B:399:PHE:CE1	2.48	0.48
1:A:501:PHE:CD2	1:A:502:LEU:HD12	2.48	0.48
1:B:178:LEU:HD11	10:B:955:HOH:O	2.12	0.48
1:A:25:GLU:HG3	10:A:1000:HOH:O	2.12	0.48
1:B:360:GLU:OE2	2:B:1526:NAP:O2D	2.31	0.48
1:A:383:THR:HG21	10:A:1063:HOH:O	2.12	0.48
1:B:247:GLU:HG2	10:B:934:HOH:O	2.14	0.47
1:A:360:GLU:OE2	2:A:1526:NAP:O2D	2.25	0.47
1:B:270:MET:CE	10:B:939:HOH:O	2.50	0.47
1:B:320:GLU:O	1:B:324:ILE:HG13	2.14	0.47
1:B:140:MET:HA	1:B:140:MET:HE2	1.97	0.46
1:B:11:LEU:HD12	1:B:11:LEU:N	2.30	0.46
1:B:352:GLY:HA2	1:B:364:ALA:HA	1.98	0.46
1:B:78:LEU:H	1:B:141:ASN:HD21	1.63	0.46
1:A:435:ASP:OD1	1:B:392:HIS:HE1	1.98	0.46
1:B:140:MET:HE3	8:B:1040:ACN:H21	1.98	0.46
1:B:161:ILE:HD11	1:B:167:GLU:HG3	1.98	0.45
1:A:164:HIS:HD2	1:A:175:ALA:O	1.98	0.45
1:A:500:LEU:H	1:B:479:GLN:NE2	2.03	0.45
1:B:394:HIS:HD2	10:B:552:HOH:O	2.00	0.45
1:A:77:PHE:HA	1:A:141:ASN:HD21	1.81	0.45
1:A:90:HIS:ND1	1:A:90:HIS:C	2.75	0.45
1:A:242:MET:HB3	1:A:242:MET:HE2	1.80	0.45
1:B:78:LEU:H	1:B:141:ASN:ND2	2.14	0.45
1:B:90:HIS:HD2	3:B:1014:FAD:N5	2.14	0.45
1:A:224:LYS:HD2	2:A:1526:NAP:C2N	2.46	0.45
1:B:489:LEU:HD21	1:B:494:LEU:HD13	1.98	0.44
2:A:1526:NAP:O2A	10:A:951:HOH:O	2.21	0.44
1:A:389:ASP:HB3	1:A:399:PHE:CE1	2.53	0.44
10:A:718:HOH:O	1:B:113:PRO:HD2	2.16	0.44
1:B:153:ILE:CG1	10:B:991:HOH:O	2.66	0.44
1:A:227:VAL:HG21	1:A:249:LEU:HD21	1.98	0.44
1:B:227:VAL:CG1	1:B:393:THR:HG22	2.47	0.44
1:A:400:LEU:C	1:A:400:LEU:HD12	2.42	0.44
1:A:497:MET:HG2	1:B:483:VAL:HG21	2.00	0.44
1:B:14:ASN:ND2	10:B:673:HOH:O	2.51	0.43
1:A:78:LEU:HD11	1:A:152:TYR:CD2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:GLU:OE1	10:A:638:HOH:O	2.21	0.43
1:A:140:MET:HA	1:A:140:MET:HE2	2.01	0.43
1:B:112:PHE:HB3	10:B:895:HOH:O	2.16	0.43
1:B:11:LEU:CD1	1:B:11:LEU:H	2.32	0.43
1:B:163:ASN:N	1:B:163:ASN:HD22	2.16	0.43
1:B:72:VAL:CG1	1:B:158:ALA:HB2	2.49	0.43
1:A:78:LEU:H	1:A:141:ASN:HD21	1.65	0.43
1:A:14:ASN:ND2	10:A:814:HOH:O	2.52	0.42
1:B:84:HIS:ND1	1:B:137:HIS:CE1	2.87	0.42
1:B:110:TYR:HE1	10:B:946:HOH:O	2.02	0.42
1:B:11:LEU:HD12	1:B:11:LEU:H	1.84	0.42
1:B:161:ILE:HD11	1:B:167:GLU:CD	2.44	0.42
1:B:87:CYS:O	1:B:91:HIS:HD2	2.02	0.42
1:B:4:TRP:HE3	10:B:1005:HOH:O	2.01	0.42
1:B:408:ARG:NE	10:B:930:HOH:O	2.51	0.42
1:A:390:PHE:CE1	1:A:475:LYS:HD2	2.55	0.41
1:A:370:TYR:CD2	1:A:380:ILE:HG12	2.55	0.41
1:A:390:PHE:CD1	1:A:475:LYS:HD2	2.54	0.41
1:A:503:ASN:O	1:A:506:HIS:CE1	2.73	0.41
1:A:501:PHE:O	1:B:390:PHE:HZ	2.03	0.41
1:B:444:LYS:HE3	10:B:932:HOH:O	2.20	0.41
1:A:62:LEU:HD22	1:A:69:GLN:HB3	2.03	0.41
1:B:20:ILE:HG23	1:B:76:PRO:HG2	2.02	0.41
1:B:159:LYS:HB2	1:B:167:GLU:HB2	2.02	0.41
1:B:242:MET:HE2	1:B:242:MET:HB3	1.91	0.41
1:B:248:PRO:HG3	1:B:272:ILE:HG21	2.03	0.41
1:B:357:GLY:HA2	1:B:358:PRO:C	2.44	0.41
8:B:1040:ACN:H12	6:B:524:BCT:C	2.46	0.41
1:A:85:ASN:O	1:A:202:HIS:HD2	2.04	0.41
1:B:227:VAL:HG11	1:B:393:THR:HG22	2.03	0.41
1:A:390:PHE:HE2	10:B:791:HOH:O	2.05	0.40
1:A:436:ARG:H	1:B:95:ASP:CG	2.30	0.40
1:B:281:ILE:HG23	1:B:289:VAL:HG13	2.03	0.40
1:A:405:GLU:CD	1:A:405:GLU:H	2.30	0.40
1:A:501:PHE:O	1:B:390:PHE:CZ	2.74	0.40
1:B:374:ASN:ND2	1:B:380:ILE:H	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	521/523 (100%)	503 (96%)	18 (4%)	0	100	100
1	B	520/523 (99%)	499 (96%)	21 (4%)	0	100	100
All	All	1041/1046 (100%)	1002 (96%)	39 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/424 (100%)	417 (98%)	7 (2%)	53	41
1	B	423/424 (100%)	415 (98%)	8 (2%)	50	37
All	All	847/848 (100%)	832 (98%)	15 (2%)	51	39

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	CYS
1	A	90	HIS
1	A	124	GLU
1	A	163	ASN
1	A	414	ILE
1	A	423	THR
1	A	496	ASP
1	B	2	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	21	ASP
1	B	22	GLU
1	B	87	CYS
1	B	90	HIS
1	B	124	GLU
1	B	163	ASN
1	B	496	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	69	GLN
1	A	90	HIS
1	A	91	HIS
1	A	134	ASN
1	A	141	ASN
1	A	163	ASN
1	A	164	HIS
1	A	202	HIS
1	A	234	ASN
1	A	255	ASN
1	A	290	GLN
1	A	315	GLN
1	A	342	GLN
1	A	374	ASN
1	A	392	HIS
1	A	394	HIS
1	A	412	HIS
1	A	428	ASN
1	A	453	GLN
1	A	479	GLN
1	A	482	ASN
1	A	519	ASN
1	B	39	ASN
1	B	69	GLN
1	B	90	HIS
1	B	91	HIS
1	B	134	ASN
1	B	137	HIS
1	B	141	ASN
1	B	147	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	163	ASN
1	B	164	HIS
1	B	202	HIS
1	B	234	ASN
1	B	255	ASN
1	B	298	ASN
1	B	342	GLN
1	B	347	ASN
1	B	374	ASN
1	B	392	HIS
1	B	394	HIS
1	B	412	HIS
1	B	453	GLN
1	B	479	GLN
1	B	482	ASN
1	B	487	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	CO2	A	1090	-	2,2,2	1.12	0	1,1,1	0.27	0
6	BCT	A	524	-	3,3,3	0.54	0	2,3,3	0.81	0
2	NAP	A	1526	-	50,52,52	1.84	10 (20%)	71,80,80	1.87	13 (18%)
4	KPC	A	526	-	10,10,10	2.03	2 (20%)	11,13,13	1.84	4 (36%)
3	FAD	B	1014	-	58,58,58	1.29	7 (12%)	85,89,89	1.59	13 (15%)
6	BCT	B	524	-	3,3,3	0.48	0	2,3,3	0.30	0
3	FAD	A	1013	-	58,58,58	1.15	6 (10%)	85,89,89	1.67	16 (18%)
9	COM	B	525	-	6,6,6	3.06	1 (16%)	8,8,8	1.47	2 (25%)
2	NAP	B	1526	-	50,52,52	1.84	7 (14%)	71,80,80	1.91	13 (18%)
8	ACN	B	1040	-	3,3,3	0.44	0	3,3,3	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1526	-	-	7/35/67/67	0/5/5/5
4	KPC	A	526	-	-	0/8/8/8	-
3	FAD	B	1014	-	-	2/34/50/50	0/6/6/6
3	FAD	A	1013	-	-	0/34/50/50	0/6/6/6
9	COM	B	525	-	-	0/4/4/4	-
2	NAP	B	1526	-	-	4/35/67/67	0/5/5/5

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1526	NAP	C4N-C3N	8.14	1.51	1.39
2	B	1526	NAP	C4N-C3N	7.99	1.51	1.39
9	B	525	COM	C2-S2	-7.27	1.67	1.77
4	A	526	KPC	CAF-SAE	-5.70	1.69	1.77
2	B	1526	NAP	O7N-C7N	5.17	1.33	1.24
2	A	1526	NAP	O7N-C7N	4.84	1.33	1.24
2	A	1526	NAP	C5N-C4N	4.54	1.46	1.38
2	B	1526	NAP	C5N-C4N	4.47	1.46	1.38
3	B	1014	FAD	PA-O3P	4.44	1.64	1.59
3	B	1014	FAD	C4X-N5	3.80	1.39	1.30
3	A	1013	FAD	C4X-N5	3.79	1.38	1.30
2	B	1526	NAP	O4D-C1D	3.34	1.45	1.40
2	B	1526	NAP	PA-O3	3.22	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1526	NAP	PA-O3	3.14	1.62	1.59
3	A	1013	FAD	C1'-C2'	2.96	1.56	1.52
3	A	1013	FAD	C10-N1	2.82	1.38	1.33
3	B	1014	FAD	C2A-N3A	2.63	1.38	1.33
3	B	1014	FAD	C10-N1	2.57	1.38	1.33
2	B	1526	NAP	C8A-N7A	2.51	1.36	1.31
2	A	1526	NAP	O4D-C1D	2.49	1.44	1.40
3	B	1014	FAD	C8A-N7A	2.49	1.36	1.31
2	A	1526	NAP	C8A-N9A	-2.37	1.33	1.37
2	A	1526	NAP	PN-O3	2.35	1.62	1.59
3	B	1014	FAD	C2A-N1A	2.29	1.38	1.33
3	A	1013	FAD	C2A-N1A	2.27	1.38	1.33
2	B	1526	NAP	PN-O3	2.25	1.61	1.59
2	A	1526	NAP	C5A-N7A	-2.23	1.35	1.39
4	A	526	KPC	CAI-SAH	-2.23	1.76	1.81
3	A	1013	FAD	C2A-N3A	2.20	1.37	1.33
2	A	1526	NAP	C8A-N7A	2.20	1.35	1.31
3	A	1013	FAD	C8A-N7A	2.10	1.35	1.31
3	B	1014	FAD	P-O3P	2.10	1.61	1.59
2	A	1526	NAP	P2B-O2B	2.01	1.63	1.59

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1526	NAP	C5N-C4N-C3N	-7.42	113.07	120.36
2	A	1526	NAP	C5N-C4N-C3N	-6.64	113.84	120.36
3	A	1013	FAD	N3A-C2A-N1A	-6.28	119.08	128.58
3	B	1014	FAD	N3A-C2A-N1A	-6.11	119.33	128.58
2	B	1526	NAP	N3A-C2A-N1A	-5.79	119.82	128.58
2	A	1526	NAP	C5A-C4A-N3A	-4.86	120.03	126.72
2	A	1526	NAP	N3A-C2A-N1A	-4.74	121.41	128.58
3	B	1014	FAD	N9A-C8A-N7A	-4.50	107.55	113.94
3	A	1013	FAD	N9A-C8A-N7A	-4.47	107.60	113.94
2	B	1526	NAP	C3N-C7N-N7N	4.25	122.98	117.74
2	A	1526	NAP	N9A-C8A-N7A	-3.98	108.29	113.94
3	A	1013	FAD	C5A-C4A-N3A	-3.95	121.28	126.72
2	B	1526	NAP	N9A-C8A-N7A	-3.82	108.51	113.94
2	B	1526	NAP	O7N-C7N-N7N	-3.77	117.16	122.62
2	A	1526	NAP	C3N-C7N-N7N	3.70	122.29	117.74
2	B	1526	NAP	C5A-C4A-N3A	-3.69	121.64	126.72
3	A	1013	FAD	C2A-N3A-C4A	3.64	120.72	111.83
3	A	1013	FAD	C5A-N7A-C8A	3.64	109.16	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1013	FAD	O2A-PA-O3P	3.50	116.74	107.27
3	B	1014	FAD	C5A-C4A-N3A	-3.46	121.96	126.72
2	A	1526	NAP	O7N-C7N-N7N	-3.41	117.69	122.62
3	A	1013	FAD	C4-N3-C2	-3.40	119.60	125.64
3	B	1014	FAD	O2A-PA-O3P	3.36	116.36	107.27
2	A	1526	NAP	C2A-N3A-C4A	3.32	119.93	111.83
3	B	1014	FAD	C5A-N7A-C8A	3.27	108.59	103.45
2	B	1526	NAP	C2A-N3A-C4A	3.22	119.70	111.83
2	A	1526	NAP	C4A-C5A-N7A	-3.21	106.91	110.58
3	A	1013	FAD	O4-C4-C4X	-3.18	118.14	126.53
4	A	526	KPC	OAL-SAE-OAD	-3.17	103.46	111.40
2	B	1526	NAP	C4A-N9A-C8A	3.15	109.05	105.74
3	B	1014	FAD	C2A-N3A-C4A	3.12	119.45	111.83
2	A	1526	NAP	C4A-N9A-C8A	3.10	108.99	105.74
2	A	1526	NAP	N3A-C4A-N9A	3.04	132.34	127.17
3	B	1014	FAD	C4A-N9A-C8A	3.03	108.92	105.74
3	B	1014	FAD	C4-N3-C2	-3.02	120.28	125.64
2	A	1526	NAP	C5A-N7A-C8A	3.01	108.18	103.45
2	B	1526	NAP	C4A-C5A-N7A	-2.85	107.32	110.58
3	B	1014	FAD	C10-C4X-N5	-2.84	119.01	124.81
3	B	1014	FAD	C4X-C10-N10	2.81	120.50	116.48
2	B	1526	NAP	C5A-N7A-C8A	2.80	107.84	103.45
9	B	525	COM	C2-C1-S1	-2.70	106.25	113.10
4	A	526	KPC	OAB-SAE-CAF	2.58	110.63	106.73
3	A	1013	FAD	C4A-C5A-N7A	-2.54	107.68	110.58
3	A	1013	FAD	C4X-C4-N3	2.54	119.71	113.25
3	A	1013	FAD	O3P-PA-O1A	-2.52	103.11	110.70
3	A	1013	FAD	N3A-C4A-N9A	2.51	131.44	127.17
9	B	525	COM	O1S-S2-C2	2.47	110.46	106.73
3	A	1013	FAD	O2-C2-N1	-2.44	117.74	121.80
4	A	526	KPC	CAG-SAH-CAI	2.44	105.75	101.72
3	A	1013	FAD	C4A-N9A-C8A	2.40	108.26	105.74
3	B	1014	FAD	C4X-C4-N3	2.40	119.36	113.25
3	A	1013	FAD	C10-C4X-N5	-2.38	119.94	124.81
2	B	1526	NAP	C2A-N1A-C6A	2.36	122.61	118.73
3	B	1014	FAD	N3A-C4A-N9A	2.34	131.15	127.17
4	A	526	KPC	OAC-CAJ-CAI	2.33	124.28	121.24
2	B	1526	NAP	N3A-C4A-N9A	2.31	131.09	127.17
2	A	1526	NAP	O3X-P2B-O2X	2.27	116.33	107.80
3	A	1013	FAD	C4X-C10-N10	2.25	119.71	116.48
3	B	1014	FAD	C4A-C5A-N7A	-2.24	108.02	110.58
2	B	1526	NAP	O2X-P2B-O2B	-2.11	97.62	105.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1526	NAP	C2B-C3B-C4B	2.10	106.52	101.99

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1526	NAP	C5D-O5D-PN-O3
2	A	1526	NAP	C5D-O5D-PN-O1N
2	A	1526	NAP	C5D-O5D-PN-O2N
2	B	1526	NAP	C5D-O5D-PN-O3
2	A	1526	NAP	C4D-C5D-O5D-PN
2	A	1526	NAP	PN-O3-PA-O1A
2	B	1526	NAP	C4D-C5D-O5D-PN
3	B	1014	FAD	PA-O3P-P-O5'
2	B	1526	NAP	C5D-O5D-PN-O1N
2	A	1526	NAP	PN-O3-PA-O2A
2	A	1526	NAP	C2B-O2B-P2B-O3X
3	B	1014	FAD	O4B-C4B-C5B-O5B
2	B	1526	NAP	C2B-O2B-P2B-O2X


There are no ring outliers.


7 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1526	NAP	6	0
4	A	526	KPC	2	0
3	B	1014	FAD	1	0
6	B	524	BCT	5	0
9	B	525	COM	1	0
2	B	1526	NAP	5	0
8	B	1040	ACN	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	522/523 (99%)	-0.84	0	100 100	10, 20, 35, 51	1 (0%)
1	B	522/523 (99%)	-0.62	2 (0%)	88 92	11, 22, 38, 54	0
All	All	1044/1046 (99%)	-0.73	2 (0%)	91 93	10, 21, 37, 54	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	PRO	3.3
1	B	29	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	ACN	B	1040	4/4	0.66	0.11	36,48,49,55	0
7	CO2	A	1090	3/3	0.68	0.13	64,64,66,71	0
6	BCT	B	524	4/4	0.88	0.07	31,40,43,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	BCT	A	524	4/4	0.93	0.08	20,22,33,33	0
2	NAP	A	1526	48/48	0.93	0.09	18,29,53,64	13
2	NAP	B	1526	48/48	0.95	0.09	15,31,59,71	13
5	MG	B	527	1/1	0.98	0.02	22,22,22,22	0
3	FAD	A	1013	53/53	0.98	0.04	8,15,21,27	0
3	FAD	B	1014	53/53	0.98	0.04	12,21,33,38	0
4	KPC	A	526	11/11	0.98	0.06	12,16,51,56	0
5	MG	A	527	1/1	0.98	0.03	22,22,22,22	0
9	COM	B	525	7/7	0.99	0.03	17,22,28,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP A 1526:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP B 1526:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 1013:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.