



Full wwPDB EM Validation Report ⓘ

Mar 27, 2026 – 01:03 PM UTC

PDB ID : 7Q60 / pdb_00007q60
EMDB ID : EMD-13848
Title : Structure of TEV cleaved A2ML1 (A2ML1-TE)
Authors : Nielsen, N.S.; Zarantonello, A.; Andersen, G.R.
Deposited on : 2021-11-05
Resolution : 3.13 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14478 (2.63 - 3.63)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1436	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9450 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alpha-2-macroglobulin-like protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1212	9450	6047	1554	1803	46	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alpha-2-macroglobulin-like protein 1



THR	IL247
ILE	IL248
HIS	IL249
THR	IL250
THR	IL251
TYR	IL252
THR	IL253
PHE	IL254
THR	IL255
ILE	IL256
ILE	IL257
THR	IL258
THR	IL259
GLN	IL260
THR	IL261
VAL	IL262
THR	IL263
THR	IL264
THR	IL265
ILE	IL266
THR	IL267
THR	IL268
THR	IL269
THR	IL270
THR	IL271
THR	IL272
THR	IL273
THR	IL274
THR	IL275
THR	IL276
THR	IL277
THR	IL278
THR	IL279
THR	IL280
THR	IL281
THR	IL282
THR	IL283
THR	IL284
THR	IL285
THR	IL286
THR	IL287
THR	IL288
THR	IL289
THR	IL290
THR	IL291
THR	IL292
THR	IL293
THR	IL294
THR	IL295
THR	IL296
THR	IL297
THR	IL298
THR	IL299
THR	IL300
THR	IL301
THR	IL302
THR	IL303
THR	IL304
THR	IL305
THR	IL306
THR	IL307
THR	IL308
THR	IL309
THR	IL310
THR	IL311
THR	IL312
THR	IL313
THR	IL314
THR	IL315
THR	IL316
THR	IL317
THR	IL318
THR	IL319
THR	IL320
THR	IL321
THR	IL322
THR	IL323
THR	IL324
THR	IL325
THR	IL326
THR	IL327
THR	IL328
THR	IL329
THR	IL330
THR	IL331
THR	IL332
THR	IL333
THR	IL334
THR	IL335
THR	IL336
THR	IL337
THR	IL338
THR	IL339
THR	IL340
THR	IL341
THR	IL342
THR	IL343
THR	IL344
THR	IL345
THR	IL346
THR	IL347
THR	IL348
THR	IL349
THR	IL350
THR	IL351
THR	IL352
THR	IL353
THR	IL354
THR	IL355
THR	IL356
THR	IL357
THR	IL358
THR	IL359
THR	IL360
THR	IL361
THR	IL362
THR	IL363
THR	IL364
THR	IL365
THR	IL366
THR	IL367
THR	IL368
THR	IL369
THR	IL370
THR	IL371
THR	IL372
THR	IL373
THR	IL374
THR	IL375
THR	IL376
THR	IL377
THR	IL378
THR	IL379
THR	IL380
THR	IL381
THR	IL382
THR	IL383
THR	IL384
THR	IL385
THR	IL386
THR	IL387
THR	IL388
THR	IL389
THR	IL390
THR	IL391
THR	IL392
THR	IL393
THR	IL394
THR	IL395
THR	IL396
THR	IL397
THR	IL398
THR	IL399
THR	IL400
THR	IL401
THR	IL402
THR	IL403
THR	IL404
THR	IL405
THR	IL406
THR	IL407
THR	IL408
THR	IL409
THR	IL410
THR	IL411
THR	IL412
THR	IL413
THR	IL414
THR	IL415
THR	IL416
THR	IL417
THR	IL418
THR	IL419
THR	IL420
THR	IL421
THR	IL422
THR	IL423
THR	IL424
THR	IL425
THR	IL426
THR	IL427
THR	IL428
THR	IL429
THR	IL430
THR	IL431
THR	IL432
THR	IL433
THR	IL434
THR	IL435
THR	IL436
THR	IL437
THR	IL438
THR	IL439
THR	IL440
THR	IL441
THR	IL442
THR	IL443
THR	IL444
THR	IL445
THR	IL446
THR	IL447
THR	IL448
THR	IL449
THR	IL450
THR	IL451
THR	IL452
THR	IL453
THR	IL454
THR	IL455
THR	IL456
THR	IL457
THR	IL458
THR	IL459
THR	IL460
THR	IL461
THR	IL462
THR	IL463
THR	IL464
THR	IL465
THR	IL466
THR	IL467
THR	IL468
THR	IL469
THR	IL470
THR	IL471
THR	IL472
THR	IL473
THR	IL474
THR	IL475
THR	IL476
THR	IL477
THR	IL478
THR	IL479
THR	IL480
THR	IL481
THR	IL482
THR	IL483
THR	IL484
THR	IL485
THR	IL486
THR	IL487
THR	IL488
THR	IL489
THR	IL490
THR	IL491
THR	IL492
THR	IL493
THR	IL494
THR	IL495
THR	IL496
THR	IL497
THR	IL498
THR	IL499
THR	IL500
THR	IL501
THR	IL502
THR	IL503
THR	IL504
THR	IL505
THR	IL506
THR	IL507
THR	IL508
THR	IL509
THR	IL510
THR	IL511
THR	IL512
THR	IL513
THR	IL514
THR	IL515
THR	IL516
THR	IL517
THR	IL518
THR	IL519
THR	IL520
THR	IL521
THR	IL522
THR	IL523
THR	IL524
THR	IL525
THR	IL526
THR	IL527
THR	IL528
THR	IL529
THR	IL530
THR	IL531
THR	IL532
THR	IL533
THR	IL534
THR	IL535
THR	IL536
THR	IL537
THR	IL538
THR	IL539
THR	IL540
THR	IL541
THR	IL542
THR	IL543
THR	IL544
THR	IL545
THR	IL546
THR	IL547
THR	IL548
THR	IL549
THR	IL550
THR	IL551
THR	IL552
THR	IL553
THR	IL554
THR	IL555
THR	IL556
THR	IL557
THR	IL558
THR	IL559
THR	IL560
THR	IL561
THR	IL562
THR	IL563
THR	IL564
THR	IL565
THR	IL566
THR	IL567
THR	IL568
THR	IL569
THR	IL570
THR	IL571
THR	IL572
THR	IL573
THR	IL574
THR	IL575
THR	IL576
THR	IL577
THR	IL578
THR	IL579
THR	IL580
THR	IL581
THR	IL582
THR	IL583
THR	IL584
THR	IL585
THR	IL586
THR	IL587
THR	IL588
THR	IL589
THR	IL590
THR	IL591
THR	IL592
THR	IL593
THR	IL594
THR	IL595
THR	IL596
THR	IL597
THR	IL598
THR	IL599
THR	IL600
THR	IL601
THR	IL602
THR	IL603
THR	IL604
THR	IL605
THR	IL606
THR	IL607
THR	IL608
THR	IL609
THR	IL610
THR	IL611
THR	IL612
THR	IL613
THR	IL614
THR	IL615
THR	IL616
THR	IL617
THR	IL618
THR	IL619
THR	IL620
THR	IL621
THR	IL622
THR	IL623
THR	IL624
THR	IL625
THR	IL626
THR	IL627
THR	IL628
THR	IL629
THR	IL630
THR	IL631
THR	IL632
THR	IL633
THR	IL634
THR	IL635
THR	IL636
THR	IL637
THR	IL638
THR	IL639
THR	IL640
THR	IL641
THR	IL642
THR	IL643
THR	IL644
THR	IL645
THR	IL646
THR	IL647
THR	IL648
THR	IL649
THR	IL650
THR	IL651
THR	IL652
THR	IL653
THR	IL654
THR	IL655
THR	IL656
THR	IL657
THR	IL658
THR	IL659
THR	IL660
THR	IL661
THR	IL662
THR	IL663
THR	IL664
THR	IL665
THR	IL666
THR	IL667
THR	IL668
THR	IL669
THR	IL670
THR	IL671
THR	IL672
THR	IL673
THR	IL674
THR	IL675
THR	IL676
THR	IL677
THR	IL678
THR	IL679
THR	IL680
THR	IL681
THR	IL682
THR	IL683
THR	IL684
THR	IL685
THR	IL686
THR	IL687
THR	IL688
THR	IL689
THR	IL690
THR	IL691
THR	IL692
THR	IL693
THR	IL694
THR	IL695
THR	IL696
THR	IL697
THR	IL698
THR	IL699
THR	IL700
THR	IL701
THR	IL702
THR	IL703
THR	IL704
THR	IL705
THR	IL706
THR	IL707
THR	IL708
THR	IL709
THR	IL710
THR	IL711
THR	IL712
THR	IL713
THR	IL714
THR	IL715
THR	IL716
THR	IL717
THR	IL718
THR	IL719
THR	IL720
THR	IL721
THR	IL722
THR	IL723
THR	IL724
THR	IL725
THR	IL726
THR	IL727
THR	IL728
THR	IL729
THR	IL730
THR	IL731
THR	IL732
THR	IL733
THR	IL734
THR	IL735
THR	IL736
THR	IL737
THR	IL738
THR	IL739
THR	IL740
THR	IL741
THR	IL742
THR	IL743
THR	IL744
THR	IL745
THR	IL746
THR	IL747
THR	IL748
THR	IL749
THR	IL750
THR	IL751
THR	IL752
THR	IL753
THR	IL754
THR	IL755
THR	IL756
THR	IL757
THR	IL758
THR	IL759
THR	IL760
THR	IL761
THR	IL762
THR	IL763
THR	IL764
THR	IL765
THR	IL766
THR	IL767
THR	IL768
THR	IL769
THR	IL770
THR	IL771
THR	IL772
THR	IL773
THR	IL774
THR	IL775
THR	IL776
THR	IL777
THR	IL778
THR	IL779
THR	IL780
THR	IL781
THR	IL782
THR	IL783
THR	IL784
THR	IL785
THR	IL786
THR	IL787
THR	IL788
THR	IL789
THR	IL790
THR	IL791
THR	IL792
THR	IL793
THR	IL794
THR	IL795
THR	IL796
THR	IL797
THR	IL798
THR	IL799
THR	IL800
THR	IL801
THR	IL802
THR	IL803
THR	IL804
THR	IL805
THR	IL806
THR	IL807
THR	IL808
THR	IL809
THR	IL810
THR	IL811
THR	IL812
THR	IL813
THR	IL814
THR	IL815
THR	IL816
THR	IL817
THR	IL818
THR	IL819
THR	IL820
THR	IL821
THR	IL822
THR	IL823
THR	IL824
THR	IL825
THR	IL826
THR	IL827
THR	IL828
THR	IL829
THR	IL830
THR	IL831
THR	IL832
THR	IL833
THR	IL834
THR	IL835
THR	IL836
THR	IL837
THR	IL838
THR	IL839
THR	IL840
THR	IL841
THR	IL842
THR	IL843
THR	IL844
THR	IL845
THR	IL846
THR	IL847
THR	IL848
THR	IL849
THR	IL850
THR	IL851
THR	IL852
THR	IL853
THR	IL854
THR	IL855
THR	IL856
THR	IL857
THR	IL858
THR	IL859
THR	IL860
THR	IL861
THR	IL862
THR	IL863
THR	IL864
THR	IL865
THR	IL866
THR	IL867
THR	IL868
THR	IL869
THR	IL870
THR	IL871
THR	IL872
THR	IL873
THR	IL874
THR	IL875
THR	IL876
THR	IL877
THR	IL878
THR	IL879
THR	IL880
THR	IL881
THR	IL882
THR	IL883
THR	IL884
THR	IL885
THR	IL886
THR	IL887
THR	IL888
THR	IL889
THR	IL890
THR	IL891
THR	IL892
THR	IL893
THR	IL894
THR	IL895
THR	IL896
THR	IL897
THR	IL

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	291904	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; cryoSPARK	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.750	Depositor
Minimum map value	-0.344	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.085	Depositor
Map size (Å)	331.264, 331.264, 331.264	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1042134, 1.1042134, 1.1042134	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	1/9663 (0.0%)	0.70	21/13130 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	133	PRO	CG-CD	-5.84	1.30	1.50

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	133	PRO	CA-N-CD	-12.94	93.89	112.00
1	A	966	MET	CB-CG-SD	8.34	137.72	112.70
1	A	133	PRO	N-CD-CG	-8.18	90.93	103.20
1	A	400	PRO	CA-N-CD	-6.53	102.86	112.00
1	A	1112	VAL	CA-C-N	6.46	136.32	124.82
1	A	1112	VAL	C-N-CA	6.46	136.32	124.82
1	A	72	LYS	CB-CG-CD	6.31	125.81	111.30
1	A	966	MET	CA-CB-CG	6.27	126.64	114.10
1	A	935	VAL	CA-CB-CG1	5.99	120.58	110.40
1	A	923	LYS	CA-CB-CG	5.78	125.66	114.10
1	A	1130	SER	CA-C-N	5.74	132.50	121.54
1	A	1130	SER	C-N-CA	5.74	132.50	121.54
1	A	838	ALA	CA-C-N	5.55	132.14	121.54
1	A	838	ALA	C-N-CA	5.55	132.14	121.54
1	A	461	PRO	CA-N-CD	-5.39	104.45	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	935	VAL	CB-CA-C	5.22	118.64	112.68
1	A	461	PRO	N-CA-C	5.16	119.30	110.74
1	A	161	GLN	CA-C-N	5.13	129.24	121.03
1	A	161	GLN	C-N-CA	5.13	129.24	121.03
1	A	923	LYS	CB-CG-CD	5.09	123.00	111.30
1	A	133	PRO	CA-CB-CG	-5.06	94.88	104.50

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1320	PRO	Peptide
1	A	602	ARG	Sidechain
1	A	616	PHE	Peptide
1	A	731	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9450	0	9346	96	0
All	All	9450	0	9346	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LEU:O	1:A:74:ARG:HA	1.77	0.83
1:A:562:VAL:HA	1:A:582:GLN:O	1.87	0.74
1:A:162:ASP:HB2	1:A:166:ASN:H	1.60	0.66
1:A:1141:ALA:O	1:A:1145:SER:HB2	2.00	0.62
1:A:131:TYR:HB2	1:A:211:VAL:HG22	1.85	0.59
1:A:525:THR:H	1:A:528:LEU:HD23	1.70	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:730:ARG:HD2	1:A:758:ASP:HB3	1.88	0.56
1:A:1107:GLU:OE2	1:A:1246:GLN:NE2	2.40	0.55
1:A:1263:ASN:OD1	1:A:1277:ASN:ND2	2.41	0.54
1:A:1274:ARG:NH1	1:A:1289:ASP:OD2	2.42	0.53
1:A:1019:SER:OG	1:A:1029:ARG:NH1	2.42	0.53
1:A:1266:VAL:HG23	1:A:1300:LEU:HG	1.90	0.53
1:A:226:PRO:HG3	1:A:238:VAL:HG12	1.91	0.52
1:A:802:ARG:HD3	1:A:863:LEU:HD13	1.92	0.52
1:A:45:PRO:HD3	1:A:74:ARG:HG2	1.90	0.52
1:A:346:ASP:HB2	1:A:360:LYS:HG2	1.92	0.52
1:A:1225:LEU:HD21	1:A:1244:ALA:HB1	1.93	0.51
1:A:670:ASP:N	1:A:670:ASP:OD1	2.43	0.51
1:A:136:GLN:NE2	1:A:184:SER:OG	2.44	0.50
1:A:684:SER:OG	1:A:685:ASN:N	2.42	0.50
1:A:1211:THR:OG1	1:A:1212:GLN:N	2.44	0.50
1:A:100:GLY:O	1:A:106:SER:HA	2.12	0.50
1:A:128:LYS:HD2	1:A:598:VAL:HG21	1.94	0.50
1:A:1007:GLU:HG3	1:A:1052:ILE:HG12	1.93	0.49
1:A:49:ASP:O	1:A:103:ASN:ND2	2.46	0.49
1:A:1259:SER:HA	1:A:1306:GLY:HA3	1.94	0.49
1:A:24:LEU:HB3	1:A:42:ASP:HB3	1.95	0.49
1:A:1202:LEU:HD13	1:A:1247:ALA:HA	1.96	0.48
1:A:573:PRO:HB2	1:A:758:ASP:HA	1.96	0.48
1:A:226:PRO:HD3	1:A:238:VAL:HA	1.96	0.48
1:A:573:PRO:O	1:A:728:GLN:NE2	2.46	0.48
1:A:1222:VAL:HG13	1:A:1248:LEU:HD22	1.96	0.48
1:A:919:CYS:HB2	1:A:1307:CYS:HB3	1.70	0.47
1:A:795:THR:HB	1:A:809:THR:HB	1.95	0.47
1:A:1140:LEU:HA	1:A:1143:ILE:HG22	1.95	0.47
1:A:484:ASP:OD1	1:A:484:ASP:N	2.47	0.47
1:A:453:LEU:HD21	1:A:536:ILE:HG22	1.97	0.47
1:A:963:LEU:HD13	1:A:1233:GLY:HA2	1.97	0.46
1:A:58:THR:OG1	1:A:59:LYS:N	2.46	0.46
1:A:164:ASN:N	1:A:164:ASN:OD1	2.48	0.46
1:A:22:ASN:O	1:A:44:SER:OG	2.34	0.46
1:A:367:ASP:N	1:A:367:ASP:OD1	2.49	0.46
1:A:508:ASN:OD1	1:A:508:ASN:N	2.46	0.46
1:A:135:GLN:HE22	1:A:735:GLU:HG3	1.81	0.46
1:A:195:THR:O	1:A:195:THR:OG1	2.34	0.46
1:A:994:LEU:HD21	1:A:999:ARG:HH11	1.81	0.45
1:A:1046:GLY:HA3	1:A:1108:MET:HG3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:GLY:O	1:A:144:MET:HB2	2.16	0.45
1:A:1016:TYR:O	1:A:1024:SER:N	2.49	0.45
1:A:587:SER:HA	1:A:770:THR:O	2.16	0.45
1:A:1161:ASP:OD2	1:A:1161:ASP:N	2.43	0.45
1:A:567:SER:HB2	1:A:578:GLU:HB3	1.98	0.45
1:A:857:ASN:OD1	1:A:857:ASN:N	2.50	0.45
1:A:22:ASN:OD1	1:A:44:SER:OG	2.33	0.45
1:A:27:LEU:HB3	1:A:39:VAL:HG23	1.98	0.44
1:A:159:GLU:HB2	1:A:167:ARG:HG3	2.00	0.44
1:A:160:LEU:HB3	1:A:169:ALA:HB3	2.00	0.44
1:A:794:LEU:HD11	1:A:870:ILE:HG21	1.99	0.44
1:A:819:CYS:HA	1:A:847:CYS:HA	1.99	0.44
1:A:143:THR:OG1	1:A:155:TYR:OH	2.32	0.44
1:A:545:VAL:HG21	1:A:671:LEU:HD22	1.98	0.44
1:A:925:ALA:O	1:A:1301:GLU:HA	2.17	0.44
1:A:1136:THR:HA	1:A:1139:LEU:HD12	1.99	0.44
1:A:1154:ASN:HD22	1:A:1157:LEU:HD12	1.83	0.43
1:A:200:VAL:HB	1:A:205:THR:HB	2.00	0.43
1:A:950:GLY:HA2	1:A:1308:VAL:HG12	1.99	0.43
1:A:361:ILE:HB	1:A:399:ALA:HB3	2.01	0.43
1:A:1218:ALA:HA	1:A:1221:ILE:HD12	1.99	0.43
1:A:287:ASP:OD1	1:A:287:ASP:N	2.52	0.43
1:A:604:ASP:N	1:A:604:ASP:OD1	2.52	0.43
1:A:381:TYR:HB2	1:A:414:SER:HB2	2.00	0.42
1:A:899:LYS:HD3	1:A:900:PRO:HD2	2.01	0.42
1:A:127:ASP:OD1	1:A:131:TYR:OH	2.35	0.42
1:A:983:TYR:HB3	1:A:1245:LEU:HB3	2.01	0.42
1:A:948:VAL:HG13	1:A:1287:GLN:HG3	2.01	0.42
1:A:99:SER:HA	1:A:107:PHE:O	2.19	0.42
1:A:538:ALA:O	1:A:545:VAL:HA	2.20	0.42
1:A:118:GLN:NE2	1:A:145:ASP:OD1	2.53	0.42
1:A:793:ASP:HB3	1:A:811:THR:HG23	2.01	0.42
1:A:1265:VAL:HA	1:A:1274:ARG:O	2.20	0.42
1:A:1076:TYR:HB2	1:A:1094:GLU:HB3	2.02	0.42
1:A:342:MET:HB3	1:A:363:VAL:HA	2.02	0.42
1:A:985:LEU:HD23	1:A:988:LEU:HD12	2.02	0.41
1:A:118:GLN:HG3	1:A:146:SER:HB2	2.02	0.41
1:A:609:ASN:OD1	1:A:609:ASN:N	2.54	0.41
1:A:746:ASN:N	1:A:746:ASN:OD1	2.51	0.41
1:A:415:LEU:HB2	1:A:440:LEU:HB3	2.01	0.41
1:A:1143:ILE:HD12	1:A:1143:ILE:HA	1.94	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:SER:HA	1:A:436:GLN:HB3	2.03	0.41
1:A:761:THR:OG1	1:A:762:GLU:N	2.54	0.41
1:A:905:PRO:O	1:A:1317:ASN:ND2	2.54	0.41
1:A:610:ARG:HH21	1:A:614:GLY:HA2	1.85	0.40
1:A:120:ASN:HA	1:A:144:MET:O	2.21	0.40
1:A:378:LEU:HB3	1:A:389:GLN:HB3	2.03	0.40
1:A:946:VAL:HG22	1:A:1312:THR:HB	2.02	0.40
1:A:1039:ALA:HB1	1:A:1104:ALA:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1202/1436 (84%)	1139 (95%)	62 (5%)	1 (0%)	48	76

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1079	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1051/1253 (84%)	1045 (99%)	6 (1%)	78 80

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	VAL
1	A	124	VAL
1	A	347	THR
1	A	471	LEU
1	A	528	LEU
1	A	1136	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	HIS
1	A	161	GLN
1	A	311	GLN
1	A	468	GLN
1	A	504	GLN
1	A	823	GLN
1	A	965	GLN
1	A	1060	GLN
1	A	1081	ASN
1	A	1154	ASN
1	A	1204	GLN
1	A	1246	GLN
1	A	1273	GLN
1	A	1277	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13848. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 143



Y Index: 142



Z Index: 167


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.085. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 99 nm^3 ; this corresponds to an approximate mass of 89 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.319 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13848 and PDB model 7Q60. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.085 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.085).

9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.085) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7860	0.3720
A	0.7860	0.3720

