



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:19 PM UTC

PDB ID : 7Q7P / pdb_00007q7p
Title : LIPIDIC CUBIC PHASE SERIAL FEMTOSECOND CRYSTALLOGRA-
PHY STRUCTURE OF A PHOTOSYNTHETIC REACTION CENTRE
Authors : Baath, P.; Banacore, A.; Neutze, R.
Deposited on : 2021-11-09
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	CCC	356	% 86%7%7%
2	HHH	258	5% 82%13%..
3	LLL	273	2% 92%7%.
4	MMM	323	% 93%6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	BCB	LLL	301	X	-	-	-
10	BCB	LLL	302	X	-	-	-
10	BCB	MMM	403	X	-	-	-
10	BCB	MMM	404	X	-	-	-
11	BPB	LLL	303	X	-	-	-
11	BPB	MMM	405	X	-	-	-
6	DGA	CCC	405	X	-	-	-

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 10442 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	CCC	332	Total	C	N	O	S	0	2	0
			2618	1649	471	480	18			

- Molecule 2 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	HHH	247	Total	C	N	O	S	0	0	0
			1941	1242	332	365	2			


- Molecule 3 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	LLL	273	Total	C	N	O	S	0	1	0
			2172	1460	350	355	7			

- Molecule 4 is a protein called Reaction center protein M chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	MMM	323	Total	C	N	O	S	0	0	0
			2555	1702	419	423	11			

- Molecule 5 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	CCC	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	CCC	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	CCC	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	CCC	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is DIACYL GLYCEROL (CCD ID: DGA) (formula: C₃₉H₇₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	CCC	1	Total	C	O	41	0
			44	39	5		

- Molecule 7 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: $C_7H_{16}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	HHH	1	Total	C	O	0	0
			10	7	3		
7	LLL	1	Total	C	O	0	0
			10	7	3		
7	LLL	1	Total	C	O	0	0
			10	7	3		
7	LLL	1	Total	C	O	0	0
			10	7	3		
7	LLL	1	Total	C	O	0	0
			10	7	3		
7	LLL	1	Total	C	O	0	0
			10	7	3		
7	MMM	1	Total	C	O	0	0
			10	7	3		
7	MMM	1	Total	C	O	0	0
			10	7	3		
7	MMM	1	Total	C	O	0	0
			10	7	3		

- Molecule 8 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: $C_{21}H_{40}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	HHH	1	Total	C	O	0	0
			25	21	4		

- Molecule 9 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	HHH	1	Total	O	S	0	0
			5	4	1		
9	LLL	1	Total	O	S	0	0
			5	4	1		
9	MMM	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	MMM	1	Total	O	S	0	0
			5	4	1		
9	MMM	1	Total	O	S	0	0
			5	4	1		
9	MMM	1	Total	O	S	0	0
			5	4	1		

- Molecule 10 is BACTERIOCHLOROPHYLL B (CCD ID: BCB) (formula: $C_{55}H_{72}MgN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	LLL	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
10	LLL	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
10	MMM	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
10	MMM	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 11 is BACTERIOPHEOPHYTIN B (CCD ID: BPB) (formula: $C_{55}H_{74}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	LLL	1	Total	C	N	O	0	0
			65	55	4	6		
11	MMM	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 12 is UBIQUINONE-1 (CCD ID: UQ1) (formula: C₁₄H₁₈O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	LLL	1	Total	C	O	0	0
			18	14	4		
12	LLL	1	Total	C	O	0	0
			18	14	4		

- Molecule 13 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	LLL	1	Total	C	N	O	0	0
			16	14	1	1		
13	MMM	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 14 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	MMM	1	Total	Fe	0	0
			1	1		

- Molecule 15 is MENAQUINONE-7 (CCD ID: MQ7) (formula: $C_{46}H_{64}O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	MMM	1	Total	C	O	0
			48	46	2	

- Molecule 16 is 15-cis-1,2-dihydroneurosporene (CCD ID: NS5) (formula: C₄₀H₆₀).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	MMM	1	Total	C		0
			40	40		


- Molecule 17 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	CCC	95	Total 95	O 95	0	0
17	HHH	43	Total 43	O 43	0	0
17	LLL	42	Total 42	O 42	0	0
17	MMM	64	Total 64	O 64	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein H chain



- Molecule 3: Reaction center protein L chain



- Molecule 4: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	84.90Å 125.30Å 182.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	73.92 – 2.40 73.92 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (73.92-2.40) 99.9 (73.92-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.165 , 0.204 0.175 , 0.207	Depositor DCC
R_{free} test set	10006 reflections (2.06%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtrriage
Anisotropy	(Not available)	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 58.3	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10442	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NS5, SO4, HTO, OLC, UQ1, MQ7, LDA, FME, BCB, FE2, DGA, HEC, BPB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	CCC	1.02	0/2688	1.36	0/3662
2	HHH	1.01	0/1976	1.36	0/2698
3	LLL	0.99	0/2267	1.40	4/3095 (0.1%)
4	MMM	0.97	0/2659	1.39	2/3637 (0.1%)
All	All	1.00	0/9590	1.38	6/13092 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	LLL	201	GLY	CA-C-O	-6.23	117.24	122.29
4	MMM	30	GLY	CA-C-O	-5.84	118.42	122.22
3	LLL	271	PHE	CA-CB-CG	5.71	119.51	113.80
3	LLL	248	THR	CA-C-N	5.16	127.81	120.53
3	LLL	248	THR	C-N-CA	5.16	127.81	120.53
4	MMM	34	TYR	CB-CA-C	5.06	118.06	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	CCC	2618	0	2596	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	HHH	1941	0	1936	18	0
3	LLL	2172	0	2097	14	0
4	MMM	2555	0	2452	12	0
5	CCC	172	0	120	1	0
6	CCC	44	0	69	0	0
7	HHH	10	0	16	0	0
7	LLL	50	0	80	0	0
7	MMM	30	0	48	0	0
8	HHH	25	0	40	3	0
9	HHH	5	0	0	0	0
9	LLL	5	0	0	0	0
9	MMM	20	0	0	0	0
10	LLL	132	0	144	5	0
10	MMM	132	0	144	1	0
11	LLL	65	0	74	1	0
11	MMM	65	0	74	6	0
12	LLL	36	0	36	2	0
13	LLL	16	0	31	0	0
13	MMM	16	0	31	0	0
14	MMM	1	0	0	0	0
15	MMM	48	0	64	2	0
16	MMM	40	0	60	5	0
17	CCC	95	0	0	0	0
17	HHH	43	0	0	1	0
17	LLL	42	0	0	0	0
17	MMM	64	0	0	2	0
All	All	10442	0	10112	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:MMM:405:BPB:HHC	11:MMM:405:BPB:HBBB	1.62	0.80
4:MMM:159:GLY:HA3	16:MMM:406:NS5:H272	1.68	0.76
3:LLL:181:PHE:HB3	11:MMM:405:BPB:HBBA	1.69	0.74
3:LLL:132:GLN:HE22	3:LLL:146:PHE:H	1.32	0.73
10:MMM:403:BCB:HBB2	10:MMM:403:BCB:HHC	1.74	0.69
8:HHH:402:OLC:H18A	17:MMM:560:HOH:O	1.93	0.68
16:MMM:406:NS5:C7	16:MMM:406:NS5:H113	2.23	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:LLL:301:BCB:C20	15:MMM:402:MQ7:H292	2.24	0.67
4:MMM:73:MET:HE1	4:MMM:88:PHE:CE1	2.33	0.63
3:LLL:181:PHE:CD2	11:MMM:405:BPB:HBB	2.35	0.61
3:LLL:181:PHE:HB3	11:MMM:405:BPB:CBB	2.32	0.58
16:MMM:406:NS5:H113	16:MMM:406:NS5:C5	2.33	0.57
2:HHH:66:LYS:NZ	3:LLL:199:ASN:HD21	2.03	0.57
11:MMM:405:BPB:H4	11:MMM:405:BPB:H7	1.87	0.57
1:CCC:102:TYR:CD2	1:CCC:103:PRO:HD3	2.42	0.55
1:CCC:216:ARG:O	1:CCC:219:GLU:HG2	2.07	0.54
1:CCC:99:GLU:HG2	1:CCC:104:TYR:CE1	2.43	0.54
2:HHH:106:ASN:ND2	2:HHH:109:VAL:HG23	2.24	0.53
3:LLL:226:ALA:HA	12:LLL:309:UQ1:HM32	1.92	0.51
11:LLL:303:BPB:HBBB	11:LLL:303:BPB:HMB	1.91	0.51
1:CCC:146[B]:ARG:HD3	1:CCC:179:TYR:CE1	2.46	0.51
1:CCC:121:TRP:O	1:CCC:125:VAL:HG22	2.11	0.50
3:LLL:212:GLU:HB3	12:LLL:309:UQ1:HM23	1.93	0.50
2:HHH:33:ARG:HE	8:HHH:402:OLC:H24	1.77	0.49
10:LLL:302:BCB:HMB3	10:LLL:302:BCB:HBB2	1.95	0.49
10:LLL:301:BCB:H202	15:MMM:402:MQ7:H292	1.95	0.48
1:CCC:293:ARG:HH11	5:CCC:402:HEC:CGA	2.26	0.48
2:HHH:45:GLU:CB	2:HHH:46:PRO:HA	2.44	0.47
3:LLL:132:GLN:NE2	3:LLL:132:GLN:HA	2.29	0.47
2:HHH:160:ALA:HB3	2:HHH:214:LEU:HD23	1.96	0.47
4:MMM:239:ARG:NH2	17:MMM:502:HOH:O	2.40	0.46
3:LLL:20:ASP:HA	3:LLL:23:ASP:HB2	1.97	0.46
1:CCC:102:TYR:N	1:CCC:103:PRO:CD	2.79	0.46
2:HHH:45:GLU:HB3	2:HHH:46:PRO:HA	1.98	0.45
2:HHH:149:ASP:OD1	4:MMM:36:TYR:OH	2.29	0.45
2:HHH:41:TYR:HA	2:HHH:42:PRO:C	2.42	0.44
1:CCC:173:VAL:HB	4:MMM:87:GLN:NE2	2.32	0.44
4:MMM:260:ILE:O	4:MMM:264:HIS:ND1	2.48	0.44
1:CCC:102:TYR:CG	1:CCC:103:PRO:HD3	2.52	0.44
2:HHH:152:PRO:HA	2:HHH:155:LEU:HD12	1.99	0.44
2:HHH:257:LEU:HD12	2:HHH:257:LEU:N	2.33	0.43
10:LLL:301:BCB:H193	10:LLL:301:BCB:H162	1.85	0.43
2:HHH:70:LEU:HD11	2:HHH:76:VAL:HG23	1.98	0.43
2:HHH:199:GLY:O	4:MMM:226:ARG:NH1	2.52	0.43
4:MMM:73:MET:CE	4:MMM:88:PHE:CE1	2.99	0.43
2:HHH:217:GLN:HE22	2:HHH:249:ALA:HA	1.83	0.43
16:MMM:406:NS5:H29	16:MMM:406:NS5:H271	1.83	0.43
2:HHH:108:LEU:HD23	2:HHH:108:LEU:HA	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:LLL:135:ARG:HB3	3:LLL:136:PRO:HD3	2.02	0.42
2:HHH:80:ARG:HD3	17:HHH:535:HOH:O	2.20	0.42
2:HHH:184:GLU:OE2	2:HHH:193:THR:HG21	2.20	0.42
3:LLL:44:LEU:HD23	3:LLL:44:LEU:HA	1.91	0.42
10:LLL:301:BCB:HBD	10:LLL:301:BCB:HAA1	2.02	0.42
3:LLL:80:LEU:HD12	3:LLL:80:LEU:HA	1.90	0.42
4:MMM:258:ALA:HB1	4:MMM:262:SER:OG	2.20	0.41
2:HHH:33:ARG:HE	8:HHH:402:OLC:C24	2.32	0.41
4:MMM:193:ASN:C	4:MMM:193:ASN:HD22	2.27	0.41
11:MMM:405:BPB:HHC	11:MMM:405:BPB:CBB	2.43	0.41
1:CCC:18:SER:HB2	3:LLL:156:TRP:CD1	2.55	0.41
2:HHH:20:GLN:HG2	4:MMM:202:PHE:CE2	2.55	0.41
1:CCC:69:GLU:O	1:CCC:72:ARG:HB3	2.20	0.41
3:LLL:31:VAL:HG12	3:LLL:32:GLY:O	2.20	0.41
16:MMM:406:NS5:H13	16:MMM:406:NS5:H111	1.79	0.40
4:MMM:96:PRO:HD3	4:MMM:110:GLY:HA3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	CCC	332/356 (93%)	317 (96%)	15 (4%)	0	100	100
2	HHH	243/258 (94%)	233 (96%)	10 (4%)	0	100	100
3	LLL	272/273 (100%)	265 (97%)	7 (3%)	0	100	100
4	MMM	321/323 (99%)	313 (98%)	7 (2%)	1 (0%)	36	50
All	All	1168/1210 (96%)	1128 (97%)	39 (3%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	MMM	193	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	CCC	283/297 (95%)	269 (95%)	14 (5%)	22	39
2	HHH	204/212 (96%)	191 (94%)	13 (6%)	16	28
3	LLL	219/218 (100%)	214 (98%)	5 (2%)	44	66
4	MMM	249/249 (100%)	242 (97%)	7 (3%)	38	60
All	All	955/976 (98%)	916 (96%)	39 (4%)	28	46

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	CCC	1	CYS
1	CCC	2	PHE
1	CCC	29	LYS
1	CCC	38	TYR
1	CCC	46	LYS
1	CCC	48	GLU
1	CCC	66	THR
1	CCC	92	ASP
1	CCC	105	VAL
1	CCC	127	GLN
1	CCC	146[A]	ARG
1	CCC	146[B]	ARG
1	CCC	218	LYS
1	CCC	332	LYS
2	HHH	15	LEU
2	HHH	34	ARG
2	HHH	58	GLN
2	HHH	60	TYR
2	HHH	80	ARG
2	HHH	87	GLU
2	HHH	124	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	HHH	185	LEU
2	HHH	193	THR
2	HHH	198	LEU
2	HHH	236	ASP
2	HHH	252	GLU
2	HHH	255	GLU
3	LLL	12	ARG
3	LLL	20	ASP
3	LLL	21	LEU
3	LLL	80	LEU
3	LLL	272	TRP
4	MMM	51	LEU
4	MMM	180	HIS
4	MMM	193	ASN
4	MMM	194	PHE
4	MMM	214	PHE
4	MMM	226	ARG
4	MMM	323	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FME	HHH	1	2	8,9,10	0.47	0	8,9,11	1.02	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FME	HHH	1	2	-	3/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	HHH	1	FME	N-CA-CB-CG
2	HHH	1	FME	C-CA-CB-CG
2	HHH	1	FME	CA-CB-CG-SD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 1 is monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
13	LDA	MMM	410	-	13,15,15	0.42	0	14,17,17	0.32	0
9	SO4	MMM	414	-	4,4,4	0.33	0	6,6,6	0.08	0
7	HTO	LLL	306	-	9,9,9	0.72	0	10,10,10	0.95	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	HTO	HHH	401	-	9,9,9	0.99	0	10,10,10	0.71	0
7	HTO	MMM	409	-	9,9,9	0.93	0	10,10,10	0.96	1 (10%)
7	HTO	LLL	304	-	9,9,9	0.86	0	10,10,10	0.77	0
7	HTO	LLL	305	-	9,9,9	0.77	0	10,10,10	1.15	1 (10%)
9	SO4	LLL	308	-	4,4,4	0.35	0	6,6,6	0.08	0
5	HEC	CCC	403	1	46,50,50	1.65	3 (6%)	58,82,82	1.95	6 (10%)
5	HEC	CCC	401	1	46,50,50	1.67	3 (6%)	58,82,82	2.08	8 (13%)
6	DGA	CCC	405	-	43,43,43	4.54	4 (9%)	45,45,45	4.55	8 (17%)
12	UQ1	LLL	309	-	18,18,18	2.37	3 (16%)	24,25,25	1.76	8 (33%)
10	BCB	MMM	403	-	60,74,74	2.56	18 (30%)	59,115,115	2.63	22 (37%)
7	HTO	MMM	407	-	9,9,9	1.03	0	10,10,10	1.27	2 (20%)
7	HTO	LLL	307	-	9,9,9	1.03	0	10,10,10	0.99	1 (10%)
11	BPB	MMM	405	-	57,70,70	2.39	15 (26%)	55,101,101	2.72	19 (34%)
9	SO4	MMM	412	-	4,4,4	0.29	0	6,6,6	0.15	0
13	LDA	LLL	311	-	13,15,15	0.29	0	14,17,17	0.33	0
12	UQ1	LLL	310	-	18,18,18	2.63	3 (16%)	24,25,25	1.52	7 (29%)
10	BCB	LLL	301	-	60,74,74	2.75	18 (30%)	59,115,115	2.75	18 (30%)
7	HTO	LLL	312	-	9,9,9	0.98	1 (11%)	10,10,10	1.46	2 (20%)
5	HEC	CCC	402	1	46,50,50	1.64	3 (6%)	58,82,82	1.60	7 (12%)
16	NS5	MMM	406	-	39,39,39	0.89	0	46,46,46	1.72	10 (21%)
5	HEC	CCC	404	1	46,50,50	1.62	3 (6%)	58,82,82	2.00	14 (24%)
7	HTO	MMM	408	-	9,9,9	0.76	0	10,10,10	0.97	1 (10%)
10	BCB	MMM	404	-	60,74,74	2.47	17 (28%)	59,115,115	2.56	18 (30%)
9	SO4	MMM	413	-	4,4,4	0.32	0	6,6,6	0.08	0
10	BCB	LLL	302	-	60,74,74	2.57	17 (28%)	59,115,115	2.85	17 (28%)
9	SO4	MMM	411	-	4,4,4	0.32	0	6,6,6	0.08	0
11	BPB	LLL	303	-	57,70,70	2.20	15 (26%)	55,101,101	2.37	14 (25%)
15	MQ7	MMM	402	-	49,49,49	1.39	3 (6%)	61,63,63	1.08	4 (6%)
8	OLC	HHH	402	-	24,24,24	1.20	1 (4%)	25,25,25	1.39	3 (12%)
9	SO4	HHH	403	-	4,4,4	0.33	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	LDA	MMM	410	-	-	11/13/13/13	-
7	HTO	LLL	306	-	-	7/10/10/10	-
7	HTO	HHH	401	-	-	5/10/10/10	-
7	HTO	MMM	409	-	-	5/10/10/10	-
7	HTO	LLL	304	-	-	5/10/10/10	-
7	HTO	LLL	305	-	-	6/10/10/10	-
5	HEC	CCC	403	1	-	4/14/54/54	-
5	HEC	CCC	401	1	-	8/14/54/54	-
6	DGA	CCC	405	-	1/1/3/3	27/45/45/45	-
12	UQ1	LLL	309	-	-	0/9/33/33	0/1/1/1
10	BCB	MMM	403	-	3/3/21/26	6/37/137/137	-
7	HTO	MMM	407	-	-	6/10/10/10	-
7	HTO	LLL	307	-	-	6/10/10/10	-
11	BPB	MMM	405	-	1/1/18/23	10/37/105/105	0/5/6/6
13	LDA	LLL	311	-	-	5/13/13/13	-
12	UQ1	LLL	310	-	-	3/9/33/33	0/1/1/1
10	BCB	LLL	301	-	3/3/21/26	8/37/137/137	-
7	HTO	LLL	312	-	-	3/10/10/10	-
5	HEC	CCC	402	1	-	9/14/54/54	-
16	NS5	MMM	406	-	-	5/43/43/43	-
5	HEC	CCC	404	1	-	7/14/54/54	-
7	HTO	MMM	408	-	-	4/10/10/10	-
10	BCB	MMM	404	-	3/3/21/26	8/37/137/137	-
10	BCB	LLL	302	-	3/3/21/26	7/37/137/137	-
11	BPB	LLL	303	-	1/1/18/23	8/37/105/105	0/5/6/6
15	MQ7	MMM	402	-	-	2/41/61/61	0/2/2/2
8	OLC	HHH	402	-	-	8/24/24/24	-

All (127) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	CCC	405	DGA	OG1-CG1	-21.11	0.98	1.45
6	CCC	405	DGA	CG1-CG2	-13.20	1.09	1.50
6	CCC	405	DGA	OG2-CG2	-12.88	1.16	1.46
6	CCC	405	DGA	CB2-CB1	-9.77	1.22	1.50
12	LLL	310	UQ1	C6-C5	9.12	1.51	1.35
11	LLL	303	BPB	C1B-C2B	8.56	1.48	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	LLL	309	UQ1	C6-C5	8.43	1.50	1.35
10	LLL	301	BCB	C1B-C2B	8.29	1.49	1.39
10	MMM	403	BCB	CHC-C1C	8.24	1.48	1.38
11	MMM	405	BPB	C1D-C2D	7.91	1.48	1.39
11	MMM	405	BPB	C1B-C2B	7.58	1.47	1.39
10	MMM	404	BCB	CHC-C1C	7.27	1.47	1.38
10	LLL	301	BCB	CHC-C1C	7.07	1.47	1.38
10	LLL	301	BCB	C1A-CHA	7.05	1.48	1.40
10	MMM	403	BCB	C1B-C2B	7.02	1.47	1.39
10	LLL	302	BCB	C1B-C2B	6.94	1.47	1.39
10	MMM	404	BCB	C1A-CHA	6.70	1.47	1.40
15	MMM	402	MQ7	C3-C2	6.65	1.47	1.35
10	LLL	302	BCB	CHC-C1C	6.55	1.46	1.38
5	CCC	402	HEC	CAB-C3B	6.35	1.55	1.35
5	CCC	404	HEC	CAC-C3C	6.29	1.55	1.35
5	CCC	404	HEC	CAB-C3B	6.25	1.55	1.35
5	CCC	403	HEC	CAB-C3B	6.19	1.55	1.35
11	LLL	303	BPB	C1D-C2D	6.14	1.46	1.39
10	LLL	302	BCB	C1A-CHA	6.06	1.46	1.40
10	LLL	302	BCB	CHB-C1B	5.94	1.49	1.39
10	LLL	301	BCB	CHC-C4B	5.92	1.49	1.39
5	CCC	403	HEC	CAC-C3C	5.91	1.54	1.35
10	MMM	404	BCB	C1B-C2B	5.89	1.46	1.39
10	LLL	301	BCB	CHB-C1B	5.82	1.49	1.39
5	CCC	401	HEC	CAB-C3B	5.80	1.53	1.35
10	LLL	302	BCB	C1D-C2D	5.79	1.46	1.39
5	CCC	402	HEC	CAC-C3C	5.64	1.53	1.35
10	MMM	403	BCB	C1A-CHA	5.61	1.46	1.40
10	LLL	302	BCB	CHC-C4B	5.51	1.48	1.39
10	MMM	404	BCB	C1D-C2D	5.46	1.45	1.39
5	CCC	401	HEC	CAC-C3C	5.38	1.52	1.35
10	MMM	403	BCB	C1D-C2D	5.35	1.45	1.39
8	HHH	402	OLC	O20-C1	5.23	1.48	1.33
11	MMM	405	BPB	C3D-C2D	5.13	1.48	1.39
11	MMM	405	BPB	C4D-CHA	5.07	1.47	1.39
10	LLL	301	BCB	C1D-C2D	4.96	1.45	1.39
11	MMM	405	BPB	OBD-CAD	4.85	1.28	1.22
10	MMM	404	BCB	CHC-C4B	4.78	1.47	1.39
10	MMM	404	BCB	C3B-C2B	4.76	1.47	1.39
11	MMM	405	BPB	C3B-C2B	4.75	1.47	1.39
10	LLL	301	BCB	C3B-C4B	4.73	1.49	1.41
10	LLL	301	BCB	C3B-C2B	4.64	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	LLL	302	BCB	O2A-CGA	4.55	1.46	1.33
10	MMM	403	BCB	CHC-C4B	4.54	1.47	1.39
11	MMM	405	BPB	O2D-CGD	4.46	1.44	1.33
10	LLL	302	BCB	C3B-C2B	4.46	1.47	1.39
15	MMM	402	MQ7	C10-C5	4.35	1.47	1.40
10	LLL	301	BCB	C3D-C2D	4.33	1.47	1.39
10	LLL	302	BCB	CBD-CGD	-4.31	1.47	1.52
10	LLL	301	BCB	OBD-CAD	4.31	1.27	1.22
10	MMM	404	BCB	CHB-C1B	4.30	1.46	1.39
10	LLL	301	BCB	CHA-CBD	-4.28	1.46	1.51
10	MMM	403	BCB	CHB-C1B	4.27	1.46	1.39
12	LLL	310	UQ1	C3-C2	4.23	1.51	1.36
10	MMM	404	BCB	C3B-C4B	4.15	1.48	1.41
11	LLL	303	BPB	O2D-CGD	4.13	1.43	1.33
11	LLL	303	BPB	C4D-CHA	4.11	1.45	1.39
10	MMM	403	BCB	C3A-C2A	-4.10	1.51	1.54
10	MMM	403	BCB	C3B-C2B	4.08	1.46	1.39
10	MMM	403	BCB	C3D-C2D	3.96	1.46	1.39
10	LLL	302	BCB	CHB-C4A	-3.96	1.33	1.38
10	MMM	404	BCB	C3D-C2D	3.95	1.46	1.39
10	MMM	404	BCB	OBD-CAD	3.87	1.27	1.22
10	LLL	301	BCB	CHB-C4A	-3.83	1.34	1.38
10	LLL	301	BCB	O2D-CGD	3.79	1.42	1.33
10	MMM	403	BCB	O2D-CGD	3.79	1.42	1.33
11	MMM	405	BPB	CBD-CGD	-3.75	1.47	1.52
10	MMM	403	BCB	O2A-CGA	3.74	1.44	1.33
11	LLL	303	BPB	C3A-C2A	-3.72	1.51	1.54
11	LLL	303	BPB	CHA-CBD	-3.71	1.47	1.51
10	LLL	302	BCB	C3D-C2D	3.69	1.45	1.39
11	MMM	405	BPB	O2A-CGA	3.67	1.44	1.33
10	MMM	403	BCB	OBD-CAD	3.67	1.27	1.22
10	LLL	302	BCB	O2D-CGD	3.61	1.42	1.33
10	MMM	404	BCB	O2A-CGA	3.59	1.43	1.33
10	MMM	403	BCB	CBD-CGD	-3.59	1.48	1.52
11	LLL	303	BPB	O2A-CGA	3.53	1.43	1.33
10	MMM	404	BCB	O2D-CGD	3.48	1.41	1.33
10	MMM	403	BCB	C3B-C4B	3.48	1.47	1.41
10	LLL	301	BCB	CHD-C1D	3.47	1.45	1.39
11	LLL	303	BPB	C3B-C2B	3.44	1.45	1.39
10	MMM	404	BCB	CHA-CBD	-3.43	1.47	1.51
11	MMM	405	BPB	C4C-NC	-3.40	1.27	1.37
12	LLL	309	UQ1	C3-C2	3.37	1.48	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	MMM	403	BCB	CHA-CBD	-3.36	1.47	1.51
10	MMM	404	BCB	CHB-C4A	-3.36	1.34	1.38
11	LLL	303	BPB	C3D-C2D	3.35	1.45	1.39
10	MMM	403	BCB	CHD-C4C	3.34	1.45	1.39
10	LLL	302	BCB	C3B-C4B	3.32	1.46	1.41
10	LLL	302	BCB	OBD-CAD	3.30	1.26	1.22
10	LLL	301	BCB	O2A-CGA	3.21	1.42	1.33
10	LLL	301	BCB	CHD-C4C	3.19	1.45	1.39
10	MMM	403	BCB	CHB-C4A	-3.17	1.34	1.38
10	LLL	302	BCB	CHD-C4C	3.16	1.45	1.39
10	LLL	302	BCB	CHA-CBD	-3.12	1.48	1.51
10	LLL	302	BCB	CHD-C1D	3.11	1.44	1.39
11	LLL	303	BPB	C1D-ND	-3.08	1.33	1.38
11	LLL	303	BPB	C4B-NB	-3.04	1.33	1.38
10	LLL	301	BCB	C3A-C2A	-2.99	1.52	1.54
10	MMM	403	BCB	CHD-C1D	2.96	1.44	1.39
10	MMM	404	BCB	CHD-C4C	2.93	1.45	1.39
10	LLL	301	BCB	CBD-CGD	-2.89	1.48	1.52
11	LLL	303	BPB	OBD-CAD	2.89	1.26	1.22
11	LLL	303	BPB	CBD-CGD	-2.86	1.48	1.52
10	MMM	404	BCB	C3A-C2A	-2.82	1.52	1.54
11	LLL	303	BPB	C3B-C4B	2.77	1.45	1.41
5	CCC	403	HEC	CBA-CGA	2.73	1.56	1.50
11	LLL	303	BPB	C4C-NC	-2.73	1.29	1.37
11	MMM	405	BPB	C1B-NB	-2.72	1.33	1.38
10	MMM	404	BCB	CHD-C1D	2.69	1.44	1.39
5	CCC	401	HEC	CBA-CGA	2.46	1.56	1.50
11	MMM	405	BPB	CHA-CBD	-2.44	1.48	1.51
11	MMM	405	BPB	C1D-ND	-2.14	1.34	1.38
12	LLL	310	UQ1	C7-C8	2.13	1.53	1.50
5	CCC	404	HEC	O2A-CGA	-2.13	1.23	1.30
12	LLL	309	UQ1	C6-C1	2.11	1.52	1.46
7	LLL	312	HTO	C4-C3	2.11	1.56	1.52
5	CCC	402	HEC	C1B-NB	-2.05	1.35	1.39
11	MMM	405	BPB	C3A-C2A	-2.05	1.53	1.54
11	MMM	405	BPB	C3B-C4B	2.04	1.44	1.41
15	MMM	402	MQ7	O1-C1	2.03	1.27	1.23

All (191) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	CCC	405	DGA	OG2-CG2-CG3	-14.80	55.66	108.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	CCC	405	DGA	OG2-CG2-CG1	14.43	160.12	108.34
6	CCC	405	DGA	CG2-OG2-CB1	-13.42	85.67	117.80
5	CCC	403	HEC	CBB-CAB-C3B	-11.91	103.64	127.43
10	LLL	301	BCB	C1B-CHB-C4A	11.77	128.89	121.32
6	CCC	405	DGA	OG2-CB1-CB2	10.57	134.36	111.48
6	CCC	405	DGA	CB3-CB2-CB1	10.54	152.32	113.69
5	CCC	401	HEC	CBB-CAB-C3B	-10.26	106.93	127.43
11	MMM	405	BPB	O2D-CGD-CBD	10.13	122.07	110.95
10	LLL	302	BCB	C1B-CHB-C4A	9.98	127.74	121.32
10	MMM	403	BCB	C1B-CHB-C4A	9.73	127.58	121.32
10	LLL	302	BCB	O2D-CGD-CBD	9.59	121.48	110.95
10	MMM	404	BCB	O2D-CGD-CBD	8.94	120.77	110.95
5	CCC	404	HEC	CBB-CAB-C3B	-8.08	111.29	127.43
10	LLL	302	BCB	C4B-CHC-C1C	8.02	126.48	121.32
6	CCC	405	DGA	CG1-CG2-CG3	7.69	129.55	111.80
10	MMM	404	BCB	C1B-CHB-C4A	7.65	126.25	121.32
11	LLL	303	BPB	C3D-C4D-ND	7.53	117.36	107.71
11	LLL	303	BPB	O2D-CGD-CBD	7.49	119.18	110.95
10	MMM	403	BCB	O2D-CGD-CBD	7.49	119.17	110.95
10	LLL	302	BCB	OBD-CAD-C3D	-7.15	116.74	127.89
11	MMM	405	BPB	C3D-C4D-ND	7.08	116.79	107.71
5	CCC	401	HEC	CBC-CAC-C3C	-6.99	113.46	127.43
10	MMM	403	BCB	OBD-CAD-C3D	-6.44	117.84	127.89
11	LLL	303	BPB	C2B-C1B-NB	6.44	114.08	109.43
10	LLL	301	BCB	C4B-CHC-C1C	6.34	125.40	121.32
10	MMM	404	BCB	C4B-CHC-C1C	6.25	125.34	121.32
10	LLL	301	BCB	OBD-CAD-C3D	-6.19	118.24	127.89
11	MMM	405	BPB	C1-O2A-CGA	6.16	131.57	116.65
5	CCC	402	HEC	CBB-CAB-C3B	-6.09	115.25	127.43
5	CCC	404	HEC	CBC-CAC-C3C	-6.06	115.32	127.43
10	LLL	302	BCB	C3D-CAD-CBD	6.06	115.58	107.61
10	LLL	301	BCB	C3D-CAD-CBD	6.01	115.52	107.61
10	MMM	403	BCB	C3D-CAD-CBD	5.71	115.12	107.61
10	MMM	403	BCB	CHA-C1A-C2A	-5.22	121.06	133.31
5	CCC	404	HEC	CAD-CBD-CGD	-5.10	100.14	113.67
10	LLL	302	BCB	CHA-C1A-C2A	-5.05	121.44	133.31
6	CCC	405	DGA	OB1-CB1-CB2	-4.95	104.42	123.78
8	HHH	402	OLC	O20-C1-C2	4.89	126.73	111.83
10	MMM	404	BCB	C3D-CAD-CBD	4.81	113.94	107.61
16	MMM	406	NS5	C13-C12-C10	-4.80	120.94	127.69
11	MMM	405	BPB	C4-C3-C2	-4.69	111.57	123.63
11	MMM	405	BPB	OBD-CAD-C3D	-4.68	120.59	127.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	LLL	301	BCB	CHA-C1A-C2A	-4.67	122.34	133.31
10	LLL	301	BCB	C3D-C4D-CHA	4.62	115.56	108.54
11	LLL	303	BPB	OBD-CAD-C3D	-4.57	120.77	127.89
11	MMM	405	BPB	C2B-C1B-NB	4.53	112.70	109.43
10	MMM	403	BCB	C3D-C4D-CHA	4.53	115.42	108.54
10	MMM	403	BCB	C4B-CHC-C1C	4.49	124.21	121.32
10	MMM	404	BCB	O2D-CGD-O1D	-4.40	115.27	123.85
10	MMM	404	BCB	OBD-CAD-C3D	-4.37	121.08	127.89
12	LLL	309	UQ1	CM3-O3-C3	4.34	131.72	116.47
11	MMM	405	BPB	C5-C3-C2	4.25	130.71	121.17
11	LLL	303	BPB	C4D-ND-C1D	-4.24	103.80	108.87
10	MMM	404	BCB	C3D-C4D-CHA	3.98	114.59	108.54
10	LLL	301	BCB	O2D-CGD-CBD	3.95	115.29	110.95
16	MMM	406	NS5	C18-C19-C20	3.95	131.60	123.52
10	LLL	302	BCB	C3D-C4D-CHA	3.93	114.51	108.54
11	MMM	405	BPB	C4D-ND-C1D	-3.90	104.19	108.87
5	CCC	402	HEC	CBA-CAA-C2A	-3.87	101.83	112.53
16	MMM	406	NS5	C19-C20-C21	-3.75	122.02	127.28
10	MMM	404	BCB	CMB-C2B-C3B	3.71	132.11	124.68
10	LLL	301	BCB	O2A-CGA-O1A	-3.70	114.37	123.63
16	MMM	406	NS5	C32-C31-C33	3.67	121.61	115.23
10	MMM	404	BCB	C1A-CHA-C4D	3.63	125.04	118.98
10	MMM	404	BCB	CHA-C1A-C2A	-3.60	124.85	133.31
5	CCC	402	HEC	CBC-CAC-C3C	-3.40	120.63	127.43
6	CCC	405	DGA	CG1-OG1-CA1	3.40	129.53	117.12
11	MMM	405	BPB	O2D-CGD-O1D	-3.39	117.25	123.85
11	LLL	303	BPB	CMD-C2D-C3D	-3.35	117.99	124.68
10	LLL	301	BCB	C4-C3-C5	3.33	121.00	115.23
5	CCC	401	HEC	CBD-CAD-C3D	-3.32	103.36	112.53
11	MMM	405	BPB	O2A-C1-C2	-3.32	95.35	108.11
10	MMM	404	BCB	CHD-C4C-C3C	-3.30	120.19	130.04
10	MMM	404	BCB	C3D-C4D-ND	3.29	118.21	112.94
8	HHH	402	OLC	O20-C1-O19	-3.27	115.44	123.63
11	MMM	405	BPB	C7-C6-C5	3.26	121.95	113.26
7	MMM	407	HTO	O1-C1-C2	3.24	117.96	111.16
5	CCC	401	HEC	C2A-C1A-NA	-3.23	107.20	110.32
10	LLL	301	BCB	O2A-CGA-CBA	3.21	121.62	111.83
10	MMM	403	BCB	CHD-C4C-C3C	-3.17	120.58	130.04
11	MMM	405	BPB	C1A-C2A-C3A	-3.15	99.85	102.84
11	MMM	405	BPB	C2D-C1D-ND	3.14	111.70	109.43
10	MMM	403	BCB	C1A-CHA-C4D	3.14	124.22	118.98
10	MMM	403	BCB	CHC-C1C-C2C	-3.13	114.31	122.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	LLL	303	BPB	C2D-C1D-ND	3.12	111.69	109.43
5	CCC	404	HEC	C3D-C4D-ND	-3.10	106.71	110.15
11	LLL	303	BPB	O1D-CGD-CBD	-3.08	120.05	124.72
10	LLL	301	BCB	O2D-CGD-O1D	-3.07	117.87	123.85
10	LLL	301	BCB	CHD-C4C-C3C	-3.06	120.89	130.04
12	LLL	309	UQ1	C3-C4-C5	3.06	124.14	118.10
12	LLL	310	UQ1	CM3-O3-C3	3.04	127.14	116.47
10	LLL	302	BCB	CHC-C1C-C2C	-3.03	114.59	122.69
10	LLL	302	BCB	CMB-C2B-C3B	3.02	130.71	124.68
10	LLL	301	BCB	CMB-C2B-C3B	2.99	130.66	124.68
11	LLL	303	BPB	C3B-C4B-NB	2.96	112.35	108.05
10	LLL	302	BCB	O2D-CGD-O1D	-2.94	118.12	123.85
11	MMM	405	BPB	CMA-C3A-C4A	-2.92	108.33	114.61
11	LLL	303	BPB	C3D-CAD-CBD	2.89	111.41	107.61
10	MMM	404	BCB	C4D-ND-C1D	-2.88	103.03	105.22
11	LLL	303	BPB	C1A-C2A-C3A	-2.88	100.10	102.84
5	CCC	404	HEC	O1D-CGD-CBD	-2.88	113.97	123.09
10	LLL	301	BCB	CHC-C1C-C2C	-2.88	114.99	122.69
15	MMM	402	MQ7	C21-C22-C23	-2.85	121.09	127.62
10	LLL	302	BCB	O1D-CGD-CBD	-2.85	120.40	124.72
12	LLL	309	UQ1	O4-C4-C3	-2.85	115.00	121.03
15	MMM	402	MQ7	C2M-C2-C3	-2.85	119.77	124.45
10	LLL	301	BCB	C1-C2-C3	-2.83	121.56	126.20
16	MMM	406	NS5	C19-C18-C17	2.82	129.28	123.52
10	MMM	404	BCB	CAA-C2A-C3A	-2.81	105.39	113.00
10	LLL	302	BCB	CMD-C2D-C3D	-2.80	119.08	124.68
11	MMM	405	BPB	C1-C2-C3	2.78	130.75	126.20
5	CCC	404	HEC	CHD-C1D-ND	2.75	128.85	123.86
10	MMM	404	BCB	CMD-C2D-C3D	-2.75	119.19	124.68
5	CCC	403	HEC	CBC-CAC-C3C	-2.73	121.98	127.43
10	MMM	403	BCB	C4D-ND-C1D	-2.69	103.18	105.22
11	MMM	405	BPB	O1D-CGD-CBD	-2.69	120.64	124.72
11	MMM	405	BPB	C3B-C4B-NB	2.68	111.95	108.05
5	CCC	401	HEC	CBA-CAA-C2A	-2.68	105.14	112.53
5	CCC	402	HEC	O2A-CGA-CBA	2.66	122.41	114.00
10	LLL	301	BCB	C1A-CHA-C4D	2.66	123.42	118.98
10	LLL	301	BCB	C3D-C4D-ND	2.66	117.21	112.94
5	CCC	403	HEC	O1D-CGD-CBD	-2.66	114.66	123.09
10	LLL	302	BCB	C1A-CHA-C4D	2.65	123.40	118.98
10	MMM	403	BCB	C7-C6-C5	-2.62	106.29	113.26
7	LLL	305	HTO	C4-C3-C2	2.60	119.98	113.73
16	MMM	406	NS5	C14-C15-C17	-2.59	114.93	119.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	CCC	404	HEC	C4D-ND-C1D	2.58	110.03	105.82
15	MMM	402	MQ7	C39-C38-C40	2.57	119.69	115.23
5	CCC	404	HEC	CMB-C2B-C1B	-2.56	121.52	125.42
5	CCC	402	HEC	C2A-C1A-NA	-2.54	107.87	110.32
12	LLL	309	UQ1	O1-C1-C2	-2.49	115.75	121.03
11	MMM	405	BPB	C3D-CAD-CBD	2.49	110.89	107.61
5	CCC	404	HEC	CBD-CAD-C3D	2.49	119.41	112.53
12	LLL	310	UQ1	CM2-O2-C2	2.48	125.18	116.47
12	LLL	310	UQ1	C3-C4-C5	2.47	122.98	118.10
12	LLL	310	UQ1	C2-C3-C4	-2.46	116.17	120.69
10	MMM	403	BCB	O1D-CGD-CBD	-2.45	121.00	124.72
12	LLL	310	UQ1	C5-C6-C1	-2.43	117.26	119.62
10	MMM	403	BCB	CMD-C2D-C3D	-2.41	119.86	124.68
10	MMM	404	BCB	CHC-C1C-C2C	-2.41	116.24	122.69
10	MMM	403	BCB	C3D-C4D-ND	2.40	116.79	112.94
5	CCC	404	HEC	C2A-C1A-NA	-2.40	108.01	110.32
7	MMM	408	HTO	O1-C1-C2	2.38	116.15	111.16
16	MMM	406	NS5	CM4-C36-CM3	2.37	120.04	114.59
5	CCC	404	HEC	C2D-C1D-ND	-2.35	106.37	110.14
10	LLL	302	BCB	C3D-C4D-ND	2.35	116.71	112.94
5	CCC	402	HEC	C4D-ND-C1D	2.33	109.62	105.82
11	LLL	303	BPB	OBB-CAB-C3B	-2.33	116.11	119.99
10	MMM	403	BCB	CMB-C2B-C3B	2.32	129.32	124.68
5	CCC	403	HEC	C2A-C1A-NA	-2.30	108.11	110.32
10	LLL	302	BCB	CHD-C4C-C3C	-2.29	123.20	130.04
7	MMM	409	HTO	C4-C3-C2	2.27	119.18	113.73
7	LLL	307	HTO	O2-C2-C3	2.26	114.33	109.57
5	CCC	401	HEC	CHA-C1A-C2A	2.26	128.44	124.86
11	MMM	405	BPB	CMD-C2D-C3D	-2.26	120.17	124.68
16	MMM	406	NS5	C12-C13-C14	-2.26	116.66	123.20
10	MMM	403	BCB	O2A-C1-C2	2.25	116.78	108.11
5	CCC	402	HEC	C2D-C1D-ND	-2.23	106.57	110.14
10	MMM	403	BCB	C1-C2-C3	-2.22	122.55	126.20
11	LLL	303	BPB	C4D-CHA-CBD	-2.22	107.39	108.45
7	LLL	312	HTO	O2-C2-C3	-2.20	104.95	109.57
8	HHH	402	OLC	O20-C21-C22	2.19	116.15	105.85
7	MMM	407	HTO	C4-C3-C2	2.17	118.95	113.73
10	LLL	302	BCB	C4-C3-C5	2.16	118.98	115.23
12	LLL	310	UQ1	CM5-C5-C6	-2.16	120.90	124.45
5	CCC	401	HEC	CAA-C2A-C3A	-2.15	123.83	127.87
10	MMM	403	BCB	O2A-CGA-CBA	2.15	118.38	111.83
16	MMM	406	NS5	C34-C33-C31	2.15	120.30	113.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	MMM	406	NS5	C16-C15-C17	2.14	126.28	122.82
10	MMM	403	BCB	O2A-CGA-O1A	-2.12	118.31	123.63
7	LLL	312	HTO	O3-C3-C2	-2.12	105.12	109.57
11	LLL	303	BPB	CMA-C3A-C4A	-2.11	110.06	114.61
10	MMM	403	BCB	O2D-CGD-O1D	-2.10	119.75	123.85
5	CCC	403	HEC	O2D-CGD-CBD	2.10	120.64	114.00
12	LLL	310	UQ1	O1-C1-C2	-2.09	116.59	121.03
5	CCC	404	HEC	O2D-CGD-CBD	2.07	120.55	114.00
12	LLL	309	UQ1	C8-C7-C6	2.07	117.17	112.08
10	MMM	403	BCB	CMA-C3A-C4A	-2.07	110.16	114.61
15	MMM	402	MQ7	C12-C11-C3	-2.06	107.00	112.08
10	MMM	404	BCB	C4D-CHA-CBD	-2.06	106.89	108.97
12	LLL	309	UQ1	C5-C6-C1	-2.04	117.63	119.62
10	LLL	302	BCB	O2A-CGA-O1A	-2.04	118.51	123.63
5	CCC	401	HEC	CMD-C2D-C1D	2.04	128.53	125.42
10	LLL	301	BCB	C4D-ND-C1D	-2.04	103.67	105.22
10	MMM	404	BCB	O2A-CGA-O1A	-2.03	118.55	123.63
5	CCC	404	HEC	C4B-NB-C1B	2.01	109.10	105.82
5	CCC	404	HEC	CHA-C4D-ND	2.01	127.50	123.86
12	LLL	309	UQ1	C7-C6-C1	2.01	120.85	118.52
12	LLL	309	UQ1	C7-C6-C5	-2.01	121.45	124.89
5	CCC	403	HEC	C2D-C1D-ND	-2.00	106.93	110.14

All (15) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	CCC	405	DGA	CG2
10	LLL	301	BCB	NC
10	LLL	301	BCB	ND
10	LLL	301	BCB	NA
10	LLL	302	BCB	NC
10	LLL	302	BCB	ND
10	LLL	302	BCB	NA
10	MMM	403	BCB	NC
10	MMM	403	BCB	ND
10	MMM	403	BCB	NA
10	MMM	404	BCB	NC
10	MMM	404	BCB	ND
10	MMM	404	BCB	NA
11	LLL	303	BPB	C13
11	MMM	405	BPB	C13

All (183) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	CCC	401	HEC	C2B-C3B-CAB-CBB
5	CCC	401	HEC	C4B-C3B-CAB-CBB
5	CCC	401	HEC	C2C-C3C-CAC-CBC
5	CCC	401	HEC	C4C-C3C-CAC-CBC
5	CCC	402	HEC	C2B-C3B-CAB-CBB
5	CCC	402	HEC	C4B-C3B-CAB-CBB
5	CCC	402	HEC	C2C-C3C-CAC-CBC
5	CCC	402	HEC	C4C-C3C-CAC-CBC
5	CCC	403	HEC	C2B-C3B-CAB-CBB
5	CCC	403	HEC	C4B-C3B-CAB-CBB
5	CCC	403	HEC	C2C-C3C-CAC-CBC
5	CCC	403	HEC	C4C-C3C-CAC-CBC
5	CCC	404	HEC	C2B-C3B-CAB-CBB
5	CCC	404	HEC	C4B-C3B-CAB-CBB
5	CCC	404	HEC	C2C-C3C-CAC-CBC
5	CCC	404	HEC	C4C-C3C-CAC-CBC
6	CCC	405	DGA	CB2-CB1-OG2-CG2
6	CCC	405	DGA	CG1-CG2-CG3-OXT
7	HHH	401	HTO	C1-C2-C3-O3
7	HHH	401	HTO	C1-C2-C3-C4
7	HHH	401	HTO	O2-C2-C3-O3
7	HHH	401	HTO	O2-C2-C3-C4
7	LLL	304	HTO	O1-C1-C2-O2
7	LLL	304	HTO	O1-C1-C2-C3
7	LLL	304	HTO	O2-C2-C3-C4
7	LLL	305	HTO	C1-C2-C3-O3
7	LLL	305	HTO	C1-C2-C3-C4
7	LLL	305	HTO	O2-C2-C3-O3
7	LLL	305	HTO	O2-C2-C3-C4
7	LLL	306	HTO	C1-C2-C3-O3
7	LLL	306	HTO	O2-C2-C3-O3
7	LLL	306	HTO	O2-C2-C3-C4
7	LLL	307	HTO	C1-C2-C3-O3
7	LLL	307	HTO	C1-C2-C3-C4
7	LLL	307	HTO	O2-C2-C3-C4
7	LLL	307	HTO	O3-C3-C4-C5
7	MMM	407	HTO	C1-C2-C3-O3
7	MMM	407	HTO	O2-C2-C3-O3
7	MMM	407	HTO	O2-C2-C3-C4
7	MMM	408	HTO	O2-C2-C3-O3
7	MMM	408	HTO	O2-C2-C3-C4
7	MMM	409	HTO	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	MMM	409	HTO	O2-C2-C3-O3
7	MMM	409	HTO	O2-C2-C3-C4
10	LLL	301	BCB	C2C-C3C-CAC-CBC
10	LLL	302	BCB	C2C-C3C-CAC-CBC
10	MMM	403	BCB	C2C-C3C-CAC-CBC
10	MMM	404	BCB	C2C-C3C-CAC-CBC
10	MMM	404	BCB	CAD-CBD-CGD-O1D
10	MMM	404	BCB	CAD-CBD-CGD-O2D
11	LLL	303	BPB	C2C-C3C-CAC-CBC
11	MMM	405	BPB	C2C-C3C-CAC-CBC
12	LLL	310	UQ1	C2-C3-O3-CM3
13	MMM	410	LDA	C2-C1-N1-CM2
16	MMM	406	NS5	C32-C31-C33-C34
16	MMM	406	NS5	C30-C31-C33-C34
6	CCC	405	DGA	CA7-CA8-CA9-CAA
16	MMM	406	NS5	C31-C33-C34-C35
8	HHH	402	OLC	C2-C1-O20-C21
6	CCC	405	DGA	CA2-CA1-OG1-CG1
10	LLL	301	BCB	C4-C3-C5-C6
10	LLL	301	BCB	C2-C3-C5-C6
7	LLL	312	HTO	O1-C1-C2-O2
10	LLL	301	BCB	C15-C16-C17-C18
6	CCC	405	DGA	CA1-CA2-CA3-CA4
10	MMM	404	BCB	C2A-CAA-CBA-CGA
10	LLL	301	BCB	C13-C15-C16-C17
6	CCC	405	DGA	OA1-CA1-OG1-CG1
10	MMM	403	BCB	C13-C15-C16-C17
8	HHH	402	OLC	O19-C1-O20-C21
16	MMM	406	NS5	C1-C2-C3-C4
11	MMM	405	BPB	C13-C15-C16-C17
6	CCC	405	DGA	OB1-CB1-OG2-CG2
13	LLL	311	LDA	C2-C3-C4-C5
10	MMM	404	BCB	C13-C15-C16-C17
7	LLL	312	HTO	O1-C1-C2-C3
8	HHH	402	OLC	C2-C3-C4-C5
13	MMM	410	LDA	C11-C10-C9-C8
6	CCC	405	DGA	CAA-CBA-CCA-CDA
6	CCC	405	DGA	CCA-CDA-CEA-CFA
6	CCC	405	DGA	CA6-CA7-CA8-CA9
6	CCC	405	DGA	CA8-CA9-CAA-CBA
6	CCC	405	DGA	CB2-CB3-CB4-CB5
6	CCC	405	DGA	CAB-CBB-CCB-CDB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	CCC	405	DGA	CB5-CB6-CB7-CB8
6	CCC	405	DGA	CB4-CB5-CB6-CB7
13	MMM	410	LDA	C5-C6-C7-C8
6	CCC	405	DGA	CA5-CA6-CA7-CA8
6	CCC	405	DGA	CBA-CCA-CDA-CEA
6	CCC	405	DGA	CB3-CB4-CB5-CB6
13	MMM	410	LDA	C1-C2-C3-C4
11	MMM	405	BPB	C5-C6-C7-C8
8	HHH	402	OLC	C12-C13-C14-C15
13	LLL	311	LDA	C11-C10-C9-C8
11	MMM	405	BPB	O1A-CGA-O2A-C1
16	MMM	406	NS5	C2-C3-C4-C5
6	CCC	405	DGA	CA4-CA5-CA6-CA7
11	MMM	405	BPB	CBA-CGA-O2A-C1
7	LLL	305	HTO	O3-C3-C4-C5
7	LLL	304	HTO	O2-C2-C3-O3
7	LLL	307	HTO	O2-C2-C3-O3
6	CCC	405	DGA	CEA-CFA-CGA-CHA
13	MMM	410	LDA	C7-C8-C9-C10
6	CCC	405	DGA	CFA-CGA-CHA-CIA
13	LLL	311	LDA	C9-C10-C11-C12
11	MMM	405	BPB	C11-C10-C8-C9
7	LLL	306	HTO	C4-C5-C6-C7
7	LLL	312	HTO	C4-C5-C6-C7
10	MMM	404	BCB	C12-C13-C15-C16
10	MMM	403	BCB	C10-C11-C12-C13
7	MMM	409	HTO	C1-C2-C3-C4
7	LLL	306	HTO	O1-C1-C2-C3
7	LLL	307	HTO	C4-C5-C6-C7
8	HHH	402	OLC	C15-C16-C17-C18
13	LLL	311	LDA	C3-C4-C5-C6
7	MMM	407	HTO	C3-C4-C5-C6
13	MMM	410	LDA	C6-C7-C8-C9
10	MMM	404	BCB	C8-C10-C11-C12
15	MMM	402	MQ7	C39-C38-C40-C41
11	LLL	303	BPB	O2A-C1-C2-C3
6	CCC	405	DGA	OG1-CG1-CG2-CG3
6	CCC	405	DGA	OG1-CG1-CG2-OG2
6	CCC	405	DGA	CBB-CCB-CDB-CEB
10	LLL	302	BCB	C4C-C3C-CAC-CBC
10	LLL	302	BCB	C16-C17-C18-C20
13	MMM	410	LDA	C2-C1-N1-CM1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	LLL	303	BPB	C16-C17-C18-C19
13	MMM	410	LDA	C4-C5-C6-C7
7	LLL	306	HTO	C3-C4-C5-C6
7	MMM	407	HTO	O1-C1-C2-C3
10	LLL	302	BCB	C12-C13-C15-C16
11	MMM	405	BPB	C6-C7-C8-C10
11	MMM	405	BPB	C12-C13-C15-C16
10	LLL	301	BCB	C16-C17-C18-C19
10	MMM	404	BCB	C14-C13-C15-C16
11	LLL	303	BPB	C13-C15-C16-C17
10	LLL	301	BCB	C16-C17-C18-C20
11	LLL	303	BPB	C4-C3-C5-C6
10	LLL	302	BCB	C13-C15-C16-C17
10	LLL	301	BCB	CAD-CBD-CGD-O1D
6	CCC	405	DGA	CDB-CEB-CFB-CGB
11	LLL	303	BPB	C2-C3-C5-C6
15	MMM	402	MQ7	C37-C38-C40-C41
8	HHH	402	OLC	C13-C14-C15-C16
10	LLL	302	BCB	C14-C13-C15-C16
11	LLL	303	BPB	C11-C12-C13-C15
11	LLL	303	BPB	C16-C17-C18-C20
10	LLL	302	BCB	C16-C17-C18-C19
7	LLL	305	HTO	C4-C5-C6-C7
10	MMM	403	BCB	C11-C10-C8-C9
13	MMM	410	LDA	C2-C3-C4-C5
7	MMM	408	HTO	C1-C2-C3-C4
5	CCC	402	HEC	C3D-CAD-CBD-CGD
7	HHH	401	HTO	C3-C4-C5-C6
12	LLL	310	UQ1	C4-C3-O3-CM3
11	MMM	405	BPB	C6-C7-C8-C9
5	CCC	404	HEC	CAD-CBD-CGD-O1D
7	MMM	409	HTO	O3-C3-C4-C5
10	MMM	403	BCB	C11-C10-C8-C7
5	CCC	402	HEC	CAA-CBA-CGA-O1A
5	CCC	402	HEC	CAA-CBA-CGA-O2A
8	HHH	402	OLC	C5-C6-C7-C8
6	CCC	405	DGA	CCB-CDB-CEB-CFB
8	HHH	402	OLC	C7-C8-C9-C10
5	CCC	401	HEC	CAA-CBA-CGA-O2A
5	CCC	402	HEC	CAD-CBD-CGD-O1D
5	CCC	401	HEC	CAA-CBA-CGA-O1A
10	MMM	403	BCB	C2-C1-O2A-CGA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	MMM	410	LDA	C9-C10-C11-C12
7	MMM	407	HTO	O1-C1-C2-O2
5	CCC	402	HEC	CAD-CBD-CGD-O2D
7	MMM	408	HTO	O1-C1-C2-O2
5	CCC	404	HEC	CAD-CBD-CGD-O2D
6	CCC	405	DGA	CEB-CFB-CGB-CHB
11	MMM	405	BPB	C14-C13-C15-C16
12	LLL	310	UQ1	C6-C7-C8-C9
7	LLL	304	HTO	C1-C2-C3-C4
5	CCC	404	HEC	C3D-CAD-CBD-CGD
5	CCC	401	HEC	CAD-CBD-CGD-O2D
13	MMM	410	LDA	C2-C1-N1-O1
7	LLL	306	HTO	O1-C1-C2-O2
13	LLL	311	LDA	C7-C8-C9-C10
5	CCC	401	HEC	CAD-CBD-CGD-O1D


There are no ring outliers.

10 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	LLL	309	UQ1	2	0
10	MMM	403	BCB	1	0
11	MMM	405	BPB	6	0
10	LLL	301	BCB	4	0
5	CCC	402	HEC	1	0
16	MMM	406	NS5	5	0
10	LLL	302	BCB	1	0
11	LLL	303	BPB	1	0
15	MMM	402	MQ7	2	0
8	HHH	402	OLC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.




Ligand HEC CCC 401




Ligand DGA CCC 405





Ligand UQ1 LLL 309




Ligand BCB MMM 403









Ligand BCB LLL 301




Ligand HEC CCC 402









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	CCC	332/356 (93%)	-0.38	3 (0%) 81 78	18, 43, 71, 106	2 (0%)
2	HHH	246/258 (95%)	0.06	12 (4%) 35 31	37, 55, 94, 123	0
3	LLL	273/273 (100%)	-0.20	6 (2%) 62 58	31, 43, 70, 118	1 (0%)
4	MMM	323/323 (100%)	-0.33	2 (0%) 85 83	30, 42, 65, 92	0
All	All	1174/1210 (97%)	-0.23	23 (1%) 65 60	18, 45, 77, 123	3 (0%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	HHH	59	VAL	4.3
2	HHH	46	PRO	4.1
2	HHH	60	TYR	3.7
2	HHH	5	ALA	3.5
2	HHH	258	LEU	3.4
4	MMM	59	PHE	2.9
2	HHH	191	ALA	2.8
3	LLL	57	PRO	2.7
2	HHH	88	LEU	2.6
2	HHH	58	GLN	2.6
1	CCC	332	LYS	2.6
3	LLL	59	TRP	2.4
3	LLL	43	PHE	2.4
1	CCC	2	PHE	2.4
1	CCC	46	LYS	2.3
3	LLL	271	PHE	2.3
4	MMM	71	PHE	2.2
2	HHH	4	GLY	2.2
2	HHH	9	HIS	2.1
2	HHH	86	ARG	2.1
3	LLL	58	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	HHH	93	THR	2.0
3	LLL	51	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FME	HHH	1	10/11	0.86	0.19	59,96,117,117	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	SO4	MMM	413	5/5	0.67	0.17	147,157,162,179	0
7	HTO	MMM	409	10/10	0.70	0.27	78,92,112,116	0
6	DGA	CCC	405	44/44	0.72	0.32	69,106,143,189	41
7	HTO	LLL	305	10/10	0.77	0.25	82,85,101,105	0
7	HTO	LLL	307	10/10	0.78	0.21	88,97,101,103	0
7	HTO	MMM	408	10/10	0.78	0.20	76,90,96,97	0
9	SO4	MMM	411	5/5	0.79	0.11	97,101,104,116	0
7	HTO	HHH	401	10/10	0.79	0.23	84,97,104,106	0
7	HTO	MMM	407	10/10	0.82	0.20	73,88,96,103	0
13	LDA	MMM	410	16/16	0.82	0.26	75,81,132,147	0
12	UQ1	LLL	310	18/18	0.83	0.20	69,82,98,99	0
13	LDA	LLL	311	16/16	0.83	0.31	83,95,116,124	0
7	HTO	LLL	312	10/10	0.83	0.26	69,93,103,114	0
9	SO4	HHH	403	5/5	0.85	0.12	89,99,105,111	0
7	HTO	LLL	304	10/10	0.88	0.23	72,87,99,101	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	OLC	HHH	402	25/25	0.88	0.18	63,71,91,106	0
16	NS5	MMM	406	40/40	0.89	0.22	47,71,130,133	0
9	SO4	MMM	414	5/5	0.90	0.13	98,100,115,120	0
12	UQ1	LLL	309	18/18	0.90	0.17	57,63,73,73	0
9	SO4	LLL	308	5/5	0.91	0.19	124,131,134,144	0
9	SO4	MMM	412	5/5	0.92	0.09	76,80,90,93	0
7	HTO	LLL	306	10/10	0.93	0.15	84,89,93,95	0
11	BPB	MMM	405	65/65	0.95	0.12	31,37,119,125	0
10	BCB	LLL	301	66/66	0.95	0.09	27,34,51,64	0
15	MQ7	MMM	402	48/48	0.95	0.10	32,45,79,84	0
10	BCB	MMM	403	66/66	0.95	0.13	29,34,114,127	0
10	BCB	MMM	404	66/66	0.96	0.09	29,33,56,65	0
11	BPB	LLL	303	65/65	0.96	0.07	30,36,45,51	0
10	BCB	LLL	302	66/66	0.96	0.08	28,33,67,68	0
5	HEC	CCC	402	43/43	0.98	0.07	32,42,49,53	0
5	HEC	CCC	401	43/43	0.98	0.06	33,39,44,45	0
5	HEC	CCC	404	43/43	0.99	0.06	29,40,55,76	0
5	HEC	CCC	403	43/43	0.99	0.05	27,30,37,39	0
14	FE2	MMM	401	1/1	1.00	0.01	34,34,34,34	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DGA CCC 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UQ1 LLL 310:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC HHH 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NS5 MMM 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ1 LLL 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BPB MMM 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB LLL 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MQ7 MMM 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB MMM 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB MMM 404:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB LLL 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB LLL 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC CCC 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC CCC 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC CCC 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC CCC 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.