



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:46 AM UTC

PDB ID : 2Q80 / pdb_00002q80
Title : Crystal structure of human geranylgeranyl pyrophosphate synthase bound to GGPP
Authors : Kavanagh, K.L.; Dunford, J.E.; Bunkoczi, G.; Smee, C.; von Delft, F.; Arrow-smith, C.; Weigelt, J.; Edwards, A.; Sundstrom, M.; Oppermann, U.; Structural Genomics Consortium (SGC)
Deposited on : 2007-06-08
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	78%15%• 5%
1	B	301	2% 81%12%• 6%
1	C	301	4% 82%12%6%
1	D	301	79%15%• 5%
1	E	301	% 80%13%• 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	301	2% 79% 14% • 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Geranylgeranyl pyrophosphate synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	1	0
			2322	1499	391	425	7			
1	B	284	Total	C	N	O	S	0	0	0
			2292	1481	382	422	7			
1	C	284	Total	C	N	O	S	0	0	0
			2271	1466	377	421	7			
1	D	285	Total	C	N	O	S	0	1	0
			2317	1493	386	431	7			
1	E	284	Total	C	N	O	S	0	0	0
			2273	1472	375	419	7			
1	F	284	Total	C	N	O	S	0	0	0
			2248	1453	370	418	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	cloning artifact	UNP O95749
B	0	SER	-	cloning artifact	UNP O95749
C	0	SER	-	cloning artifact	UNP O95749
D	0	SER	-	cloning artifact	UNP O95749
E	0	SER	-	cloning artifact	UNP O95749
F	0	SER	-	cloning artifact	UNP O95749

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		
2	C	2	Total	Mg	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	2	Total	Mg	0	0
			2	2		
2	E	2	Total	Mg	0	0
			2	2		
2	F	2	Total	Mg	0	0
			2	2		

- Molecule 3 is GERANYLGERANYL DIPHOSPHATE (CCD ID: GRG) (formula: $C_{20}H_{36}O_7P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			29	20	7	2		
3	B	1	Total	C	O	P	0	0
			29	20	7	2		
3	C	1	Total	C	O	P	0	0
			29	20	7	2		
3	D	1	Total	C	O	P	0	0
			29	20	7	2		
3	E	1	Total	C	O	P	0	0
			29	20	7	2		
3	F	1	Total	C	O	P	0	0
			19	10	7	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total 3	O 3	0	0
4	B	8	Total 8	O 8	0	0
4	C	3	Total 3	O 3	0	0
4	D	6	Total 6	O 6	0	0
4	E	2	Total 2	O 2	0	0
4	F	2	Total 2	O 2	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain A: 




- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain B: 




- Molecule 1: Geranylgeranyl pyrophosphate synthetase


Chain C: 





- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain D: 







- Molecule 1: Geranylgeranyl pyrophosphate synthetase



- Molecule 1: Geranylgeranyl pyrophosphate synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	141.25Å 141.25Å 211.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.08 – 2.70 47.08 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.08-2.70) 100.0 (47.08-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.202 , 0.253 0.207 , 0.259	Depositor DCC
R_{free} test set	2585 reflections (3.67%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	13923	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GRG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	0/2377	0.95	2/3217 (0.1%)
1	B	0.84	0/2343	0.99	1/3176 (0.0%)
1	C	0.77	0/2322	0.94	0/3151
1	D	0.87	0/2371	0.94	0/3212
1	E	0.81	1/2324 (0.0%)	0.94	0/3154
1	F	0.77	0/2299	0.92	0/3126
All	All	0.82	1/14036 (0.0%)	0.95	3/19036 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	7	THR	CA-CB	5.45	1.62	1.53

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	48	ILE	N-CA-C	-5.20	105.64	110.53
1	A	204	PHE	N-CA-C	5.14	116.55	109.15
1	B	82	ILE	N-CA-C	5.08	116.49	111.67

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2322	0	2315	34	0
1	B	2292	0	2259	28	0
1	C	2271	0	2205	28	0
1	D	2317	0	2292	32	0
1	E	2273	0	2213	29	0
1	F	2248	0	2141	32	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	A	29	0	33	2	0
3	B	29	0	33	0	0
3	C	29	0	33	2	0
3	D	29	0	33	2	0
3	E	29	0	33	2	0
3	F	19	0	14	3	0
4	A	3	0	0	0	0
4	B	8	0	0	0	0
4	C	3	0	0	0	0
4	D	6	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
All	All	13923	0	13604	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:8:VAL:HG12	1:F:12:LEU:HD12	1.39	1.04
1:A:127:GLY:HA3	1:B:12:LEU:HD21	1.44	1.00
1:F:9:GLN:OE1	1:F:94:TYR:OH	1.88	0.91
1:E:8:VAL:HG12	1:E:12:LEU:HD12	1.51	0.89
1:F:8:VAL:HG12	1:F:12:LEU:CD1	2.10	0.80
1:F:55:MET:HE1	1:F:98:LEU:HB3	1.64	0.79
1:E:8:VAL:HG12	1:E:12:LEU:CD1	2.14	0.77
1:B:6:GLU:HA	1:B:8:VAL:HG22	1.68	0.75
1:A:119:LEU:HD13	1:B:97:PHE:CE1	2.23	0.73
1:E:224:ARG:NE	1:E:254:VAL:HG22	2.04	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:12:LEU:O	1:D:91:SER:OG	2.07	0.71
1:B:254:VAL:HG12	1:B:254:VAL:O	1.90	0.71
1:E:48:ILE:O	1:E:52:VAL:HG23	1.92	0.69
1:C:12:LEU:HD21	1:D:127:GLY:HA3	1.75	0.69
1:E:56:LEU:HD11	1:E:115:PHE:CE1	2.28	0.68
1:D:56:LEU:HD23	1:D:119:LEU:HD21	1.76	0.67
1:F:8:VAL:CG1	1:F:12:LEU:HD12	2.23	0.66
1:A:220:ALA:HB2	1:A:251:LEU:HD22	1.78	0.65
1:C:97:PHE:CE1	1:D:119:LEU:HD13	2.32	0.65
1:C:124:GLN:HA	1:D:12:LEU:HD11	1.78	0.65
1:C:97:PHE:CZ	1:D:119:LEU:HD13	2.32	0.65
1:E:220:ALA:HB2	1:E:251:LEU:CD2	2.27	0.64
1:F:56:LEU:HD11	1:F:115:PHE:HE1	1.63	0.63
1:E:56:LEU:HD11	1:E:115:PHE:HE1	1.65	0.62
1:A:8:VAL:HG12	1:A:12:LEU:HD13	1.84	0.59
1:B:56:LEU:HD11	1:B:115:PHE:HE1	1.66	0.59
1:F:19:LEU:HA	1:F:22:LEU:HD13	1.85	0.59
1:A:114:LEU:C	1:A:114:LEU:HD23	2.28	0.58
1:E:104:LEU:HD11	1:F:112:VAL:HG12	1.85	0.58
1:E:224:ARG:CZ	1:E:254:VAL:HG22	2.34	0.58
1:B:254:VAL:O	1:B:254:VAL:CG1	2.52	0.58
1:F:39:LEU:HD23	1:F:169:TYR:HB3	1.86	0.57
1:D:162:LEU:O	1:D:165:LEU:HB2	2.05	0.56
1:C:48:ILE:O	1:C:52:VAL:HG23	2.05	0.55
1:C:56:LEU:HD11	1:C:115:PHE:CE1	2.42	0.55
1:C:56:LEU:HD11	1:C:115:PHE:HE1	1.71	0.55
1:B:56:LEU:HD11	1:B:115:PHE:CE1	2.42	0.54
1:D:160:VAL:HG23	3:D:500:GRG:H193	1.89	0.54
1:A:56:LEU:HD11	1:A:115:PHE:CE1	2.43	0.54
1:F:202:LYS:NZ	3:F:500:GRG:O3B	2.41	0.54
1:B:169:TYR:OH	1:B:278:ARG:HG3	2.08	0.53
1:B:39:LEU:HD23	1:B:169:TYR:HB3	1.90	0.53
1:E:119:LEU:HD13	1:F:97:PHE:CE1	2.43	0.53
1:A:116:THR:HG21	1:B:101:GLU:HB2	1.90	0.53
1:B:52:VAL:HG22	1:B:102:LYS:HB3	1.91	0.53
1:C:114:LEU:HD11	1:C:161:GLY:HA3	1.91	0.53
1:E:220:ALA:HB2	1:E:251:LEU:HD22	1.88	0.53
1:D:228:THR:O	1:D:232:ASN:ND2	2.39	0.53
1:E:108:HIS:CE1	1:E:165:LEU:HD22	2.44	0.53
1:A:12:LEU:O	1:A:91:SER:OG	2.18	0.53
1:A:56:LEU:HD12	1:A:158:LEU:CD2	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:114:LEU:C	1:C:114:LEU:HD23	2.34	0.52
1:A:220:ALA:HB2	1:A:251:LEU:CD2	2.38	0.52
1:F:132:TRP:CZ3	1:F:147:MET:HG2	2.45	0.51
1:C:32:SER:HA	3:C:500:GRG:H203	1.93	0.51
1:B:226:GLU:HB3	1:F:10:ARG:HD3	1.93	0.50
1:C:12:LEU:HD11	1:D:124:GLN:HA	1.93	0.50
1:E:132:TRP:CZ3	1:E:147:MET:HG2	2.47	0.50
1:A:34:ALA:O	1:A:37[A]:HIS:HB3	2.11	0.50
1:E:160:VAL:HG21	1:E:177:LEU:HD21	1.94	0.50
1:F:56:LEU:HD11	1:F:115:PHE:CE1	2.45	0.49
1:A:169:TYR:CE2	1:A:171:GLU:HB2	2.46	0.49
1:C:114:LEU:HD23	1:C:118:GLN:HG2	1.95	0.49
1:F:61:LEU:HD22	1:F:73:ARG:CZ	2.43	0.48
1:A:114:LEU:HD23	1:A:114:LEU:O	2.13	0.48
1:A:61:LEU:HD22	1:A:73:ARG:NH2	2.29	0.48
1:B:48:ILE:O	1:B:52:VAL:HG23	2.13	0.48
1:D:254:VAL:O	1:D:254:VAL:HG12	2.14	0.48
1:E:171:GLU:OE1	1:E:278:ARG:HD3	2.14	0.48
1:A:56:LEU:HD12	1:A:158:LEU:HD21	1.96	0.48
1:F:61:LEU:HD22	1:F:73:ARG:NH2	2.28	0.48
1:F:108:HIS:CE1	1:F:165:LEU:HD22	2.49	0.48
1:E:12:LEU:O	1:E:91:SER:OG	2.24	0.48
1:E:31:LEU:HB3	3:E:500:GRG:H192	1.96	0.47
1:B:294:MET:O	1:B:294:MET:HG3	2.14	0.47
1:F:8:VAL:CG1	1:F:12:LEU:CD1	2.89	0.47
1:F:155:LEU:HD13	3:F:500:GRG:HC7	1.96	0.47
1:A:123:HIS:NE2	1:B:93:ASN:HB3	2.29	0.47
1:D:254:VAL:O	1:D:254:VAL:CG1	2.62	0.47
1:F:294:MET:HE2	1:F:294:MET:HB2	1.86	0.47
3:F:500:GRG:O1	3:F:500:GRG:O1B	2.33	0.47
1:C:114:LEU:HD23	1:C:114:LEU:O	2.15	0.47
1:E:114:LEU:HD11	1:E:161:GLY:HA3	1.97	0.47
1:B:94:TYR:CE2	1:B:98:LEU:HD11	2.50	0.46
1:C:97:PHE:CE1	1:D:119:LEU:CD1	2.98	0.46
1:E:220:ALA:CB	1:E:251:LEU:CD2	2.94	0.46
1:B:272:TYR:CE1	1:B:285:VAL:HG13	2.50	0.46
1:A:294:MET:HE2	1:A:294:MET:HB2	1.67	0.46
1:E:128:LEU:HD22	1:E:132:TRP:CE2	2.51	0.46
1:C:123:HIS:NE2	1:D:93:ASN:HB3	2.30	0.46
1:D:219:HIS:O	1:D:223:SER:HB2	2.16	0.46
1:B:8:VAL:HA	1:B:11:ILE:HD12	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:TYR:O	1:B:148:VAL:HG23	2.15	0.46
1:D:169:TYR:CZ	1:D:171:GLU:HB2	2.51	0.46
1:E:93:ASN:O	1:E:96:TYR:HB2	2.16	0.45
1:A:78:VAL:O	1:A:79:ALA:C	2.58	0.45
1:E:224:ARG:HE	1:E:254:VAL:HG22	1.75	0.45
1:C:12:LEU:CD2	1:D:127:GLY:HA3	2.42	0.45
1:C:254:VAL:HG12	1:C:254:VAL:O	2.16	0.45
1:D:114:LEU:C	1:D:114:LEU:HD23	2.41	0.45
1:A:39:LEU:HD11	1:A:160:VAL:HG13	1.99	0.45
1:A:78:VAL:HG21	1:A:80:HIS:CE1	2.52	0.45
1:E:128:LEU:HD22	1:E:132:TRP:CZ2	2.51	0.45
1:D:240:ASN:OD1	1:D:242:ASP:N	2.49	0.45
1:E:131:TYR:CD1	1:F:11:ILE:HG21	2.52	0.45
1:E:294:MET:HE3	1:E:294:MET:HB2	1.86	0.44
1:C:12:LEU:CD1	1:D:124:GLN:HG2	2.47	0.44
1:D:33:GLN:NE2	1:D:283:GLU:OE2	2.50	0.44
1:F:132:TRP:HZ3	1:F:147:MET:HG2	1.82	0.44
1:F:149:LEU:HD21	1:F:182:LEU:CD1	2.47	0.44
1:A:82:ILE:O	1:E:232:ASN:HB3	2.17	0.44
1:D:51:GLU:OE1	1:D:102:LYS:HE2	2.17	0.44
1:A:174:LYS:N	1:A:175:PRO:CD	2.80	0.44
1:A:220:ALA:CB	1:A:251:LEU:CD2	2.96	0.44
1:C:240:ASN:HB3	1:C:243:ILE:HD12	1.98	0.44
1:C:63:ILE:HG22	1:C:67:GLU:CD	2.43	0.44
1:C:151:LYS:NZ	3:C:500:GRG:O2A	2.48	0.44
1:F:91:SER:O	1:F:95:VAL:HG23	2.18	0.44
1:B:268:GLU:O	1:B:271:ALA:HB3	2.18	0.44
1:D:56:LEU:HD21	1:D:115:PHE:CE1	2.53	0.44
1:A:159:ALA:HB3	3:A:500:GRG:H193	2.00	0.43
1:F:232:ASN:O	1:F:236:GLN:HG2	2.16	0.43
1:A:119:LEU:HD13	1:B:97:PHE:CZ	2.53	0.43
1:D:202:LYS:HE2	3:D:500:GRG:O3B	2.18	0.43
1:B:114:LEU:HD11	1:B:161:GLY:HA3	1.99	0.43
1:C:274:GLN:O	1:C:277:ALA:HB3	2.18	0.43
1:D:61:LEU:O	1:D:62:LEU:C	2.61	0.43
1:D:240:ASN:OD1	1:D:240:ASN:C	2.61	0.43
1:F:51:GLU:O	1:F:55:MET:HG3	2.18	0.43
1:B:174:LYS:N	1:B:175:PRO:CD	2.82	0.43
1:A:115:PHE:HA	1:A:158:LEU:CD1	2.48	0.43
1:C:131:TYR:CD1	1:D:11:ILE:HG21	2.54	0.43
1:D:232:ASN:O	1:D:236:GLN:HG2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:PHE:HB3	1:C:216:PRO:HD3	2.00	0.43
1:D:148:VAL:HG22	1:D:185:GLN:HG2	2.00	0.43
1:C:148:VAL:HG22	1:C:185:GLN:HG2	2.00	0.43
1:A:39:LEU:HD23	1:A:169:TYR:HB3	2.02	0.42
1:E:89:ILE:HG21	1:F:63:ILE:HG23	2.01	0.42
1:E:12:LEU:HD21	1:F:127:GLY:HA3	2.01	0.42
1:A:159:ALA:HB3	3:A:500:GRG:C19	2.49	0.42
1:F:169:TYR:CZ	1:F:171:GLU:HB2	2.55	0.42
1:B:93:ASN:O	1:B:96:TYR:HB2	2.20	0.42
1:C:103:VAL:HG21	1:C:115:PHE:CD1	2.55	0.42
1:D:172:ASP:OD1	1:D:172:ASP:C	2.63	0.42
1:D:39:LEU:HD23	1:D:169:TYR:HB3	2.02	0.41
1:D:229:GLN:NE2	1:D:250:TYR:CD1	2.89	0.41
1:B:85:ILE:O	1:B:86:PRO:C	2.62	0.41
1:C:44:ASP:OD1	1:C:45:LYS:N	2.53	0.41
1:F:155:LEU:O	1:F:156:PHE:C	2.61	0.41
1:A:55:MET:HE1	1:A:98:LEU:HB3	2.01	0.41
1:C:180:LEU:O	1:C:184:PHE:HD2	2.03	0.41
1:A:7:THR:CG2	1:A:10:ARG:HD2	2.51	0.41
1:B:115:PHE:CE2	1:B:119:LEU:HD12	2.56	0.41
1:B:162:LEU:HD23	1:B:162:LEU:HA	1.88	0.41
1:A:147:MET:C	1:A:147:MET:SD	3.04	0.41
1:A:220:ALA:HA	1:A:254:VAL:HG11	2.03	0.41
1:B:186:ILE:HG22	1:B:264:LEU:HD21	2.03	0.41
1:F:29:THR:HG22	1:F:33:GLN:NE2	2.35	0.41
1:A:215:PHE:HB3	1:A:216:PRO:HD3	2.03	0.40
1:E:275:ILE:HG22	1:E:280:GLY:HA2	2.04	0.40
3:E:500:GRG:H141	3:E:500:GRG:H111	1.86	0.40
1:A:211:GLY:HA3	1:A:237:ARG:NH1	2.36	0.40
1:F:29:THR:HG22	1:F:33:GLN:HE21	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/301 (94%)	277 (98%)	5 (2%)	0	100	100
1	B	280/301 (93%)	275 (98%)	5 (2%)	0	100	100
1	C	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
1	D	282/301 (94%)	276 (98%)	5 (2%)	1 (0%)	30	54
1	E	280/301 (93%)	277 (99%)	3 (1%)	0	100	100
1	F	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
All	All	1684/1806 (93%)	1657 (98%)	26 (2%)	1 (0%)	48	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	294	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/273 (92%)	239 (95%)	13 (5%)	21	47
1	B	245/273 (90%)	238 (97%)	7 (3%)	37	67
1	C	238/273 (87%)	231 (97%)	7 (3%)	37	67
1	D	252/273 (92%)	238 (94%)	14 (6%)	19	44
1	E	237/273 (87%)	225 (95%)	12 (5%)	21	48
1	F	229/273 (84%)	218 (95%)	11 (5%)	23	50
All	All	1453/1638 (89%)	1389 (96%)	64 (4%)	26	53

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	12	LEU
1	A	25	LYS
1	A	71	LYS
1	A	103	VAL
1	A	147	MET
1	A	164	GLN
1	A	195	SER
1	A	202	LYS
1	A	224	ARG
1	A	226	GLU
1	A	254	VAL
1	A	294	MET
1	B	8	VAL
1	B	51	GLU
1	B	87	SER
1	B	188	ASP
1	B	226	GLU
1	B	278	ARG
1	B	294	MET
1	C	8	VAL
1	C	25	LYS
1	C	87	SER
1	C	188	ASP
1	C	226	GLU
1	C	237	ARG
1	C	294	MET
1	D	26	GLN
1	D	43	GLU
1	D	71	LYS
1	D	91	SER
1	D	107	ASP
1	D	135	ASN
1	D	164	GLN
1	D	188	ASP
1	D	203[A]	SER
1	D	203[B]	SER
1	D	212	LYS
1	D	237	ARG
1	D	270	LYS
1	D	294	MET
1	E	7	THR
1	E	26	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	44	ASP
1	E	71	LYS
1	E	74	ARG
1	E	137	THR
1	E	179	THR
1	E	212	LYS
1	E	224	ARG
1	E	237	ARG
1	E	285	VAL
1	E	294	MET
1	F	7	THR
1	F	9	GLN
1	F	12	LEU
1	F	91	SER
1	F	119	LEU
1	F	179	THR
1	F	188	ASP
1	F	226	GLU
1	F	237	ARG
1	F	254	VAL
1	F	294	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	80	HIS
1	A	192	ASN
1	B	124	GLN
1	B	192	ASN
1	B	249	HIS
1	C	58	ASN
1	C	135	ASN
1	C	150	GLN
1	D	135	ASN
1	D	201	ASN
1	E	80	HIS
1	E	135	ASN
1	F	33	GLN
1	F	90	ASN
1	F	150	GLN
1	F	249	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GRG	D	500	2	27,28,28	2.38	13 (48%)	33,37,37	1.25	5 (15%)
3	GRG	E	500	2	27,28,28	2.17	10 (37%)	33,37,37	1.29	5 (15%)
3	GRG	F	500	2	17,18,28	2.44	7 (41%)	21,25,37	1.24	2 (9%)
3	GRG	B	500	2	27,28,28	2.31	12 (44%)	33,37,37	1.33	4 (12%)
3	GRG	C	500	2	27,28,28	2.25	9 (33%)	33,37,37	1.30	6 (18%)
3	GRG	A	500	2	27,28,28	2.17	12 (44%)	33,37,37	1.41	5 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GRG	D	500	2	-	7/31/31/31	-
3	GRG	E	500	2	-	4/31/31/31	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GRG	F	500	2	-	5/19/19/31	-
3	GRG	B	500	2	-	7/31/31/31	-
3	GRG	C	500	2	-	7/31/31/31	-
3	GRG	A	500	2	-	5/31/31/31	-

All (63) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	500	GRG	PB-O3B	5.43	1.67	1.50
3	D	500	GRG	PB-O3B	5.15	1.66	1.50
3	C	500	GRG	PB-O3B	4.86	1.65	1.50
3	E	500	GRG	PB-O3B	4.54	1.64	1.50
3	A	500	GRG	PA-O3A	-4.21	1.55	1.59
3	B	500	GRG	PB-O3B	4.05	1.63	1.50
3	A	500	GRG	C6-C7	-3.92	1.38	1.50
3	A	500	GRG	C16-C17	-3.75	1.39	1.50
3	B	500	GRG	PA-O3A	-3.70	1.55	1.59
3	D	500	GRG	C6-C7	-3.63	1.39	1.50
3	A	500	GRG	C1-C2	-3.60	1.39	1.49
3	B	500	GRG	C7-C8	3.57	1.41	1.33
3	C	500	GRG	C16-C17	-3.56	1.39	1.50
3	D	500	GRG	PA-O1A	3.55	1.71	1.55
3	F	500	GRG	C6-C7	-3.52	1.39	1.50
3	E	500	GRG	C6-C7	-3.52	1.39	1.50
3	E	500	GRG	C1-C2	-3.49	1.39	1.49
3	E	500	GRG	C16-C17	-3.49	1.39	1.50
3	C	500	GRG	C2-C3	3.48	1.41	1.33
3	D	500	GRG	C11-C12	-3.47	1.40	1.50
3	E	500	GRG	C11-C12	-3.46	1.40	1.50
3	B	500	GRG	C1-C2	-3.45	1.39	1.49
3	D	500	GRG	C1-C2	-3.45	1.39	1.49
3	B	500	GRG	C11-C12	-3.44	1.40	1.50
3	F	500	GRG	C2-C3	3.43	1.41	1.33
3	C	500	GRG	C6-C7	-3.43	1.40	1.50
3	A	500	GRG	C11-C12	-3.40	1.40	1.50
3	C	500	GRG	C7-C8	3.39	1.40	1.33
3	B	500	GRG	C16-C17	-3.31	1.40	1.50
3	D	500	GRG	C16-C17	-3.30	1.40	1.50
3	C	500	GRG	C11-C12	-3.26	1.40	1.50
3	C	500	GRG	C12-C13	3.23	1.40	1.33
3	D	500	GRG	C7-C8	3.21	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	500	GRG	C2-C3	3.18	1.40	1.33
3	D	500	GRG	C2-C3	3.15	1.40	1.33
3	F	500	GRG	C1-C2	-3.09	1.40	1.49
3	B	500	GRG	C6-C7	-3.05	1.41	1.50
3	C	500	GRG	C1-C2	-2.89	1.41	1.49
3	A	500	GRG	PB-O3B	2.88	1.59	1.50
3	B	500	GRG	C12-C13	2.87	1.39	1.33
3	D	500	GRG	C12-C13	2.83	1.39	1.33
3	A	500	GRG	C12-C13	2.82	1.39	1.33
3	F	500	GRG	PA-O1A	2.78	1.68	1.55
3	E	500	GRG	PB-O2B	2.77	1.65	1.54
3	E	500	GRG	C12-C13	2.76	1.39	1.33
3	E	500	GRG	C7-C8	2.74	1.39	1.33
3	B	500	GRG	C2-C3	2.72	1.39	1.33
3	B	500	GRG	PB-O2B	2.68	1.64	1.54
3	A	500	GRG	C2-C3	2.66	1.39	1.33
3	B	500	GRG	C5-C3	2.62	1.56	1.51
3	D	500	GRG	O1-C1	-2.54	1.40	1.44
3	A	500	GRG	C7-C8	2.51	1.38	1.33
3	D	500	GRG	C17-C18	2.49	1.39	1.32
3	D	500	GRG	PA-O3A	-2.48	1.56	1.59
3	B	500	GRG	C17-C18	2.41	1.39	1.32
3	A	500	GRG	C17-C18	2.37	1.39	1.32
3	A	500	GRG	PB-O1B	-2.27	1.46	1.54
3	F	500	GRG	C7-C8	2.27	1.39	1.32
3	C	500	GRG	C17-C18	2.27	1.39	1.32
3	E	500	GRG	C17-C18	2.24	1.39	1.32
3	A	500	GRG	PB-O2B	2.22	1.63	1.54
3	F	500	GRG	PB-O2B	2.16	1.62	1.54
3	D	500	GRG	C9-C8	2.04	1.55	1.51

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	GRG	C10-C8-C9	4.07	122.29	115.23
3	E	500	GRG	C14-C13-C15	3.66	121.57	115.23
3	F	500	GRG	C10-C8-C9	3.48	122.60	114.59
3	A	500	GRG	O1B-PB-O3A	3.32	115.78	104.64
3	C	500	GRG	O1B-PB-O3A	3.25	115.55	104.64
3	B	500	GRG	C14-C13-C15	3.12	120.64	115.23
3	B	500	GRG	C4-C3-C5	2.97	120.38	115.23
3	D	500	GRG	O1A-PA-O3A	2.76	114.72	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	500	GRG	C19-C18-C20	2.59	120.54	114.59
3	B	500	GRG	C10-C8-C9	2.53	119.62	115.23
3	E	500	GRG	C10-C8-C9	2.50	119.57	115.23
3	E	500	GRG	C19-C18-C20	2.49	120.32	114.59
3	A	500	GRG	O3A-PB-O3B	-2.41	98.38	111.04
3	C	500	GRG	C10-C8-C9	2.37	119.34	115.23
3	C	500	GRG	C14-C13-C15	2.33	119.28	115.23
3	D	500	GRG	O3A-PA-O2A	-2.26	103.90	110.70
3	A	500	GRG	C1-C2-C3	2.26	129.90	126.20
3	E	500	GRG	O3A-PB-O3B	-2.20	99.46	111.04
3	A	500	GRG	C9-C8-C7	-2.18	116.28	121.17
3	D	500	GRG	C10-C8-C9	2.17	118.99	115.23
3	D	500	GRG	O1B-PB-O3A	2.17	111.90	104.64
3	F	500	GRG	O1B-PB-O3A	2.11	111.71	104.64
3	C	500	GRG	O3A-PB-O3B	-2.11	99.95	111.04
3	D	500	GRG	C19-C18-C20	2.06	119.32	114.59
3	E	500	GRG	O1B-PB-O3A	2.05	111.52	104.64
3	C	500	GRG	C1-C2-C3	2.05	129.55	126.20
3	B	500	GRG	C4-C3-C2	-2.04	118.39	123.63

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	500	GRG	C1-O1-PA-O1A
3	B	500	GRG	C1-O1-PA-O3A
3	B	500	GRG	C1-O1-PA-O2A
3	C	500	GRG	PA-O3A-PB-O2B
3	F	500	GRG	C1-O1-PA-O3A
3	A	500	GRG	C12-C11-C9-C8
3	D	500	GRG	C13-C15-C16-C17
3	E	500	GRG	C13-C15-C16-C17
3	E	500	GRG	C12-C11-C9-C8
3	C	500	GRG	C13-C15-C16-C17
3	F	500	GRG	C4-C3-C5-C6
3	F	500	GRG	C2-C3-C5-C6
3	B	500	GRG	C2-C3-C5-C6
3	B	500	GRG	C4-C3-C5-C6
3	C	500	GRG	C4-C3-C5-C6
3	D	500	GRG	C4-C3-C5-C6
3	D	500	GRG	C10-C8-C9-C11
3	D	500	GRG	C7-C8-C9-C11

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	500	GRG	C2-C3-C5-C6
3	D	500	GRG	C2-C3-C5-C6
3	B	500	GRG	PB-O3A-PA-O1
3	F	500	GRG	PB-O3A-PA-O1
3	C	500	GRG	PA-O3A-PB-O1B
3	F	500	GRG	C1-O1-PA-O2A
3	A	500	GRG	C4-C3-C5-C6
3	C	500	GRG	PB-O3A-PA-O1A
3	A	500	GRG	C10-C8-C9-C11
3	A	500	GRG	C2-C3-C5-C6
3	B	500	GRG	C15-C16-C17-C18
3	E	500	GRG	C10-C8-C9-C11
3	A	500	GRG	C7-C8-C9-C11
3	C	500	GRG	C14-C13-C15-C16
3	D	500	GRG	PA-O3A-PB-O3B
3	E	500	GRG	C7-C8-C9-C11
3	D	500	GRG	C12-C11-C9-C8


There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	500	GRG	2	0
3	E	500	GRG	2	0
3	F	500	GRG	3	0
3	C	500	GRG	2	0
3	A	500	GRG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/301 (94%)	-0.15	0 100 100	27, 52, 60, 68	1 (0%)
1	B	284/301 (94%)	0.28	5 (1%) 67 65	44, 52, 60, 68	0
1	C	284/301 (94%)	0.44	13 (4%) 37 34	44, 52, 60, 66	0
1	D	285/301 (94%)	-0.03	1 (0%) 88 87	44, 52, 60, 71	1 (0%)
1	E	284/301 (94%)	0.09	4 (1%) 73 72	44, 52, 60, 67	0
1	F	284/301 (94%)	0.50	6 (2%) 63 61	44, 52, 60, 67	0
All	All	1706/1806 (94%)	0.19	29 (1%) 69 67	27, 52, 60, 71	2 (0%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	156	PHE	3.8
1	E	6	GLU	3.3
1	C	202	LYS	3.3
1	C	6	GLU	3.2
1	B	6	GLU	3.0
1	F	7	THR	2.9
1	C	235	ARG	2.8
1	C	213	PHE	2.7
1	E	107	ASP	2.5
1	C	208	LEU	2.4
1	F	26	GLN	2.4
1	F	213	PHE	2.4
1	C	195	SER	2.3
1	B	202	LYS	2.3
1	F	53	THR	2.2
1	B	222	TRP	2.2
1	C	24	GLY	2.2
1	C	234	LEU	2.2
1	D	202	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	213	PHE	2.1
1	E	294	MET	2.1
1	F	195	SER	2.1
1	C	7	THR	2.1
1	F	221	ILE	2.1
1	C	291	LEU	2.1
1	C	39	LEU	2.0
1	B	7	THR	2.0
1	E	7	THR	2.0
1	C	232	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	400	1/1	0.82	0.12	46,46,46,46	0
2	MG	E	400	1/1	0.87	0.15	47,47,47,47	0
2	MG	B	401	1/1	0.92	0.08	46,46,46,46	0
2	MG	D	401	1/1	0.93	0.10	45,45,45,45	0
2	MG	D	400	1/1	0.93	0.11	44,44,44,44	0
3	GRG	C	500	29/29	0.93	0.14	47,58,61,61	0
3	GRG	F	500	19/29	0.93	0.14	50,54,61,62	0
2	MG	A	401	1/1	0.94	0.06	45,45,45,45	0
3	GRG	E	500	29/29	0.94	0.14	46,59,75,76	0
2	MG	E	401	1/1	0.94	0.07	47,47,47,47	0
3	GRG	B	500	29/29	0.95	0.12	47,59,62,63	0
2	MG	C	401	1/1	0.95	0.06	45,45,45,45	0
2	MG	F	400	1/1	0.95	0.08	48,48,48,48	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GRG	A	500	29/29	0.95	0.12	47,52,59,60	0
3	GRG	D	500	29/29	0.96	0.11	46,54,59,59	0
2	MG	C	400	1/1	0.96	0.07	45,45,45,45	0
2	MG	B	400	1/1	0.96	0.10	46,46,46,46	0
2	MG	F	401	1/1	0.97	0.05	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around GRG F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GRG E 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GRG B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GRG A 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.