



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 11:15 PM UTC

PDB ID : 6Q8Z / pdb_00006q8z
Title : Structure of human galactokinase 1 bound with N-(Cyclobutylmethyl)-1,5-dimethyl-1H-pyrazole-4-carboxamide
Authors : Mackinnon, S.R.; Bezerra, G.A.; Zhang, M.; Foster, W.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Arrowsmith, C.; Edwards, A.; Bountra, C.; Brennan, P.; Lai, K.; Yue, W.W.
Deposited on : 2018-12-16
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	3% 85% 14% .
1	B	392	25% 77% 21% ..
1	C	392	14% 84% 14% ..
1	D	392	27% 79% 15% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GAL	A	401	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Galactokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	0	0
			2880	1807	508	549	16			
1	B	387	Total	C	N	O	S	0	0	0
			2679	1681	471	512	15			
1	C	386	Total	C	N	O	S	0	0	0
			2783	1747	489	531	16			
1	D	376	Total	C	N	O	S	0	1	0
			2621	1641	456	511	13			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	HIS	-	expression tag	UNP P51570
B	1	HIS	-	expression tag	UNP P51570
C	1	HIS	-	expression tag	UNP P51570
D	1	HIS	-	expression tag	UNP P51570

- Molecule 2 is beta-D-galactopyranose (CCD ID: GAL) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		
2	C	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is 2-(1,3-benzoxazol-2-ylamino)spiro[1,6,7,8-tetrahydroquinazoline-4,1'-cyclohexane]-5-one (CCD ID: HFK) (formula: $C_{20}H_{22}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			26	20	4	2		
3	B	1	Total	C	N	O	0	0
			26	20	4	2		
3	C	1	Total	C	N	O	0	0
			26	20	4	2		

- Molecule 4 is {N}-(cyclobutylmethyl)-1,5-dimethyl-pyrazole-4-carboxamide (CCD ID: HR5) (formula: C₁₁H₁₇N₃O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			15	11	3	1		
4	C	1	Total	C	N	O	0	0
			15	11	3	1		
4	C	1	Total	C	N	O	0	0
			15	11	3	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	222	Total	O	0	0
			222	222		
5	B	216	Total	O	0	0
			216	216		
5	C	159	Total	O	0	0
			159	159		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	142	Total	O	0	0
			142	142		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galactokinase



• Molecule 1: Galactokinase





• Molecule 1: Galactokinase





● Molecule 1: Galactokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.62Å 114.39Å 120.85Å 90.00° 100.59° 90.00°	Depositor
Resolution (Å)	52.74 – 2.40 52.74 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.6 (52.74-2.40) 99.9 (52.74-2.40)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 1.81Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.241 , 0.283 0.228 , 0.270	Depositor DCC
R_{free} test set	8879 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	31.2	Xtriage
Anisotropy	0.506	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11861	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HFK, GAL, HR5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	6/2934 (0.2%)	1.09	9/3991 (0.2%)
1	B	1.06	8/2726 (0.3%)	1.19	13/3721 (0.3%)
1	C	0.88	0/2834	1.07	8/3858 (0.2%)
1	D	0.96	3/2667 (0.1%)	1.15	14/3645 (0.4%)
All	All	1.01	17/11161 (0.2%)	1.12	44/15215 (0.3%)

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	41	ILE	CA-CB	8.01	1.61	1.55
1	B	143	ALA	CA-CB	7.82	1.65	1.53
1	A	37	ARG	CZ-NH1	7.39	1.43	1.32
1	A	41	ILE	CA-CB	7.27	1.61	1.55
1	B	37	ARG	CZ-NH2	-6.91	1.24	1.33
1	B	107	ALA	CA-CB	6.41	1.64	1.53
1	D	284	GLU	N-CA	6.22	1.53	1.46
1	A	114	ILE	CA-CB	6.00	1.61	1.54
1	D	293	ALA	CA-CB	5.74	1.62	1.53
1	B	37	ARG	CZ-NH1	5.72	1.40	1.32
1	B	53	LEU	CA-CB	5.61	1.59	1.53
1	B	150	TYR	CA-CB	5.59	1.62	1.53
1	A	187	GLN	C-O	-5.54	1.17	1.24
1	A	107	ALA	CA-CB	5.44	1.63	1.53
1	D	310	SER	CA-CB	5.33	1.61	1.53
1	A	201	ILE	CA-CB	5.17	1.60	1.54
1	B	128	VAL	C-O	-5.15	1.18	1.24

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	37	ARG	NE-CZ-NH2	8.41	126.77	119.20
1	C	37	ARG	NE-CZ-NH1	-8.29	113.21	121.50
1	B	185	MET	N-CA-C	7.65	119.25	111.07
1	A	37	ARG	NE-CZ-NH1	7.64	129.14	121.50
1	B	335	VAL	N-CA-C	7.59	117.01	108.05
1	B	37	ARG	NE-CZ-NH1	7.52	129.02	121.50
1	A	37	ARG	CD-NE-CZ	7.24	134.53	124.40
1	D	236	TYR	CA-C-N	-7.17	111.59	119.19
1	D	236	TYR	C-N-CA	-7.17	111.59	119.19
1	D	236	TYR	CA-CB-CG	-6.98	101.33	113.90
1	D	214	SER	N-CA-C	6.70	120.67	112.23
1	D	361	ALA	CA-C-N	-6.62	112.17	119.19
1	D	361	ALA	C-N-CA	-6.62	112.17	119.19
1	D	133	VAL	CA-C-N	6.47	126.82	119.83
1	D	133	VAL	C-N-CA	6.47	126.82	119.83
1	B	373	GLY	N-CA-C	-6.31	106.97	114.48
1	B	221	LEU	CA-C-N	-6.08	115.26	122.93
1	B	221	LEU	C-N-CA	-6.08	115.26	122.93
1	B	159	ASP	CA-C-N	-6.03	113.06	123.25
1	B	159	ASP	C-N-CA	-6.03	113.06	123.25
1	D	318	TYR	N-CA-C	-5.91	105.90	113.23
1	A	140	SER	CB-CA-C	-5.79	104.41	111.82
1	D	235	GLU	N-CA-C	5.74	120.56	112.93
1	D	201	ILE	N-CA-C	5.72	116.09	107.80
1	A	84	GLU	N-CA-C	5.59	117.80	110.08
1	D	66	SER	CA-C-N	-5.54	114.25	119.85
1	D	66	SER	C-N-CA	-5.54	114.25	119.85
1	C	335	VAL	N-CA-C	5.53	113.35	107.76
1	B	361	ALA	CA-C-N	-5.53	112.93	119.84
1	B	361	ALA	C-N-CA	-5.53	112.93	119.84
1	C	361	ALA	CA-C-N	-5.52	113.33	119.19
1	C	361	ALA	C-N-CA	-5.52	113.33	119.19
1	B	351	CYS	N-CA-C	5.50	118.67	110.14
1	D	236	TYR	N-CA-C	5.48	119.70	112.35
1	A	37	ARG	CB-CG-CD	5.43	123.79	111.30
1	A	72	LEU	CA-CB-CG	5.35	135.03	116.30
1	B	305	ARG	N-CA-C	-5.35	105.45	111.28
1	B	293	ALA	N-CA-C	-5.29	105.60	111.36
1	A	67	PRO	CA-C-O	-5.10	115.45	121.67
1	C	214	SER	N-CA-C	5.10	118.54	111.71
1	A	65	GLY	N-CA-C	5.04	117.90	110.80
1	C	380	LEU	CA-C-N	-5.03	114.58	122.73
1	C	380	LEU	C-N-CA	-5.03	114.58	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	37	ARG	NE-CZ-NH2	-5.03	114.67	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2880	0	2806	33	0
1	B	2679	0	2465	54	0
1	C	2783	0	2660	48	0
1	D	2621	0	2402	40	1
2	A	12	0	9	0	0
2	B	12	0	11	1	0
2	C	12	0	12	0	0
3	A	26	0	0	0	0
3	B	26	0	0	1	0
3	C	26	0	0	0	0
4	A	15	0	0	1	0
4	C	30	0	0	2	0
5	A	222	0	0	5	4
5	B	216	0	0	21	1
5	C	159	0	0	7	0
5	D	142	0	0	6	2
All	All	11861	0	10365	173	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:ARG:NH1	1:B:140:SER:OG	1.62	1.31
1:C:37:ARG:NH1	1:C:140:SER:OG	1.78	1.16
1:A:89:GLN:NE2	5:A:501:HOH:O	1.92	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:ARG:NH1	1:B:140:SER:HG	1.54	0.97
1:B:331:ALA:N	5:B:503:HOH:O	2.06	0.88
1:C:365:MET:SD	5:C:609:HOH:O	2.32	0.88
1:C:85:PRO:HD2	1:C:104:PRO:HG3	1.57	0.85
1:B:369:GLN:N	5:B:505:HOH:O	2.12	0.82
1:B:307:MET:SD	5:B:563:HOH:O	2.38	0.81
1:D:236:TYR:OH	1:D:346:GLY:O	1.97	0.81
1:D:77:THR:HG22	1:D:79:SER:H	1.46	0.80
1:B:359:SER:O	5:B:501:HOH:O	2.00	0.78
1:B:256:ARG:NE	5:B:507:HOH:O	2.15	0.77
1:D:250:LEU:O	5:D:401:HOH:O	2.02	0.76
1:B:316:ASP:OD2	5:B:502:HOH:O	2.02	0.76
1:C:37:ARG:NH1	1:C:186:ASP:OD1	2.22	0.72
1:B:337:GLY:O	5:B:504:HOH:O	2.06	0.72
1:C:4:LEU:HB2	1:C:365:MET:HE1	1.73	0.71
1:B:270:VAL:O	1:B:272:LYS:N	2.23	0.71
1:D:333:LEU:O	5:D:402:HOH:O	2.09	0.69
1:B:37:ARG:HH11	1:B:140:SER:CB	2.04	0.68
1:A:9:VAL:HG21	4:A:403:HR5:C3	2.25	0.67
1:A:309:GLU:OE1	5:A:502:HOH:O	2.13	0.67
1:C:37:ARG:HH12	1:C:186:ASP:CG	2.01	0.67
1:C:37:ARG:NH1	1:C:186:ASP:CG	2.53	0.67
1:A:17:ARG:HH21	1:A:27:GLU:HG3	1.60	0.66
1:B:136:GLY:O	5:B:506:HOH:O	2.14	0.66
1:A:2:ALA:C	1:A:365:MET:HE1	2.22	0.65
1:D:392:LEU:OXT	5:D:403:HOH:O	2.15	0.64
1:B:318:TYR:N	5:B:511:HOH:O	2.31	0.64
1:B:174:GLU:OE2	5:B:508:HOH:O	2.16	0.62
1:A:81:GLY:O	5:A:503:HOH:O	2.16	0.61
1:C:261:GLU:OE1	5:C:501:HOH:O	2.16	0.61
1:D:37:ARG:HG2	1:D:37:ARG:HH11	1.65	0.61
1:B:222:ILE:HB	1:B:379:TYR:HB2	1.81	0.60
1:C:214:SER:O	1:C:214:SER:OG	2.12	0.60
1:A:122:LEU:HD11	1:A:153:LEU:HD22	1.84	0.60
1:C:228:ARG:HH21	1:C:232:ALA:HB1	1.66	0.60
1:C:78:THR:HG22	1:C:130:VAL:HG12	1.85	0.59
1:C:37:ARG:HH11	1:C:37:ARG:HG2	1.68	0.59
1:D:312:ARG:NE	5:D:407:HOH:O	2.27	0.58
1:C:94:THR:O	1:C:96:GLN:N	2.34	0.58
1:D:43:GLU:HB2	1:D:342:ARG:NH2	2.19	0.57
1:C:37:ARG:HH11	1:C:37:ARG:CG	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:369:GLN:O	5:D:404:HOH:O	2.18	0.56
1:B:188:PHE:CE2	1:B:208:THR:HG21	2.40	0.56
1:C:85:PRO:CD	1:C:104:PRO:HG3	2.34	0.55
1:B:47:TYR:CE1	1:B:240:ARG:HG2	2.42	0.55
1:C:72:LEU:N	5:C:512:HOH:O	2.40	0.55
1:C:43:GLU:HB2	1:C:342:ARG:NH2	2.21	0.55
1:C:94:THR:C	1:C:96:GLN:H	2.16	0.54
1:A:213:LEU:HD13	1:A:295:LEU:HD11	1.88	0.54
1:B:273:GLU:HA	5:B:650:HOH:O	2.08	0.53
1:D:32:VAL:HG12	1:D:389:VAL:HG22	1.88	0.53
1:D:43:GLU:HB2	1:D:342:ARG:HH22	1.73	0.53
1:C:219:ALA:HB3	1:C:356:LEU:HD12	1.90	0.53
1:D:250:LEU:HD12	1:D:269:LEU:CD2	2.39	0.52
1:C:365:MET:HE3	1:C:378:PHE:CD2	2.44	0.52
1:C:276:ARG:HD2	5:C:578:HOH:O	2.09	0.52
1:D:94:THR:O	1:D:97:ARG:N	2.42	0.52
1:B:195:LYS:NZ	1:C:160:SER:O	2.29	0.51
1:B:223:THR:OG1	1:B:352:THR:OG1	2.22	0.51
1:D:63:LEU:HG	1:D:129:VAL:HG22	1.93	0.51
1:B:304:GLY:N	5:B:516:HOH:O	2.44	0.51
1:C:147:VAL:HG21	1:C:190:SER:HB3	1.92	0.51
1:C:219:ALA:HB3	1:C:356:LEU:CD1	2.41	0.51
1:C:37:ARG:O	1:C:37:ARG:HG3	2.11	0.51
1:C:276:ARG:NE	5:C:502:HOH:O	2.23	0.51
1:B:58:GLU:OE2	5:B:510:HOH:O	2.19	0.50
1:B:324:GLU:OE1	1:B:324:GLU:N	2.39	0.50
1:A:337:GLY:O	1:A:357:GLU:HG3	2.11	0.50
3:B:402:HFK:N19	3:B:402:HFK:N14	2.60	0.50
1:B:256:ARG:O	5:B:509:HOH:O	2.19	0.50
1:C:388:LYS:HE3	4:C:404:HR5:C2	2.42	0.50
1:C:210:LEU:HD12	1:C:210:LEU:N	2.27	0.49
1:B:381:SER:HB3	5:B:557:HOH:O	2.12	0.49
1:D:109:TYR:O	1:D:113:VAL:HG23	2.12	0.49
1:A:273:GLU:O	1:A:277:ARG:HG2	2.13	0.49
1:C:43:GLU:HB2	1:C:342:ARG:HH22	1.78	0.49
1:D:20:PHE:CE2	1:D:65:GLY:HA2	2.47	0.48
1:D:83:ASP:OD1	1:D:104:PRO:HB3	2.13	0.48
1:B:277:ARG:O	1:B:280:HIS:HB3	2.13	0.48
1:D:365:MET:HE3	1:D:378:PHE:CD2	2.48	0.48
1:C:309:GLU:HG2	5:C:639:HOH:O	2.14	0.48
1:D:249:ALA:C	1:D:269:LEU:HD21	2.39	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:TYR:CE1	1:A:142:SER:HB2	2.49	0.48
1:A:240:ARG:O	1:A:244:GLU:HG3	2.14	0.48
1:B:43:GLU:OE1	2:B:401:GAL:O6	2.28	0.48
1:B:304:GLY:HA3	1:B:339:TYR:O	2.13	0.48
1:C:217:LYS:NZ	5:C:517:HOH:O	2.42	0.48
1:B:86:GLN:HG3	5:B:677:HOH:O	2.14	0.48
1:B:381:SER:HA	5:B:510:HOH:O	2.14	0.48
1:B:41:ILE:HG23	1:B:288:THR:HG23	1.96	0.47
1:B:317:ASP:N	5:B:511:HOH:O	2.47	0.47
1:D:37:ARG:NE	1:D:186:ASP:OD1	2.48	0.47
1:A:78:THR:OG1	1:A:130:VAL:HG12	2.13	0.47
1:A:365:MET:HE3	1:A:378:PHE:CD2	2.49	0.47
1:B:252:LYS:HA	5:B:582:HOH:O	2.14	0.47
1:C:228:ARG:NH2	1:C:232:ALA:HB1	2.29	0.47
1:B:78:THR:HB	1:B:130:VAL:HG12	1.96	0.46
1:C:78:THR:CG2	1:C:130:VAL:HG12	2.44	0.46
1:B:160:SER:O	1:C:195:LYS:NZ	2.45	0.46
1:B:188:PHE:HB3	1:B:201:ILE:HD13	1.98	0.46
1:C:273:GLU:O	1:C:277:ARG:HG2	2.15	0.46
1:D:21:ARG:HA	1:D:26:ALA:O	2.16	0.46
1:D:43:GLU:CD	5:D:405:HOH:O	2.58	0.46
1:B:341:SER:OG	1:B:354:THR:HG22	2.15	0.45
1:D:94:THR:O	1:D:96:GLN:N	2.50	0.45
1:A:6:GLN:OE1	1:A:58:GLU:HB2	2.17	0.45
1:D:133:VAL:HA	1:D:134:PRO:HD2	1.81	0.45
1:B:43:GLU:HB3	1:B:314:LEU:HD21	1.98	0.45
1:D:199:LEU:HD23	1:D:201:ILE:HD11	1.99	0.45
1:A:67:PRO:HB3	1:A:156:LEU:HD22	1.97	0.45
1:A:17:ARG:NH2	1:A:27:GLU:HG3	2.30	0.45
1:B:256:ARG:CZ	5:B:507:HOH:O	2.57	0.45
1:D:37:ARG:HG2	1:D:37:ARG:NH1	2.32	0.45
1:D:250:LEU:HD12	1:D:269:LEU:HD21	1.99	0.45
1:D:76:LEU:HD12	1:D:86:GLN:O	2.17	0.44
1:D:77:THR:HG22	1:D:79:SER:N	2.25	0.44
1:C:295:LEU:HD12	1:C:295:LEU:HA	1.65	0.44
1:B:20:PHE:CE2	1:B:65:GLY:HA2	2.53	0.44
1:A:92:LEU:HD13	5:A:506:HOH:O	2.18	0.44
1:B:260:LEU:O	1:B:260:LEU:HD23	2.17	0.44
1:D:225:SER:O	1:D:372:TYR:OH	2.23	0.43
1:A:140:SER:HB3	1:A:143:ALA:HB3	2.01	0.43
1:B:52:VAL:HG23	1:B:54:PRO:HD3	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:ALA:HB1	5:B:572:HOH:O	2.18	0.43
1:D:335:VAL:HG21	1:D:364:ALA:HA	2.00	0.43
1:A:152:PHE:HE1	1:A:156:LEU:HD11	1.83	0.43
1:D:150:TYR:O	1:D:154:GLN:HG3	2.19	0.43
1:A:152:PHE:CE1	1:A:156:LEU:HD11	2.54	0.43
1:A:263:LEU:HG	1:A:275:PHE:CE1	2.54	0.42
1:B:199:LEU:HD23	1:B:201:ILE:HD11	2.01	0.42
1:C:295:LEU:HD13	1:C:303:PHE:CD2	2.54	0.42
1:A:192:MET:HE3	1:A:192:MET:HB3	1.91	0.42
1:A:328:LEU:HD23	1:A:328:LEU:HA	1.86	0.42
1:D:329:VAL:O	1:D:333:LEU:HG	2.19	0.42
1:A:218:LEU:HD11	1:A:355:LEU:HD11	2.02	0.42
1:B:226:ASN:ND2	1:B:375:THR:O	2.47	0.42
1:B:367:HIS:CD2	1:B:371:HIS:CD2	3.07	0.42
1:A:43:GLU:HB2	1:A:342:ARG:NH2	2.35	0.42
1:A:377:THR:HG21	5:A:509:HOH:O	2.20	0.42
1:A:93:PRO:HB3	1:A:99:LEU:HG	2.02	0.41
1:C:7:PRO:HG3	1:C:59:LEU:CD2	2.49	0.41
1:B:210:LEU:O	1:C:207:GLU:HG3	2.20	0.41
1:C:33:SER:HB3	4:C:404:HR5:C10	2.51	0.41
1:D:240:ARG:O	1:D:244:GLU:HG3	2.20	0.41
1:A:365:MET:HE2	1:A:365:MET:HB3	1.72	0.41
1:B:78:THR:O	1:B:78:THR:HG22	2.20	0.41
1:A:38:VAL:HG23	1:A:344:THR:HG21	2.01	0.41
1:C:236:TYR:N	1:C:237:PRO:HD2	2.35	0.41
1:B:370:GLU:HG3	1:B:371:HIS:CD2	2.55	0.41
1:C:37:ARG:NH1	1:C:37:ARG:CG	2.80	0.41
1:C:104:PRO:HB2	1:C:106:TRP:CD1	2.56	0.41
1:C:259:GLN:OE1	1:C:261:GLU:HB2	2.20	0.41
1:D:40:LEU:HD23	1:D:40:LEU:HA	1.85	0.41
1:A:68:ARG:CZ	1:A:72:LEU:HD22	2.50	0.41
1:C:188:PHE:CE2	1:C:208:THR:HG21	2.56	0.41
1:B:232:ALA:HB2	1:B:348:PHE:HB2	2.02	0.41
1:D:165:ALA:O	1:D:169:VAL:HG23	2.21	0.41
1:D:43:GLU:HG3	1:D:44:HIS:ND1	2.36	0.41
1:A:218:LEU:HD11	1:A:355:LEU:HG	2.02	0.41
1:A:335:VAL:HG21	1:A:364:ALA:HA	2.03	0.41
1:B:238:VAL:O	1:B:242:GLN:HG3	2.20	0.41
1:B:328:LEU:HA	1:B:328:LEU:HD23	1.79	0.41
1:C:51:LEU:HD23	1:C:202:ASP:HA	2.02	0.41
1:C:109:TYR:CE1	1:C:142:SER:HB2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:44:HIS:CD2	1:D:318:TYR:HE2	2.39	0.41
1:B:109:TYR:CE1	1:B:142:SER:HB2	2.56	0.41
1:D:263:LEU:O	1:D:275:PHE:HE1	2.04	0.41
1:C:149:THR:O	1:C:153:LEU:HG	2.21	0.40
1:D:52:VAL:CG2	1:D:201:ILE:HB	2.50	0.40
1:B:73:VAL:O	1:B:89:GLN:HA	2.21	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:630:HOH:O	5:B:713:HOH:O[1_554]	2.08	0.12
5:A:700:HOH:O	5:D:506:HOH:O[1_455]	2.12	0.08
1:D:207:GLU:OE1	5:A:512:HOH:O[1_655]	2.18	0.02
5:A:685:HOH:O	5:D:506:HOH:O[1_455]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/392 (100%)	385 (99%)	5 (1%)	0	100	100
1	B	379/392 (97%)	368 (97%)	9 (2%)	2 (0%)	24	37
1	C	380/392 (97%)	372 (98%)	7 (2%)	1 (0%)	36	50
1	D	371/392 (95%)	367 (99%)	3 (1%)	1 (0%)	36	50
All	All	1520/1568 (97%)	1492 (98%)	24 (2%)	4 (0%)	36	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	7	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	95	ALA
1	B	230	SER
1	C	95	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/311 (93%)	288 (99%)	2 (1%)	76	88
1	B	241/311 (78%)	238 (99%)	3 (1%)	63	81
1	C	271/311 (87%)	267 (98%)	4 (2%)	57	77
1	D	241/311 (78%)	239 (99%)	2 (1%)	73	86
All	All	1043/1244 (84%)	1032 (99%)	11 (1%)	65	82

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	LEU
1	A	103	THR
1	B	103	THR
1	B	223	THR
1	B	310	SER
1	C	37	ARG
1	C	78	THR
1	C	184	ILE
1	C	242	GLN
1	D	37	ARG
1	D	366	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	226	ASN
1	A	229	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	327	GLN
1	A	367	HIS
1	B	39	ASN
1	B	327	GLN
1	B	371	HIS
1	C	39	ASN
1	C	327	GLN
1	C	367	HIS
1	C	371	HIS
1	D	155	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GAL	A	401	-	12,12,12	2.25	6 (50%)	17,17,17	3.16	6 (35%)
2	GAL	C	401	-	12,12,12	1.34	2 (16%)	17,17,17	1.29	3 (17%)
4	HR5	A	403	-	16,16,16	1.82	4 (25%)	21,22,22	1.94	8 (38%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HFK	C	402	-	29,30,30	4.36	10 (34%)	32,44,44	4.15	18 (56%)
3	HFK	A	402	-	29,30,30	4.23	13 (44%)	32,44,44	3.41	14 (43%)
3	HFK	B	402	-	29,30,30	4.20	13 (44%)	32,44,44	4.23	15 (46%)
4	HR5	C	404	-	16,16,16	2.03	6 (37%)	21,22,22	1.48	3 (14%)
4	HR5	C	403	-	16,16,16	2.19	5 (31%)	21,22,22	1.82	4 (19%)
2	GAL	B	401	-	12,12,12	1.58	3 (25%)	17,17,17	1.54	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	A	401	-	1/1/5/5	1/2/22/22	0/1/1/1
2	GAL	C	401	-	-	1/2/22/22	0/1/1/1
4	HR5	A	403	-	-	7/9/15/15	0/2/2/2
3	HFK	C	402	-	-	2/4/43/43	0/5/5/5
3	HFK	A	402	-	-	2/4/43/43	0/5/5/5
3	HFK	B	402	-	-	2/4/43/43	0/5/5/5
4	HR5	C	404	-	-	1/9/15/15	0/2/2/2
4	HR5	C	403	-	-	4/9/15/15	0/2/2/2
2	GAL	B	401	-	-	1/2/22/22	0/1/1/1

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	HFK	C06-C07	14.59	1.55	1.37
3	B	402	HFK	C06-C07	13.24	1.54	1.37
3	A	402	HFK	C06-C07	12.95	1.53	1.37
3	B	402	HFK	C15-N14	9.45	1.54	1.30
3	C	402	HFK	C15-N16	9.31	1.51	1.36
3	C	402	HFK	C15-N14	9.20	1.54	1.30
3	A	402	HFK	C15-N14	8.55	1.52	1.30
3	B	402	HFK	C15-N16	8.21	1.49	1.36
3	A	402	HFK	O01-C02	8.19	1.39	1.23
3	A	402	HFK	C15-N16	7.77	1.49	1.36
3	B	402	HFK	O01-C02	7.36	1.38	1.23
3	C	402	HFK	O01-C02	7.28	1.37	1.23
3	A	402	HFK	C03-C02	6.19	1.59	1.50
4	C	403	HR5	C-C1	-6.18	1.40	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	HFK	C06-N16	5.60	1.46	1.37
3	B	402	HFK	C03-C02	5.07	1.57	1.50
3	B	402	HFK	C06-N16	4.98	1.45	1.37
3	A	402	HFK	C06-N16	4.92	1.45	1.37
4	A	403	HR5	C5-N2	4.38	1.41	1.33
4	C	404	HR5	C5-N2	4.36	1.41	1.33
2	A	401	GAL	C4-C3	4.27	1.63	1.52
3	C	402	HFK	C08-N14	4.12	1.50	1.46
3	C	402	HFK	C03-C02	4.11	1.56	1.50
4	A	403	HR5	C2-C1	4.11	1.45	1.39
3	A	402	HFK	C02-C07	3.85	1.57	1.46
3	B	402	HFK	C08-N14	3.74	1.50	1.46
3	C	402	HFK	C02-C07	3.71	1.57	1.46
3	B	402	HFK	C02-C07	3.71	1.57	1.46
3	A	402	HFK	O22-C18	-3.70	1.30	1.37
4	C	404	HR5	C1-N1	3.56	1.43	1.35
3	A	402	HFK	C05-C06	3.56	1.55	1.49
3	A	402	HFK	C08-N14	3.49	1.49	1.46
4	C	404	HR5	C3-N	3.45	1.38	1.32
3	A	402	HFK	C18-N19	3.42	1.36	1.30
2	A	401	GAL	O5-C1	-3.27	1.34	1.42
3	B	402	HFK	C05-C06	3.25	1.55	1.49
4	C	403	HR5	C5-N2	3.20	1.39	1.33
4	C	403	HR5	C3-N	3.18	1.37	1.32
4	A	403	HR5	C1-N1	2.96	1.41	1.35
3	C	402	HFK	C05-C06	2.92	1.54	1.49
2	A	401	GAL	O2-C2	-2.86	1.35	1.43
2	C	401	GAL	C4-C3	2.84	1.59	1.52
3	A	402	HFK	O22-C21	-2.79	1.34	1.38
4	C	404	HR5	C3-C2	2.78	1.45	1.41
2	A	401	GAL	C3-C2	2.77	1.59	1.52
3	B	402	HFK	C18-N17	2.75	1.41	1.36
2	B	401	GAL	O2-C2	2.47	1.49	1.43
2	A	401	GAL	O1-C1	-2.43	1.32	1.39
3	B	402	HFK	O22-C18	-2.42	1.32	1.37
2	B	401	GAL	C4-C3	2.41	1.58	1.52
2	B	401	GAL	C4-C5	2.41	1.58	1.53
2	C	401	GAL	C6-C5	2.38	1.59	1.51
4	C	404	HR5	C2-C1	2.34	1.42	1.39
3	B	402	HFK	C18-N19	2.32	1.34	1.30
3	B	402	HFK	C15-N17	-2.32	1.32	1.37
4	C	404	HR5	C4-N1	2.22	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	402	HFK	C18-N17	2.17	1.40	1.36
2	A	401	GAL	C6-C5	2.14	1.59	1.51
4	C	403	HR5	C1-N1	2.14	1.40	1.35
4	A	403	HR5	C3-N	2.13	1.36	1.32
4	C	403	HR5	C6-C7	2.01	1.55	1.52
3	A	402	HFK	C18-N17	2.01	1.40	1.36

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	HFK	C07-C06-N16	-11.06	113.18	122.11
3	C	402	HFK	C07-C06-N16	-10.89	113.32	122.11
3	C	402	HFK	O01-C02-C03	-9.54	105.23	120.87
3	B	402	HFK	C02-C07-C06	-8.89	111.29	119.18
3	B	402	HFK	O01-C02-C03	-8.73	106.57	120.87
3	A	402	HFK	C07-C06-N16	-7.99	115.66	122.11
3	B	402	HFK	N17-C15-N16	-7.98	104.53	117.96
3	A	402	HFK	N16-C15-N14	-7.36	110.58	123.63
2	A	401	GAL	C1-O5-C5	-7.28	99.57	113.65
3	B	402	HFK	C05-C06-C07	-7.12	113.03	122.72
3	C	402	HFK	N17-C15-N16	-6.93	106.30	117.96
3	B	402	HFK	N16-C15-N14	-6.59	111.95	123.63
2	A	401	GAL	C1-C2-C3	-6.54	97.02	110.36
3	C	402	HFK	C05-C06-C07	-6.38	114.04	122.72
3	A	402	HFK	O01-C02-C03	-6.27	110.59	120.87
3	C	402	HFK	C08-C07-C06	-6.13	114.83	121.75
2	A	401	GAL	O1-C1-C2	5.83	125.90	108.98
3	C	402	HFK	N16-C15-N14	-5.79	113.36	123.63
3	C	402	HFK	O01-C02-C07	-5.71	113.88	121.53
3	A	402	HFK	N17-C15-N16	-5.68	108.41	117.96
3	A	402	HFK	C05-C06-C07	-5.64	115.04	122.72
3	B	402	HFK	O01-C02-C07	-5.46	114.20	121.53
4	C	403	HR5	C1-N1-N	-5.39	111.00	112.91
3	A	402	HFK	C05-C06-N16	-5.32	107.89	115.46
3	C	402	HFK	C02-C07-C06	-5.22	114.55	119.18
3	B	402	HFK	C08-C07-C06	-5.13	115.96	121.75
3	C	402	HFK	C05-C06-N16	-4.97	108.39	115.46
3	A	402	HFK	C08-C07-C06	-4.89	116.24	121.75
4	A	403	HR5	C6-N2-C5	4.64	129.05	122.06
3	B	402	HFK	C05-C06-N16	-4.29	109.36	115.46
3	A	402	HFK	O22-C21-C20	-4.05	105.04	107.80
3	A	402	HFK	C13-C12-C11	3.91	117.45	111.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	402	HFK	C13-C12-C11	3.86	117.36	111.35
3	A	402	HFK	O01-C02-C07	-3.82	116.41	121.53
4	A	403	HR5	O-C5-N2	-3.81	116.46	123.35
3	C	402	HFK	O22-C21-C23	3.70	134.26	126.49
4	C	404	HR5	C1-N1-N	-3.66	111.61	112.91
3	C	402	HFK	C23-C21-C20	-3.61	119.23	123.62
2	A	401	GAL	O5-C1-C2	3.53	116.51	110.30
3	A	402	HFK	O22-C18-N19	-3.42	109.42	115.57
4	C	403	HR5	C2-C1-N1	3.30	107.60	105.78
2	B	401	GAL	C1-O5-C5	-3.27	107.33	113.65
3	B	402	HFK	O22-C21-C23	3.24	133.30	126.49
4	A	403	HR5	C8-C7-C6	-2.89	112.30	118.95
3	B	402	HFK	O22-C18-N19	-2.77	110.59	115.57
3	A	402	HFK	O22-C21-C23	2.70	132.17	126.49
3	A	402	HFK	C04-C03-C02	2.63	118.62	113.57
3	C	402	HFK	C15-N16-C06	-2.61	114.82	121.02
3	B	402	HFK	C23-C21-C20	-2.59	120.47	123.62
3	C	402	HFK	N17-C15-N14	-2.56	113.19	117.96
2	B	401	GAL	C6-C5-C4	2.52	119.21	113.02
4	C	404	HR5	C4-N1-C1	-2.49	125.82	128.09
3	C	402	HFK	O22-C18-N19	-2.49	111.10	115.57
4	A	403	HR5	C3-C2-C5	-2.45	122.33	129.45
2	C	401	GAL	O5-C5-C6	2.45	112.51	106.44
3	C	402	HFK	C09-C10-C11	2.44	115.15	111.35
4	A	403	HR5	C10-C7-C6	-2.43	113.34	118.95
2	B	401	GAL	O1-C1-O5	-2.43	103.19	110.41
4	A	403	HR5	C7-C6-N2	-2.43	108.56	112.77
3	C	402	HFK	C03-C02-C07	-2.42	112.63	117.35
4	A	403	HR5	C1-N1-N	-2.42	112.06	112.91
3	A	402	HFK	C24-C25-C26	2.39	123.18	120.24
2	A	401	GAL	O3-C3-C2	2.37	115.96	110.38
2	C	401	GAL	O6-C6-C5	-2.36	103.29	111.33
4	C	403	HR5	C7-C6-N2	-2.34	108.72	112.77
3	B	402	HFK	C13-C12-C11	2.31	114.95	111.35
3	B	402	HFK	O22-C21-C20	-2.31	106.22	107.80
3	C	402	HFK	C21-C20-N19	-2.25	106.51	108.60
2	B	401	GAL	O2-C2-C1	2.25	114.45	109.25
2	A	401	GAL	O1-C1-O5	2.23	117.03	110.41
4	A	403	HR5	O-C5-C2	2.18	124.85	121.04
4	C	404	HR5	C3-C2-C5	-2.04	123.53	129.45
2	C	401	GAL	O3-C3-C2	2.03	115.17	110.38
3	B	402	HFK	C15-N16-C06	-2.02	116.22	121.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	403	HR5	C2-C3-N	-2.01	109.95	112.45

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	401	GAL	C1

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	HFK	N14-C15-N17-C18
3	B	402	HFK	N16-C15-N17-C18
3	C	402	HFK	N14-C15-N17-C18
4	A	403	HR5	O-C5-N2-C6
4	A	403	HR5	C2-C5-N2-C6
4	A	403	HR5	C1-C2-C5-O
4	A	403	HR5	C1-C2-C5-N2
4	A	403	HR5	N2-C6-C7-C8
4	A	403	HR5	N2-C6-C7-C10
4	C	403	HR5	C1-C2-C5-O
4	C	404	HR5	N2-C6-C7-C8
2	B	401	GAL	O5-C5-C6-O6
2	C	401	GAL	O5-C5-C6-O6
2	A	401	GAL	O5-C5-C6-O6
3	A	402	HFK	N16-C15-N17-C18
3	C	402	HFK	N16-C15-N17-C18
4	C	403	HR5	C3-C2-C5-O
4	C	403	HR5	C3-C2-C5-N2
3	B	402	HFK	N14-C15-N17-C18
4	A	403	HR5	C3-C2-C5-O
4	C	403	HR5	C1-C2-C5-N2


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	HR5	1	0
3	B	402	HFK	1	0
4	C	404	HR5	2	0
2	B	401	GAL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	392/392 (100%)	0.25	10 (2%) 57 53	24, 35, 60, 127	0
1	B	387/392 (98%)	1.14	98 (25%) 1 1	28, 45, 86, 122	0
1	C	386/392 (98%)	0.82	53 (13%) 6 5	28, 46, 76, 125	0
1	D	376/392 (95%)	1.32	104 (27%) 1 1	18, 47, 82, 118	1 (0%)
All	All	1541/1568 (98%)	0.87	265 (17%) 4 3	18, 43, 81, 127	1 (0%)

All (265) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	364	ALA	7.6
1	B	363	HIS	6.3
1	B	7	PRO	6.0
1	B	6	GLN	5.8
1	B	356	LEU	5.5
1	C	231	LEU	5.5
1	B	270	VAL	5.3
1	B	334	ALA	5.0
1	D	119	ALA	5.0
1	B	360	ALA	5.0
1	B	367	HIS	4.9
1	B	374	GLY	4.9
1	B	268	ASP	4.7
1	B	8	GLN	4.6
1	D	79	SER	4.6
1	B	340	GLY	4.4
1	B	269	LEU	4.4
1	A	2	ALA	4.4
1	D	143	ALA	4.4
1	D	331	ALA	4.3
1	B	5	ARG	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	371	HIS	4.2
1	D	8	GLN	4.2
1	B	231	LEU	4.2
1	A	1	HIS	4.2
1	B	220	VAL	4.2
1	B	263	LEU	4.1
1	C	232	ALA	4.1
1	B	333	LEU	4.1
1	B	372	TYR	4.1
1	B	300	TYR	4.0
1	C	99	LEU	3.9
1	C	230	SER	3.9
1	B	232	ALA	3.9
1	B	80	GLU	3.9
1	C	92	LEU	3.8
1	B	335	VAL	3.7
1	B	230	SER	3.7
1	B	221	LEU	3.6
1	D	69	LYS	3.6
1	D	68	ARG	3.6
1	B	376	ALA	3.6
1	B	354	THR	3.6
1	B	265	ALA	3.6
1	B	228	ARG	3.6
1	B	337	GLY	3.6
1	B	361	ALA	3.6
1	C	3	ALA	3.6
1	C	97	ARG	3.6
1	C	7	PRO	3.6
1	D	95	ALA	3.5
1	D	178	ALA	3.5
1	D	85	PRO	3.5
1	B	267	ARG	3.4
1	C	68	ARG	3.4
1	B	375	THR	3.4
1	D	86	GLN	3.4
1	D	62	VAL	3.4
1	B	249	ALA	3.4
1	B	370	GLU	3.4
1	D	106	TRP	3.4
1	D	26	ALA	3.4
1	B	245	GLU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	250	LEU	3.3
1	D	161	GLY	3.3
1	B	266	ALA	3.3
1	C	98	SER	3.3
1	B	3	ALA	3.2
1	D	76	LEU	3.2
1	C	236	TYR	3.2
1	C	249	ALA	3.1
1	D	96	GLN	3.1
1	C	95	ALA	3.1
1	C	96	GLN	3.1
1	C	90	PHE	3.1
1	D	24	PHE	3.1
1	D	185	MET	3.0
1	D	88	LEU	3.0
1	B	229	HIS	3.0
1	B	214	SER	3.0
1	C	26	ALA	3.0
1	C	123	PRO	3.0
1	D	206	LEU	3.0
1	C	214	SER	3.0
1	B	377	THR	3.0
1	B	358	ALA	3.0
1	D	371	HIS	3.0
1	B	264	GLU	2.9
1	D	61	THR	2.9
1	D	78	THR	2.9
1	D	64	VAL	2.9
1	D	67	PRO	2.9
1	B	378	PHE	2.9
1	B	327	GLN	2.9
1	D	205	SER	2.9
1	D	108	ASN	2.9
1	A	363	HIS	2.9
1	C	72	LEU	2.9
1	B	373	GLY	2.9
1	D	17	ARG	2.9
1	D	175	HIS	2.9
1	D	269	LEU	2.8
1	B	329	VAL	2.8
1	A	96	GLN	2.8
1	D	83	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	24	PHE	2.8
1	D	21	ARG	2.8
1	B	222	ILE	2.8
1	B	310	SER	2.8
1	D	13	LEU	2.8
1	D	332	ALA	2.8
1	C	246	VAL	2.8
1	D	335	VAL	2.7
1	B	355	LEU	2.7
1	C	88	LEU	2.7
1	C	89	GLN	2.7
1	D	245	GLU	2.7
1	D	370	GLU	2.7
1	D	104	PRO	2.7
1	D	160	SER	2.7
1	C	103	THR	2.7
1	C	240	ARG	2.7
1	C	244	GLU	2.7
1	B	254	SER	2.7
1	D	110	VAL	2.7
1	B	339	TYR	2.7
1	D	29	GLU	2.7
1	D	31	ALA	2.7
1	D	247	ALA	2.7
1	A	95	ALA	2.6
1	B	219	ALA	2.6
1	B	278	ALA	2.6
1	D	107	ALA	2.6
1	D	93	PRO	2.6
1	B	328	LEU	2.6
1	B	308	VAL	2.6
1	B	357	GLU	2.6
1	D	9	VAL	2.6
1	D	176	SER	2.6
1	C	91	PRO	2.6
1	B	380	LEU	2.6
1	B	233	SER	2.6
1	B	96	GLN	2.6
1	D	129	VAL	2.6
1	B	272	LYS	2.6
1	D	102	GLY	2.5
1	A	80	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	122	LEU	2.5
1	D	157	CYS	2.5
1	D	116	TYR	2.5
1	D	101	PRO	2.5
1	D	156	LEU	2.5
1	D	142	SER	2.5
1	C	87	ARG	2.5
1	B	365	MET	2.5
1	C	25	GLY	2.5
1	B	261	GLU	2.5
1	D	253	GLU	2.5
1	B	338	VAL	2.5
1	A	3	ALA	2.5
1	C	21	ARG	2.5
1	D	105	ARG	2.5
1	C	251	GLY	2.5
1	B	274	GLY	2.4
1	C	80	GLU	2.4
1	A	4	LEU	2.4
1	B	290	GLN	2.4
1	D	18	ARG	2.4
1	B	362	PRO	2.4
1	B	246	VAL	2.4
1	C	74	SER	2.4
1	B	306	LEU	2.4
1	D	30	LEU	2.4
1	D	89	GLN	2.4
1	D	366	ARG	2.4
1	D	90	PHE	2.4
1	C	180	MET	2.4
1	D	28	PRO	2.4
1	D	141	SER	2.4
1	D	234	SER	2.4
1	D	87	ARG	2.4
1	D	128	VAL	2.4
1	B	332	ALA	2.4
1	B	218	LEU	2.3
1	D	117	TYR	2.3
1	C	100	GLU	2.3
1	C	237	PRO	2.3
1	D	65	GLY	2.3
1	D	374	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	114	ILE	2.3
1	D	70	ASP	2.3
1	C	243	CYS	2.3
1	D	360	ALA	2.3
1	B	223	THR	2.3
1	D	373	GLY	2.3
1	B	295	LEU	2.3
1	D	123	PRO	2.3
1	C	248	ARG	2.3
1	A	9	VAL	2.3
1	B	216	PRO	2.3
1	C	119	ALA	2.2
1	D	173	ALA	2.2
1	D	334	ALA	2.2
1	C	106	TRP	2.2
1	B	257	GLU	2.2
1	D	262	GLU	2.2
1	D	73	VAL	2.2
1	C	6	GLN	2.2
1	D	131	SER	2.2
1	B	286	ARG	2.2
1	C	73	VAL	2.2
1	D	258	VAL	2.2
1	B	331	ALA	2.2
1	D	243	CYS	2.2
1	D	112	GLY	2.2
1	D	254	SER	2.2
1	B	273	GLU	2.2
1	B	305	ARG	2.2
1	D	362	PRO	2.2
1	C	120	ALA	2.2
1	D	63	LEU	2.2
1	D	75	LEU	2.2
1	D	84	GLU	2.2
1	B	247	ALA	2.1
1	D	103	THR	2.1
1	D	20	PHE	2.1
1	D	270	VAL	2.1
1	A	6	GLN	2.1
1	C	10	ALA	2.1
1	B	298	GLY	2.1
1	D	99	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	379	TYR	2.1
1	D	121	PRO	2.1
1	D	336	PRO	2.1
1	C	125	PHE	2.1
1	B	258	VAL	2.1
1	D	147	VAL	2.1
1	D	172	GLN	2.1
1	B	291	ALA	2.1
1	B	302	ALA	2.1
1	B	4	LEU	2.1
1	B	352	THR	2.1
1	B	366	ARG	2.1
1	B	262	GLU	2.1
1	C	23	GLU	2.1
1	D	23	GLU	2.1
1	B	341	SER	2.1
1	C	93	PRO	2.1
1	D	10	ALA	2.1
1	B	288	THR	2.1
1	D	146	GLU	2.1
1	D	66	SER	2.1
1	D	188	PHE	2.0
1	D	120	ALA	2.0
1	B	135	LEU	2.0
1	B	319	GLU	2.0
1	C	264	GLU	2.0
1	B	303	PHE	2.0
1	D	19	ALA	2.0
1	B	309	GLU	2.0
1	D	244	GLU	2.0
1	B	81	GLY	2.0
1	C	118	PRO	2.0
1	D	268	ASP	2.0
1	C	234	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	HR5	A	403	15/15	0.75	0.23	41,65,75,76	0
4	HR5	C	404	15/15	0.81	0.20	53,61,64,66	0
4	HR5	C	403	15/15	0.84	0.17	43,50,59,65	0
3	HFK	C	402	26/26	0.87	0.13	45,52,58,60	0
2	GAL	C	401	12/12	0.88	0.11	31,36,43,52	0
3	HFK	B	402	26/26	0.89	0.13	41,46,52,61	0
2	GAL	B	401	12/12	0.91	0.10	34,36,39,48	0
3	HFK	A	402	26/26	0.92	0.10	28,36,44,47	0
2	GAL	A	401	12/12	0.95	0.07	22,25,27,31	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around HFK C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HFK B 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.