



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:50 AM UTC

PDB ID : 1Q99 / pdb_00001q99
Title : Crystal structure of the *Saccharomyces cerevisiae* SR protein kinsae, Sky1p, complexed with the non-hydrolyzable ATP analogue, AMP-PNP
Authors : Nolen, B.; Ngo, J.; Chakrabarti, S.; Vu, D.; Adams, J.A.; Ghosh, G.
Deposited on : 2003-08-22
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	12% 61% 31% 5%
1	B	373	12% 65% 30% 5%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6112 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SR protein kinsae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	0	0
			2848	1829	486	521	12			
1	B	364	Total	C	N	O	S	0	0	0
			2940	1886	500	542	12			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	305	VAL	-	SEE REMARK 999	UNP Q03656
A	306	ASP	-	SEE REMARK 999	UNP Q03656
B	305	VAL	-	SEE REMARK 999	UNP Q03656
B	306	ASP	-	SEE REMARK 999	UNP Q03656

- Molecule 2 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ni	0	0
			1	1		
2	B	1	Total	Ni	0	0
			1	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0
			31	10	6	12	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is METHANOL (CCD ID: MOH) (formula: CH_4O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			2	1	1		
6	B	1	Total	C	O	0	0
			2	1	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	128	Total	O	0	0
			128	128		
7	B	110	Total	O	0	0
			110	110		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SR protein kinsae



• Molecule 1: SR protein kinsae



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.41Å 88.95Å 134.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.95 – 2.11 19.95 – 2.11	Depositor EDS
% Data completeness (in resolution range)	96.6 (19.95-2.11) 92.1 (19.95-2.11)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1, XTALVIEW	Depositor
R, R_{free}	0.220 , 0.260 0.239 , 0.237	Depositor DCC
R_{free} test set	2343 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	24.6	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 53.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6112	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 82.16 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9878e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, EDO, ANP, NI, MOH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2915	0.87	8/3944 (0.2%)
1	B	0.39	0/3013	0.88	6/4079 (0.1%)
All	All	0.39	0/5928	0.88	14/8023 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	717	VAL	CA-C-N	9.55	130.21	119.32
1	B	717	VAL	C-N-CA	9.55	130.21	119.32
1	A	717	VAL	CA-C-N	7.45	127.81	119.32
1	A	717	VAL	C-N-CA	7.45	127.81	119.32
1	B	286	ARG	N-CA-C	6.88	118.57	111.14
1	A	670	LYS	N-CA-C	6.65	120.75	112.24
1	A	550	ASP	N-CA-C	5.89	117.80	110.91
1	B	170	SER	N-CA-C	5.72	116.63	108.74
1	B	603	LEU	N-CA-C	-5.69	105.00	111.14
1	A	286	ARG	N-CA-C	5.40	117.99	111.40
1	B	713	GLU	N-CA-C	5.21	117.38	111.02
1	A	174	LEU	N-CA-C	-5.15	100.90	109.46
1	A	668	LYS	N-CA-C	5.09	116.91	111.36
1	A	600	GLY	N-CA-C	-5.03	108.34	115.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2848	0	2811	110	0
1	B	2940	0	2902	104	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	31	0	13	0	0
4	B	31	0	13	2	0
5	A	4	0	6	0	0
5	B	4	0	6	1	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
7	A	128	0	0	5	0
7	B	110	0	0	9	0
All	All	6112	0	5751	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:562:THR:HG22	1:A:564:SER:H	1.11	1.12
1:A:256:LEU:HB2	1:A:302:MET:HE1	1.45	0.99
1:A:655:LYS:HD3	1:A:657:LYS:HE3	1.47	0.97
1:A:623:ILE:HD11	1:A:629:LEU:HD13	1.50	0.91
1:A:249:LEU:HD21	1:A:547:LYS:HD2	1.52	0.88
1:A:172:VAL:HG22	1:A:187:LYS:HG2	1.58	0.85
1:B:568:ARG:HH21	1:B:618:HIS:HD2	1.23	0.84
1:B:673:LYS:HE2	1:B:677:LYS:HE2	1.61	0.82
1:A:143:GLY:HA3	1:A:171:THR:HG23	1.62	0.81
1:B:238:ASN:H	1:B:238:ASN:ND2	1.80	0.80
1:B:282:ASP:OD1	1:B:286:ARG:HD3	1.81	0.80
1:B:650:LEU:HD23	1:B:653:ILE:HB	1.63	0.78
1:A:282:ASP:OD1	1:A:286:ARG:HD3	1.84	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:604:PHE:O	1:B:606:PRO:HD3	1.86	0.75
1:A:562:THR:HG22	1:A:564:SER:N	1.96	0.74
1:B:253:LEU:HD22	1:B:300:VAL:HB	1.69	0.73
1:A:624:GLU:HG3	1:A:657:LYS:O	1.89	0.72
1:B:203:ILE:O	1:B:207:GLN:HG3	1.89	0.72
1:A:623:ILE:CD1	1:A:629:LEU:HD13	2.20	0.71
1:B:238:ASN:H	1:B:238:ASN:HD22	1.37	0.71
1:B:568:ARG:HH21	1:B:618:HIS:CD2	2.05	0.70
1:B:305:VAL:HG21	1:B:545:GLN:HB2	1.73	0.69
1:A:659:TRP:HB2	1:B:657:LYS:HG2	1.75	0.69
1:B:641:ARG:HE	1:B:641:ARG:HA	1.58	0.69
1:B:238:ASN:HD22	1:B:238:ASN:N	1.89	0.68
1:A:655:LYS:HE2	1:B:659:TRP:CH2	2.30	0.67
1:B:615:ASP:HB3	1:B:643:PHE:HE2	1.59	0.66
1:B:306:ASP:OD2	1:B:540:PRO:HD2	1.95	0.65
1:B:305:VAL:CG2	1:B:545:GLN:HB2	2.26	0.65
1:A:145:HIS:HB2	1:A:241:HIS:CE1	2.31	0.65
1:A:238:ASN:ND2	1:A:238:ASN:H	1.95	0.65
1:A:297:PRO:HD3	1:A:593:LEU:HD13	1.79	0.64
1:B:172:VAL:HG22	1:B:187:LYS:HG2	1.81	0.63
1:B:659:TRP:HB3	7:B:2033:HOH:O	1.98	0.63
1:B:615:ASP:HB3	1:B:643:PHE:CE2	2.33	0.62
1:A:304:ILE:N	1:A:304:ILE:HD12	2.14	0.62
1:A:673:LYS:HG2	1:A:677:LYS:HE2	1.81	0.62
1:A:272:GLN:HE22	1:A:543:LEU:HA	1.65	0.62
1:B:686:MET:HE2	1:B:700:LEU:HD13	1.82	0.61
1:A:673:LYS:HE2	1:A:677:LYS:HE2	1.82	0.60
1:B:272:GLN:HE22	1:B:543:LEU:HA	1.65	0.60
1:B:272:GLN:HE22	1:B:544:ILE:H	1.49	0.60
1:A:673:LYS:HE2	1:A:677:LYS:CE	2.33	0.59
1:B:163:LYS:HE3	1:B:166:TRP:HE1	1.67	0.59
1:A:144:TYR:CB	1:A:190:ARG:HG3	2.33	0.59
1:A:702:ASN:OD1	1:A:716:ARG:HB2	2.01	0.59
1:B:247:GLU:HB3	7:B:2030:HOH:O	2.02	0.59
1:B:157:ARG:HG3	1:B:179:VAL:HG23	1.84	0.58
1:A:655:LYS:HA	1:B:667:GLU:OE1	2.02	0.58
1:B:696:ASP:CG	1:B:720:ARG:HH21	2.12	0.57
1:A:272:GLN:HE22	1:A:544:ILE:H	1.53	0.57
1:B:722:LEU:O	1:B:723:TYR:HB2	2.03	0.57
1:B:546:ILE:C	1:B:546:ILE:HD12	2.29	0.57
1:B:539:SER:HB3	1:B:540:PRO:HD3	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:PHE:CZ	1:B:151:GLU:HG3	2.40	0.57
1:A:577:LEU:HD21	1:A:629:LEU:HD23	1.86	0.56
1:A:619:ILE:HD12	1:A:643:PHE:CD2	2.40	0.56
1:A:653:ILE:N	1:A:653:ILE:HD12	2.19	0.56
1:B:203:ILE:HD13	1:B:231:HIS:CD2	2.40	0.56
1:A:690:ASP:HB3	1:A:693:LYS:NZ	2.20	0.56
1:B:256:LEU:HD22	1:B:265:ILE:HD13	1.87	0.56
1:A:147:ALA:HB1	1:A:160:LEU:CD1	2.36	0.56
1:B:673:LYS:HE2	1:B:677:LYS:CE	2.35	0.55
1:A:645:ASN:C	1:A:645:ASN:HD22	2.15	0.55
1:A:673:LYS:O	1:A:677:LYS:HG3	2.06	0.55
1:A:145:HIS:HE1	1:A:237:PRO:HD2	1.72	0.55
1:B:187:LYS:HD3	1:B:246:PHE:CE1	2.42	0.55
4:B:902:ANP:H2'	7:B:2109:HOH:O	2.06	0.55
1:A:203:ILE:O	1:A:207:GLN:HG3	2.07	0.54
1:A:306:ASP:OD2	1:A:540:PRO:HD2	2.07	0.54
1:B:272:GLN:NE2	1:B:544:ILE:H	2.04	0.54
1:A:657:LYS:HD2	1:B:657:LYS:NZ	2.22	0.54
1:B:226:LEU:HD13	1:B:249:LEU:HD11	1.89	0.54
1:B:702:ASN:OD1	1:B:716:ARG:HB2	2.08	0.54
1:A:169:PHE:HB3	1:A:195:TYR:HE1	1.72	0.54
1:A:298:GLU:H	1:A:298:GLU:CD	2.15	0.54
1:A:247:GLU:HG3	1:A:249:LEU:CD1	2.37	0.53
1:A:253:LEU:HD22	1:A:300:VAL:HB	1.89	0.53
1:A:574:GLU:HG2	1:A:691:PRO:HG3	1.90	0.53
1:A:576:LEU:HD11	1:A:618:HIS:CD2	2.42	0.53
1:B:226:LEU:HD13	1:B:249:LEU:CD1	2.38	0.53
1:B:645:ASN:CB	1:B:651:ARG:HH21	2.21	0.53
1:B:645:ASN:HA	1:B:651:ARG:NH2	2.23	0.53
1:B:145:HIS:HB2	1:B:241:HIS:CE1	2.43	0.53
1:B:249:LEU:HD12	1:B:301:LEU:HD12	1.91	0.53
1:A:572:SER:HB2	1:A:573:PRO:HD2	1.91	0.53
1:A:254:LEU:HG	1:A:298:GLU:OE2	2.09	0.52
1:A:304:ILE:HD12	1:A:304:ILE:H	1.72	0.52
1:B:604:PHE:C	1:B:606:PRO:HD3	2.34	0.52
1:B:147:ALA:HB1	1:B:160:LEU:CD1	2.40	0.52
1:B:645:ASN:HB3	1:B:651:ARG:HH21	1.74	0.52
1:A:629:LEU:HG	1:A:633:LEU:HD12	1.92	0.52
1:B:584:GLY:HA3	7:B:2027:HOH:O	2.09	0.52
1:A:247:GLU:HG3	1:A:249:LEU:HD13	1.91	0.52
1:A:629:LEU:HG	1:A:633:LEU:CD1	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:256:LEU:HD22	1:B:265:ILE:CD1	2.40	0.52
1:B:666:THR:HG22	1:B:667:GLU:N	2.25	0.52
1:B:572:SER:HB2	1:B:574:GLU:OE2	2.10	0.52
1:A:205:LEU:HD13	1:A:554:ALA:HB3	1.92	0.52
1:A:560:HIS:HE1	7:A:2095:HOH:O	1.93	0.51
1:A:539:SER:HB3	1:A:540:PRO:HD3	1.92	0.51
1:A:238:ASN:N	1:A:238:ASN:HD22	2.07	0.51
1:A:238:ASN:ND2	1:A:238:ASN:N	2.57	0.51
1:A:654:SER:HB2	7:A:2061:HOH:O	2.10	0.51
1:B:249:LEU:HD11	1:B:547:LYS:HD2	1.93	0.51
1:B:277:LEU:CD1	1:B:590:THR:HG23	2.40	0.50
1:A:163:LYS:HE2	1:A:166:TRP:NE1	2.26	0.50
1:A:272:GLN:NE2	1:A:544:ILE:H	2.08	0.50
1:A:655:LYS:HD3	1:A:657:LYS:CE	2.29	0.50
1:B:630:PRO:HD2	1:B:633:LEU:HD12	1.93	0.50
1:A:287:ARG:HD2	7:A:2081:HOH:O	2.11	0.50
1:B:657:LYS:NZ	1:B:657:LYS:HB2	2.26	0.50
1:A:261:GLU:O	1:A:263:ARG:HG3	2.11	0.50
1:B:253:LEU:HD22	1:B:300:VAL:CB	2.40	0.49
1:A:238:ASN:H	1:A:238:ASN:HD22	1.61	0.49
1:A:690:ASP:HB3	1:A:693:LYS:HZ3	1.77	0.49
1:B:643:PHE:O	1:B:651:ARG:HG2	2.13	0.49
1:A:157:ARG:HH21	1:A:180:ASN:ND2	2.11	0.48
1:A:655:LYS:HG3	1:B:659:TRP:CZ2	2.47	0.48
1:A:277:LEU:HD13	1:A:590:THR:HG23	1.96	0.48
1:A:302:MET:C	1:A:303:GLU:OE2	2.56	0.48
1:A:546:ILE:HD12	1:A:546:ILE:C	2.39	0.48
1:B:252:ASN:OD1	1:B:254:LEU:HB2	2.13	0.48
1:A:688:GLN:NE2	1:A:693:LYS:NZ	2.60	0.48
1:A:722:LEU:O	1:A:723:TYR:HB2	2.14	0.48
1:A:696:ASP:HA	1:A:732:TRP:CH2	2.49	0.48
1:A:645:ASN:ND2	1:A:646:SER:N	2.62	0.47
1:A:562:THR:HG22	1:A:563:ASN:N	2.28	0.47
1:A:275:LYS:HD2	1:A:706:LEU:HB3	1.95	0.47
1:B:302:MET:C	1:B:303:GLU:OE1	2.57	0.47
1:A:169:PHE:HB2	1:A:195:TYR:CD1	2.49	0.47
1:B:688:GLN:HE21	1:B:690:ASP:H	1.62	0.47
1:B:297:PRO:HD3	1:B:593:LEU:HD13	1.97	0.47
1:A:639:TYR:CD1	1:A:639:TYR:N	2.83	0.47
1:B:143:GLY:HA2	1:B:190:ARG:HE	1.79	0.46
1:A:216:LYS:HG3	7:A:2118:HOH:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:LEU:HD12	1:A:298:GLU:HG3	1.96	0.46
1:A:656:LEU:N	1:B:667:GLU:OE1	2.49	0.46
1:B:645:ASN:HA	1:B:651:ARG:HH21	1.80	0.46
1:B:292:HIS:C	1:B:293:THR:HG23	2.41	0.46
5:B:1439:EDO:H11	7:B:2008:HOH:O	2.16	0.46
1:A:192:ASP:HB3	1:A:195:TYR:HB2	1.97	0.46
1:A:630:PRO:HB3	7:A:2057:HOH:O	2.15	0.45
1:A:684:SER:HB2	1:A:685:PRO:HD3	1.98	0.45
1:A:298:GLU:CD	1:A:298:GLU:N	2.75	0.45
1:B:297:PRO:HG2	1:B:298:GLU:OE1	2.17	0.45
1:B:227:LYS:NZ	7:B:2060:HOH:O	2.50	0.45
1:A:176:LYS:HB3	1:A:178:MET:HE2	1.99	0.45
1:A:657:LYS:HD2	1:B:657:LYS:HZ3	1.81	0.45
1:B:690:ASP:CB	1:B:693:LYS:HE3	2.48	0.44
1:A:305:VAL:HG13	1:A:306:ASP:N	2.33	0.44
1:A:640:THR:O	1:A:644:PHE:HD1	1.99	0.44
1:A:191:GLY:HA3	1:A:241:HIS:CE1	2.53	0.44
1:A:615:ASP:HB3	1:A:643:PHE:CE2	2.53	0.44
1:B:170:SER:HB2	1:B:188:ILE:O	2.18	0.44
1:B:226:LEU:HD21	4:B:902:ANP:HN61	1.83	0.44
1:B:254:LEU:HD12	1:B:298:GLU:HG3	1.99	0.44
1:B:254:LEU:O	1:B:258:LYS:HG3	2.18	0.44
1:B:163:LYS:CE	1:B:166:TRP:HE1	2.31	0.43
1:B:285:HIS:HE1	1:B:586:ASP:OD2	2.01	0.43
1:A:302:MET:HG3	1:A:303:GLU:N	2.32	0.43
1:B:147:ALA:HB1	1:B:160:LEU:HD11	2.00	0.43
1:B:576:LEU:HD21	1:B:618:HIS:CG	2.53	0.43
1:B:641:ARG:HA	1:B:641:ARG:NE	2.32	0.43
1:B:251:GLU:HG3	7:B:2059:HOH:O	2.17	0.43
1:A:256:LEU:HG	1:A:265:ILE:HD13	2.00	0.43
1:B:298:GLU:OE1	1:B:298:GLU:N	2.51	0.43
1:B:567:THR:O	1:B:568:ARG:C	2.61	0.43
1:A:254:LEU:O	1:A:258:LYS:HG3	2.18	0.43
1:A:304:ILE:H	1:A:304:ILE:CD1	2.32	0.43
1:B:202:GLU:HA	1:B:205:LEU:HD12	2.01	0.43
1:B:180:ASN:O	1:B:182:THR:HG23	2.19	0.43
1:B:302:MET:O	1:B:303:GLU:HB3	2.18	0.43
1:A:623:ILE:HD12	1:A:628:GLU:HA	2.00	0.43
1:B:595:PHE:CD1	1:B:603:LEU:HD13	2.53	0.43
1:B:578:GLY:HA2	7:B:2103:HOH:O	2.18	0.42
1:A:306:ASP:HB3	1:A:543:LEU:HB2	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:577:LEU:HD21	1:A:629:LEU:CD2	2.48	0.42
1:B:206:LEU:HD23	1:B:551:LEU:HD12	2.00	0.42
1:A:692:ARG:O	1:A:727:SER:HB3	2.20	0.42
1:A:163:LYS:HZ1	1:A:166:TRP:HZ2	1.62	0.42
1:A:568:ARG:HB3	1:A:569:GLU:OE1	2.20	0.42
1:B:171:THR:HG22	7:B:2047:HOH:O	2.18	0.42
1:B:596:GLU:HA	1:B:601:ASP:O	2.20	0.42
1:B:576:LEU:HD21	1:B:618:HIS:CD2	2.55	0.42
1:B:593:LEU:HD12	1:B:593:LEU:O	2.20	0.42
1:A:285:HIS:HE1	1:A:586:ASP:OD2	2.02	0.42
1:A:623:ILE:HD13	1:A:627:GLY:O	2.19	0.42
1:A:726:GLY:HA3	1:A:732:TRP:CE2	2.55	0.42
1:A:304:ILE:N	1:A:304:ILE:CD1	2.81	0.42
1:A:559:GLU:HA	1:A:735:GLU:OE2	2.20	0.42
1:B:591:ALA:HB2	1:B:686:MET:HB3	2.02	0.42
1:A:260:TYR:CE2	1:A:266:PRO:HD3	2.55	0.41
1:B:192:ASP:HB3	1:B:195:TYR:HB2	2.03	0.41
1:B:574:GLU:HG2	1:B:691:PRO:HG3	2.02	0.41
1:B:626:LEU:HD12	1:B:689:LEU:HD21	2.02	0.41
1:B:571:ARG:HD3	1:B:575:VAL:HG12	2.02	0.41
1:A:645:ASN:C	1:A:645:ASN:ND2	2.79	0.41
1:B:645:ASN:CA	1:B:651:ARG:HH21	2.33	0.41
1:A:302:MET:O	1:A:303:GLU:HB3	2.20	0.41
1:A:690:ASP:HA	1:A:691:PRO:HD2	1.84	0.41
1:A:615:ASP:HB3	1:A:643:PHE:HE2	1.86	0.41
1:B:163:LYS:HZ2	1:B:166:TRP:HZ2	1.68	0.41
1:B:218:ASP:OD1	1:B:287:ARG:HG2	2.21	0.40
1:B:642:THR:O	1:B:651:ARG:HD2	2.21	0.40
1:A:206:LEU:HD23	1:A:551:LEU:HD12	2.02	0.40
1:A:722:LEU:HG	1:A:723:TYR:CD1	2.57	0.40
1:A:719:ASP:O	1:A:720:ARG:HD2	2.22	0.40
1:B:663:ASP:HB3	1:B:667:GLU:OE2	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	348/373 (93%)	324 (93%)	20 (6%)	4 (1%)	11	7
1	B	362/373 (97%)	339 (94%)	19 (5%)	4 (1%)	11	7
All	All	710/746 (95%)	663 (93%)	39 (6%)	8 (1%)	11	7

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	568	ARG
1	A	262	HIS
1	A	568	ARG
1	B	250	GLY
1	B	303	GLU
1	B	654	SER
1	A	303	GLU
1	A	250	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/327 (93%)	297 (97%)	8 (3%)	40	45
1	B	317/327 (97%)	307 (97%)	10 (3%)	34	37
All	All	622/654 (95%)	604 (97%)	18 (3%)	37	41

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	238	ASN
1	A	253	LEU
1	A	254	LEU
1	A	277	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	287	ARG
1	A	304	ILE
1	A	574	GLU
1	A	645	ASN
1	B	238	ASN
1	B	253	LEU
1	B	256	LEU
1	B	277	LEU
1	B	287	ARG
1	B	576	LEU
1	B	608	GLU
1	B	666	THR
1	B	714	GLU
1	B	737	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	ASN
1	A	233	ASN
1	A	238	ASN
1	A	272	GLN
1	A	285	HIS
1	A	560	HIS
1	A	618	HIS
1	A	645	ASN
1	A	688	GLN
1	B	145	HIS
1	B	168	HIS
1	B	180	ASN
1	B	207	GLN
1	B	214	ASN
1	B	224	HIS
1	B	231	HIS
1	B	238	ASN
1	B	272	GLN
1	B	285	HIS
1	B	545	GLN
1	B	618	HIS
1	B	621	GLN
1	B	688	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ANP	A	901	-	33,33,33	1.46	5 (15%)	45,52,52	1.90	10 (22%)
3	SO4	B	802	-	4,4,4	0.40	0	6,6,6	0.10	0
4	ANP	B	902	-	33,33,33	1.49	5 (15%)	45,52,52	1.91	10 (22%)
5	EDO	A	1440	-	3,3,3	0.63	0	2,2,2	0.37	0
5	EDO	B	1439	-	3,3,3	0.61	0	2,2,2	0.40	0
3	SO4	A	801	-	4,4,4	0.40	0	6,6,6	0.11	0
6	MOH	A	2001	6	1,1,1	0.49	0	-		
6	MOH	B	2000	6	1,1,1	0.49	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1440	-	-	0/1/1/1	-
4	ANP	A	901	-	-	2/18/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	1439	-	-	0/1/1/1	-
4	ANP	B	902	-	-	2/18/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	ANP	C5-N7	-3.40	1.32	1.39
4	B	902	ANP	C5-N7	-3.25	1.33	1.39
4	A	901	ANP	PG-O2G	-3.11	1.48	1.56
4	B	902	ANP	PG-O2G	-3.11	1.48	1.56
4	B	902	ANP	O4'-C1'	2.96	1.48	1.42
4	A	901	ANP	O4'-C1'	2.95	1.48	1.42
4	B	902	ANP	PB-O2B	-2.82	1.49	1.56
4	A	901	ANP	PB-O2B	-2.81	1.49	1.56
4	B	902	ANP	PA-O3A	2.63	1.62	1.59
4	A	901	ANP	PA-O3A	2.32	1.62	1.59

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	902	ANP	N3-C2-N1	-5.31	120.54	128.58
4	A	901	ANP	N3-C2-N1	-5.23	120.66	128.58
4	A	901	ANP	C5-C4-N3	-5.10	119.69	126.72
4	B	902	ANP	C5-C4-N3	-5.08	119.72	126.72
4	B	902	ANP	O2B-PB-O1B	4.03	118.50	109.87
4	A	901	ANP	O2B-PB-O1B	3.95	118.33	109.87
4	B	902	ANP	C2-N3-C4	3.72	120.91	111.83
4	A	901	ANP	C2-N3-C4	3.66	120.78	111.83
4	A	901	ANP	N9-C8-N7	-3.41	109.10	113.94
4	B	902	ANP	N9-C8-N7	-3.38	109.14	113.94
4	A	901	ANP	N3-C4-N9	3.35	132.87	127.17
4	B	902	ANP	N3-C4-N9	3.24	132.68	127.17
4	A	901	ANP	C5-N7-C8	2.97	108.11	103.45
4	B	902	ANP	C5-N7-C8	2.91	108.02	103.45
4	B	902	ANP	C4-C5-N7	-2.62	107.59	110.58
4	B	902	ANP	O1B-PB-N3B	-2.61	107.92	111.77
4	A	901	ANP	O1B-PB-N3B	-2.52	108.05	111.77
4	A	901	ANP	C4-C5-N7	-2.51	107.71	110.58
4	A	901	ANP	O3G-PG-O1G	-2.28	107.74	113.45
4	B	902	ANP	O3G-PG-O1G	-2.27	107.77	113.45

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	901	ANP	PB-N3B-PG-O1G
4	A	901	ANP	PG-N3B-PB-O1B
4	B	902	ANP	PB-N3B-PG-O1G
4	B	902	ANP	PG-N3B-PB-O1B


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	902	ANP	2	0
5	B	1439	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	354/373 (94%)	0.65	45 (12%) 8 8	13, 30, 59, 73	0
1	B	364/373 (97%)	0.66	44 (12%) 8 9	12, 29, 58, 71	0
All	All	718/746 (96%)	0.65	89 (12%) 8 9	12, 29, 59, 73	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	166	TRP	6.2
1	B	648	GLY	5.8
1	B	166	TRP	5.6
1	A	144	TYR	5.1
1	B	143	GLY	5.0
1	B	653	ILE	4.9
1	A	169	PHE	4.9
1	A	305	VAL	4.6
1	B	609	GLY	4.4
1	B	654	SER	4.3
1	A	649	LEU	4.3
1	B	305	VAL	4.3
1	A	639	TYR	4.2
1	A	653	ILE	4.1
1	B	608	GLU	4.1
1	A	641	ARG	3.9
1	B	142	GLY	3.8
1	B	646	SER	3.8
1	B	607	ASP	3.7
1	A	644	PHE	3.6
1	A	646	SER	3.5
1	A	640	THR	3.5
1	A	304	ILE	3.4
1	A	637	GLY	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	643	PHE	3.4
1	B	612	TYR	3.4
1	A	650	LEU	3.4
1	A	654	SER	3.3
1	A	562	THR	3.3
1	A	616	ASP	3.1
1	B	169	PHE	3.1
1	B	613	THR	3.1
1	A	651	ARG	2.9
1	A	180	ASN	2.9
1	B	656	LEU	2.9
1	A	568	ARG	2.9
1	A	628	GLU	2.9
1	B	736	VAL	2.8
1	B	644	PHE	2.8
1	B	655	LYS	2.8
1	A	658	PHE	2.8
1	B	238	ASN	2.8
1	A	191	GLY	2.8
1	B	639	TYR	2.8
1	B	614	LYS	2.7
1	A	642	THR	2.7
1	B	650	LEU	2.7
1	B	641	ARG	2.7
1	B	610	HIS	2.6
1	B	647	ARG	2.6
1	A	176	LYS	2.6
1	B	576	LEU	2.6
1	A	143	GLY	2.5
1	A	181	ASN	2.5
1	B	628	GLU	2.5
1	B	737	ARG	2.5
1	A	613	THR	2.5
1	A	617	ASP	2.5
1	A	652	ASN	2.5
1	A	656	LEU	2.4
1	B	179	VAL	2.4
1	B	733	PHE	2.3
1	B	304	ILE	2.3
1	A	645	ASN	2.3
1	B	287	ARG	2.3
1	B	657	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	179	VAL	2.3
1	A	287	ARG	2.3
1	A	621	GLN	2.3
1	A	638	LYS	2.3
1	B	649	LEU	2.3
1	A	303	GLU	2.2
1	A	575	VAL	2.2
1	B	192	ASP	2.2
1	A	693	LYS	2.2
1	A	155	ASP	2.2
1	A	623	ILE	2.2
1	B	681	ASP	2.2
1	A	634	LEU	2.2
1	B	631	SER	2.2
1	B	606	PRO	2.1
1	A	619	ILE	2.1
1	B	727	SER	2.1
1	A	238	ASN	2.1
1	B	611	SER	2.1
1	B	249	LEU	2.0
1	B	652	ASN	2.0
1	B	658	PHE	2.0
1	B	165	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	802	5/5	0.70	0.21	71,73,73,74	0
6	MOH	B	2000	2/2	0.71	0.12	40,40,40,42	0
5	EDO	A	1440	4/4	0.78	0.18	41,41,43,44	0
3	SO4	A	801	5/5	0.78	0.18	54,55,58,59	0
5	EDO	B	1439	4/4	0.80	0.14	41,43,43,43	0
4	ANP	B	902	31/31	0.85	0.12	32,41,44,45	0
6	MOH	A	2001	2/2	0.87	0.13	42,42,42,44	0
4	ANP	A	901	31/31	0.89	0.10	29,37,39,41	0
2	NI	A	362	1/1	0.98	0.03	39,39,39,39	0
2	NI	B	363	1/1	0.99	0.03	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ANP A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.