



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:32 PM UTC

PDB ID : 1Q9D / pdb_00001q9d
Title : Fructose-1,6-bisphosphatase Complexed with a New Allosteric Site Inhibitor (I-State)
Authors : Honzatko, R.B.; Choe, J.Y.
Deposited on : 2003-08-25
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	4% 61% 32% . .
1	B	337	6% 56% 36% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	A	402	-	-	X	-
4	PO4	B	412	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 5433 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fructose-1,6-bisphosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2503	1591	421	476	15			
1	B	328	Total	C	N	O	S	0	0	0
			2503	1591	421	476	15			

- Molecule 2 is 6-O-phosphono-beta-D-fructofuranose (CCD ID: F6P) (formula: $C_6H_{13}O_9P$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			16	6	9	1		
2	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is 3-(4-HYDROXYBENZYL)-2-[1-({[2-(4-HYDROXYPHENYL)ETHYL]AMINO}CARBONYL)BUTYL]-4-OXO-3,6,11,11A-TETRAHYDRO-4H-PYRAZINO[1,2-B]ISOQUINOLIN-2-IUM-1-OLATE (CCD ID: OI1) (formula: $C_{32}H_{35}N_3O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			40	32	3	5		
5	B	1	Total	C	N	O	0	0
			40	32	3	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	138	Total	O	0	0
			138	138		
6	B	153	Total	O	0	0
			153	153		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Fructose-1,6-bisphosphatase



• Molecule 1: Fructose-1,6-bisphosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	58.86Å 166.25Å 80.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.35 50.00 – 2.38	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.35) 84.8 (50.00-2.38)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.37Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.191 , 0.246 0.199 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	18.8	Xtriage
Anisotropy	0.922	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 64.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5433	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, MG, OI1, F6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	0/2545	1.05	9/3444 (0.3%)
1	B	0.65	0/2545	1.08	17/3444 (0.5%)
All	All	0.64	0/5090	1.06	26/6888 (0.4%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	20	GLU	N-CA-C	-8.37	102.11	111.07
1	B	297	THR	N-CA-C	-7.33	104.15	113.23
1	B	278	LEU	N-CA-C	7.24	118.82	111.07
1	B	270	SER	CA-C-N	7.14	127.46	119.32
1	B	270	SER	C-N-CA	7.14	127.46	119.32
1	A	298	GLY	N-CA-C	-6.78	105.85	113.79
1	B	110	ARG	N-CA-C	6.44	119.62	109.96
1	B	50	LYS	N-CA-C	6.32	120.29	112.58
1	A	169	SER	N-CA-C	-5.74	105.03	111.28
1	B	268	LYS	N-CA-C	5.73	117.98	111.11
1	B	138	ILE	N-CA-C	5.66	116.03	108.11
1	B	169	SER	N-CA-C	-5.61	105.07	111.07
1	B	200	VAL	N-CA-C	5.58	116.47	108.93
1	B	146	GLU	CA-C-N	5.58	126.81	119.84
1	B	146	GLU	C-N-CA	5.58	126.81	119.84
1	A	315	PRO	N-CA-C	-5.47	101.94	112.01
1	A	241	GLY	N-CA-C	-5.44	105.32	112.82
1	B	316	ILE	N-CA-C	5.40	114.97	108.06
1	A	179	ASN	N-CA-C	5.37	119.70	113.20
1	B	261	ILE	N-CA-C	5.35	115.97	108.17
1	A	67	GLY	N-CA-C	-5.31	105.83	111.93
1	A	257	VAL	N-CA-C	5.26	118.49	111.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	279	TYR	N-CA-C	5.22	119.61	112.88
1	A	136	PHE	N-CA-C	5.20	117.15	108.99
1	B	281	CYS	N-CA-C	5.14	116.74	111.03
1	B	241	GLY	N-CA-C	-5.08	105.81	112.82

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2503	0	2559	96	0
1	B	2503	0	2559	103	0
2	A	16	0	11	1	0
2	B	16	0	11	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	10	0	0	3	0
4	B	10	0	0	3	0
5	A	40	0	35	0	0
5	B	40	0	35	3	0
6	A	138	0	0	8	0
6	B	153	0	0	5	0
All	All	5433	0	5210	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:GLU:HG2	1:A:268:LYS:HB2	1.56	0.87
1:A:125:ASN:HB3	1:A:130:VAL:HB	1.59	0.84
1:B:296:THR:HG21	1:B:328:LEU:HD21	1.59	0.83
1:B:297:THR:HB	1:B:315:PRO:HG2	1.60	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ALA:HB3	1:A:149:GLU:HG2	1.64	0.79
1:A:102:ALA:CB	1:A:149:GLU:HG2	2.16	0.74
1:B:99:ASP:HB3	6:B:660:HOH:O	1.88	0.73
1:A:277:LEU:HD12	1:A:307:PRO:HB3	1.71	0.72
1:B:30:MET:HE1	1:B:138:ILE:HG21	1.77	0.66
1:B:321:PRO:O	1:B:325:THR:HG22	1.96	0.66
1:A:106:GLU:O	1:A:110:ARG:HG3	1.95	0.66
1:B:269:LYS:C	1:B:271:PRO:HD3	2.22	0.65
1:B:318:LEU:C	1:B:318:LEU:HD12	2.22	0.65
1:A:9:ASN:OD1	1:A:10:ILE:HG22	1.97	0.64
1:B:20:GLU:HG3	1:B:177:MET:HE1	1.80	0.64
1:B:172:MET:HE2	1:B:253:HIS:NE2	2.12	0.63
1:B:279:TYR:OH	1:B:311:HIS:HD2	1.81	0.63
1:A:64:ASN:CG	1:A:64:ASN:O	2.42	0.62
1:A:146:GLU:CD	1:A:147:PRO:HD2	2.25	0.61
1:A:13:LEU:HB2	1:A:193:PHE:HB2	1.83	0.60
1:B:125:ASN:HB3	1:B:130:VAL:HB	1.83	0.60
1:A:139:TYR:OH	1:A:156:GLY:HA2	2.03	0.59
6:A:785:HOH:O	1:B:253:HIS:HE1	1.86	0.59
1:A:30:MET:HE3	1:A:30:MET:HA	1.83	0.58
1:B:36:SER:HB3	1:B:84:VAL:HG12	1.84	0.58
1:A:246:GLY:O	2:A:401:F6P:H4	2.03	0.58
1:B:19:GLU:O	1:B:23:LYS:HG2	2.04	0.57
5:B:406:OI1:C13	5:B:406:OI1:H3	2.34	0.57
1:A:18:MET:HE3	1:A:18:MET:HA	1.87	0.57
1:A:138:ILE:HD12	1:A:161:ALA:HB3	1.87	0.57
1:A:270:SER:HB3	1:A:273:GLY:C	2.30	0.57
1:A:182:ASN:HD22	1:A:198:ARG:HA	1.69	0.57
1:B:17:VAL:HG21	1:B:34:LEU:HB2	1.87	0.57
1:B:13:LEU:HD22	1:B:38:CYS:SG	2.45	0.56
1:A:18:MET:HE2	1:A:22:ARG:CZ	2.35	0.56
1:A:296:THR:HG21	1:A:328:LEU:HD21	1.88	0.56
1:A:95:VAL:HG21	1:A:152:ALA:HB1	1.88	0.56
5:B:406:OI1:H3	5:B:406:OI1:O4	2.06	0.55
1:B:17:VAL:HG22	1:B:31:THR:HG23	1.88	0.55
1:B:283:PRO:O	1:B:287:VAL:HG23	2.06	0.55
1:A:27:THR:N	4:A:402:PO4:O4	2.40	0.54
1:A:194:ILE:N	1:A:194:ILE:HD12	2.22	0.54
1:A:89:PHE:HA	1:A:109:LYS:O	2.08	0.54
1:B:182:ASN:HD22	1:B:198:ARG:HA	1.72	0.54
1:A:106:GLU:H	1:A:106:GLU:CD	2.16	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:LYS:HE2	6:A:555:HOH:O	2.07	0.54
1:A:10:ILE:HB	1:B:57:TYR:O	2.08	0.54
1:A:89:PHE:CE2	1:A:109:LYS:HG2	2.43	0.54
1:A:184:PHE:HB3	1:A:193:PHE:HB3	1.90	0.54
1:B:27:THR:N	4:B:412:PO4:O4	2.41	0.53
1:B:66:THR:O	1:B:67:GLY:C	2.51	0.53
1:B:143:SER:HB2	1:B:145:ASP:OD1	2.08	0.53
1:B:10:ILE:HD11	1:B:194:ILE:HD12	1.91	0.53
1:A:271:PRO:HB2	1:A:272:LYS:HD2	1.91	0.53
1:B:48:VAL:HG22	1:B:73:LEU:HD21	1.90	0.53
1:B:133:GLY:HA2	1:B:167:TYR:CD2	2.44	0.53
1:B:9:ASN:CG	1:B:10:ILE:H	2.17	0.53
1:B:117:PHE:CD2	1:B:119:PRO:HD3	2.44	0.53
1:A:97:GLU:HB2	1:A:279:TYR:CE1	2.43	0.52
1:B:63:THR:O	1:B:65:VAL:N	2.42	0.52
1:B:120:LEU:HD13	1:B:132:ILE:HD12	1.90	0.52
1:B:150:LYS:HG3	6:B:763:HOH:O	2.10	0.52
1:A:267:ASN:C	1:A:267:ASN:HD22	2.16	0.52
1:B:25:ARG:HH11	1:B:25:ARG:HG3	1.75	0.52
1:B:122:GLY:HA3	1:B:247:SER:OG	2.09	0.52
1:A:55:HIS:CD2	5:B:406:OI1:H141	2.45	0.52
1:B:141:LYS:HE3	1:B:147:PRO:HG3	1.92	0.52
1:B:33:LEU:HD11	1:B:85:LEU:HD22	1.92	0.51
1:A:308:THR:H	1:A:312:GLN:NE2	2.08	0.51
1:B:11:VAL:HG22	1:B:15:ARG:NH1	2.25	0.51
1:A:318:LEU:C	1:A:318:LEU:HD12	2.36	0.51
1:B:9:ASN:OD1	1:B:10:ILE:HG22	2.10	0.51
1:A:36:SER:O	1:A:84:VAL:HG11	2.11	0.51
1:B:29:GLU:HB2	4:B:412:PO4:O1	2.10	0.51
1:A:226:TYR:CE1	1:A:230:LYS:HE3	2.46	0.50
1:B:223:ILE:O	1:B:227:ILE:HG12	2.12	0.50
1:B:268:LYS:HE3	1:B:268:LYS:HA	1.92	0.50
1:A:216:ALA:CB	1:B:231:LYS:HD3	2.41	0.50
1:A:233:PRO:HG2	1:A:237:SER:O	2.12	0.49
1:A:18:MET:HE2	1:A:22:ARG:NH2	2.27	0.49
1:B:333:LYS:C	1:B:335:ALA:H	2.21	0.49
1:B:67:GLY:O	1:B:69:GLN:N	2.45	0.49
1:B:204:LYS:O	1:B:320:SER:HB3	2.13	0.49
1:B:233:PRO:O	1:B:236:ASN:N	2.44	0.49
1:B:90:ALA:C	1:B:111:GLY:HA3	2.37	0.48
1:B:30:MET:HE2	1:B:113:TYR:CZ	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:CYS:SG	1:B:200:VAL:HG21	2.52	0.48
1:A:67:GLY:O	1:A:69:GLN:N	2.46	0.48
1:B:25:ARG:HG3	1:B:25:ARG:NH1	2.29	0.48
1:B:96:SER:HB2	1:B:117:PHE:CZ	2.48	0.48
1:A:125:ASN:CB	1:A:130:VAL:HB	2.35	0.48
1:A:65:VAL:HG22	1:A:65:VAL:O	2.13	0.48
1:A:142:ASN:OD1	1:A:150:LYS:NZ	2.43	0.48
1:A:96:SER:HB2	1:A:117:PHE:CZ	2.49	0.47
1:B:17:VAL:CG2	1:B:31:THR:HA	2.44	0.47
1:B:296:THR:CG2	1:B:328:LEU:HD21	2.37	0.47
1:A:112:LYS:NZ	4:A:402:PO4:O2	2.48	0.47
1:A:115:VAL:HG22	1:A:138:ILE:HG23	1.96	0.47
1:A:177:MET:O	1:A:178:VAL:C	2.57	0.47
1:B:139:TYR:OH	1:B:156:GLY:HA2	2.14	0.47
1:B:92:CYS:SG	1:B:141:LYS:HD2	2.54	0.47
1:B:276:ARG:HG3	1:B:279:TYR:CE1	2.50	0.46
1:A:102:ALA:HB2	1:A:149:GLU:HG2	1.97	0.46
1:A:267:ASN:C	1:A:267:ASN:ND2	2.74	0.46
1:B:201:LYS:HD2	6:B:727:HOH:O	2.14	0.46
1:A:27:THR:OG1	4:A:402:PO4:O4	2.28	0.46
1:B:268:LYS:HE3	1:B:268:LYS:CA	2.46	0.46
1:A:326:GLU:HA	1:A:329:GLU:CD	2.41	0.46
1:B:186:LEU:O	1:B:188:PRO:HD3	2.16	0.46
1:A:57:TYR:CZ	1:B:196:VAL:HG12	2.51	0.46
1:A:178:VAL:O	1:A:290:LYS:HE2	2.16	0.46
1:B:9:ASN:OD1	1:B:10:ILE:N	2.48	0.46
1:B:172:MET:CE	1:B:253:HIS:NE2	2.78	0.46
1:B:97:GLU:HG2	6:B:670:HOH:O	2.16	0.45
1:A:69:GLN:HA	1:A:69:GLN:HE21	1.81	0.45
1:A:69:GLN:HA	1:A:69:GLN:NE2	2.31	0.45
1:A:264:TYR:C	1:A:264:TYR:CD1	2.94	0.45
1:B:203:LYS:NZ	1:B:258:TYR:O	2.45	0.45
1:B:277:LEU:HA	1:B:281:CYS:HB2	1.99	0.45
1:A:288:MET:HG3	1:A:318:LEU:HB2	1.99	0.45
1:B:228:GLN:OE1	1:B:232:PHE:CD2	2.70	0.45
1:B:279:TYR:OH	1:B:311:HIS:CD2	2.67	0.45
1:A:270:SER:HB3	1:A:273:GLY:O	2.17	0.45
1:B:146:GLU:HA	1:B:147:PRO:HD3	1.83	0.45
1:A:164:TYR:OH	1:A:253:HIS:HD2	2.00	0.45
1:A:216:ALA:HB2	1:B:231:LYS:HD3	1.98	0.45
1:B:45:SER:O	1:B:49:ARG:HD3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:VAL:HG21	1:A:152:ALA:CB	2.46	0.45
1:A:195:LEU:HD21	1:A:198:ARG:HG3	1.99	0.45
1:B:184:PHE:HB3	1:B:193:PHE:HB3	1.99	0.44
1:B:233:PRO:HG2	1:B:237:SER:O	2.16	0.44
1:A:253:HIS:HE1	6:B:585:HOH:O	1.99	0.44
1:B:10:ILE:O	1:B:15:ARG:NH1	2.51	0.44
1:B:308:THR:H	1:B:312:GLN:NE2	2.14	0.44
1:A:204:LYS:O	1:A:321:PRO:HD2	2.17	0.44
1:B:21:GLY:O	1:B:22:ARG:C	2.61	0.44
1:B:216:ALA:HA	1:B:219:PHE:CD2	2.53	0.44
1:A:90:ALA:O	1:A:113:TYR:HB2	2.18	0.44
1:B:251:ASP:OD1	1:B:254:ARG:NH2	2.38	0.44
1:A:299:LYS:HB3	6:A:574:HOH:O	2.17	0.44
1:B:206:GLY:HA3	1:B:260:GLY:HA2	2.00	0.44
1:B:142:ASN:OD1	1:B:142:ASN:N	2.51	0.43
1:B:208:ILE:HA	1:B:241:GLY:O	2.18	0.43
1:B:63:THR:O	1:B:65:VAL:HG23	2.17	0.43
1:A:300:GLU:HG2	6:A:574:HOH:O	2.17	0.43
1:A:45:SER:O	1:A:49:ARG:HD3	2.19	0.43
1:A:205:LYS:HD2	6:A:762:HOH:O	2.19	0.43
1:B:36:SER:O	1:B:84:VAL:HG11	2.17	0.43
1:A:206:GLY:HA3	1:A:260:GLY:N	2.32	0.43
1:B:268:LYS:HE3	1:B:268:LYS:N	2.33	0.43
1:B:264:TYR:C	1:B:264:TYR:CD1	2.96	0.43
1:B:269:LYS:O	1:B:271:PRO:HD3	2.17	0.43
1:B:94:LEU:HB2	1:B:103:ILE:HB	2.00	0.43
1:A:267:ASN:O	1:A:268:LYS:C	2.61	0.43
1:A:36:SER:HB3	1:A:84:VAL:HG12	2.00	0.43
1:A:100:LYS:O	1:A:310:ILE:HD11	2.19	0.43
1:B:68:ASP:CG	1:B:68:ASP:O	2.61	0.43
1:A:232:PHE:HE2	6:A:506:HOH:O	2.01	0.42
1:B:120:LEU:HD23	1:B:120:LEU:HA	1.88	0.42
1:B:296:THR:HG21	1:B:328:LEU:CD2	2.40	0.42
1:A:110:ARG:NH1	1:A:146:GLU:OE1	2.51	0.42
1:A:326:GLU:O	1:A:329:GLU:HB2	2.19	0.42
1:A:251:ASP:OD1	1:A:254:ARG:NH2	2.50	0.42
1:A:254:ARG:HD2	6:A:583:HOH:O	2.19	0.42
1:B:9:ASN:CG	1:B:10:ILE:N	2.77	0.42
1:B:90:ALA:O	1:B:113:TYR:HB2	2.20	0.42
1:B:229:ARG:HG2	1:B:234:PRO:CD	2.49	0.42
1:A:269:LYS:C	1:A:271:PRO:HD3	2.45	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:ARG:O	1:B:280:GLU:HB2	2.20	0.41
1:A:123:SER:HA	1:A:126:ILE:HD12	2.02	0.41
1:A:28:GLY:O	1:A:29:GLU:C	2.62	0.41
1:A:140:ARG:NH1	1:A:140:ARG:HG3	2.35	0.41
1:B:308:THR:H	1:B:312:GLN:HE22	1.69	0.41
1:B:322:GLU:HA	1:B:325:THR:HG22	2.02	0.41
1:A:48:VAL:C	1:A:50:LYS:H	2.29	0.41
1:A:91:THR:O	1:A:110:ARG:HA	2.21	0.41
1:B:309:ASP:HB3	1:B:312:GLN:HB2	2.02	0.41
1:A:182:ASN:ND2	1:A:198:ARG:HA	2.35	0.41
1:A:99:ASP:O	1:A:311:HIS:HE1	2.04	0.41
1:A:237:SER:HA	6:A:553:HOH:O	2.19	0.41
1:A:295:ALA:HA	1:A:317:ILE:O	2.21	0.41
1:A:316:ILE:CG1	1:A:317:ILE:N	2.84	0.41
1:B:63:THR:C	1:B:65:VAL:N	2.79	0.41
1:B:92:CYS:HA	1:B:105:VAL:HB	2.02	0.41
1:B:97:GLU:HA	1:B:279:TYR:CZ	2.56	0.41
1:B:14:THR:HA	1:B:17:VAL:HG12	2.03	0.41
1:B:27:THR:OG1	4:B:412:PO4:O1	2.39	0.41
1:B:63:THR:HB	1:B:65:VAL:HG23	2.03	0.41
1:A:166:LEU:O	1:A:171:THR:HA	2.21	0.40
1:A:213:GLU:C	1:A:215:TYR:N	2.79	0.40
1:A:314:ALA:HA	1:A:315:PRO:HD3	1.92	0.40
1:A:320:SER:HB2	1:A:323:ASP:OD1	2.22	0.40
1:A:230:LYS:O	1:A:239:PRO:HA	2.21	0.40
1:B:114:VAL:HB	1:B:139:TYR:HB2	2.02	0.40
1:A:48:VAL:CG1	1:B:169:SER:HB2	2.52	0.40
1:A:99:ASP:O	1:A:311:HIS:CE1	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/337 (97%)	296 (91%)	25 (8%)	5 (2%)	8	7
1	B	326/337 (97%)	299 (92%)	24 (7%)	3 (1%)	14	14
All	All	652/674 (97%)	595 (91%)	49 (8%)	8 (1%)	10	9

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	65	VAL
1	A	268	LYS
1	B	64	ASN
1	A	62	SER
1	A	178	VAL
1	B	233	PRO
1	A	10	ILE
1	B	67	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/279 (98%)	261 (96%)	12 (4%)	25	33
1	B	273/279 (98%)	264 (97%)	9 (3%)	33	44
All	All	546/558 (98%)	525 (96%)	21 (4%)	29	39

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	MET
1	A	33	LEU
1	A	64	ASN
1	A	138	ILE
1	A	140	ARG
1	A	145	ASP
1	A	197	ASP
1	A	267	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	277	LEU
1	A	278	LEU
1	A	290	LYS
1	A	299	LYS
1	B	8	THR
1	B	23	LYS
1	B	69	GLN
1	B	70	VAL
1	B	268	LYS
1	B	277	LEU
1	B	282	ASN
1	B	328	LEU
1	B	332	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	35	ASN
1	A	64	ASN
1	A	69	GLN
1	A	158	ASN
1	A	182	ASN
1	A	228	GLN
1	A	253	HIS
1	A	267	ASN
1	A	311	HIS
1	A	312	GLN
1	B	35	ASN
1	B	55	HIS
1	B	154	GLN
1	B	158	ASN
1	B	182	ASN
1	B	228	GLN
1	B	253	HIS
1	B	282	ASN
1	B	311	HIS
1	B	312	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	B	413	3	4,4,4	1.74	1 (25%)	6,6,6	0.82	0
5	OI1	A	416	-	42,44,44	1.82	9 (21%)	49,62,62	0.93	2 (4%)
4	PO4	A	403	3	4,4,4	1.80	2 (50%)	6,6,6	0.61	0
2	F6P	A	401	-	15,16,16	0.58	0	16,25,25	1.36	3 (18%)
5	OI1	B	406	-	42,44,44	1.84	9 (21%)	49,62,62	0.97	3 (6%)
2	F6P	B	411	-	15,16,16	1.20	1 (6%)	16,25,25	1.35	3 (18%)
4	PO4	A	402	-	4,4,4	1.85	2 (50%)	6,6,6	0.73	0
4	PO4	B	412	-	4,4,4	2.16	3 (75%)	6,6,6	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	B	411	-	-	4/9/28/28	0/1/1/1
5	OI1	B	406	-	-	2/17/53/53	0/5/5/5
2	F6P	A	401	-	-	4/9/28/28	0/1/1/1
5	OI1	A	416	-	-	0/17/53/53	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	406	OI1	C11-N2	6.44	1.43	1.32
5	A	416	OI1	C11-N2	5.64	1.42	1.32
5	A	416	OI1	C12-C13	5.07	1.64	1.52
5	B	406	OI1	C9-N1	4.39	1.43	1.34
5	A	416	OI1	C8-N2	-4.04	1.37	1.49
5	A	416	OI1	C32-N1	-3.89	1.41	1.46
5	B	406	OI1	C8-N2	-3.19	1.40	1.49
5	B	406	OI1	C12-C13	3.04	1.60	1.52
5	B	406	OI1	C32-N1	-3.01	1.42	1.46
5	A	416	OI1	C25-C26	2.62	1.56	1.51
5	B	406	OI1	C8-C9	2.59	1.57	1.51
5	A	416	OI1	C7-C4	-2.50	1.45	1.51
4	B	412	PO4	P-O2	-2.43	1.47	1.54
4	B	412	PO4	P-O3	-2.39	1.47	1.54
4	B	412	PO4	P-O4	-2.38	1.47	1.54
5	B	406	OI1	C29-C30	2.29	1.42	1.38
4	B	413	PO4	P-O4	-2.23	1.48	1.54
4	A	403	PO4	P-O2	-2.23	1.48	1.54
5	B	406	OI1	C31-C26	2.21	1.44	1.40
4	A	402	PO4	P-O4	-2.20	1.48	1.54
4	A	402	PO4	P-O2	-2.18	1.48	1.54
5	A	416	OI1	C3-C2	2.12	1.42	1.38
5	B	406	OI1	O3-C11	-2.11	1.23	1.29
2	B	411	F6P	O5-C2	2.11	1.46	1.43
4	A	403	PO4	P-O4	-2.09	1.48	1.54
5	A	416	OI1	C10-N1	-2.01	1.44	1.47
5	A	416	OI1	O3-C11	-2.01	1.23	1.29

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	416	OI1	O2-C9-N1	-3.79	117.58	123.00
2	A	401	F6P	O4-C4-C5	-3.14	102.05	111.08
5	B	406	OI1	O2-C9-N1	-3.08	118.59	123.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	406	OI1	C12-C13-N3	2.92	122.28	116.00
5	A	416	OI1	C12-C13-N3	2.68	121.77	116.00
2	A	401	F6P	O5-C5-C6	2.57	115.54	109.50
2	B	411	F6P	C6-C5-C4	-2.54	106.08	115.21
2	B	411	F6P	O4-C4-C3	2.32	119.11	112.16
5	B	406	OI1	C4-C7-C8	-2.29	109.79	114.03
2	B	411	F6P	O2-C2-O5	2.23	113.61	109.33
2	A	401	F6P	O2-C2-O5	-2.02	105.45	109.33

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	F6P	C6-O6-P-O1P
2	A	401	F6P	C6-O6-P-O2P
2	B	411	F6P	C6-O6-P-O2P
2	B	411	F6P	C6-O6-P-O3P
2	B	411	F6P	C6-O6-P-O1P
2	A	401	F6P	C6-O6-P-O3P
5	B	406	OI1	C22-C12-C13-O4
5	B	406	OI1	C22-C12-C13-N3
2	A	401	F6P	O1-C1-C2-C3
2	B	411	F6P	O1-C1-C2-C3


There are no ring outliers.


4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	F6P	1	0
5	B	406	OI1	3	0
4	A	402	PO4	3	0
4	B	412	PO4	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/337 (97%)	0.43	15 (4%) 37 43	9, 24, 45, 55	0
1	B	328/337 (97%)	0.32	21 (6%) 25 28	8, 19, 43, 57	0
All	All	656/674 (97%)	0.37	36 (5%) 30 36	8, 21, 45, 57	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	64	ASN	7.7
1	A	63	THR	7.2
1	B	65	VAL	6.1
1	B	67	GLY	5.5
1	A	65	VAL	5.1
1	A	22	ARG	4.7
1	B	66	THR	4.4
1	B	69	GLN	4.1
1	A	66	THR	4.1
1	B	68	ASP	4.1
1	B	8	THR	3.8
1	A	335	ALA	3.8
1	B	63	THR	3.7
1	A	68	ASP	3.5
1	A	62	SER	3.4
1	B	64	ASN	3.4
1	A	67	GLY	3.1
1	A	8	THR	3.0
1	B	22	ARG	3.0
1	B	335	ALA	2.9
1	A	25	ARG	2.9
1	A	9	ASN	2.7
1	B	27	THR	2.7
1	B	37	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	26	GLY	2.7
1	A	21	GLY	2.6
1	A	69	GLN	2.5
1	B	24	ALA	2.5
1	B	142	ASN	2.5
1	B	70	VAL	2.4
1	B	17	VAL	2.2
1	B	125	ASN	2.2
1	B	62	SER	2.2
1	B	25	ARG	2.1
1	B	21	GLY	2.1
1	B	268	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	B	415	1/1	0.82	0.11	31,31,31,31	0
4	PO4	A	402	5/5	0.87	0.12	55,56,56,56	0
4	PO4	B	413	5/5	0.89	0.13	45,45,46,48	0
4	PO4	B	412	5/5	0.90	0.11	52,52,53,53	0
3	MG	A	405	1/1	0.91	0.07	28,28,28,28	0
4	PO4	A	403	5/5	0.91	0.11	42,43,44,45	0
2	F6P	B	411	16/16	0.95	0.09	24,26,29,33	0
5	OI1	A	416	40/40	0.95	0.07	9,14,17,19	0
5	OI1	B	406	40/40	0.95	0.07	9,13,18,19	0
2	F6P	A	401	16/16	0.96	0.08	19,24,26,26	0
3	MG	A	404	1/1	0.96	0.05	18,18,18,18	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	B	414	1/1	0.98	0.04	9,9,9,9	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around F6P B 411:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OI1 A 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OI1 B 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F6P A 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.