



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:19 AM UTC

PDB ID : 1Q9O / pdb_00001q9o
Title : S45-18 Fab Unliganded
Authors : Nguyen, H.P.; Seto, N.O.; MacKenzie, C.R.; Brade, L.; Kosma, P.; Brade, H.; Evans, S.V.
Deposited on : 2003-08-25
Resolution : 1.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	226	6% 76% 19% 5%
1	D	226	8% 71% 27% .
2	A	219	6% 70% 25% 5%
2	C	219	8% 71% 26% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S45-2 Fab (IgG1k) heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	226	Total	C	N	O	S	0	0	0
			1718	1085	284	340	9			
1	D	226	Total	C	N	O	S	0	0	0
			1718	1085	284	340	9			

- Molecule 2 is a protein called S45-2 Fab (IgG1k) light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	219	Total	C	N	O	S	0	0	0
			1707	1066	289	344	8			
2	C	219	Total	C	N	O	S	0	0	0
			1707	1066	289	344	8			

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	181	Total	O	0	0
			181	181		
4	D	91	Total	O	0	0
			91	91		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	154	Total 154	O 154	0	0
4	C	99	Total 99	O 99	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S45-2 Fab (IgG1k) heavy chain



- Molecule 1: S45-2 Fab (IgG1k) heavy chain




- Molecule 2: S45-2 Fab (IgG1k) light chain



- Molecule 2: S45-2 Fab (IgG1k) light chain





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	76.40Å 170.30Å 77.10Å 90.00° 114.40° 90.00°	Depositor
Resolution (Å)	19.18 – 1.79 19.18 – 1.79	Depositor EDS
% Data completeness (in resolution range)	88.6 (19.18-1.79) 88.6 (19.18-1.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.86 (at 1.79Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.220 , 0.247 0.218 , 0.246	Depositor DCC
R_{free} test set	7500 reflections (9.88%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7379	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.46	0/1763	0.99	11/2406 (0.5%)
1	D	0.42	0/1763	0.92	6/2406 (0.2%)
2	A	0.41	0/1744	0.88	8/2361 (0.3%)
2	C	0.38	0/1744	0.92	5/2361 (0.2%)
All	All	0.42	0/7014	0.93	30/9534 (0.3%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	212	GLU	N-CA-C	-9.90	102.48	112.97
1	B	32	TYR	N-CA-C	8.12	122.67	109.59
1	B	212	ASP	N-CA-C	7.84	121.34	111.69
1	B	33	TYR	N-CA-C	-7.42	99.50	110.48
1	D	33	TYR	N-CA-C	-7.15	100.42	110.50
2	C	136	ASN	N-CA-C	6.94	120.99	109.95
1	D	96	ILE	N-CA-C	6.93	120.72	109.78
1	B	96	ILE	N-CA-C	6.58	117.65	110.21
1	B	96(A)	TYR	N-CA-C	-6.51	105.92	114.31
2	A	201	THR	N-CA-C	-6.41	105.50	113.38
1	B	141	LYS	N-CA-C	6.40	119.96	109.72
2	A	204	ILE	N-CA-C	-6.40	98.64	107.99
2	C	141	LYS	N-CA-C	6.34	118.19	111.28
2	A	136	ASN	N-CA-C	6.33	120.13	109.76
1	D	100(D)	ASP	N-CA-C	5.97	120.40	113.18
2	A	181	THR	N-CA-C	-5.94	101.73	110.52
2	A	212	GLU	N-CA-C	-5.89	105.95	113.02
1	B	146	GLU	N-CA-C	-5.64	102.07	110.20
2	A	137	ASN	N-CA-C	5.61	118.98	111.24
2	C	205	VAL	N-CA-C	5.54	116.46	108.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	SER	N-CA-C	-5.52	100.70	109.59
2	A	205	VAL	N-CA-C	5.47	116.36	108.48
2	C	209	ASN	N-CA-C	5.30	120.75	113.97
1	D	70	ASP	N-CA-C	-5.27	97.69	107.71
1	B	98	GLY	N-CA-C	5.24	121.16	114.66
2	A	113	THR	N-CA-C	-5.16	100.32	108.73
1	B	100(D)	ASP	N-CA-C	5.15	119.41	113.18
1	D	141	LYS	N-CA-C	5.14	117.63	109.50
1	B	190	THR	N-CA-C	5.14	117.74	110.50
1	D	146	GLU	N-CA-C	-5.10	102.86	110.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1718	0	1671	42	0
1	D	1718	0	1671	43	0
2	A	1707	0	1653	68	0
2	C	1707	0	1653	55	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	154	0	0	2	0
4	B	181	0	0	1	0
4	C	99	0	0	0	0
4	D	91	0	0	0	0
All	All	7379	0	6648	206	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (206) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:154:SER:H	1:D:194:ASN:HD21	1.09	1.00
2:A:2:ILE:HG22	2:A:4:MET:CE	2.00	0.92
1:B:69:ARG:HH21	1:B:71:ASN:HD21	1.19	0.90
1:B:154:SER:H	1:B:194:ASN:HD21	1.17	0.87
2:A:168:LYS:NZ	2:A:168:LYS:HA	1.91	0.85
2:A:210:ARG:HH11	2:A:210:ARG:HB3	1.40	0.85
2:A:2:ILE:HG22	2:A:4:MET:HE3	1.62	0.81
2:A:8:PRO:HG2	2:A:11:LEU:HD21	1.62	0.80
1:D:154:SER:H	1:D:194:ASN:ND2	1.83	0.77
2:A:3:VAL:C	2:A:4:MET:HE2	2.09	0.77
1:D:93:VAL:HG21	1:D:100(C):MET:HB3	1.69	0.74
2:A:2:ILE:HG22	2:A:4:MET:HE1	1.67	0.74
2:A:168:LYS:HZ2	2:A:169:ASP:H	1.33	0.74
2:C:3:VAL:O	2:C:4:MET:HE2	1.88	0.74
2:A:210:ARG:HB3	2:A:210:ARG:NH1	2.03	0.74
2:C:210:ARG:C	2:C:212:GLU:H	1.94	0.73
2:A:3:VAL:O	2:A:4:MET:HE2	1.89	0.73
1:B:69:ARG:HH21	1:B:69:ARG:HG3	1.53	0.72
2:A:210:ARG:HH11	2:A:210:ARG:CB	2.04	0.71
1:B:197:HIS:HB3	1:B:202:THR:CG2	2.20	0.71
2:A:109:ASP:HB3	2:A:199:THR:HG21	1.73	0.71
2:A:46:LEU:HD22	2:A:55:GLU:HB2	1.73	0.71
1:D:131:ASN:H	1:D:131:ASN:HD22	1.39	0.70
2:A:168:LYS:HA	2:A:168:LYS:HZ3	1.57	0.70
2:A:168:LYS:HZ2	2:A:169:ASP:N	1.90	0.69
1:B:69:ARG:NH2	1:B:71:ASN:HD21	1.91	0.68
2:C:209:ASN:O	2:C:210:ARG:HB3	1.92	0.68
2:A:10:SER:O	2:A:11:LEU:HD22	1.94	0.68
2:C:2:ILE:HG22	2:C:4:MET:CE	2.24	0.68
2:A:46:LEU:HD23	2:A:47:LEU:N	2.08	0.68
1:B:69:ARG:HH21	1:B:71:ASN:ND2	1.91	0.68
2:A:114:VAL:HG22	2:A:135:LEU:HD22	1.76	0.67
1:D:211:ARG:NH2	2:C:118:PRO:HG2	2.10	0.67
2:C:107:ARG:HD3	2:C:108:ALA:O	1.95	0.67
2:C:3:VAL:C	2:C:4:MET:HE2	2.20	0.67
1:B:125:GLY:HA2	1:B:211:ARG:HB2	1.76	0.66
1:D:93:VAL:CG2	1:D:100(C):MET:HB3	2.27	0.64
2:A:189:ASN:HD21	2:A:211:ASN:ND2	1.95	0.64
2:C:135:LEU:HD23	2:C:143:ILE:HD13	1.78	0.64
2:A:33:LEU:HD22	2:A:71:PHE:CG	2.33	0.64
2:A:72:THR:HG23	4:A:681:HOH:O	1.97	0.64
2:C:194:GLU:HG2	2:C:205:VAL:HG12	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:4:MET:HE1	2:C:25:SER:HB2	1.80	0.63
2:A:168:LYS:HA	2:A:168:LYS:HZ2	1.64	0.63
2:A:107:ARG:HD3	2:A:108:ALA:O	1.98	0.63
2:C:165:GLN:HG3	2:C:172:TYR:CZ	2.33	0.63
2:A:189:ASN:HD21	2:A:211:ASN:HD22	1.45	0.62
1:B:200:SER:OG	1:B:202:THR:HG22	1.99	0.62
2:C:184:GLU:HG2	2:C:187:ARG:NH2	2.15	0.62
1:D:135:THR:OG1	1:D:180:THR:HG22	1.99	0.62
2:A:188:HIS:O	2:A:210:ARG:NH1	2.33	0.62
1:B:69:ARG:HG3	1:B:69:ARG:NH2	2.15	0.61
2:A:46:LEU:HD23	2:A:46:LEU:C	2.25	0.61
2:A:13:VAL:HG11	2:A:19:VAL:HG22	1.81	0.61
1:D:131:ASN:H	1:D:131:ASN:ND2	1.99	0.61
1:D:131:ASN:HD22	1:D:131:ASN:N	1.98	0.60
2:A:124:LEU:HD12	2:A:182:LYS:HG3	1.84	0.60
2:C:146:LYS:HD2	2:C:153:GLU:CD	2.28	0.59
2:C:30(E):ARG:HH11	2:C:30(E):ARG:HG2	1.66	0.59
1:B:131:ASN:HD22	1:B:131:ASN:N	2.00	0.59
1:D:197:HIS:HD2	1:D:200:SER:OG	1.85	0.59
2:C:2:ILE:HG22	2:C:4:MET:HE1	1.84	0.59
2:A:4:MET:HE1	2:A:25:SER:HB2	1.85	0.59
1:B:119:VAL:CG1	1:B:206:LYS:HG3	2.33	0.58
1:B:117:PRO:HB3	1:B:143:TYR:HB3	1.85	0.58
1:B:154:SER:H	1:B:194:ASN:ND2	1.94	0.58
1:B:197:HIS:HB3	1:B:202:THR:HG23	1.85	0.58
1:D:168:LEU:HB2	1:D:173:TYR:CE1	2.39	0.58
2:C:120:SER:O	2:C:124:LEU:HD23	2.02	0.57
2:C:33:LEU:HD22	2:C:71:PHE:CG	2.39	0.57
1:D:134:VAL:HG23	1:D:183:SER:HA	1.86	0.57
1:D:124:PRO:O	1:D:211:ARG:HG3	2.05	0.57
1:D:117:PRO:HB3	1:D:143:TYR:HB3	1.87	0.56
1:D:145:PRO:O	1:D:197:HIS:HE1	1.88	0.56
2:C:186:GLU:HA	2:C:210:ARG:HE	1.71	0.56
2:C:3:VAL:HG12	2:C:26:SER:HB3	1.88	0.56
2:A:109:ASP:HB3	2:A:199:THR:CG2	2.36	0.56
1:B:133:MET:HE3	1:B:180:THR:HG22	1.88	0.55
1:B:101:TRP:CD2	2:A:44:PRO:HG2	2.41	0.55
2:A:189:ASN:ND2	2:A:211:ASN:HD22	2.04	0.55
1:D:149:THR:OG1	1:D:196:ALA:HB3	2.07	0.55
2:C:3:VAL:CG1	2:C:26:SER:HB3	2.37	0.55
2:A:12:ALA:C	2:A:106:LYS:HE3	2.31	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:37:GLN:HB3	2:C:47:LEU:HD11	1.89	0.54
1:D:93:VAL:HG23	1:D:100(E):TYR:O	2.07	0.54
2:C:135:LEU:HD23	2:C:143:ILE:CD1	2.38	0.54
1:B:47:TRP:CZ2	1:B:49:GLY:HA2	2.44	0.53
1:D:182:PRO:HG2	1:D:185:THR:CG2	2.37	0.53
2:A:19:VAL:HG21	2:A:78:VAL:HG21	1.90	0.53
2:C:150:ASP:HA	2:C:190:SER:HB3	1.90	0.53
2:C:211:ASN:C	2:C:213:CYS:H	2.15	0.53
2:C:12:ALA:HB1	2:C:106:LYS:HE3	1.91	0.52
1:B:182:PRO:HG2	1:B:185:THR:HG23	1.91	0.52
1:D:185:THR:C	1:D:188:SER:HB3	2.35	0.52
2:C:30(C):ARG:C	2:C:30(E):ARG:H	2.17	0.52
1:B:125:GLY:HA3	1:B:211:ARG:NH1	2.24	0.51
2:C:18:LYS:HZ2	2:C:74:THR:CG2	2.24	0.51
1:B:124:PRO:HB3	1:B:127:ALA:HB3	1.92	0.51
2:A:168:LYS:O	2:A:169:ASP:CG	2.54	0.51
2:A:83:LEU:C	2:A:83:LEU:HD23	2.34	0.51
1:D:175:LEU:HD12	1:D:175:LEU:C	2.36	0.51
1:B:206:LYS:NZ	1:B:206:LYS:HB3	2.26	0.51
1:B:148:VAL:HG23	1:B:196:ALA:O	2.11	0.51
2:C:54:ARG:HG2	2:C:58:VAL:HB	1.93	0.50
2:A:46:LEU:HD22	2:A:55:GLU:CB	2.41	0.50
2:A:197:HIS:C	2:A:199:THR:H	2.19	0.50
1:B:131:ASN:N	1:B:131:ASN:ND2	2.58	0.50
2:A:12:ALA:O	2:A:106:LYS:HE3	2.12	0.49
2:C:18:LYS:NZ	2:C:74:THR:HG21	2.27	0.49
1:D:47:TRP:CZ2	1:D:49:GLY:HA2	2.47	0.49
2:C:178:LEU:HD22	2:C:180:LEU:HG	1.94	0.49
2:A:168:LYS:NZ	2:A:169:ASP:H	2.06	0.49
1:B:175:LEU:C	1:B:175:LEU:HD12	2.38	0.49
2:C:83:LEU:HD13	2:C:83:LEU:C	2.37	0.49
1:D:50:PHE:CD1	1:D:50:PHE:C	2.91	0.49
1:D:127:ALA:O	1:D:128:ALA:HB3	2.13	0.48
2:C:192:THR:HG22	2:C:207:SER:CB	2.42	0.48
1:B:131:ASN:O	1:B:133:MET:N	2.45	0.48
2:A:140:PRO:HG3	2:A:198:LYS:HE3	1.95	0.48
2:C:18:LYS:HZ2	2:C:74:THR:HG21	1.78	0.48
2:A:7:PHE:HA	2:A:8:PRO:C	2.38	0.48
2:C:2:ILE:HG23	2:C:27:GLN:HG3	1.94	0.48
2:C:107:ARG:CD	2:C:108:ALA:O	2.62	0.48
1:D:1:GLU:HG3	1:D:3:ILE:HD11	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:19:VAL:CG2	2:A:78:VAL:HG21	2.43	0.48
2:A:13:VAL:HG21	2:A:19:VAL:HG21	1.96	0.47
2:A:46:LEU:C	2:A:46:LEU:CD2	2.86	0.47
1:D:78:LEU:HD22	1:D:80:MET:CG	2.44	0.47
1:B:35:SER:HB2	1:B:93:VAL:CG2	2.45	0.47
1:B:50:PHE:CD1	1:B:50:PHE:C	2.92	0.47
1:D:50:PHE:C	1:D:50:PHE:HD1	2.23	0.47
2:A:146:LYS:NZ	2:A:146:LYS:HB3	2.30	0.47
2:A:4:MET:HE2	2:A:4:MET:HA	1.97	0.46
2:C:30(E):ARG:HG2	2:C:30(E):ARG:NH1	2.30	0.46
1:D:152:TRP:CZ3	1:D:208:ILE:HD11	2.50	0.46
2:A:168:LYS:HZ2	2:A:168:LYS:CA	2.28	0.46
2:C:12:ALA:CB	2:C:106:LYS:HE3	2.45	0.46
1:B:50:PHE:C	1:B:50:PHE:HD1	2.24	0.46
2:A:197:HIS:CD2	2:A:198:LYS:H	2.34	0.46
2:A:1:ASP:O	2:A:2:ILE:O	2.34	0.46
2:A:3:VAL:C	2:A:4:MET:CE	2.86	0.46
2:C:11:LEU:HD11	2:C:21:MET:HG2	1.98	0.46
1:D:170:SER:O	1:D:171:ASP:HB2	2.15	0.46
2:A:13:VAL:HG21	2:A:19:VAL:CG2	2.47	0.45
2:A:46:LEU:CD2	2:A:55:GLU:HB2	2.45	0.45
2:A:185:TYR:CE2	2:A:210:ARG:HD2	2.52	0.45
1:B:32:TYR:CE1	1:B:96(A):TYR:HB3	2.52	0.45
1:B:171:ASP:O	1:B:172:LEU:HD23	2.17	0.45
1:D:80:MET:HE1	1:D:90:TYR:CZ	2.51	0.45
2:A:4:MET:HE2	2:A:4:MET:CA	2.47	0.45
2:A:213:CYS:OXT	2:A:213:CYS:SG	2.74	0.45
1:D:32:TYR:CE1	1:D:96(A):TYR:HB2	2.52	0.45
2:C:192:THR:CB	2:C:207:SER:HB3	2.47	0.45
1:B:125:GLY:HA3	1:B:211:ARG:CZ	2.47	0.45
2:C:30(C):ARG:O	2:C:30(D):THR:OG1	2.30	0.44
1:B:190:THR:HG23	4:B:344:HOH:O	2.16	0.44
1:D:87:SER:O	1:D:88:ALA:HB2	2.18	0.44
1:B:209:VAL:HG13	1:B:210:PRO:HD2	1.99	0.44
2:C:37:GLN:CB	2:C:47:LEU:HD11	2.47	0.44
1:D:141:LYS:HG3	1:D:174:THR:OG1	2.18	0.44
2:A:54:ARG:HD3	2:A:58:VAL:O	2.18	0.44
1:B:182:PRO:HG2	1:B:185:THR:CG2	2.48	0.44
2:A:39:LYS:HB3	2:A:40:PRO:HD2	1.99	0.44
2:C:165:GLN:HG3	2:C:172:TYR:CE2	2.53	0.44
2:A:120:SER:O	2:A:124:LEU:HD23	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2:VAL:O	1:D:3:ILE:HD13	2.17	0.43
1:B:12:VAL:HG11	1:B:82(A):LEU:HD13	2.01	0.43
1:B:168:LEU:HB2	1:B:173:TYR:CE1	2.53	0.43
1:D:78:LEU:HD22	1:D:80:MET:HG2	2.01	0.43
2:A:83:LEU:O	2:A:84:ALA:HB2	2.18	0.43
2:C:61:ARG:NH1	2:C:82:ASP:OD1	2.52	0.43
2:C:189:ASN:O	2:C:209:ASN:O	2.36	0.43
1:B:47:TRP:CH2	1:B:49:GLY:HA2	2.52	0.43
2:C:107:ARG:HD3	2:C:108:ALA:N	2.33	0.43
1:D:152:TRP:CZ3	1:D:193:CYS:HB3	2.54	0.43
2:C:210:ARG:C	2:C:212:GLU:N	2.61	0.43
1:B:200:SER:HG	1:B:202:THR:HG22	1.82	0.43
1:B:212:ASP:O	1:B:213:CYS:O	2.38	0.42
2:A:112:PRO:HG2	2:A:204:ILE:HD12	2.02	0.42
1:D:190:THR:HG23	1:D:207:LYS:HE2	2.01	0.42
2:C:202:SER:HA	2:C:203:PRO:HD3	1.94	0.42
2:A:4:MET:HE2	2:A:4:MET:N	2.33	0.42
2:A:8:PRO:HG2	2:A:11:LEU:CD2	2.43	0.42
2:C:174:MET:HE3	2:C:175:SER:O	2.19	0.42
1:B:164:PHE:HA	1:B:165:PRO:HD3	1.92	0.41
1:D:36:TRP:CE2	1:D:78:LEU:HB2	2.55	0.41
2:A:2:ILE:CG2	2:A:4:MET:HE1	2.44	0.41
2:C:150:ASP:OD2	2:C:188:HIS:HB3	2.19	0.41
2:C:192:THR:HB	2:C:207:SER:HB3	2.01	0.41
2:C:181:THR:HG22	2:C:182:LYS:N	2.36	0.41
1:D:153:ASN:ND2	1:D:157:LEU:HD23	2.35	0.41
2:A:54:ARG:HG2	2:A:58:VAL:HB	2.02	0.41
1:B:131:ASN:HD22	1:B:131:ASN:H	1.68	0.41
2:C:183:ASP:O	2:C:187:ARG:HG3	2.20	0.41
1:B:119:VAL:HG12	1:B:206:LYS:HG3	2.01	0.41
1:D:52(D):LYS:N	1:D:52(D):LYS:HD2	2.36	0.41
1:D:3:ILE:HB	1:D:25:SER:OG	2.21	0.41
1:D:153:ASN:HD22	1:D:157:LEU:HD23	1.86	0.41
2:A:200:SER:HB2	2:A:202:SER:O	2.21	0.41
2:A:144:ASN:HB2	4:A:622:HOH:O	2.21	0.40
1:D:187:PRO:O	1:D:188:SER:C	2.64	0.40
2:C:58:VAL:HA	2:C:59:PRO:HD3	1.94	0.40
1:D:166:ALA:HB2	1:D:175:LEU:HD23	2.04	0.40
2:A:10:SER:C	2:A:11:LEU:HD22	2.45	0.40
2:C:83:LEU:O	2:C:84:ALA:HB2	2.21	0.40
2:C:210:ARG:O	2:C:212:GLU:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	224/226 (99%)	215 (96%)	6 (3%)	3 (1%)	9	3
1	D	224/226 (99%)	209 (93%)	14 (6%)	1 (0%)	30	19
2	A	217/219 (99%)	206 (95%)	8 (4%)	3 (1%)	9	2
2	C	217/219 (99%)	207 (95%)	10 (5%)	0	100	100
All	All	882/890 (99%)	837 (95%)	38 (4%)	7 (1%)	16	6

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	41	PRO
1	B	127	ALA
1	B	132	SER
1	D	212	ASP
2	A	2	ILE
2	A	126	SER
2	A	169	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	196/196 (100%)	188 (96%)	8 (4%)	27	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	196/196 (100%)	190 (97%)	6 (3%)	35	23
2	A	194/194 (100%)	182 (94%)	12 (6%)	16	6
2	C	194/194 (100%)	189 (97%)	5 (3%)	40	28
All	All	780/780 (100%)	749 (96%)	31 (4%)	28	15

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	20	LEU
1	B	41	PRO
1	B	50	PHE
1	B	69	ARG
1	B	93	VAL
1	B	131	ASN
1	B	147	PRO
1	B	206	LYS
1	D	20	LEU
1	D	50	PHE
1	D	78	LEU
1	D	131	ASN
1	D	147	PRO
1	D	148	VAL
2	A	46	LEU
2	A	47	LEU
2	A	83	LEU
2	A	94	LEU
2	A	102	LYS
2	A	103	LEU
2	A	107	ARG
2	A	146	LYS
2	A	168	LYS
2	A	178	LEU
2	A	210	ARG
2	A	213	CYS
2	C	83	LEU
2	C	107	ARG
2	C	178	LEU
2	C	192	THR
2	C	211	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23)

such sidechains are listed below:

Mol	Chain	Res	Type
1	B	71	ASN
1	B	73	GLN
1	B	103	GLN
1	B	131	ASN
1	B	194	ASN
1	D	39	GLN
1	D	71	ASN
1	D	73	GLN
1	D	129	GLN
1	D	131	ASN
1	D	194	ASN
1	D	197	HIS
2	A	42	GLN
2	A	79	GLN
2	A	137	ASN
2	A	156	ASN
2	A	197	HIS
2	A	209	ASN
2	A	211	ASN
2	C	38	GLN
2	C	93	ASN
2	C	209	ASN
2	C	211	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	226/226 (100%)	0.23	14 (6%) 26 25	17, 23, 42, 81	0
1	D	226/226 (100%)	0.59	17 (7%) 20 18	18, 30, 54, 84	0
2	A	219/219 (100%)	0.44	13 (5%) 28 27	17, 27, 45, 62	0
2	C	219/219 (100%)	0.70	18 (8%) 17 15	19, 31, 52, 62	0
All	All	890/890 (100%)	0.49	62 (6%) 22 21	17, 28, 50, 84	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	213	CYS	8.3
2	C	213	CYS	6.7
1	B	128	ALA	6.5
2	A	213	CYS	6.2
2	A	1	ASP	6.0
1	B	126	SER	5.8
1	D	213	CYS	5.3
1	B	125	GLY	5.2
1	D	128	ALA	5.1
1	B	127	ALA	4.9
1	D	127	ALA	4.7
1	B	130	THR	4.6
2	A	200	SER	4.4
1	D	131	ASN	4.3
2	A	198	LYS	4.2
1	D	125	GLY	3.7
2	A	199	THR	3.7
2	A	201	THR	3.7
2	A	76	SER	3.5
2	C	125	THR	3.5
1	D	126	SER	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	129	GLN	3.3
1	D	130	THR	3.2
2	A	168	LYS	3.2
2	C	211	ASN	3.1
1	B	129	GLN	3.0
2	C	156	ASN	3.0
2	A	197	HIS	2.8
2	C	7	PHE	2.8
1	D	132	SER	2.7
2	C	124	LEU	2.6
1	D	208	ILE	2.6
2	C	212	GLU	2.5
2	C	2	ILE	2.5
1	B	41	PRO	2.5
2	A	124	LEU	2.5
2	C	1	ASP	2.4
1	B	131	ASN	2.4
2	C	181	THR	2.4
2	C	158	VAL	2.4
2	A	187	ARG	2.4
1	D	156	SER	2.3
2	C	163	THR	2.3
1	D	211	ARG	2.3
2	C	210	ARG	2.2
1	D	188	SER	2.2
2	A	142	ASP	2.1
1	D	103	GLN	2.1
1	B	203	LYS	2.1
2	C	30(C)	ARG	2.1
1	D	186	TRP	2.1
2	C	30(B)	SER	2.1
2	A	125	THR	2.1
1	B	42	GLY	2.1
2	C	126	SER	2.1
1	B	190	THR	2.1
1	D	209	VAL	2.0
2	C	135	LEU	2.0
2	C	155	GLN	2.0
1	B	167	VAL	2.0
1	B	204	VAL	2.0
1	D	204	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	C	214	1/1	0.96	0.08	33,33,33,33	0
3	MG	D	214	1/1	0.97	0.14	27,27,27,27	0
3	MG	A	214	1/1	0.99	0.08	25,25,25,25	0
3	MG	B	214	1/1	0.99	0.11	24,24,24,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.