



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:49 PM UTC

PDB ID : 6Q90 / pdb_00006q90
Title : Structure of human galactokinase 1 bound with 1-(4-Methoxyphenyl)-3-(4-pyridinyl)urea
Authors : Mackinnon, S.R.; Bezerra, G.A.; Zhang, M.; Foster, W.; Krojer, T.; Brandao-Neto, J.; Douangamath, A.; Arrowsmith, C.; Edwards, A.; Bountra, C.; Brennan, P.; Lai, K.; Yue, W.W.
Deposited on : 2018-12-16
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	2% 86% 13% .
1	B	392	24% 78% 19% ..
1	C	392	11% 84% 15% .
1	D	392	12% 80% 15% 5%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Galactokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	392	Total	C	N	O	S	0	1	0
			2876	1807	511	542	16			
1	B	389	Total	C	N	O	S	0	1	0
			2677	1673	471	517	16			
1	C	391	Total	C	N	O	S	0	0	0
			2791	1753	491	532	15			
1	D	374	Total	C	N	O	S	0	0	0
			2619	1638	464	504	13			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	HIS	-	expression tag	UNP P51570
A	252	ALA	LYS	engineered mutation	UNP P51570
A	253	ALA	GLU	engineered mutation	UNP P51570
B	1	HIS	-	expression tag	UNP P51570
B	252	ALA	LYS	engineered mutation	UNP P51570
B	253	ALA	GLU	engineered mutation	UNP P51570
C	1	HIS	-	expression tag	UNP P51570
C	252	ALA	LYS	engineered mutation	UNP P51570
C	253	ALA	GLU	engineered mutation	UNP P51570
D	1	HIS	-	expression tag	UNP P51570
D	252	ALA	LYS	engineered mutation	UNP P51570
D	253	ALA	GLU	engineered mutation	UNP P51570

- Molecule 2 is beta-D-galactopyranose (CCD ID: GAL) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		
2	C	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is 2-(1,3-benzoxazol-2-ylamino)spiro[1,6,7,8-tetrahydroquinazoline-4,1'-cyclohexane]-5-one (CCD ID: HFK) (formula: $C_{20}H_{22}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			26	20	4	2		
3	B	1	Total	C	N	O	0	0
			26	20	4	2		
3	C	1	Total	C	N	O	0	0
			26	20	4	2		

- Molecule 4 is N-(4-methoxyphenyl)-N'-pyridin-4-ylurea (CCD ID: JHJ) (formula: $C_{13}H_{13}N_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	N	O	0	0
			18	13	3	2		
4	D	1	Total	C	N	O	0	0
			18	13	3	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	89	Total	O	0	0
			89	89		
5	B	50	Total	O	0	0
			50	50		
5	C	41	Total	O	0	0
			41	41		
5	D	51	Total	O	0	0
			51	51		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galactokinase




• Molecule 1: Galactokinase






• Molecule 1: Galactokinase





● Molecule 1: Galactokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.55Å 114.51Å 120.81Å 90.00° 100.33° 90.00°	Depositor
Resolution (Å)	67.41 – 2.40 67.41 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.7 (67.41-2.40) 99.7 (67.41-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.220 , 0.277 0.224 , 0.279	Depositor DCC
R_{free} test set	5908 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	39.9	Xtriage
Anisotropy	0.428	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 33.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11344	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: JHJ, GAL, HFK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	0/2933	1.47	1/3989 (0.0%)
1	B	1.14	0/2727	1.55	7/3726 (0.2%)
1	C	1.09	0/2843	1.50	2/3878 (0.1%)
1	D	1.10	0/2666	1.53	1/3639 (0.0%)
All	All	1.10	0/11169	1.51	11/15232 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	283	GLY	CA-C-N	7.43	130.57	120.54
1	B	283	GLY	C-N-CA	7.43	130.57	120.54
1	B	46	ASP	CA-CB-CG	6.11	118.70	112.60
1	B	288	THR	N-CA-C	-6.10	104.55	111.14
1	A	37	ARG	CG-CD-NE	5.68	124.50	112.00
1	B	104	PRO	CA-C-N	5.21	127.26	120.28
1	B	104	PRO	C-N-CA	5.21	127.26	120.28
1	D	368	ILE	N-CA-C	-5.11	105.73	110.53
1	B	56	ALA	CA-C-O	-5.10	116.00	121.56
1	C	238	VAL	CA-C-N	5.03	127.02	120.28
1	C	238	VAL	C-N-CA	5.03	127.02	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2876	0	2820	38	1
1	B	2677	0	2471	67	0
1	C	2791	0	2657	47	1
1	D	2619	0	2430	35	0
2	A	12	0	12	0	0
2	B	12	0	12	2	0
2	C	12	0	12	0	0
3	A	26	0	0	1	0
3	B	26	0	0	1	0
3	C	26	0	0	0	0
4	C	18	0	0	3	0
4	D	18	0	0	2	0
5	A	89	0	0	3	0
5	B	50	0	0	2	0
5	C	41	0	0	0	0
5	D	51	0	0	0	0
All	All	11344	0	10414	186	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:ASN:CG	1:C:185:MET:HE1	1.88	0.98
1:B:39:ASN:CG	1:B:185:MET:HE1	1.94	0.92
1:D:45:THR:HG23	1:D:50:GLY:HA3	1.57	0.87
1:D:42:GLY:O	1:D:45:THR:HB	1.75	0.87
1:B:37:ARG:HH11	1:B:37:ARG:HG2	1.42	0.84
1:D:52:VAL:HG12	1:D:54:PRO:HD3	1.59	0.83
1:B:281:VAL:O	1:B:284:GLU:N	2.17	0.77
1:B:37:ARG:HD2	1:B:185:MET:HE2	1.70	0.74
1:A:72:LEU:HD11	1:B:72:LEU:CD1	2.18	0.72
1:C:39:ASN:CB	1:C:185:MET:HE1	2.20	0.71
1:B:304:GLY:O	1:B:340:GLY:HA3	1.90	0.71
1:B:54:PRO:HB3	1:B:185:MET:CE	2.20	0.70
1:B:93:PRO:O	5:B:501:HOH:O	2.10	0.70
1:C:63:LEU:HD11	1:C:129:VAL:HG22	1.75	0.69
1:C:78:THR:HG22	1:C:130:VAL:HG12	1.74	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:225:SER:O	1:D:372:TYR:OH	2.11	0.67
1:A:2:ALA:C	1:A:365:MET:HE1	2.20	0.67
1:B:280:HIS:O	1:B:284:GLU:HB2	1.95	0.66
1:D:236:TYR:OH	1:D:346:GLY:O	2.13	0.65
1:D:45:THR:CG2	1:D:50:GLY:HA3	2.27	0.63
1:C:54:PRO:HB3	1:C:185:MET:CE	2.28	0.63
1:B:223:THR:HG22	1:B:378:PHE:CE1	2.35	0.61
1:A:257:GLU:HG3	5:A:554:HOH:O	2.02	0.60
1:B:44:HIS:ND1	1:B:47:TYR:OH	2.29	0.60
1:A:309:GLU:OE1	5:A:501:HOH:O	2.17	0.59
1:A:72:LEU:HD11	1:B:72:LEU:HD13	1.83	0.59
1:B:42:GLY:O	1:B:45:THR:OG1	2.21	0.59
1:A:3:ALA:N	1:A:365:MET:HE1	2.18	0.58
1:C:213:LEU:HD23	4:C:403:JHJ:C08	2.34	0.58
1:D:361:ALA:HB1	1:D:380:LEU:HD11	1.85	0.58
1:B:39:ASN:CB	1:B:185:MET:HE1	2.32	0.58
1:B:43:GLU:OE1	2:B:401:GAL:O6	2.21	0.57
1:B:361:ALA:HB3	1:B:362:PRO:HD3	1.86	0.57
1:A:291:ALA:HB1	1:A:303:PHE:CE2	2.39	0.57
1:D:57:LEU:HD21	1:D:222:ILE:HD11	1.86	0.57
1:B:302:ALA:O	1:B:306:LEU:CB	2.53	0.57
1:D:20:PHE:CE2	1:D:65:GLY:HA2	2.40	0.57
1:C:369:GLN:NE2	1:C:369:GLN:HA	2.18	0.56
1:A:218:LEU:HD11	1:A:355:LEU:HD11	1.88	0.56
1:B:340:GLY:O	1:B:354:THR:HG23	2.05	0.56
1:B:54:PRO:HB3	1:B:185:MET:HE3	1.86	0.55
1:D:335:VAL:HG21	1:D:364:ALA:HA	1.88	0.55
1:D:63:LEU:HD22	1:D:152:PHE:CD1	2.42	0.54
1:C:43:GLU:HB2	1:C:342:ARG:NH2	2.22	0.54
1:C:264:GLU:OE1	1:C:267:ARG:NH2	2.40	0.54
1:B:47:TYR:CD1	1:B:240:ARG:HG2	2.43	0.54
1:C:54:PRO:HB3	1:C:185:MET:HE2	1.89	0.54
1:B:223:THR:OG1	1:B:352:THR:OG1	2.26	0.53
1:C:30:LEU:HD11	1:C:155:GLN:HB3	1.91	0.53
1:B:281:VAL:HG12	1:B:282:VAL:N	2.22	0.53
1:A:236:TYR:HB3	1:A:237:PRO:HD3	1.91	0.53
1:D:51:LEU:HD23	1:D:202:ASP:HA	1.89	0.53
1:C:163:ILE:HG22	1:C:188:PHE:CE1	2.43	0.53
1:B:305:ARG:O	1:B:308:VAL:HG22	2.09	0.53
1:B:361:ALA:O	1:B:365:MET:HG2	2.08	0.53
1:C:78:THR:CG2	1:C:130:VAL:HG12	2.38	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:242:GLN:NE2	1:C:273:GLU:OE1	2.41	0.52
1:D:29:GLU:C	1:D:30:LEU:HD12	2.34	0.52
1:B:198:ALA:HB2	1:B:213:LEU:HD12	1.90	0.52
1:C:150:TYR:CZ	1:C:166:ARG:HG2	2.44	0.52
3:B:402:HFK:N19	3:B:402:HFK:N14	2.57	0.52
1:B:255:LEU:O	1:B:282:VAL:HG22	2.10	0.51
1:B:255:LEU:HD12	1:B:281:VAL:HG11	1.92	0.51
1:A:174:GLU:HG2	1:A:182:CYS:SG	2.51	0.51
1:D:361:ALA:N	1:D:362:PRO:HD2	2.25	0.51
1:B:31:ALA:HB2	1:B:392:LEU:HD11	1.93	0.51
1:C:163:ILE:HG21	1:C:192:MET:HG2	1.93	0.50
1:D:37:ARG:NE	1:D:186:ASP:OD1	2.43	0.50
1:B:276:ARG:O	1:B:317:ASP:OD1	2.29	0.50
1:B:43:GLU:HB2	1:B:342:ARG:NH2	2.25	0.50
1:B:332:ALA:O	1:B:335:VAL:N	2.43	0.50
1:D:249:ALA:O	1:D:269:LEU:HD23	2.12	0.50
1:C:369:GLN:HA	1:C:369:GLN:HE21	1.77	0.50
1:A:72:LEU:HD11	1:B:72:LEU:HD11	1.91	0.49
1:B:175:HIS:CD2	1:B:181:PRO:HA	2.47	0.49
1:C:12:LEU:HD12	1:C:130:VAL:HG23	1.94	0.49
1:A:40:LEU:O	1:A:342:ARG:HD3	2.13	0.49
1:B:304:GLY:O	1:B:340:GLY:CA	2.60	0.49
1:C:163:ILE:HG21	1:C:192:MET:CG	2.43	0.49
1:A:37:ARG:HG2	1:A:37:ARG:HH11	1.78	0.48
1:A:335:VAL:HG21	1:A:364:ALA:HA	1.95	0.48
1:A:367:HIS:CE1	1:A:371:HIS:CE1	3.02	0.48
1:B:301:ARG:N	5:B:506:HOH:O	2.46	0.48
1:D:54:PRO:HD2	1:D:199:LEU:O	2.13	0.48
1:A:218:LEU:HD11	1:A:355:LEU:CD1	2.43	0.48
1:C:54:PRO:HB3	1:C:185:MET:HE3	1.96	0.48
1:C:85:PRO:HD2	1:C:104:PRO:HG3	1.95	0.47
1:D:33:SER:O	1:D:387:ALA:HA	2.14	0.47
1:D:63:LEU:HD21	1:D:127:ALA:HB1	1.96	0.47
1:A:219:ALA:HB3	1:A:356:LEU:CD1	2.44	0.47
1:B:256:ARG:HA	1:B:285:ILE:HD13	1.96	0.47
1:B:300:TYR:O	1:B:304:GLY:N	2.41	0.47
1:B:311:HIS:CE1	1:B:329:VAL:CB	2.97	0.47
1:C:85:PRO:C	1:C:87:ARG:H	2.21	0.47
1:A:78:THR:OG1	1:A:130:VAL:HG12	2.15	0.47
1:D:338:VAL:HG22	1:D:356:LEU:HB3	1.95	0.47
1:B:188:PHE:HE1	1:B:192:MET:SD	2.37	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:271:SER:HG	1:B:273:GLU:HB2	1.79	0.47
1:D:109:TYR:O	1:D:113:VAL:HG23	2.14	0.47
1:C:33:SER:O	1:C:387:ALA:HA	2.14	0.47
1:A:163:ILE:HD13	1:A:192:MET:SD	2.55	0.47
1:D:152:PHE:CE2	1:D:156:LEU:HD11	2.50	0.47
1:A:223:THR:HG21	1:A:328:LEU:HD22	1.98	0.46
1:B:56:ALA:HB3	1:B:384:ALA:O	2.16	0.46
1:D:70:ASP:OD1	1:D:71:GLY:N	2.49	0.46
1:B:54:PRO:HB3	1:B:185:MET:HE2	1.95	0.46
1:B:199:LEU:HD23	1:B:201:ILE:HD11	1.97	0.46
1:B:220:VAL:HG13	1:B:353:VAL:HG23	1.97	0.46
1:B:232:ALA:HA	1:B:348:PHE:CD2	2.50	0.46
1:A:238:VAL:O	1:A:242:GLN:HG3	2.15	0.46
1:B:192:MET:HE2	1:B:192:MET:HB3	1.75	0.46
1:B:271:SER:OG	1:B:273:GLU:HB2	2.16	0.46
1:C:224:ASN:HB3	1:C:377:THR:OG1	2.16	0.46
1:C:382:GLN:OE1	4:C:403:JHJ:N09	2.48	0.46
1:A:367:HIS:HE1	1:A:371:HIS:CE1	2.34	0.45
1:C:295:LEU:HD13	1:C:303:PHE:CD2	2.51	0.45
1:A:109:TYR:CE1	1:A:142:SER:HB2	2.51	0.45
1:B:52:VAL:HG22	1:B:201:ILE:HB	1.98	0.45
1:B:246:VAL:HG11	1:B:278:ALA:HB2	1.98	0.45
1:C:361:ALA:N	1:C:362:PRO:CD	2.80	0.45
1:A:163:ILE:CD1	1:A:192:MET:SD	3.05	0.45
1:A:197:HIS:O	1:A:383:ALA:HB1	2.16	0.45
3:A:402:HFK:N19	3:A:402:HFK:N14	2.64	0.45
1:C:280:HIS:ND1	1:C:313:SER:OG	2.36	0.45
1:B:223:THR:O	1:B:351:CYS:HA	2.17	0.45
1:C:84:GLU:OE1	1:C:85:PRO:HA	2.17	0.44
1:D:43:GLU:O	1:D:44:HIS:ND1	2.49	0.44
1:A:246:VAL:O	1:A:250:LEU:HD13	2.17	0.44
1:C:75:LEU:HD23	1:C:127:ALA:HB3	2.00	0.44
1:D:216:PRO:HB3	4:D:401:JHJ:C15	2.47	0.44
1:A:23:GLU:CD	1:A:87:ARG:HE	2.25	0.44
1:B:109:TYR:CE1	1:B:142:SER:HB2	2.53	0.44
1:C:78:THR:O	1:C:78:THR:HG23	2.17	0.44
1:C:213:LEU:HD23	4:C:403:JHJ:C07	2.47	0.44
1:A:89:GLN:O	5:A:502:HOH:O	2.21	0.44
1:A:365:MET:HE3	1:A:378:PHE:CB	2.48	0.44
1:C:184:ILE:HD12	1:C:185:MET:N	2.33	0.44
1:D:37:ARG:HD2	1:D:189:ILE:HG21	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:VAL:O	1:B:250:LEU:HG	2.17	0.44
1:C:252:ALA:HB1	1:C:257:GLU:HB2	1.99	0.44
1:C:163:ILE:HG22	1:C:188:PHE:HE1	1.82	0.43
1:B:54:PRO:CB	1:B:185:MET:HE3	2.48	0.43
1:B:37:ARG:HG2	1:B:37:ARG:NH1	2.19	0.43
1:D:152:PHE:HE2	1:D:156:LEU:HD11	1.84	0.43
1:D:331:ALA:O	1:D:334:ALA:HB3	2.18	0.43
1:A:236:TYR:HB3	1:A:237:PRO:CD	2.48	0.43
1:C:15:GLU:OE2	1:C:78:THR:HG21	2.18	0.43
1:B:44:HIS:H	2:B:401:GAL:C6	2.31	0.42
1:D:57:LEU:CD2	1:D:222:ILE:HD11	2.49	0.42
1:C:63:LEU:CD1	1:C:129:VAL:HG22	2.47	0.42
1:B:311:HIS:HB2	1:B:342:ARG:HA	2.00	0.42
1:C:15:GLU:OE2	1:C:78:THR:CG2	2.68	0.42
1:C:39:ASN:OD1	1:C:185:MET:HE1	2.17	0.42
1:D:320:VAL:O	1:D:347:GLY:HA3	2.20	0.42
1:A:199:LEU:HD23	1:A:201:ILE:HD11	2.01	0.42
1:D:133:VAL:HG11	1:D:141:SER:HA	2.00	0.42
1:A:273:GLU:O	1:A:277:ARG:HG2	2.20	0.42
1:B:223:THR:CG2	1:B:378:PHE:CE1	3.01	0.42
1:B:307:MET:O	1:B:310:SER:N	2.43	0.42
1:C:76:LEU:O	1:C:128:VAL:HA	2.18	0.42
1:A:104:PRO:HB2	1:A:106:TRP:CD1	2.54	0.42
1:C:295:LEU:HD12	1:C:295:LEU:HA	1.87	0.42
1:B:292:ALA:O	1:B:295:LEU:N	2.52	0.42
1:B:311:HIS:HD1	1:B:329:VAL:CB	2.33	0.42
1:D:242:GLN:NE2	1:D:273:GLU:OE1	2.47	0.41
1:B:37:ARG:HE	1:B:186:ASP:CG	2.27	0.41
1:B:223:THR:HG22	1:B:378:PHE:CD1	2.55	0.41
1:C:39:ASN:HB2	1:C:185:MET:HE1	2.01	0.41
1:A:37:ARG:NE	1:A:186:ASP:OD1	2.54	0.41
1:A:72:LEU:HD12	1:A:72:LEU:HA	1.82	0.41
1:A:338:VAL:HA	1:A:356:LEU:HB3	2.02	0.41
1:C:51:LEU:HD23	1:C:202:ASP:HA	2.03	0.41
1:C:83:ASP:OD1	1:C:84:GLU:N	2.50	0.41
1:C:184:ILE:O	1:C:185:MET:C	2.63	0.41
1:D:85:PRO:HD2	1:D:104:PRO:HG3	2.02	0.41
1:B:301:ARG:O	1:B:302:ALA:HB3	2.21	0.41
1:A:361:ALA:HB3	1:A:362:PRO:HD3	2.02	0.41
1:C:52:VAL:HG22	1:C:201:ILE:HB	2.03	0.41
1:D:63:LEU:C	1:D:63:LEU:HD23	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:213:LEU:HD13	4:D:401:JHJ:C08	2.50	0.41
1:C:218:LEU:HD11	1:C:300:TYR:CG	2.56	0.40
1:B:300:TYR:O	1:B:303:PHE:CB	2.70	0.40
1:A:335:VAL:HG12	1:A:336:PRO:O	2.22	0.40
1:B:188:PHE:CE1	1:B:192:MET:SD	3.15	0.40
1:B:219:ALA:O	1:B:355:LEU:HA	2.21	0.40
1:B:311:HIS:ND1	1:B:329:VAL:CB	2.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:ARG:NH1	1:C:268:ASP:OD1[1_454]	2.11	0.09

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/392 (100%)	382 (98%)	9 (2%)	0	100	100
1	B	386/392 (98%)	341 (88%)	39 (10%)	6 (2%)	7	11
1	C	387/392 (99%)	370 (96%)	14 (4%)	3 (1%)	16	25
1	D	366/392 (93%)	350 (96%)	15 (4%)	1 (0%)	36	50
All	All	1530/1568 (98%)	1443 (94%)	77 (5%)	10 (1%)	18	28

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	101	PRO
1	B	364	ALA
1	B	49	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	302	ALA
1	C	21	ARG
1	C	86	GLN
1	B	96	GLN
1	C	83	ASP
1	B	283	GLY
1	B	281	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/309 (93%)	282 (98%)	5 (2%)	53	74
1	B	244/309 (79%)	236 (97%)	8 (3%)	33	55
1	C	268/309 (87%)	257 (96%)	11 (4%)	27	46
1	D	244/309 (79%)	235 (96%)	9 (4%)	30	51
All	All	1043/1236 (84%)	1010 (97%)	33 (3%)	34	56

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	ARG
1	A	72	LEU
1	A	213	LEU
1	A	356	LEU
1	A	381	SER
1	B	37	ARG
1	B	43	GLU
1	B	45	THR
1	B	86	GLN
1	B	174	GLU
1	B	188	PHE
1	B	271	SER
1	B	287	ARG
1	C	5	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	37	ARG
1	C	76	LEU
1	C	78	THR
1	C	96	GLN
1	C	142	SER
1	C	172	GLN
1	C	188	PHE
1	C	218	LEU
1	C	295	LEU
1	C	356	LEU
1	D	23	GLU
1	D	37	ARG
1	D	45	THR
1	D	66	SER
1	D	122	LEU
1	D	140	SER
1	D	144	SER
1	D	271	SER
1	D	356	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	172	GLN
1	A	226	ASN
1	A	367	HIS
1	A	371	HIS
1	B	86	GLN
1	C	369	GLN
1	D	48	ASN
1	D	89	GLN
1	D	371	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	B	401	-	12,12,12	0.61	0	17,17,17	2.01	6 (35%)
3	HFK	A	402	-	29,30,30	4.05	12 (41%)	32,44,44	4.61	12 (37%)
2	GAL	A	401	-	12,12,12	0.75	0	17,17,17	3.01	5 (29%)
3	HFK	B	402	-	29,30,30	4.26	11 (37%)	32,44,44	5.00	17 (53%)
4	JHJ	C	403	-	19,19,19	1.46	3 (15%)	24,24,24	0.88	1 (4%)
2	GAL	C	401	-	12,12,12	0.64	0	17,17,17	1.40	3 (17%)
4	JHJ	D	401	-	19,19,19	1.61	4 (21%)	24,24,24	0.72	0
3	HFK	C	402	-	29,30,30	4.09	10 (34%)	32,44,44	4.82	12 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	B	401	-	-	2/2/22/22	0/1/1/1
3	HFK	A	402	-	-	2/4/43/43	0/5/5/5
2	GAL	A	401	-	-	2/2/22/22	0/1/1/1
3	HFK	B	402	-	-	2/4/43/43	0/5/5/5
4	JHJ	C	403	-	-	2/10/10/10	0/2/2/2
2	GAL	C	401	-	-	2/2/22/22	0/1/1/1
4	JHJ	D	401	-	-	0/10/10/10	0/2/2/2
3	HFK	C	402	-	-	2/4/43/43	0/5/5/5

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	HFK	C06-C07	14.85	1.56	1.37
3	C	402	HFK	C06-C07	13.93	1.54	1.37
3	A	402	HFK	C06-C07	13.88	1.54	1.37
3	B	402	HFK	C21-C20	8.61	1.49	1.38
3	A	402	HFK	C15-N14	7.88	1.50	1.30
3	C	402	HFK	C21-C20	7.69	1.47	1.38
3	C	402	HFK	C15-N16	7.57	1.48	1.36
3	C	402	HFK	C15-N14	7.28	1.49	1.30
3	B	402	HFK	C15-N16	6.87	1.47	1.36
3	B	402	HFK	C15-N14	6.71	1.47	1.30
3	A	402	HFK	C21-C20	6.39	1.46	1.38
3	C	402	HFK	C06-N16	6.36	1.47	1.37
3	B	402	HFK	C06-N16	6.35	1.47	1.37
3	A	402	HFK	C15-N16	6.15	1.46	1.36
3	A	402	HFK	C06-N16	5.73	1.46	1.37
3	A	402	HFK	O22-C21	-5.44	1.29	1.38
3	A	402	HFK	C08-N14	5.22	1.51	1.46
3	B	402	HFK	C08-N14	5.04	1.51	1.46
3	B	402	HFK	O22-C21	-4.98	1.30	1.38
3	C	402	HFK	C15-N17	4.66	1.47	1.37
3	B	402	HFK	C18-N19	4.45	1.37	1.30
3	C	402	HFK	C08-N14	4.24	1.50	1.46
3	C	402	HFK	C18-N19	3.96	1.37	1.30
3	A	402	HFK	C15-N17	3.75	1.45	1.37
3	C	402	HFK	O22-C21	-3.43	1.33	1.38
3	B	402	HFK	C15-N17	3.24	1.44	1.37
4	D	401	JHJ	C10-N09	3.23	1.44	1.37
4	C	403	JHJ	C18-C13	3.22	1.44	1.39
4	D	401	JHJ	C18-C13	3.20	1.44	1.39
3	A	402	HFK	C18-N19	3.15	1.35	1.30
4	D	401	JHJ	C10-N12	2.89	1.43	1.37
3	A	402	HFK	C05-C06	2.67	1.54	1.49
4	C	403	JHJ	C10-N12	2.65	1.43	1.37
4	D	401	JHJ	C07-C06	-2.52	1.35	1.39
3	C	402	HFK	C05-C06	2.46	1.53	1.49
3	B	402	HFK	C02-C07	2.40	1.53	1.46
3	A	402	HFK	C02-C07	2.35	1.53	1.46
3	B	402	HFK	C05-C06	2.30	1.53	1.49
4	C	403	JHJ	C10-N09	2.22	1.42	1.37
3	A	402	HFK	C03-C02	2.14	1.53	1.50

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	HFK	C07-C06-N16	-19.33	106.50	122.11
3	A	402	HFK	C07-C06-N16	-18.48	107.19	122.11
3	C	402	HFK	C07-C06-N16	-16.78	108.56	122.11
3	C	402	HFK	C02-C07-C06	-12.55	108.05	119.18
3	B	402	HFK	C02-C07-C06	-11.76	108.75	119.18
3	A	402	HFK	C02-C07-C06	-10.01	110.30	119.18
3	A	402	HFK	C05-C06-N16	-8.97	102.70	115.46
2	A	401	GAL	C1-O5-C5	-8.80	96.62	113.65
3	B	402	HFK	C08-C07-C06	-8.28	112.41	121.75
3	C	402	HFK	C08-C07-C06	-7.61	113.16	121.75
3	A	402	HFK	C08-C07-C06	-7.06	113.79	121.75
3	C	402	HFK	C05-C06-C07	-7.01	113.17	122.72
3	C	402	HFK	N16-C15-N14	-6.96	111.28	123.63
3	B	402	HFK	C15-N16-C06	-6.85	104.74	121.02
2	A	401	GAL	C1-C2-C3	-6.04	98.04	110.36
3	B	402	HFK	N16-C15-N14	-6.03	112.95	123.63
3	C	402	HFK	C15-N16-C06	-5.29	108.45	121.02
3	C	402	HFK	O22-C21-C20	5.22	111.35	107.80
3	B	402	HFK	C05-C06-N16	-5.06	108.26	115.46
3	C	402	HFK	C21-C20-N19	-4.89	104.06	108.60
3	C	402	HFK	N17-C15-N16	-4.70	110.06	117.96
3	B	402	HFK	C05-C06-C07	-4.64	116.41	122.72
3	A	402	HFK	C05-C06-C07	-4.35	116.79	122.72
2	B	401	GAL	C1-O5-C5	-4.05	105.82	113.65
3	C	402	HFK	C05-C06-N16	-3.79	110.06	115.46
2	B	401	GAL	O5-C5-C6	3.63	115.43	106.44
3	A	402	HFK	O22-C21-C20	3.62	110.26	107.80
2	A	401	GAL	O1-C1-C2	3.56	119.32	108.98
3	A	402	HFK	C15-N16-C06	-3.51	112.69	121.02
3	B	402	HFK	C26-C20-C21	-3.47	115.89	120.31
3	B	402	HFK	O22-C21-C20	3.36	110.08	107.80
3	B	402	HFK	C26-C20-N19	3.35	137.71	128.21
3	B	402	HFK	N17-C15-N16	-3.32	112.38	117.96
3	A	402	HFK	C26-C20-N19	3.19	137.26	128.21
2	B	401	GAL	C1-C2-C3	-3.11	104.01	110.36
3	A	402	HFK	C26-C20-C21	-2.99	116.50	120.31
3	C	402	HFK	C26-C20-N19	2.99	136.70	128.21
3	A	402	HFK	C13-C12-C11	2.91	115.88	111.35
3	C	402	HFK	C23-C21-C20	-2.88	120.12	123.62
2	B	401	GAL	O5-C5-C4	-2.69	104.86	109.70
4	C	403	JHJ	C06-N09-C10	-2.68	121.13	126.61
3	B	402	HFK	C09-C10-C11	2.68	115.53	111.35
2	A	401	GAL	C3-C4-C5	2.67	115.07	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	GAL	O2-C2-C1	2.62	115.30	109.25
3	A	402	HFK	C21-C20-N19	-2.56	106.22	108.60
2	C	401	GAL	O1-C1-C2	2.54	116.34	108.98
3	B	402	HFK	C24-C25-C26	2.52	123.34	120.24
3	B	402	HFK	C21-C20-N19	-2.38	106.39	108.60
3	B	402	HFK	O01-C02-C07	2.37	124.71	121.53
2	C	401	GAL	C1-C2-C3	-2.24	105.79	110.36
3	B	402	HFK	N17-C15-N14	-2.23	113.79	117.96
2	A	401	GAL	O3-C3-C4	2.23	115.62	110.38
3	A	402	HFK	N17-C15-N14	2.18	122.04	117.96
2	B	401	GAL	O5-C1-C2	-2.06	106.67	110.30
3	B	402	HFK	C18-N17-C15	-2.02	120.33	125.27
2	C	401	GAL	O5-C5-C6	2.02	111.44	106.44

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	402	HFK	N14-C15-N17-C18
3	C	402	HFK	N14-C15-N17-C18
2	B	401	GAL	O5-C5-C6-O6
2	C	401	GAL	O5-C5-C6-O6
2	B	401	GAL	C4-C5-C6-O6
2	A	401	GAL	O5-C5-C6-O6
2	C	401	GAL	C4-C5-C6-O6
4	C	403	JHJ	C08-C03-O02-C01
4	C	403	JHJ	C04-C03-O02-C01
2	A	401	GAL	C4-C5-C6-O6
3	B	402	HFK	N16-C15-N17-C18
3	A	402	HFK	N14-C15-N17-C18
3	A	402	HFK	N16-C15-N17-C18
3	C	402	HFK	N16-C15-N17-C18

There are no ring outliers.

5 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	GAL	2	0
3	A	402	HFK	1	0
3	B	402	HFK	1	0
4	C	403	JHJ	3	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	401	JHJ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	392/392 (100%)	-0.06	7 (1%) 67 63	22, 38, 63, 113	1 (0%)
1	B	389/392 (99%)	0.99	93 (23%) 2 1	25, 48, 86, 116	1 (0%)
1	C	391/392 (99%)	0.63	43 (10%) 10 8	27, 49, 86, 124	0
1	D	374/392 (95%)	0.81	49 (13%) 7 5	25, 51, 91, 119	0
All	All	1546/1568 (98%)	0.59	192 (12%) 8 6	22, 45, 85, 124	2 (0%)

All (192) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	263	LEU	5.5
1	D	7	PRO	5.0
1	B	269	LEU	5.0
1	B	303	PHE	4.9
1	B	261	GLU	4.8
1	B	259	GLN	4.8
1	B	335	VAL	4.6
1	B	308	VAL	4.5
1	C	233	SER	4.4
1	B	330	GLU	4.4
1	B	370	GLU	4.3
1	B	364	ALA	4.3
1	D	82	ALA	4.3
1	B	366	ARG	4.3
1	B	270	VAL	4.3
1	B	363	HIS	4.2
1	D	373	GLY	4.1
1	B	287	ARG	4.1
1	C	6	GLN	4.1
1	C	236	TYR	4.1
1	B	306	LEU	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	286	ARG	4.0
1	C	70	ASP	3.9
1	B	275	PHE	3.9
1	D	185	MET	3.9
1	B	268	ASP	3.9
1	B	282	VAL	3.9
1	B	339	TYR	3.8
1	C	232	ALA	3.8
1	B	340	GLY	3.8
1	A	1	HIS	3.7
1	C	1	HIS	3.7
1	C	71	GLY	3.7
1	B	337	GLY	3.7
1	B	262	GLU	3.6
1	B	288	THR	3.6
1	B	332	ALA	3.6
1	B	369	GLN	3.5
1	B	365	MET	3.5
1	C	231	LEU	3.4
1	B	356	LEU	3.4
1	D	94	THR	3.4
1	B	257	GLU	3.4
1	B	7	PRO	3.3
1	B	260	LEU	3.3
1	C	230	SER	3.3
1	B	334	ALA	3.3
1	B	264	GLU	3.3
1	A	2	ALA	3.2
1	B	299	ASP	3.1
1	D	93	PRO	3.1
1	B	298	GLY	3.1
1	C	95	ALA	3.1
1	D	178	ALA	3.1
1	B	255	LEU	3.1
1	B	355	LEU	3.1
1	D	374	GLY	3.1
1	B	290	GLN	3.0
1	B	302	ALA	3.0
1	B	324[A]	GLU	3.0
1	D	88	LEU	3.0
1	C	14	ALA	3.0
1	C	97	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	24	PHE	3.0
1	A	213	LEU	3.0
1	D	161	GLY	3.0
1	C	25	GLY	2.9
1	D	26	ALA	2.9
1	C	106	TRP	2.9
1	D	106	TRP	2.9
1	D	160	SER	2.9
1	B	249	ALA	2.9
1	B	331	ALA	2.9
1	B	336	PRO	2.9
1	B	285	ILE	2.8
1	D	18	ARG	2.8
1	C	178	ALA	2.8
1	B	250	LEU	2.8
1	D	99	LEU	2.8
1	D	163	ILE	2.8
1	A	9	VAL	2.8
1	D	362	PRO	2.8
1	C	26	ALA	2.8
1	D	188	PHE	2.8
1	B	362	PRO	2.7
1	D	76	LEU	2.7
1	B	247	ALA	2.7
1	B	265	ALA	2.7
1	C	116	TYR	2.7
1	D	269	LEU	2.7
1	B	327	GLN	2.7
1	C	90	PHE	2.7
1	D	103	THR	2.7
1	C	3	ALA	2.7
1	C	100	GLU	2.7
1	B	267	ARG	2.6
1	D	21	ARG	2.6
1	B	310	SER	2.6
1	B	8	GLN	2.6
1	D	78	THR	2.6
1	B	248	ARG	2.6
1	B	256	ARG	2.6
1	C	156	LEU	2.6
1	B	341	SER	2.6
1	B	280	HIS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	246	VAL	2.6
1	D	44	HIS	2.6
1	D	86	GLN	2.6
1	B	219	ALA	2.6
1	B	333	LEU	2.5
1	C	103	THR	2.5
1	C	214	SER	2.5
1	B	312	ARG	2.5
1	A	80	GLU	2.5
1	C	184	ILE	2.5
1	B	231	LEU	2.5
1	D	268	ASP	2.5
1	C	238	VAL	2.5
1	A	3	ALA	2.5
1	D	12	LEU	2.4
1	C	8	GLN	2.4
1	D	19	ALA	2.4
1	B	375	THR	2.4
1	A	4	LEU	2.4
1	C	99	LEU	2.4
1	C	163	ILE	2.4
1	B	380	LEU	2.4
1	B	293	ALA	2.4
1	D	272	LYS	2.4
1	C	91	PRO	2.3
1	D	17	ARG	2.3
1	B	314	LEU	2.3
1	B	291	ALA	2.3
1	B	360	ALA	2.3
1	B	304	GLY	2.3
1	B	328	LEU	2.3
1	D	63	LEU	2.3
1	B	245	GLU	2.3
1	D	108	ASN	2.3
1	D	87	ARG	2.3
1	B	243	CYS	2.3
1	D	162	THR	2.3
1	D	112	GLY	2.3
1	B	277	ARG	2.3
1	B	222	ILE	2.2
1	C	72	LEU	2.2
1	C	92	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	188	PHE	2.2
1	B	305	ARG	2.2
1	D	128	VAL	2.2
1	D	173	ALA	2.2
1	B	300	TYR	2.2
1	C	86	GLN	2.2
1	D	246	VAL	2.2
1	C	88	LEU	2.2
1	D	110	VAL	2.2
1	B	361	ALA	2.2
1	B	354	THR	2.2
1	C	94	THR	2.2
1	C	76	LEU	2.2
1	D	30	LEU	2.2
1	C	74	SER	2.2
1	D	85	PRO	2.2
1	B	266	ALA	2.1
1	B	307	MET	2.1
1	C	89	GLN	2.1
1	C	83	ASP	2.1
1	B	2	ALA	2.1
1	C	392	LEU	2.1
1	D	75	LEU	2.1
1	D	135	LEU	2.1
1	C	68	ARG	2.1
1	C	125	PHE	2.1
1	D	192	MET	2.1
1	B	281	VAL	2.1
1	D	9	VAL	2.1
1	B	289	ALA	2.1
1	D	253	ALA	2.1
1	B	228	ARG	2.1
1	B	214	SER	2.1
1	D	62	VAL	2.1
1	B	283	GLY	2.1
1	B	234	SER	2.1
1	D	168	GLN	2.0
1	B	376	ALA	2.0
1	C	127	ALA	2.0
1	B	80	GLU	2.0
1	B	251	GLY	2.0
1	B	233	SER	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	382	GLN	2.0
1	B	78	THR	2.0
1	B	316	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HFK	C	402	26/26	0.82	0.19	56,78,82,83	0
4	JHJ	D	401	18/18	0.85	0.16	41,51,84,90	0
3	HFK	B	402	26/26	0.88	0.15	41,64,73,75	0
4	JHJ	C	403	18/18	0.89	0.15	68,75,84,84	0
2	GAL	C	401	12/12	0.91	0.10	41,50,56,60	0
2	GAL	B	401	12/12	0.92	0.08	34,37,43,48	0
3	HFK	A	402	26/26	0.92	0.10	31,38,47,48	0
2	GAL	A	401	12/12	0.97	0.06	21,26,32,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around HFK C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HFK B 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.