



wwPDB EM Validation Summary Report ⓘ

Jun 17, 2026 – 06:30 pm BST

PDB ID : 6Q9A / pdb_00006q9a
EMDB ID : EMD-4478
Title : Structure of tmRNA SmpB bound past E site of E. coli 70S ribosome
Authors : Rae, C.D.
Deposited on : 2018-12-17
Resolution : 3.70 Å (reported)
Based on initial model : 5MDZ

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	11569 (3.20 - 4.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2903	
2	2	1534	
3	3	120	







Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	6	23	
5	7	76	
6	B	271	
7	C	207	
8	D	201	
9	E	177	
10	F	175	
11	G	148	
12	H	130	
13	I	135	
14	J	142	
15	K	123	
16	L	143	
17	M	135	
18	N	119	
19	O	115	
20	P	113	
21	Q	117	
22	R	102	
23	S	109	
24	T	94	
25	U	101	
26	V	93	
27	W	75	
28	X	77	





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Y	62	 76%24%
30	Z	56	 86%14%
31	a	66	 74%26%
32	b	55	 78%22%
33	c	51	 80%20%
34	d	45	 87%13%
35	e	64	 81%19%
36	f	38	 100%
37	g	225	 82%18%
38	h	208	 77%23%
39	i	205	 80%20%
40	j	156	 76%24%
41	k	104	 85%15%
42	l	152	 86%14%
43	m	129	 82%18%
44	n	127	 76%23%
45	o	99	 74%25%
46	p	116	 91%9%
47	q	122	 75%25%
48	r	116	 81%18%
49	s	100	 79%21%
50	t	87	 82%18%
51	u	82	 73%26%
52	v	80	 89%11%
53	w	66	 67%32%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	x	83	
55	y	85	
56	z	70	
57	5	118	
58	4	363	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	6MZ	1	1618	X	-	-	-
1	PSU	1	1911	X	-	-	-
1	3TD	1	1915	X	-	-	-
1	PSU	1	1917	X	-	-	-
1	5MU	1	1939	X	-	-	-
1	6MZ	1	2030	X	-	-	-
1	G7M	1	2069	X	-	-	-
1	OMG	1	2251	X	-	-	-
1	PSU	1	2457	X	-	-	-
1	OMC	1	2498	X	-	-	-
1	2MA	1	2503	X	-	-	-
1	PSU	1	2504	X	-	-	-
1	OMU	1	2552	X	-	-	-
1	PSU	1	2580	X	-	-	-
1	PSU	1	2605	X	-	-	-
1	1MG	1	745	X	-	-	-
1	PSU	1	746	X	-	-	-
1	5MU	1	747	X	-	-	-
1	PSU	1	955	X	-	-	-
2	4OC	2	1402	X	-	-	-
2	PSU	2	516	X	-	-	-
2	7MG	2	527	X	-	-	-

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 155169 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62336	27816	11470	20147	2903		

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a protein called Nascent peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	6	23	Total	C	N	O	0	0
			115	69	23	23		

- Molecule 5 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	7	76	Total	C	N	O	P	0	0
			1621	722	289	534	76		

- Molecule 6 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 7 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	207	Total	C	N	O	S	0	0
			1551	971	286	291	3		

- Molecule 8 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 9 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 10 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 11 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	148	Total	C	N	O	S	0	0
			1101	694	196	210	1		

- Molecule 12 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	H	130	Total	C	N	O	S	0	0
			980	620	174	182	4		

- Molecule 13 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	I	135	Total	C	N	O	S	0	0
			984	622	171	185	6		

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	L	143	Total	C	N	O	S	0	0
			1043	649	206	186	2		

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	M	135	Total	C	N	O	S	0	0
			1065	681	204	175	5		

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	O	115	Total	C	N	O	0	0
			884	548	177	159		

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	P	113	Total	C	N	O	S	0	0
			908	570	177	160	1		

- Molecule 21 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	102	Total	C	N	O	S	0	0
			810	513	152	143	2		

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	S	109	Total	C	N	O	S	0	0
			845	526	162	154	3		

- Molecule 24 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	U	101	Total	C	N	O	0	0
			774	489	145	140		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	V	93	Total	C	N	O	S	0	0
			747	476	136	132	3		

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	W	75	Total	C	N	O	S	0	0
			572	355	116	100	1		

- Molecule 28 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 29 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 30 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Z	56	Total	C	N	O	S	0	0
			434	273	85	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 32 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	b	55	Total	C	N	O	S	0	0
			434	263	92	78	1		

- Molecule 33 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	c	51	Total	C	N	O	0	0
			417	269	76	72		

- Molecule 34 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	d	45	Total	C	N	O	S	0	0
			367	222	88	55	2		

- Molecule 35 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 36 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 37 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 38 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 39 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 40 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 41 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 42 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	l	152	Total	C	N	O	S	0	0
			1191	741	230	216	4		

- Molecule 43 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 44 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 45 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 46 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	p	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 47 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	122	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 48 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 49 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 50 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	t	87	Total	C	N	O	S	0	0
			708	436	143	128	1		

- Molecule 51 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 52 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	v	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 53 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 54 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 55 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	y	85	Total	C	N	O	S	0	0
			664	411	137	113	3		

- Molecule 56 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 57 is a protein called SsrA-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	5	118	Total	C	N	O	S	0	0
			940	601	168	168	3		

- Molecule 58 is a RNA chain called tmRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	4	363	Total	C	N	O	P	0	0
			7758	3465	1410	2520	363		

- Molecule 59 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
59	1	292	Total	Mg	0
			292	292	
59	2	127	Total	Mg	0
			127	127	
59	3	8	Total	Mg	0
			8	8	
59	7	4	Total	Mg	0
			4	4	
59	O	1	Total	Mg	0
			1	1	
59	Q	1	Total	Mg	0
			1	1	
59	b	1	Total	Mg	0
			1	1	
59	f	1	Total	Mg	0
			1	1	
59	i	1	Total	Mg	0
			1	1	
59	s	1	Total	Mg	0
			1	1	

- Molecule 60 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
60	a	1	Total 1	Zn 1	0
60	f	1	Total 1	Zn 1	0


- Molecule 61 is water.

Mol	Chain	Residues	Atoms		AltConf
61	B	2	Total 2	O 2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA





U2320	G2218	G2138	C2063	U1940	C1833	G1737	U1629	G1529	A1433	U1340	A1247	G1136	C1064
U2321	U2219	U2139	C2064	A1952	U1834	G1738	G1631	G1530	A1434	G1341	G1248	U1141	U1065
A2322	U2220	G2140	U2068	A1953	G1835	A1744	A1631	A1531	G1436	U1249	U1249	A1142	U1066
G2325	A2225	G2145	G2069	G1954	C1843	A1745	A1632	C1532	G1437	C1345	G1251	A1143	U1067
C2326	C2226	C2146	A2070	U1955	A1847	G1756	A1633	U1534	U1438	G1346	C1252	G1068	
A2327	A2227	A2147	A2071	U1956	A1847	A1757	A1634	A1535	A1347	A1347	A1253	A1147	
G2328	G2230	G2148	C2072	C1962	A1853	U1758	A1635	G1536	G1441	C1351	A1254	U1148	
U2329	G2231	U2151	A2077	U1963	A1854	A1759	U1636	U1537	G1445	U1352	U1255	U1149	
G2330	U2238	G2154	U2081	G1964	A1857	G1761	C1638	G1538	G1445	G1355	G1256	A1070	
C2331	G2239	A2154	A2082	C1965	A1858	C1761	C1639	U1542	A1453	G1355	A1262	A1072	
A2332	U2240	G2157	U2087	C1966	A1866	C1764	C1646	U1543	U1458	G1358	U1263	G1074	
U2333	A2241	G2158	A2088	U1971	G1869	U1769	U1647	A1549	G1459	U1265	U1263	C1075	
A2334	G2242	A2159	G2087	U1971	G1870	G1770	U1648	A1549	U1459	G1359	A1264	C1076	
U2335	U2243	G2160	A2092	G1972	C1879	A1773	A1652	A1552	C1463	G1361	G1266	A1077	
C2339	A2247	C2161	U2093	C1990	A1871	A1773	G1653	A1553	G1464	C1362	U1270	G1079	
U2340	G2248	G2162	A2094	U1991	A1872	U1779	G1659	U1554	G1465	C1363	C1271	A1080	
A2341	U2249	A2163	C2095	G1992	C1873	A1780	G1666	U1555	U1466	G1364	A1272	U1081	
G2342	G2250	C2164	U2099	U1993	C1874	U1781	G1667	U1559	A1469	A1366	U1273	U1082	
U2343	G2251	C2165	G2100	U1993	C1875	U1782	A1667	U1559	A1470	A1367	A1274	A1084	
C2344	G2252	U2166	C1996	C1997	G1878	A1783	A1668	U1563	G1471	G1368	A1275	A1085	
U2345	U2167	C2173	G2101	C1997	U1882	A1784	A1672	C1564	G1478	A1373	C1278	A1086	
G2346	G2168	C2174	G2102	C1997	U1883	U1789	G1673	C1565	G1374	A1374	G1279	G1087	
C2347	A2169	C2175	C2103	C2000	C1884	A1790	G1674	A1566	G1482	U1176	A1284	A1088	
U2348	G2263	C2176	C2104	C2001	G1884	C1790	C1675	G1567	G1483	A1378	A1285	A1089	
C2349	C2264	U2177	U2105	G2001	A1791	A1791	C1676	G1568	U1484	U1379	G1177	A1090	
U2350	U2265	A2171	G2106	G2002	C1887	U1794	A1676	A1569	U1485	G1380	A1287	G1091	
G2351	G2266	U2172	G2107	G2010	C1888	C1795	A1677	A1570	U1486	U1383	G1288	G1092	
C2352	C2267	C2173	U2110	U2011	A1889	U1796	A1678	A1571	U1294	U1180	U1294	U1094	
U2353	U2268	C2174	U2111	G2012	A1900	U1797	A1682	A1572	C1295	U1181	C1295	A1095	
C2354	C2269	C2175	G2112	A2020	G1906	U1798	G1689	U1573	G1296	G1182	G1296	A1096	
U2355	U2270	C2176	U2113	G2021	G1907	G1798	A1690	U1578	A1392	G1187	U1300	U1097	
G2356	A2271	C2177	C2114	C2022	C1907	C1800	A1690	A1579	A1301	G1190	A1301	A1098	
C2357	U2272	C2178	G2115	C2023	U1911	A1801	C1694	A1580	C1306	G1206	C1306	A1099	
A2358	U2273	C2179	C2116	C2025	A1912	A1808	G1695	C1582	A1403	G1210	G1309	G1104	
U2359	C2274	U2180	A2117	G2025	A1913	A1809	A1698	U1583	A1503	C1211	C1314	U1105	
C2360	U2275	U2181	C2118	C2026	A1914	A1810	G1699	U1584	A1504	G1408	C1315	G1106	
U2361	G2276	A2183	U2119	A2031	C1915	A1811	A1699	U1585	U1505	U1409	U1218	G1110	
C2362	U2277	U2184	G2120	A2032	A1916	U1812	U1714	A1586	U1506	U1415	U1219	A1111	
U2363	C2278	U2185	G2121	G2034	A1917	G1813	G1715	G1588	C1507	G1416	G1219	G1112	
C2364	U2279	U2186	U2122	G2035	A1918	G1814	G1715	U1589	A1509	C1417	G1317	G1116	
U2365	G2280	U2187	G2123	U2041	U1923	C1816	G1723	A1590	G1510	G1418	A1321	G1119	
C2366	U2281	G2188	G2124	A2042	C1924	G1817	G1724	U1602	A1515	A1419	A1322	U1119	
U2367	A2282	U2189	G2125	A2043	G1929	U1818	C1727	A1603	G1519	G1423	U1325	G1122	
G2368	U2283	U2190	A2126	C2043	G1930	A1819	C1728	A1608	U1520	G1424	U1326	G1231	
C2369	C2284	G2191	G2127	A2052	G1933	G1824	C1730	A1609	G1521	G1425	A1327	U1130	
U2370	U2285	U2192	G2128	C2055	G1933	G1824	C1731	A1610	A1522	G1426	A1328	G1131	
C2371	C2286	U2193	U2129	G2056	A1936	U1827	G1734	C1611	U1523	A1427	U1329	A1132	
U2372	U2287	G2194	U2130	C2056	A1937	A1828	A1735	U1611	G1524	C4428	C1330	A1133	
C2373	A2288	U2195	U2131	A2060	A1938	A1829	U1736	A1613	A1528	G1432	G1333	A1134	
U2374	U2289	U2196	U2132	A2061	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2375	C2290	U2197	U2133	A2062	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2376	U2291	U2198	U2134	A2063	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2377	C2292	U2199	U2135	A2064	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2378	U2293	U2200	U2136	A2065	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2379	C2294	U2201	U2137	A2066	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2380	U2295	U2202	U2138	A2067	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2381	C2296	U2203	U2139	A2068	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2382	U2297	U2204	U2140	A2069	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2383	C2298	U2205	U2141	A2070	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2384	U2299	U2206	U2142	A2071	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2385	C2299	U2207	U2143	A2072	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2386	U2300	U2208	U2144	A2073	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2387	C2301	U2209	U2145	A2074	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2388	U2302	U2210	U2146	A2075	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2389	C2303	U2211	U2147	A2076	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2390	U2304	U2212	U2148	A2077	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2391	C2305	U2213	U2149	A2078	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2392	U2306	U2214	U2150	A2079	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2393	C2307	U2215	U2151	A2080	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2394	U2308	U2216	U2152	A2081	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2395	C2309	U2217	U2153	A2082	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2396	U2310	U2218	U2154	A2083	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2397	C2311	U2219	U2155	A2084	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2398	U2312	U2220	U2156	A2085	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2399	C2313	U2221	U2157	A2086	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2400	U2314	U2222	U2158	A2087	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2401	C2315	U2223	U2159	A2088	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2402	U2316	U2224	U2160	A2089	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2403	C2317	U2225	U2161	A2090	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2404	U2318	U2226	U2162	A2091	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2405	C2319	U2227	U2163	A2092	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2406	U2320	U2228	U2164	A2093	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2407	C2321	U2229	U2165	A2094	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2408	U2322	U2230	U2166	A2095	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2409	C2323	U2231	U2167	A2096	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2410	U2324	U2232	U2168	A2097	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2411	C2325	U2233	U2169	A2098	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2412	U2326	U2234	U2170	A2099	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2413	C2327	U2235	U2171	A2100	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2414	U2328	U2236	U2172	A2101	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2415	C2329	U2237	U2173	A2102	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2416	U2330	U2238	U2174	A2103	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2417	C2331	U2239	U2175	A2104	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2418	U2332	U2240	U2176	A2105	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2419	C2333	U2241	U2177	A2106	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2420	U2334	U2242	U2178	A2107	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
C2421	C2335	U2243	U2179	A2108	U1939	U1829	U1736	G1619	A1528	G1432	G1333	A1135	
U2422	U233												



• Molecule 2: 16S ribosomal RNA


Chain 2: 62% 33% 5%






• Molecule 3: 5S ribosomal RNA

Chain 3: 68% 31%



• Molecule 4: Nascent peptide

Chain 6: 26% 91% 9%




• Molecule 5: P-site tRNA

Chain 7: 50% 46%



• Molecule 6: 50S ribosomal protein L2

Chain B: 79% 21%




• Molecule 7: 50S ribosomal protein L3

Chain C: 88% 12%




• Molecule 8: 50S ribosomal protein L4

Chain D: 81% 19%



• Molecule 9: 50S ribosomal protein L5

Chain E: 81% 19%




• Molecule 10: 50S ribosomal protein L6


Chain F: 83% 17%





• Molecule 11: 50S ribosomal protein L9

Chain G: 8% 83% 17%








- Molecule 12: 50S ribosomal protein L10





- Molecule 13: 50S ribosomal protein L11




- Molecule 14: 50S ribosomal protein L13




- Molecule 15: 50S ribosomal protein L14




- Molecule 16: 50S ribosomal protein L15



- Molecule 17: 50S ribosomal protein L16





- Molecule 18: 50S ribosomal protein L17

Chain N: 81% 19%




- Molecule 19: 50S ribosomal protein L18

Chain O: 85% 15%




- Molecule 20: 50S ribosomal protein L19

Chain P: 80% 20%




- Molecule 21: 50S ribosomal protein L20

Chain Q: 79% 21%



- Molecule 22: 50S ribosomal protein L21

Chain R: 82% 17%



- Molecule 23: 50S ribosomal protein L22

Chain S: 83% 17%





- Molecule 24: 50S ribosomal protein L23



Chain T: 86% 14%




- Molecule 25: 50S ribosomal protein L24




- Molecule 26: 50S ribosomal protein L25



- Molecule 27: 50S ribosomal protein L27




- Molecule 28: 50S ribosomal protein L28



- Molecule 29: 50S ribosomal protein L29



- Molecule 30: 50S ribosomal protein L30




- Molecule 31: 50S ribosomal protein L31





- Molecule 32: 50S ribosomal protein L32

Chain b: 78% 22%



- Molecule 33: 50S ribosomal protein L33

Chain c: 80% 20%



- Molecule 34: 50S ribosomal protein L34

Chain d: 87% 13%



- Molecule 35: 50S ribosomal protein L35

Chain e: 81% 19%




- Molecule 36: 50S ribosomal protein L36

Chain f: 100%




- Molecule 37: 30S ribosomal protein S2

Chain g: 82% 18%




- Molecule 38: 30S ribosomal protein S3

Chain h:  77% 23%



- Molecule 39: 30S ribosomal protein S4

Chain i:  80% 20%




- Molecule 40: 30S ribosomal protein S5

Chain j:  76% 24%




- Molecule 41: 30S ribosomal protein S6

Chain k:  85% 15%



- Molecule 42: 30S ribosomal protein S7

Chain l:  86% 14%




- Molecule 43: 30S ribosomal protein S8

Chain m:  82% 18%




- Molecule 44: 30S ribosomal protein S9

Chain n: 76% 23%




- Molecule 45: 30S ribosomal protein S10

Chain o: 74% 25%




- Molecule 46: 30S ribosomal protein S11

Chain p: 91% 9%



- Molecule 47: 30S ribosomal protein S12

Chain q: 75% 25%




- Molecule 48: 30S ribosomal protein S13

Chain r: 81% 18%



- Molecule 49: 30S ribosomal protein S14

Chain s: 79% 21%



- Molecule 50: 30S ribosomal protein S15

Chain t:  82% 18%



- Molecule 51: 30S ribosomal protein S16

Chain u:  73% 26%




- Molecule 52: 30S ribosomal protein S17

Chain v:  89% 11%




- Molecule 53: 30S ribosomal protein S18

Chain w:  67% 32%



- Molecule 54: 30S ribosomal protein S19

Chain x:  71% 29%




- Molecule 55: 30S ribosomal protein S20

Chain y:  89% 11%




- Molecule 56: 30S ribosomal protein S21


Chain z:  89% 11%



- Molecule 57: SsrA-binding protein



• Molecule 58: tmRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	47115	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.517	Depositor
Minimum map value	-0.327	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	437.0, 437.0, 437.0	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, OMC, 6MZ, 2MA, MA6, UR3, 3TD, MG, G7M, 1MG, 7MG, 2MG, 5MU, OMU, 5MC, OMG, ZN, 4OC, 0TD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.45	1/69285 (0.0%)	0.49	1/108083 (0.0%)
2	2	0.41	0/36587	0.46	0/57062
3	3	0.36	0/2872	0.43	0/4478
4	6	0.22	0/114	0.61	0/158
5	7	0.33	0/1810	0.52	0/2820
6	B	0.46	0/2122	0.59	0/2852
7	C	0.43	0/1572	0.58	0/2117
8	D	0.37	0/1571	0.56	0/2113
9	E	0.33	0/1435	0.61	0/1926
10	F	0.31	0/1333	0.57	0/1805
11	G	0.26	0/1112	0.60	0/1503
12	H	0.32	0/993	0.74	0/1340
13	I	0.28	0/998	0.64	0/1348
14	J	0.40	0/1152	0.54	0/1551
15	K	0.44	0/955	0.63	0/1279
16	L	0.40	0/1052	0.51	0/1401
17	M	0.41	0/1084	0.53	0/1450
18	N	0.40	0/964	0.61	0/1289
19	O	0.35	0/894	0.56	0/1198
20	P	0.40	0/920	0.54	0/1231
21	Q	0.47	0/960	0.58	0/1278
22	R	0.40	0/823	0.56	0/1100
23	S	0.40	0/852	0.60	0/1142
24	T	0.34	0/752	0.52	0/1005
25	U	0.31	0/782	0.59	0/1044
26	V	0.33	0/760	0.50	0/1018
27	W	0.41	0/579	0.55	0/767
28	X	0.39	0/635	0.52	0/848
29	Y	0.27	0/502	0.48	0/667
30	Z	0.38	0/438	0.60	0/586
31	a	0.24	0/531	0.56	0/709

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	b	0.38	0/440	0.52	0/588
33	c	0.34	0/424	0.55	0/565
34	d	0.46	0/370	0.54	0/487
35	e	0.44	0/513	0.64	0/676
36	f	0.41	0/303	0.54	0/397
37	g	0.30	0/1791	0.58	0/2413
38	h	0.35	0/1663	0.55	0/2241
39	i	0.34	0/1665	0.53	0/2227
40	j	0.40	0/1165	0.70	0/1568
41	k	0.32	0/867	0.56	0/1171
42	l	0.30	0/1206	0.55	0/1617
43	m	0.34	0/989	0.54	0/1326
44	n	0.31	0/1034	0.58	0/1375
45	o	0.34	0/800	0.59	0/1082
46	p	0.35	0/885	0.53	0/1195
47	q	0.40	0/954	0.62	0/1279
48	r	0.31	0/909	0.59	0/1215
49	s	0.37	0/817	0.53	0/1088
50	t	0.35	0/716	0.54	0/956
51	u	0.36	0/659	0.57	0/884
52	v	0.31	0/658	0.59	0/881
53	w	0.36	0/553	0.58	0/743
54	x	0.33	0/680	0.51	0/915
55	y	0.33	0/670	0.51	0/888
56	z	0.31	0/597	0.60	0/792
57	5	0.26	0/958	0.73	0/1294
58	4	0.49	0/8681	1.20	109/13532 (0.8%)
All	All	0.42	1/167406 (0.0%)	0.57	110/250563 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	34	0
2	2	5	0
12	H	0	1
35	e	0	1
42	l	0	1
47	q	0	1
48	r	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
53	w	0	1
58	4	3	0
All	All	42	6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	2552	OMU	O3'-P	6.34	1.62	1.56

The worst 5 of 110 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	4	48	C	O3'-P-O5'	10.76	120.14	104.00
58	4	9	U	C4'-C3'-O3'	10.56	128.84	113.00
58	4	266	C	O3'-P-O5'	9.63	118.44	104.00
58	4	128	U	O3'-P-O5'	-8.87	90.70	104.00
58	4	137	C	O3'-P-O5'	8.17	116.25	104.00

5 of 42 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	1	745	1MG	C4',C3'
1	1	746	PSU	C4',C3'
1	1	747	5MU	C2',C4'
1	1	955	PSU	C4',C3'
1	1	1618	6MZ	C2',C3'

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
12	H	67	THR	Peptide
35	e	31	HIS	Peptide
42	l	79	ARG	Peptide
47	q	101	ALA	Peptide
48	r	65	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62336	0	31371	432	0
2	2	32929	0	16590	254	0
3	3	2569	0	1301	14	0
4	6	115	0	117	2	0
5	7	1621	0	822	13	0
6	B	2083	0	2154	44	0
7	C	1551	0	1599	17	0
8	D	1552	0	1619	29	0
9	E	1411	0	1444	23	0
10	F	1313	0	1358	17	0
11	G	1101	0	1142	16	0
12	H	980	0	1013	22	0
13	I	984	0	1035	24	0
14	J	1129	0	1162	21	0
15	K	946	0	1023	21	0
16	L	1043	0	1123	18	0
17	M	1065	0	1148	23	0
18	N	951	0	994	17	0
19	O	884	0	919	13	0
20	P	908	0	956	15	0
21	Q	947	0	1019	21	0
22	R	810	0	834	14	0
23	S	845	0	909	14	0
24	T	746	0	811	8	0
25	U	774	0	825	7	0
26	V	747	0	775	7	0
27	W	572	0	593	11	0
28	X	625	0	652	6	0
29	Y	501	0	531	8	0
30	Z	434	0	477	7	0
31	a	522	0	521	12	0
32	b	434	0	445	10	0
33	c	417	0	451	7	0
34	d	367	0	404	6	0
35	e	504	0	572	10	0
36	f	302	0	340	0	0
37	g	1760	0	1787	26	0
38	h	1636	0	1710	28	0
39	i	1643	0	1707	29	0
40	j	1152	0	1196	30	0
41	k	848	0	846	9	0
42	l	1191	0	1245	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	m	979	0	1031	15	0
44	n	1022	0	1070	24	0
45	o	790	0	831	19	0
46	p	869	0	878	8	0
47	q	951	0	1012	21	0
48	r	900	0	965	17	0
49	s	805	0	844	18	0
50	t	708	0	729	10	0
51	u	649	0	666	14	0
52	v	649	0	691	7	0
53	w	544	0	560	15	0
54	x	663	0	688	20	0
55	y	664	0	714	8	0
56	z	589	0	629	7	0
57	5	940	0	953	17	0
58	4	7758	0	3919	121	0
59	1	292	0	0	0	0
59	2	127	0	0	0	0
59	3	8	0	0	0	0
59	7	4	0	0	0	0
59	O	1	0	0	0	0
59	Q	1	0	0	0	0
59	b	1	0	0	0	0
59	f	1	0	0	0	0
59	i	1	0	0	0	0
59	s	1	0	0	0	0
60	a	1	0	0	0	0
60	f	1	0	0	0	0
61	B	2	0	0	0	0
All	All	155169	0	103720	1422	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 1422 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:H:27:VAL:O	12:H:83:ALA:HB3	1.66	0.95
1:1:1529:G:H1	1:1:1542:U:H3	1.04	0.93
1:1:78:U:H3	1:1:108:G:H1	1.10	0.91
1:1:641:U:H3	1:1:647:G:H1	1.18	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
58:4:343:C:H2'	58:4:343:C:O2	1.72	0.86

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	6	21/23 (91%)	16 (76%)	5 (24%)	0	100	100
6	B	269/271 (99%)	240 (89%)	29 (11%)	0	100	100
7	C	205/207 (99%)	182 (89%)	23 (11%)	0	100	100
8	D	199/201 (99%)	186 (94%)	13 (6%)	0	100	100
9	E	175/177 (99%)	156 (89%)	17 (10%)	2 (1%)	11	42
10	F	173/175 (99%)	153 (88%)	20 (12%)	0	100	100
11	G	146/148 (99%)	131 (90%)	15 (10%)	0	100	100
12	H	128/130 (98%)	104 (81%)	24 (19%)	0	100	100
13	I	133/135 (98%)	113 (85%)	20 (15%)	0	100	100
14	J	140/142 (99%)	126 (90%)	14 (10%)	0	100	100
15	K	121/123 (98%)	108 (89%)	13 (11%)	0	100	100
16	L	141/143 (99%)	128 (91%)	13 (9%)	0	100	100
17	M	133/135 (98%)	125 (94%)	8 (6%)	0	100	100
18	N	117/119 (98%)	106 (91%)	11 (9%)	0	100	100
19	O	113/115 (98%)	107 (95%)	6 (5%)	0	100	100
20	P	111/113 (98%)	98 (88%)	13 (12%)	0	100	100
21	Q	115/117 (98%)	109 (95%)	6 (5%)	0	100	100
22	R	100/102 (98%)	95 (95%)	5 (5%)	0	100	100
23	S	107/109 (98%)	102 (95%)	5 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	T	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
25	U	99/101 (98%)	81 (82%)	18 (18%)	0	100	100
26	V	91/93 (98%)	87 (96%)	4 (4%)	0	100	100
27	W	73/75 (97%)	68 (93%)	5 (7%)	0	100	100
28	X	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
29	Y	60/62 (97%)	60 (100%)	0	0	100	100
30	Z	54/56 (96%)	47 (87%)	7 (13%)	0	100	100
31	a	64/66 (97%)	58 (91%)	6 (9%)	0	100	100
32	b	53/55 (96%)	50 (94%)	3 (6%)	0	100	100
33	c	49/51 (96%)	45 (92%)	4 (8%)	0	100	100
34	d	43/45 (96%)	38 (88%)	5 (12%)	0	100	100
35	e	62/64 (97%)	54 (87%)	7 (11%)	1 (2%)	7	35
36	f	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
37	g	223/225 (99%)	201 (90%)	22 (10%)	0	100	100
38	h	206/208 (99%)	190 (92%)	16 (8%)	0	100	100
39	i	203/205 (99%)	190 (94%)	13 (6%)	0	100	100
40	j	154/156 (99%)	140 (91%)	14 (9%)	0	100	100
41	k	102/104 (98%)	95 (93%)	7 (7%)	0	100	100
42	l	150/152 (99%)	137 (91%)	13 (9%)	0	100	100
43	m	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
44	n	125/127 (98%)	115 (92%)	10 (8%)	0	100	100
45	o	97/99 (98%)	87 (90%)	10 (10%)	0	100	100
46	p	114/116 (98%)	101 (89%)	13 (11%)	0	100	100
47	q	119/122 (98%)	111 (93%)	8 (7%)	0	100	100
48	r	114/116 (98%)	106 (93%)	8 (7%)	0	100	100
49	s	98/100 (98%)	93 (95%)	5 (5%)	0	100	100
50	t	85/87 (98%)	82 (96%)	3 (4%)	0	100	100
51	u	80/82 (98%)	75 (94%)	5 (6%)	0	100	100
52	v	78/80 (98%)	68 (87%)	10 (13%)	0	100	100
53	w	64/66 (97%)	60 (94%)	4 (6%)	0	100	100
54	x	81/83 (98%)	72 (89%)	9 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
55	y	83/85 (98%)	82 (99%)	1 (1%)	0	100	100
56	z	68/70 (97%)	64 (94%)	4 (6%)	0	100	100
57	5	116/118 (98%)	89 (77%)	27 (23%)	0	100	100
All	All	5985/6092 (98%)	5440 (91%)	542 (9%)	3 (0%)	49	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	E	123	ASP
35	e	32	ILE
9	E	177	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	B	216/216 (100%)	216 (100%)	0	100	100
7	C	163/163 (100%)	162 (99%)	1 (1%)	78	79
8	D	165/165 (100%)	165 (100%)	0	100	100
9	E	148/148 (100%)	148 (100%)	0	100	100
10	F	136/136 (100%)	133 (98%)	3 (2%)	45	63
11	G	113/113 (100%)	112 (99%)	1 (1%)	70	75
12	H	99/99 (100%)	97 (98%)	2 (2%)	48	64
13	I	104/104 (100%)	102 (98%)	2 (2%)	50	65
14	J	116/116 (100%)	116 (100%)	0	100	100
15	K	104/104 (100%)	101 (97%)	3 (3%)	37	57
16	L	102/102 (100%)	101 (99%)	1 (1%)	68	74
17	M	108/108 (100%)	106 (98%)	2 (2%)	50	65
18	N	99/99 (100%)	98 (99%)	1 (1%)	68	74
19	O	85/85 (100%)	85 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	P	98/98 (100%)	97 (99%)	1 (1%)	68	74
21	Q	89/89 (100%)	89 (100%)	0	100	100
22	R	84/84 (100%)	83 (99%)	1 (1%)	63	72
23	S	92/92 (100%)	91 (99%)	1 (1%)	65	73
24	T	81/81 (100%)	81 (100%)	0	100	100
25	U	83/83 (100%)	81 (98%)	2 (2%)	43	61
26	V	78/78 (100%)	77 (99%)	1 (1%)	61	71
27	W	57/57 (100%)	57 (100%)	0	100	100
28	X	67/67 (100%)	67 (100%)	0	100	100
29	Y	54/54 (100%)	53 (98%)	1 (2%)	50	65
30	Z	47/47 (100%)	47 (100%)	0	100	100
31	a	59/59 (100%)	59 (100%)	0	100	100
32	b	46/46 (100%)	46 (100%)	0	100	100
33	c	46/46 (100%)	46 (100%)	0	100	100
34	d	37/37 (100%)	37 (100%)	0	100	100
35	e	51/51 (100%)	51 (100%)	0	100	100
36	f	34/34 (100%)	34 (100%)	0	100	100
37	g	187/187 (100%)	186 (100%)	1 (0%)	81	80
38	h	171/171 (100%)	170 (99%)	1 (1%)	78	79
39	i	172/172 (100%)	171 (99%)	1 (1%)	78	79
40	j	119/119 (100%)	117 (98%)	2 (2%)	53	67
41	k	91/91 (100%)	89 (98%)	2 (2%)	45	63
42	l	125/125 (100%)	124 (99%)	1 (1%)	73	76
43	m	104/104 (100%)	102 (98%)	2 (2%)	50	65
44	n	105/105 (100%)	104 (99%)	1 (1%)	68	74
45	o	86/86 (100%)	85 (99%)	1 (1%)	63	72
46	p	89/89 (100%)	89 (100%)	0	100	100
47	q	102/102 (100%)	101 (99%)	1 (1%)	68	74
48	r	94/94 (100%)	93 (99%)	1 (1%)	65	73
49	s	83/83 (100%)	83 (100%)	0	100	100
50	t	75/75 (100%)	75 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	u	65/65 (100%)	64 (98%)	1 (2%)	57	68
52	v	74/74 (100%)	74 (100%)	0	100	100
53	w	57/57 (100%)	57 (100%)	0	100	100
54	x	72/72 (100%)	72 (100%)	0	100	100
55	y	65/65 (100%)	65 (100%)	0	100	100
56	z	60/60 (100%)	60 (100%)	0	100	100
57	5	97/97 (100%)	96 (99%)	1 (1%)	68	74
All	All	4954/4954 (100%)	4915 (99%)	39 (1%)	70	76

5 of 39 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
41	k	7	VAL
47	q	87	VAL
41	k	84	VAL
43	m	51	VAL
51	u	19	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 83 such sidechains are listed below:

Mol	Chain	Res	Type
40	j	122	ASN
48	r	105	ASN
41	k	37	HIS
45	o	64	GLN
53	w	19	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2901/2903 (99%)	707 (24%)	18 (0%)
2	2	1530/1534 (99%)	325 (21%)	2 (0%)
3	3	119/120 (99%)	23 (19%)	0
5	7	75/76 (98%)	25 (33%)	1 (1%)
58	4	362/363 (99%)	220 (60%)	32 (8%)
All	All	4987/4996 (99%)	1300 (26%)	53 (1%)

5 of 1300 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	2	G
1	1	10	A
1	1	15	G
1	1	23	G
1	1	27	G

5 of 53 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
58	4	33	A
58	4	183	C
58	4	333	G
58	4	68	U
58	4	153	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

34 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	5MC	2	1407	2	18,22,23	2.08	3 (16%)	26,32,35	1.33	4 (15%)
1	PSU	1	746	1,59	18,21,22	2.15	6 (33%)	22,30,33	1.90	5 (22%)
1	2MG	1	2445	1	23,26,27	2.73	6 (26%)	32,38,41	2.08	9 (28%)
1	PSU	1	955	1	18,21,22	2.27	6 (33%)	22,30,33	2.45	5 (22%)
1	PSU	1	2605	1	18,21,22	2.09	6 (33%)	22,30,33	2.22	5 (22%)
1	3TD	1	1915	1	18,22,23	2.75	7 (38%)	22,32,35	1.80	4 (18%)
1	OMU	1	2552	1	19,22,23	2.71	7 (36%)	26,31,34	2.12	9 (34%)
47	0TD	q	89	47	7,9,10	1.48	0	6,11,13	2.20	2 (33%)
2	MA6	2	1519	2	23,26,27	1.44	3 (13%)	34,38,41	2.12	10 (29%)
2	MA6	2	1518	2	23,26,27	1.36	4 (17%)	34,38,41	2.03	9 (26%)
2	UR3	2	1498	2	19,22,23	2.94	7 (36%)	26,32,35	1.41	2 (7%)
2	2MG	2	966	2	23,26,27	2.62	6 (26%)	32,38,41	2.56	9 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	7MG	2	527	2	22,26,27	6.22	6 (27%)	29,39,42	2.47	8 (27%)
1	OMC	1	2498	1,59	19,22,23	1.90	6 (31%)	26,31,34	2.20	7 (26%)
1	2MA	1	2503	1,59	22,25,26	1.53	3 (13%)	33,37,40	2.42	11 (33%)
1	6MZ	1	1618	1	22,25,26	2.78	3 (13%)	30,36,39	2.21	11 (36%)
1	1MG	1	745	1	22,26,27	2.66	6 (27%)	33,39,42	2.43	14 (42%)
1	5MU	1	1939	1	19,22,23	2.63	7 (36%)	28,32,35	3.51	10 (35%)
2	2MG	2	1516	2	23,26,27	2.60	6 (26%)	32,38,41	2.31	11 (34%)
1	PSU	1	1917	1	18,21,22	2.05	6 (33%)	22,30,33	2.12	5 (22%)
1	5MC	1	1962	1	18,22,23	2.04	3 (16%)	26,32,35	1.52	4 (15%)
1	PSU	1	2504	1	18,21,22	2.17	5 (27%)	22,30,33	2.26	5 (22%)
1	PSU	1	2457	1	18,21,22	2.03	5 (27%)	22,30,33	2.25	5 (22%)
2	2MG	2	1207	2	23,26,27	2.61	6 (26%)	32,38,41	2.35	10 (31%)
1	5MU	1	747	1	19,22,23	2.50	8 (42%)	28,32,35	3.59	11 (39%)
1	PSU	1	1911	1	18,21,22	2.01	5 (27%)	22,30,33	2.35	4 (18%)
2	PSU	2	516	2,59	18,21,22	2.25	6 (33%)	22,30,33	2.24	5 (22%)
1	PSU	1	2580	1	18,21,22	2.13	5 (27%)	22,30,33	2.24	6 (27%)
1	2MG	1	1835	1	23,26,27	2.61	6 (26%)	32,38,41	2.52	11 (34%)
1	OMG	1	2251	1,5	23,26,27	2.71	7 (30%)	33,38,41	2.36	9 (27%)
2	5MC	2	967	2	18,22,23	2.15	3 (16%)	26,32,35	1.46	2 (7%)
1	6MZ	1	2030	1	22,25,26	2.74	4 (18%)	30,36,39	2.67	10 (33%)
1	G7M	1	2069	1	23,26,27	2.78	5 (21%)	35,39,42	1.81	7 (20%)
2	4OC	2	1402	2	20,23,24	2.45	5 (25%)	26,32,35	2.28	6 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	PSU	1	746	1,59	2/2/5/5	4/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	2/9/27/28	0/3/3/3
1	PSU	1	955	1	2/2/5/5	4/7/25/26	0/2/2/2
1	PSU	1	2605	1	2/2/5/5	3/7/25/26	0/2/2/2
1	3TD	1	1915	1	1/1/5/5	5/7/25/26	0/2/2/2
1	OMU	1	2552	1	2/2/5/5	3/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	0TD	q	89	47	-	1/7/12/14	-
2	MA6	2	1519	2	-	6/11/29/30	0/3/3/3
2	MA6	2	1518	2	-	5/11/29/30	0/3/3/3
2	UR3	2	1498	2	-	0/7/25/26	0/2/2/2
2	2MG	2	966	2	-	4/9/27/28	0/3/3/3
2	7MG	2	527	2	1/1/7/7	3/7/37/38	0/3/3/3
1	OMC	1	2498	1,59	1/1/5/5	6/9/27/28	0/2/2/2
1	6MZ	1	1618	1	2/2/5/6	5/9/27/28	0/3/3/3
1	5MU	1	1939	1	2/2/5/5	1/7/25/26	0/2/2/2
1	1MG	1	745	1	2/2/5/5	2/7/25/26	0/3/3/3
1	2MA	1	2503	1,59	2/2/5/5	4/7/25/26	0/3/3/3
2	2MG	2	1516	2	-	0/9/27/28	0/3/3/3
1	PSU	1	1917	1	2/2/5/5	3/7/25/26	0/2/2/2
1	5MC	1	1962	1	-	4/7/25/26	0/2/2/2
1	PSU	1	2504	1	2/2/5/5	3/7/25/26	0/2/2/2
1	PSU	1	2457	1	2/2/5/5	1/7/25/26	0/2/2/2
2	2MG	2	1207	2	-	2/9/27/28	0/3/3/3
1	5MU	1	747	1	2/2/5/5	3/7/25/26	0/2/2/2
1	PSU	1	1911	1	2/2/5/5	3/7/25/26	0/2/2/2
2	PSU	2	516	2,59	2/2/5/5	3/7/25/26	0/2/2/2
1	PSU	1	2580	1	2/2/5/5	3/7/25/26	0/2/2/2
1	2MG	1	1835	1	-	2/9/27/28	0/3/3/3
1	OMG	1	2251	1,5	1/1/5/5	3/9/27/28	0/3/3/3
2	5MC	2	967	2	-	0/7/25/26	0/2/2/2
1	6MZ	1	2030	1	2/2/5/6	2/9/27/28	0/3/3/3
1	G7M	1	2069	1	1/1/5/5	2/7/25/26	0/3/3/3
2	4OC	2	1402	2	2/2/5/6	6/9/29/30	0/2/2/2

The worst 5 of 177 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	527	7MG	C8-N9	-26.70	1.31	1.46
1	1	1618	6MZ	C6-N6	11.85	1.47	1.34
1	1	2030	6MZ	C6-N6	11.25	1.46	1.34
1	1	2069	G7M	O6-C6	10.52	1.43	1.23
1	1	2251	OMG	O6-C6	9.70	1.42	1.23

The worst 5 of 245 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1939	5MU	N3-C2-N1	8.55	126.24	114.89
1	1	747	5MU	N3-C2-N1	8.44	126.09	114.89
1	1	2503	2MA	C5-C4-N3	-8.34	117.81	127.19
1	1	1835	2MG	C2-N3-C4	8.12	122.11	112.04
1	1	747	5MU	C4-N3-C2	-8.06	116.92	127.35

5 of 39 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	1	745	1MG	C4'
1	1	745	1MG	C3'
1	1	746	PSU	C4'
1	1	746	PSU	C3'
1	1	747	5MU	C2'

5 of 98 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
47	q	89	0TD	CG-CB-SB-CSB
1	1	745	1MG	C3'-C4'-C5'-O5'
1	1	746	PSU	C2'-C1'-C5-C4
1	1	746	PSU	C2'-C1'-C5-C6
1	1	747	5MU	C3'-C4'-C5'-O5'

There are no ring outliers.

15 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	746	PSU	1	0
1	1	2445	2MG	1	0
1	1	1915	3TD	3	0
47	q	89	0TD	1	0
2	2	966	2MG	1	0
2	2	527	7MG	1	0
1	1	2498	OMC	1	0
1	1	1939	5MU	1	0
1	1	2504	PSU	1	0
1	1	2457	PSU	1	0
2	2	1207	2MG	1	0
1	1	747	5MU	1	0
1	1	2580	PSU	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	2251	OMG	1	0
2	2	1402	4OC	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 439 ligands modelled in this entry, 439 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	2	3
1	1	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	2	1276:G	O3'	1277:C	P	3.78
1	1	2314:A	O3'	2315:G	P	3.57
1	2	1383:C	O3'	1384:C	P	3.26
1	2	147:G	O3'	148:G	P	3.21


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4478. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 190



Y Index: 190




Z Index: 190


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 200



Y Index: 177




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1641 nm³; this corresponds to an approximate mass of 1482 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4478 and PDB model 6Q9A. Per-residue inclusion information can be found in [section 3](#) on [page 16](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8910	 0.4400
1	 0.9460	 0.4520
2	 0.9620	 0.4470
3	 0.9600	 0.4340
4	 0.4070	 0.1720
5	 0.1950	 0.2830
6	 0.6170	 0.4430
7	 0.8820	 0.4010
B	 0.9020	 0.5200
C	 0.9000	 0.5110
D	 0.8700	 0.4760
E	 0.8710	 0.4570
F	 0.8910	 0.4530
G	 0.7570	 0.3830
H	 0.6220	 0.2760
I	 0.5530	 0.2680
J	 0.8990	 0.5000
K	 0.8660	 0.5100
L	 0.9010	 0.5030
M	 0.9000	 0.5180
N	 0.9130	 0.5110
O	 0.9090	 0.4680
P	 0.8830	 0.5110
Q	 0.8930	 0.4990
R	 0.8910	 0.4990
S	 0.8810	 0.5060
T	 0.8790	 0.4840
U	 0.8940	 0.4730
V	 0.8950	 0.4810
W	 0.9150	 0.5310
X	 0.8920	 0.4980
Y	 0.8830	 0.4600
Z	 0.8960	 0.4850
a	 0.8560	 0.4120
b	 0.9190	 0.5060



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.8560	 0.4800
d	 0.9190	 0.5290
e	 0.9140	 0.5240
f	 0.9050	 0.5190
g	 0.8360	 0.4240
h	 0.8430	 0.4720
i	 0.8660	 0.4610
j	 0.8740	 0.4820
k	 0.8890	 0.4690
l	 0.8500	 0.4450
m	 0.8740	 0.4870
n	 0.8990	 0.4590
o	 0.8310	 0.4440
p	 0.8570	 0.4700
q	 0.8850	 0.5110
r	 0.8850	 0.4620
s	 0.9020	 0.4770
t	 0.8950	 0.4720
u	 0.8850	 0.4750
v	 0.8630	 0.4900
w	 0.8850	 0.4710
x	 0.9160	 0.4720
y	 0.9140	 0.4600
z	 0.7660	 0.4220