



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:06 AM UTC

PDB ID : 8QAY / pdb_00008qay
Title : Medicago truncatula HISN5 (IGPD) in complex with MN, FMT, ACT, CIT, EDO, SO4
Authors : Witek, W.; Ruszkowski, M.
Deposited on : 2023-08-23
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	206	2% 82% 8% 10%
1	B	206	2% 82% 8% 10%
1	C	206	2% 80% 9% 10%
1	D	206	2% 80% 10% 10%
1	E	206	2% 81% 9% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	206	 83% 6% 10%
1	G	206	 85% 5% 10%
1	H	206	 83% 7% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	ACT	F	302	-	-	X	-

2 Entry composition


There are 9 unique types of molecules in this entry. The entry contains 12489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Imidazoleglycerol-phosphate dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	B	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	C	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	D	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	E	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	F	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	G	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			
1	H	185	Total	C	N	O	S	0	1	0
			1442	898	267	274	3			

- Molecule 2 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			3	1	2		
2	A	1	Total	C	O	0	0
			3	1	2		
2	A	1	Total	C	O	0	0
			3	1	2		
2	A	1	Total	C	O	0	0
			3	1	2		
2	B	1	Total	C	O	0	0
			3	1	2		
2	B	1	Total	C	O	0	0
			3	1	2		
2	B	1	Total	C	O	0	0
			3	1	2		
2	B	1	Total	C	O	0	0
			3	1	2		
2	C	1	Total	C	O	0	0
			3	1	2		
2	C	1	Total	C	O	0	0
			3	1	2		
2	C	1	Total	C	O	0	0
			3	1	2		
2	D	1	Total	C	O	0	0
			3	1	2		
2	D	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			3	1	2		
2	E	1	Total	C	O	0	0
			3	1	2		
2	E	1	Total	C	O	0	0
			3	1	2		
2	E	1	Total	C	O	0	0
			3	1	2		
2	E	1	Total	C	O	0	0
			3	1	2		
2	F	1	Total	C	O	0	0
			3	1	2		
2	G	1	Total	C	O	0	0
			3	1	2		
2	G	1	Total	C	O	0	0
			3	1	2		
2	H	1	Total	C	O	0	0
			3	1	2		
2	H	1	Total	C	O	0	0
			3	1	2		
2	H	1	Total	C	O	0	0
			3	1	2		

- Molecule 3 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 13 6 7	0	0
3	D	1	Total C O 13 6 7	0	0

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Mn 2 2	0	0
4	B	2	Total Mn 2 2	0	0
4	C	2	Total Mn 2 2	0	0
4	D	2	Total Mn 2 2	0	0
4	E	2	Total Mn 2 2	0	0
4	F	2	Total Mn 2 2	0	0
4	G	2	Total Mn 2 2	0	0
4	H	2	Total Mn 2 2	0	0

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	G	1	Total C O 4 2 2	0	0
5	H	1	Total C O 4 2 2	0	0
5	H	1	Total C O 4 2 2	0	0

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total O S 5 4 1	0	0
6	G	1	Total O S 5 4 1	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Na	0	0
			1	1		

- Molecule 8 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			4	2	2		
8	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	99	Total	O	0	0
			99	99		
9	B	88	Total	O	0	0
			88	88		
9	C	99	Total	O	0	0
			99	99		
9	D	94	Total	O	0	0
			94	94		
9	E	92	Total	O	0	0
			92	92		
9	F	107	Total	O	0	0
			107	107		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	G	99	Total	O	0	0
			99	99		
9	H	99	Total	O	0	0
			99	99		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Imidazoglycerol-phosphate dehydratase




- Molecule 1: Imidazoglycerol-phosphate dehydratase




- Molecule 1: Imidazoglycerol-phosphate dehydratase




- Molecule 1: Imidazoglycerol-phosphate dehydratase




- Molecule 1: Imidazoglycerol-phosphate dehydratase





- Molecule 1: Imidazoleglycerol-phosphate dehydratase



- Molecule 1: Imidazoglycerol-phosphate dehydratase



- Molecule 1: Imidazoglycerol-phosphate dehydratase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	137.60Å 137.60Å 265.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.40 – 2.20 36.40 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.7 (36.40-2.20) 98.7 (36.40-2.20)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.05 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.189 , 0.231 0.189 , 0.231	Depositor DCC
R_{free} test set	938 reflections (0.99%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.55$, $\langle L^2 \rangle = 0.39$	Xtriage
Estimated twinning fraction	0.000 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12489	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, CIT, FMT, EDO, ACT, NA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1473	0.52	0/1993
1	B	0.34	0/1473	0.54	0/1993
1	C	0.36	0/1473	0.58	0/1993
1	D	0.34	0/1473	0.56	0/1993
1	E	0.32	0/1473	0.53	0/1993
1	F	0.35	0/1473	0.53	0/1993
1	G	0.32	0/1473	0.55	0/1993
1	H	0.33	0/1473	0.54	0/1993
All	All	0.34	0/11784	0.55	0/15944

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1442	0	1409	9	0
1	B	1442	0	1409	12	0
1	C	1442	0	1409	9	0
1	D	1442	0	1409	11	0
1	E	1442	0	1409	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1442	0	1409	8	0
1	G	1442	0	1409	9	0
1	H	1442	0	1409	10	0
2	A	15	0	5	0	0
2	B	12	0	4	0	0
2	C	9	0	3	0	0
2	D	9	0	3	0	0
2	E	12	0	4	1	0
2	F	3	0	1	0	0
2	G	6	0	2	0	0
2	H	9	0	3	0	0
3	A	13	0	5	3	0
3	D	13	0	5	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
5	A	4	0	6	1	0
5	B	4	0	6	1	0
5	C	4	0	6	0	0
5	D	8	0	12	0	0
5	E	8	0	12	0	0
5	G	4	0	6	0	0
5	H	8	0	12	1	0
6	C	5	0	0	0	0
6	G	5	0	0	1	0
7	C	1	0	0	0	0
8	D	4	0	3	0	0
8	F	4	0	3	4	0
9	A	99	0	0	1	0
9	B	88	0	0	1	0
9	C	99	0	0	1	0
9	D	94	0	0	0	0
9	E	92	0	0	1	0
9	F	107	0	0	2	0
9	G	99	0	0	0	0
9	H	99	0	0	1	0
All	All	12489	0	11373	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:302:CIT:H42	1:B:205:LYS:HZ1	1.33	0.90
8:F:302:ACT:H3	1:G:167:ARG:HH22	1.43	0.84
1:G:258:ASP:HB3	1:G:261:ARG:HG2	1.68	0.76
5:B:307:EDO:H22	1:F:213:HIS:HA	1.69	0.72
1:E:141:HIS:CD2	2:E:302:FMT:H	2.30	0.67
1:B:84:LYS:HD3	1:B:93:SER:HB2	1.76	0.67
1:B:249:ARG:NH1	9:B:401:HOH:O	2.23	0.65
1:C:82:GLU:HG2	1:C:95:LYS:HG3	1.80	0.64
1:E:215:PHE:O	1:E:219:VAL:HG13	2.01	0.60
8:F:302:ACT:H3	1:G:167:ARG:NH2	2.17	0.59
1:G:215:PHE:O	1:G:219:VAL:HG13	2.03	0.59
1:F:85:ARG:NH1	9:F:402:HOH:O	2.36	0.59
1:F:241:GLU:HG2	1:F:245:LYS:HE3	1.84	0.58
1:C:215:PHE:O	1:C:219:VAL:HG13	2.04	0.58
3:A:302:CIT:C4	1:B:205:LYS:HZ1	2.12	0.57
1:E:241:GLU:HG2	1:E:245:LYS:HE3	1.85	0.57
1:D:241:GLU:HG2	1:D:245:LYS:HE2	1.86	0.56
1:B:215:PHE:O	1:B:219:VAL:HG13	2.05	0.56
1:F:215:PHE:O	1:F:219:VAL:HG13	2.04	0.56
1:H:241:GLU:HG2	1:H:245:LYS:HE3	1.87	0.55
1:A:215:PHE:O	1:A:219:VAL:HG13	2.07	0.55
1:B:97:ASN:HB3	1:B:127:ASP:HB2	1.88	0.54
1:E:161:ASP:OD2	1:E:163:LYS:HE2	2.07	0.54
1:A:94:VAL:HG22	1:A:130:VAL:HG22	1.89	0.54
1:D:215:PHE:O	1:D:219:VAL:HG13	2.08	0.53
1:H:161:ASP:OD2	1:H:163:LYS:HE2	2.09	0.53
1:H:213:HIS:HA	5:H:307:EDO:H21	1.90	0.53
1:B:83:MET:HE3	1:B:85:ARG:HB2	1.91	0.52
3:D:303:CIT:O1	3:D:303:CIT:O7	2.28	0.52
1:C:241:GLU:HG2	1:C:245:LYS:HE2	1.91	0.52
1:H:148:ALA:HB2	1:H:214:PHE:CD1	2.45	0.51
1:H:215:PHE:O	1:H:219:VAL:HG13	2.10	0.51
1:F:97:ASN:HB3	1:F:127:ASP:HB2	1.93	0.51
1:D:83:MET:HE3	1:D:153:THR:HG21	1.92	0.51
1:G:84:LYS:HD2	1:G:92:VAL:O	2.12	0.50
1:D:97:ASN:HB3	1:D:127:ASP:HB2	1.94	0.50
5:A:309:EDO:H21	1:B:213:HIS:HA	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:241:GLU:HG2	1:B:245:LYS:HE2	1.94	0.49
1:H:203:VAL:HG23	1:H:206:TYR:HB3	1.93	0.49
1:E:252:ARG:NH1	9:E:401:HOH:O	2.26	0.49
1:C:83:MET:HG2	1:C:150:ALA:HB1	1.95	0.48
1:E:161:ASP:CG	1:E:163:LYS:HE2	2.38	0.47
1:B:159:LEU:HB3	1:B:162:ARG:HG2	1.96	0.47
1:H:161:ASP:CG	1:H:163:LYS:HE2	2.40	0.47
1:A:97:ASN:HB3	1:A:127:ASP:HB2	1.96	0.47
1:H:258:ASP:HB3	1:H:261:ARG:HB2	1.96	0.47
1:C:120:LEU:HA	1:C:248:ALA:HB2	1.97	0.46
1:F:84:LYS:HD2	1:F:92:VAL:O	2.16	0.46
1:B:258:ASP:HB3	1:B:261:ARG:HB2	1.97	0.46
1:C:258:ASP:HB3	1:C:261:ARG:HG2	1.97	0.46
1:D:229:ARG:NH1	1:D:229:ARG:HB2	2.31	0.46
1:H:125:LEU:HD23	1:H:125:LEU:HA	1.76	0.46
3:A:302:CIT:H42	1:B:205:LYS:NZ	2.18	0.45
1:D:84:LYS:HD3	1:D:93:SER:HB2	1.99	0.45
1:A:196:LEU:HD23	1:A:230:GLN:HB2	1.99	0.44
1:D:148:ALA:HB2	1:D:214:PHE:CD1	2.53	0.43
1:C:119:GLN:NE2	9:C:402:HOH:O	2.38	0.43
1:A:91:ASN:O	1:A:132:ALA:HA	2.18	0.43
1:C:159:LEU:HB3	1:C:162:ARG:HG2	2.01	0.43
1:E:97:ASN:HB3	1:E:127:ASP:HB2	2.00	0.43
1:A:241:GLU:HG2	1:A:245:LYS:HE2	2.01	0.43
8:F:302:ACT:CH3	1:G:167:ARG:HH22	2.23	0.43
1:H:189:ARG:HD3	9:H:467:HOH:O	2.18	0.42
1:E:82:GLU:HG2	1:E:95:LYS:HG3	2.00	0.42
1:D:91:ASN:O	1:D:132:ALA:HA	2.20	0.42
1:F:131:LYS:HB2	9:F:497:HOH:O	2.20	0.42
1:F:123:HIS:CE1	8:F:302:ACT:H1	2.55	0.41
1:A:125:LEU:HD23	1:A:125:LEU:HA	1.84	0.41
1:A:119:GLN:NE2	9:A:411:HOH:O	2.53	0.41
1:E:171:PHE:CZ	1:E:249:ARG:HD3	2.56	0.41
1:E:91:ASN:O	1:E:132:ALA:HA	2.21	0.40
1:G:245:LYS:NZ	6:G:306:SO4:O3	2.53	0.40
1:A:159:LEU:HD21	1:A:255:THR:HG22	2.03	0.40
1:D:125:LEU:HD23	1:D:125:LEU:HA	1.86	0.40
1:D:182:VAL:HG22	1:D:228:ILE:HG12	2.04	0.40
1:C:97:ASN:HB3	1:C:127:ASP:HB2	2.03	0.40
1:D:84:LYS:HD2	1:D:92:VAL:O	2.20	0.40
1:E:162:ARG:NH1	1:E:186:LEU:O	2.54	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:229:ARG:NH1	1:G:229:ARG:HB2	2.36	0.40
1:G:229:ARG:HB2	1:G:229:ARG:HH11	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	B	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	C	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	D	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	E	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	F	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	G	184/206 (89%)	176 (96%)	8 (4%)	0	100	100
1	H	184/206 (89%)	175 (95%)	9 (5%)	0	100	100
All	All	1472/1648 (89%)	1407 (96%)	65 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	155/173 (90%)	154 (99%)	1 (1%)	78	89
1	B	155/173 (90%)	155 (100%)	0	100	100
1	C	155/173 (90%)	151 (97%)	4 (3%)	40	55
1	D	155/173 (90%)	153 (99%)	2 (1%)	61	76
1	E	155/173 (90%)	155 (100%)	0	100	100
1	F	155/173 (90%)	154 (99%)	1 (1%)	78	89
1	G	155/173 (90%)	154 (99%)	1 (1%)	78	89
1	H	155/173 (90%)	155 (100%)	0	100	100
All	All	1240/1384 (90%)	1231 (99%)	9 (1%)	76	87

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	229	ARG
1	C	83	MET
1	C	85	ARG
1	C	133	THR
1	C	157	GLN
1	D	95	LYS
1	D	163	LYS
1	F	205	LYS
1	G	260	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	GLN
1	A	157	GLN
1	A	216	GLN
1	B	119	GLN
1	B	216	GLN
1	C	119	GLN
1	C	170	ASN
1	D	227	HIS
1	E	119	GLN
1	E	216	GLN
1	G	119	GLN
1	G	157	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 58 ligands modelled in this entry, 17 are monoatomic - leaving 41 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	CIT	D	303	-	12,12,12	1.34	1 (8%)	17,17,17	1.50	3 (17%)
5	EDO	G	305	-	3,3,3	0.43	0	2,2,2	0.42	0
2	FMT	C	304	-	2,2,2	0.65	0	1,1,1	0.67	0
2	FMT	F	301	4	2,2,2	0.63	0	1,1,1	0.52	0
3	CIT	A	302	-	12,12,12	1.23	0	17,17,17	1.48	1 (5%)
2	FMT	H	304	4	2,2,2	0.64	0	1,1,1	0.51	0
2	FMT	A	308	-	2,2,2	0.66	0	1,1,1	0.68	0
2	FMT	G	304	-	2,2,2	0.65	0	1,1,1	0.57	0
5	EDO	C	306	-	3,3,3	0.43	0	2,2,2	0.17	0
2	FMT	A	301	4	2,2,2	0.61	0	1,1,1	0.54	0
2	FMT	C	305	-	2,2,2	0.64	0	1,1,1	0.45	0
2	FMT	A	306	-	2,2,2	0.67	0	1,1,1	0.57	0
8	ACT	D	301	-	3,3,3	1.02	0	3,3,3	0.90	0
2	FMT	B	306	-	2,2,2	0.62	0	1,1,1	0.61	0
5	EDO	E	307	-	3,3,3	0.43	0	2,2,2	0.25	0
6	SO4	C	307	-	4,4,4	0.36	0	6,6,6	0.20	0
2	FMT	E	306	-	2,2,2	0.65	0	1,1,1	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMT	D	306	-	2,2,2	0.66	0	1,1,1	0.58	0
5	EDO	B	307	-	3,3,3	0.36	0	2,2,2	0.63	0
2	FMT	D	302	4	2,2,2	0.64	0	1,1,1	0.39	0
2	FMT	E	302	4	2,2,2	0.71	0	1,1,1	0.33	0
2	FMT	B	304	-	2,2,2	0.57	0	1,1,1	0.79	0
2	FMT	H	303	-	2,2,2	0.56	0	1,1,1	0.93	0
5	EDO	E	308	-	3,3,3	0.41	0	2,2,2	0.53	0
2	FMT	A	307	-	2,2,2	0.70	0	1,1,1	0.47	0
5	EDO	D	308	-	3,3,3	0.47	0	2,2,2	0.27	0
8	ACT	F	302	-	3,3,3	0.83	0	3,3,3	0.79	0
2	FMT	B	301	4	2,2,2	0.66	0	1,1,1	0.49	0
2	FMT	H	305	-	2,2,2	0.64	0	1,1,1	0.56	0
5	EDO	A	309	-	3,3,3	0.48	0	2,2,2	0.27	0
2	FMT	B	305	-	2,2,2	0.64	0	1,1,1	0.68	0
6	SO4	G	306	-	4,4,4	0.34	0	6,6,6	0.19	0
2	FMT	C	301	4	2,2,2	0.60	0	1,1,1	0.41	0
5	EDO	H	307	-	3,3,3	0.38	0	2,2,2	0.49	0
5	EDO	D	309	-	3,3,3	0.46	0	2,2,2	0.26	0
2	FMT	G	301	4	2,2,2	0.65	0	1,1,1	0.43	0
2	FMT	A	305	-	2,2,2	0.56	0	1,1,1	0.77	0
2	FMT	D	307	-	2,2,2	0.65	0	1,1,1	0.68	0
2	FMT	E	301	-	2,2,2	0.62	0	1,1,1	0.69	0
5	EDO	H	306	-	3,3,3	0.41	0	2,2,2	0.38	0
2	FMT	E	305	-	2,2,2	0.60	0	1,1,1	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CIT	D	303	-	-	5/16/16/16	-
5	EDO	B	307	-	-	1/1/1/1	-
5	EDO	G	305	-	-	0/1/1/1	-
5	EDO	C	306	-	-	0/1/1/1	-
5	EDO	H	307	-	-	1/1/1/1	-
5	EDO	D	309	-	-	1/1/1/1	-
3	CIT	A	302	-	-	2/16/16/16	-
5	EDO	E	307	-	-	0/1/1/1	-
5	EDO	E	308	-	-	1/1/1/1	-
5	EDO	H	306	-	-	0/1/1/1	-
5	EDO	D	308	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	309	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	303	CIT	O7-C3	-2.04	1.39	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	CIT	O6-C6-C3	3.33	119.52	113.14
3	D	303	CIT	O6-C6-C3	3.30	119.46	113.14
3	D	303	CIT	C3-C2-C1	-2.41	107.34	113.92
3	D	303	CIT	C3-C4-C5	-2.23	107.83	113.92

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	303	CIT	C1-C2-C3-O7
3	D	303	CIT	C1-C2-C3-C4
3	D	303	CIT	C1-C2-C3-C6
5	D	309	EDO	O1-C1-C2-O2
3	D	303	CIT	O7-C3-C4-C5
5	H	307	EDO	O1-C1-C2-O2
3	D	303	CIT	C6-C3-C4-C5
3	A	302	CIT	C6-C3-C4-C5
5	B	307	EDO	O1-C1-C2-O2
3	A	302	CIT	O7-C3-C4-C5
5	D	308	EDO	O1-C1-C2-O2
5	E	308	EDO	O1-C1-C2-O2

There are no ring outliers.

8 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	303	CIT	1	0
3	A	302	CIT	3	0
5	B	307	EDO	1	0
2	E	302	FMT	1	0
8	F	302	ACT	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	309	EDO	1	0
6	G	306	SO4	1	0
5	H	307	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	185/206 (89%)	-0.10	3 (1%) 70 67	25, 35, 56, 64	1 (0%)
1	B	185/206 (89%)	-0.12	3 (1%) 70 67	23, 33, 52, 68	1 (0%)
1	C	185/206 (89%)	-0.17	2 (1%) 78 76	21, 32, 50, 58	1 (0%)
1	D	185/206 (89%)	-0.09	3 (1%) 70 67	25, 35, 56, 68	1 (0%)
1	E	185/206 (89%)	-0.10	4 (2%) 62 59	26, 36, 55, 99	1 (0%)
1	F	185/206 (89%)	-0.18	1 (0%) 87 85	21, 33, 48, 58	1 (0%)
1	G	185/206 (89%)	-0.09	3 (1%) 70 67	25, 35, 56, 66	1 (0%)
1	H	185/206 (89%)	-0.09	2 (1%) 78 76	24, 34, 54, 66	1 (0%)
All	All	1480/1648 (89%)	-0.12	21 (1%) 73 71	21, 34, 55, 99	8 (0%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	261	ARG	4.0
1	B	259	THR	3.0
1	G	77	GLY	2.8
1	D	259	THR	2.5
1	F	77	GLY	2.4
1	A	88	LYS	2.4
1	H	259	THR	2.3
1	B	261	ARG	2.3
1	C	261	ARG	2.3
1	A	77	GLY	2.2
1	A	85	ARG	2.2
1	E	77	GLY	2.2
1	E	259	THR	2.2
1	D	195	ASP	2.1
1	E	195	ASP	2.1
1	H	77	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	85	ARG	2.1
1	G	261	ARG	2.1
1	B	85	ARG	2.1
1	G	259	THR	2.1
1	C	85	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	C	306	4/4	0.62	0.22	44,47,51,54	0
2	FMT	A	306	3/3	0.65	0.19	60,60,64,66	0
2	FMT	B	305	3/3	0.67	0.15	56,56,58,60	0
8	ACT	D	301	4/4	0.67	0.21	46,48,49,53	0
5	EDO	E	308	4/4	0.69	0.22	36,39,40,41	4
2	FMT	C	304	3/3	0.69	0.14	56,56,58,61	0
5	EDO	E	307	4/4	0.71	0.20	47,47,52,52	0
3	CIT	A	302	13/13	0.72	0.14	57,66,73,75	0
5	EDO	G	305	4/4	0.73	0.20	48,49,49,54	0
2	FMT	D	306	3/3	0.73	0.16	60,60,63,65	0
5	EDO	D	308	4/4	0.75	0.19	48,51,51,56	0
5	EDO	D	309	4/4	0.76	0.17	27,32,33,37	4
3	CIT	D	303	13/13	0.78	0.15	57,64,71,72	0
6	SO4	C	307	5/5	0.79	0.15	46,47,51,54	5
5	EDO	H	306	4/4	0.79	0.15	42,43,48,51	0
5	EDO	B	307	4/4	0.80	0.18	39,40,43,50	0
2	FMT	E	301	3/3	0.80	0.19	47,47,52,58	0
2	FMT	G	304	3/3	0.81	0.16	56,56,62,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FMT	B	306	3/3	0.82	0.15	43,43,54,58	0
2	FMT	E	306	3/3	0.83	0.13	57,57,58,60	0
5	EDO	H	307	4/4	0.83	0.17	36,39,41,45	0
2	FMT	A	305	3/3	0.84	0.14	38,38,44,49	0
2	FMT	H	303	3/3	0.85	0.16	39,39,49,52	0
6	SO4	G	306	5/5	0.85	0.10	44,45,51,55	5
2	FMT	B	304	3/3	0.85	0.17	38,38,46,46	0
2	FMT	H	305	3/3	0.86	0.12	43,43,50,52	0
2	FMT	A	307	3/3	0.87	0.13	44,44,52,54	0
2	FMT	C	305	3/3	0.87	0.14	43,43,55,56	0
2	FMT	E	305	3/3	0.87	0.13	44,44,46,51	0
5	EDO	A	309	4/4	0.88	0.12	40,41,42,44	0
8	ACT	F	302	4/4	0.88	0.16	41,44,50,52	0
2	FMT	A	308	3/3	0.89	0.12	42,42,43,45	0
2	FMT	D	307	3/3	0.93	0.10	41,41,43,44	0
2	FMT	G	301	3/3	0.95	0.13	33,33,33,36	0
2	FMT	E	302	3/3	0.95	0.12	30,30,33,35	0
7	NA	C	308	1/1	0.96	0.05	44,44,44,44	0
2	FMT	A	301	3/3	0.96	0.08	33,33,33,35	0
2	FMT	D	302	3/3	0.96	0.09	32,32,34,38	0
2	FMT	B	301	3/3	0.97	0.06	30,30,33,33	0
2	FMT	C	301	3/3	0.97	0.07	30,30,31,34	0
2	FMT	H	304	3/3	0.97	0.08	31,31,32,34	0
2	FMT	F	301	3/3	0.98	0.08	29,29,30,31	0
4	MN	E	304	1/1	0.99	0.02	34,34,34,34	0
4	MN	F	303	1/1	0.99	0.02	33,33,33,33	0
4	MN	H	302	1/1	0.99	0.02	35,35,35,35	0
4	MN	A	303	1/1	0.99	0.02	32,32,32,32	0
4	MN	A	304	1/1	0.99	0.02	34,34,34,34	0
4	MN	B	302	1/1	0.99	0.03	31,31,31,31	0
4	MN	C	302	1/1	0.99	0.03	31,31,31,31	0
4	MN	D	305	1/1	0.99	0.02	31,31,31,31	0
4	MN	E	303	1/1	0.99	0.02	33,33,33,33	0
4	MN	B	303	1/1	1.00	0.02	29,29,29,29	0
4	MN	F	304	1/1	1.00	0.01	30,30,30,30	0
4	MN	G	302	1/1	1.00	0.02	31,31,31,31	0
4	MN	G	303	1/1	1.00	0.02	35,35,35,35	0
4	MN	H	301	1/1	1.00	0.01	29,29,29,29	0
4	MN	C	303	1/1	1.00	0.01	29,29,29,29	0
4	MN	D	304	1/1	1.00	0.02	32,32,32,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.