



Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2026 – 11:48 AM UTC

PDB ID : 1QBH / pdb_00001qbh
Title : SOLUTION STRUCTURE OF A BACULOVIRAL INHIBITOR OF APOPTOSIS (IAP) REPEAT
Authors : Hinds, M.G.; Norton, R.S.; Vaux, D.L.; Day, C.L.
Deposited on : 1999-04-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	101	

2 Ensemble composition and analysis

This entry contains 20 models. Model 6 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:271-A:299, A:304-A:309, A:321-A:352 (67)	0.40	6

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	2, 3, 5, 6, 7, 9, 10, 11, 12, 13, 14, 16
2	1, 4, 18, 19
3	8, 15, 20
Single-model clusters	17

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1595 atoms, of which 768 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1).

Mol	Chain	Residues	Atoms						Trace
1	A	101	Total	C	H	N	O	S	0
			1594	524	768	144	149	9	

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	263	GLY	-	SEE REMARK 999	UNP Q13490
A	264	SER	-	SEE REMARK 999	UNP Q13490
A	265	HIS	-	SEE REMARK 999	UNP Q13490

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
2	A	1	Total	Zn
			1	1

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1


- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)



4.2.2 Score per residue for model 2

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)






4.2.3 Score per residue for model 3

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)


Chain A: 22% 29% 7% 9% 34%



4.2.4 Score per residue for model 4

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)


Chain A: 29% 26% 8% • 34%



4.2.5 Score per residue for model 5


- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)

Chain A: 28% 19% 16% • 34%




4.2.6 Score per residue for model 6 (medoid)

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.7 Score per residue for model 7

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.8 Score per residue for model 8

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.9 Score per residue for model 9

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.10 Score per residue for model 10

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.11 Score per residue for model 11

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.12 Score per residue for model 12

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)



4.2.13 Score per residue for model 13


- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)






4.2.14 Score per residue for model 14

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.15 Score per residue for model 15

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.16 Score per residue for model 16


- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)



4.2.17 Score per residue for model 17


- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)






4.2.18 Score per residue for model 18

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)




4.2.19 Score per residue for model 19

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)



4.2.20 Score per residue for model 20

- Molecule 1: INHIBITOR OF APOPTOSIS PROTEIN (2MIHB/C-IAP-1)



5 Refinement protocol and experimental data overview

The models were refined using the following method: *TORSION ANGLE DYNAMICS DISTANCE GEOMETRY SIMULATED ANNEALING MOLECULAR DYNAMICS*.

Of the 1000 calculated structures, 20 were deposited, based on the following criterion: *STRUCTURES WITH ACCEPTABLE COVALENT GEOMETRY, STRUCTURES WITH FAVORABLE NON- BOND ENERGY, STRUCTURES WITH THE LEAST RESTRAINT VIOLATIONS, STRUCTURES WITH THE LOWEST ENERGY, TARGET FUNCTION*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5
X-PLOR	refinement	3.851

No chemical shift data was provided.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.43±0.02	3±1/585 (0.5± 0.2%)	2.10±0.03	25±3/794 (3.1± 0.4%)
All	All	1.43	63/11700 (0.5%)	2.10	497/15880 (3.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.7±1.1
All	All	0	34

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	344	PHE	CA-C	-7.32	1.43	1.52	16	20
1	A	307	PHE	CA-C	-6.28	1.48	1.52	5	2
1	A	335	PHE	CA-C	-6.24	1.45	1.52	18	17
1	A	295	PHE	CA-C	-6.09	1.45	1.52	6	10
1	A	333	CYS	CA-C	-5.68	1.47	1.53	5	8
1	A	305	LYS	CA-C	-5.54	1.49	1.52	13	1
1	A	338	ARG	CA-C	-5.54	1.48	1.53	12	1
1	A	326	HIS	CB-CG	5.32	1.57	1.50	16	2
1	A	345	VAL	CA-C	-5.11	1.45	1.52	10	2

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	330	PHE	CA-CB-CG	11.42	125.22	113.80	18	20
1	A	335	PHE	CA-CB-CG	10.98	124.78	113.80	14	20
1	A	286	GLN	N-CA-C	-10.14	88.22	108.71	20	17
1	A	276	PHE	CA-CB-CG	10.11	123.91	113.80	16	19
1	A	326	HIS	CA-CB-CG	9.94	123.74	113.80	19	20
1	A	326	HIS	CB-CG-CD2	9.65	143.75	131.20	20	20
1	A	324	VAL	N-CA-C	-8.62	102.02	110.72	11	16
1	A	339	MET	N-CA-C	-8.54	102.45	113.12	13	20
1	A	332	ARG	N-CA-C	-8.22	96.08	108.99	20	14
1	A	333	CYS	N-CA-C	-8.03	93.63	107.61	4	6
1	A	326	HIS	CB-CG-ND1	-7.95	110.77	122.70	20	18
1	A	335	PHE	N-CA-C	-7.75	102.43	111.03	19	18
1	A	295	PHE	N-CA-C	-7.65	97.69	109.24	1	10
1	A	325	GLU	N-CA-C	-7.05	103.53	111.14	15	13
1	A	330	PHE	O-C-N	-7.00	114.91	121.35	2	3
1	A	349	GLN	N-CA-CB	6.97	121.75	110.40	13	11
1	A	292	SER	N-CA-C	-6.86	105.44	113.88	8	11
1	A	278	TYR	N-CA-C	6.84	118.96	108.42	9	3
1	A	333	CYS	CB-CA-C	-6.84	102.74	111.70	17	2
1	A	321	ASP	N-CA-C	-6.64	100.90	110.40	20	12
1	A	304	VAL	N-CA-C	-6.56	98.82	107.88	7	1
1	A	282	SER	N-CA-C	-6.52	97.70	108.07	20	6
1	A	275	THR	N-CA-C	-6.49	105.52	113.50	8	8
1	A	326	HIS	N-CA-C	-6.47	101.68	110.68	10	2
1	A	296	TYR	CB-CG-CD1	6.44	130.46	120.80	9	15
1	A	297	TYR	CA-CB-CG	6.38	125.37	113.90	10	9
1	A	326	HIS	N-CA-CB	6.36	118.46	110.45	10	2
1	A	282	SER	N-CA-CB	6.35	121.23	110.49	4	1
1	A	330	PHE	CB-CG-CD1	6.27	131.36	120.70	17	13
1	A	324	VAL	CA-C-N	6.19	128.82	120.65	19	4
1	A	324	VAL	C-N-CA	6.19	128.82	120.65	19	4
1	A	296	TYR	CB-CA-C	6.17	122.70	110.42	13	12
1	A	276	PHE	N-CA-CB	-6.17	100.43	110.42	16	10
1	A	279	TRP	CA-CB-CG	6.15	125.29	113.60	20	9
1	A	283	VAL	CA-CB-CG1	6.08	120.74	110.40	15	9
1	A	276	PHE	CA-C-N	6.07	133.14	121.54	15	4
1	A	276	PHE	C-N-CA	6.07	133.14	121.54	15	4
1	A	344	PHE	CA-C-N	5.98	129.92	120.47	3	14
1	A	344	PHE	C-N-CA	5.98	129.92	120.47	3	14
1	A	271	ALA	CA-C-N	5.93	129.03	120.38	3	4
1	A	271	ALA	C-N-CA	5.93	129.03	120.38	3	4
1	A	309	CYS	CB-CA-C	5.91	119.48	109.84	6	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	306	CYS	CA-C-N	5.87	129.43	122.44	8	7
1	A	306	CYS	C-N-CA	5.87	129.43	122.44	8	7
1	A	305	LYS	N-CA-C	-5.79	98.92	108.12	7	2
1	A	334	GLU	CA-C-N	5.76	128.46	120.63	18	2
1	A	334	GLU	C-N-CA	5.76	128.46	120.63	18	2
1	A	275	THR	CA-CB-OG1	5.75	118.23	109.60	16	10
1	A	306	CYS	N-CA-C	-5.72	98.62	110.80	9	4
1	A	321	ASP	CB-CA-C	-5.58	100.83	108.86	4	1
1	A	328	LYS	N-CA-C	5.57	117.81	111.02	6	1
1	A	283	VAL	CB-CA-C	5.51	117.34	110.95	20	1
1	A	333	CYS	N-CA-CB	5.47	119.73	110.49	11	1
1	A	330	PHE	CB-CA-C	5.45	115.90	109.47	18	1
1	A	304	VAL	N-CA-CB	5.45	119.06	111.05	7	1
1	A	307	PHE	N-CA-C	-5.38	104.76	112.13	20	1
1	A	305	LYS	CB-CA-C	-5.37	104.62	111.22	14	1
1	A	340	LYS	N-CA-C	-5.34	105.58	112.68	4	1
1	A	297	TYR	CB-CG-CD1	5.30	128.76	120.80	13	5
1	A	295	PHE	CB-CA-C	-5.30	99.81	110.30	2	1
1	A	289	GLN	CA-C-N	5.26	127.33	120.28	13	1
1	A	289	GLN	C-N-CA	5.26	127.33	120.28	13	1
1	A	280	PRO	N-CA-C	-5.25	101.65	112.47	10	3
1	A	296	TYR	CB-CG-CD2	-5.25	112.93	120.80	14	4
1	A	321	ASP	CA-C-O	-5.24	115.89	120.60	12	1
1	A	296	TYR	CA-CB-CG	5.18	123.22	113.90	9	1
1	A	332	ARG	CA-C-N	5.18	128.98	121.26	1	2
1	A	332	ARG	C-N-CA	5.18	128.98	121.26	1	2
1	A	306	CYS	CB-CA-C	5.12	120.61	110.42	1	1
1	A	331	PRO	CA-C-N	5.09	130.50	121.80	5	1
1	A	331	PRO	C-N-CA	5.09	130.50	121.80	5	1
1	A	299	GLY	N-CA-C	5.07	120.37	112.31	18	1
1	A	335	PHE	CB-CG-CD1	5.05	129.28	120.70	12	2
1	A	285	VAL	CA-C-N	5.04	126.72	122.28	14	1
1	A	285	VAL	C-N-CA	5.04	126.72	122.28	14	1
1	A	279	TRP	N-CA-C	5.02	120.89	109.81	12	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	279	TRP	Mainchain	12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	272	ARG	Sidechain	8
1	A	332	ARG	Sidechain	5
1	A	274	ARG	Sidechain	5
1	A	351	ARG	Sidechain	3
1	A	338	ARG	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	563	532	532	15±2
All	All	11280	10640	10640	300

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:299:GLY:HA3	1:A:304:VAL:HG13	0.79	1.53	9	8
1:A:298:VAL:HG13	1:A:307:PHE:CD2	0.73	2.18	7	1
1:A:323:TRP:CZ3	1:A:336:LEU:HD21	0.66	2.25	14	20
1:A:323:TRP:HZ3	1:A:336:LEU:HD21	0.65	1.52	19	20
1:A:326:HIS:CE1	1:A:336:LEU:HD23	0.63	2.29	20	19
1:A:279:TRP:HE1	1:A:283:VAL:HG23	0.60	1.56	13	13
1:A:344:PHE:CE1	1:A:348:ILE:HG13	0.57	2.34	9	16
1:A:348:ILE:HD12	1:A:352:TYR:CE2	0.56	2.36	13	15
1:A:336:LEU:HD11	1:A:340:LYS:HE3	0.56	1.77	2	2
1:A:299:GLY:HA3	1:A:304:VAL:HG12	0.55	1.78	14	3
1:A:293:ALA:O	1:A:326:HIS:CD2	0.54	2.61	18	18
1:A:279:TRP:HB2	1:A:280:PRO:HD3	0.51	1.83	6	10
1:A:323:TRP:HB3	1:A:344:PHE:CZ	0.50	2.42	9	20
1:A:323:TRP:HB3	1:A:344:PHE:CE2	0.49	2.42	4	20
1:A:287:PRO:HA	1:A:290:LEU:HD13	0.49	1.84	8	2
1:A:271:ALA:O	1:A:275:THR:HG22	0.49	2.07	12	18
1:A:297:TYR:CE1	1:A:298:VAL:HG22	0.48	2.43	5	4
1:A:299:GLY:CA	1:A:304:VAL:HG13	0.48	2.37	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:326:HIS:CE1	1:A:330:PHE:CD2	0.48	3.01	17	8
1:A:277:MET:HG2	1:A:278:TYR:CD1	0.47	2.44	2	2
1:A:297:TYR:C	1:A:297:TYR:CD1	0.45	2.93	7	16
1:A:340:LYS:HG3	1:A:344:PHE:CD2	0.45	2.46	5	12
1:A:275:THR:HG23	1:A:297:TYR:HA	0.45	1.88	17	1
1:A:298:VAL:HA	1:A:307:PHE:CZ	0.44	2.47	7	1
1:A:335:PHE:CD1	1:A:335:PHE:C	0.44	2.95	7	19
1:A:348:ILE:HD12	1:A:352:TYR:CZ	0.44	2.47	7	1
1:A:283:VAL:HG21	1:A:290:LEU:CD2	0.43	2.43	6	4
1:A:335:PHE:C	1:A:335:PHE:CD1	0.43	2.96	3	1
1:A:279:TRP:HZ2	1:A:290:LEU:HD23	0.43	1.74	7	1
1:A:306:CYS:SG	1:A:307:PHE:N	0.43	2.90	3	2
1:A:286:GLN:O	1:A:290:LEU:HD13	0.43	2.14	18	1
1:A:326:HIS:CE1	1:A:330:PHE:CE2	0.42	3.07	14	3
1:A:283:VAL:HG11	1:A:296:TYR:HD2	0.42	1.75	1	1
1:A:325:GLU:HG3	1:A:329:TRP:CH2	0.41	2.50	11	1
1:A:297:TYR:CD1	1:A:298:VAL:HG22	0.41	2.50	9	1
1:A:277:MET:HG3	1:A:278:TYR:CD1	0.41	2.50	15	1
1:A:326:HIS:O	1:A:326:HIS:ND1	0.41	2.48	4	4
1:A:298:VAL:HA	1:A:307:PHE:CE2	0.41	2.51	9	2
1:A:297:TYR:CD1	1:A:297:TYR:C	0.41	2.98	16	3
1:A:306:CYS:HB3	1:A:309:CYS:HB2	0.41	1.93	3	1
1:A:325:GLU:HB2	1:A:329:TRP:CH2	0.41	2.51	10	1
1:A:287:PRO:HB3	1:A:296:TYR:CD2	0.40	2.51	1	1
1:A:331:PRO:C	1:A:332:ARG:HE	0.40	2.25	19	1
1:A:279:TRP:CB	1:A:280:PRO:HD3	0.40	2.47	3	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	67/101 (66%)	45±2 (67±3%)	14±2 (21±3%)	8±2 (12±2%)	1 7
All	All	1340/2020 (66%)	904 (67%)	279 (21%)	157 (12%)	1 7

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	277	MET	20
1	A	280	PRO	20
1	A	285	VAL	20
1	A	296	TYR	20
1	A	304	VAL	15
1	A	306	CYS	12
1	A	331	PRO	12
1	A	327	ALA	11
1	A	279	TRP	10
1	A	344	PHE	7
1	A	282	SER	5
1	A	299	GLY	2
1	A	278	TYR	1
1	A	337	ILE	1
1	A	309	CYS	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	59/88 (67%)	42±2 (72±4%)	17±2 (28±4%)	1	19
All	All	1180/1760 (67%)	847 (72%)	333 (28%)	1	19

All 33 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	275	THR	20
1	A	278	TYR	20
1	A	283	VAL	20
1	A	296	TYR	20
1	A	297	TYR	20
1	A	330	PHE	20
1	A	335	PHE	20
1	A	338	ARG	20
1	A	348	ILE	20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	340	LYS	16
1	A	279	TRP	16
1	A	286	GLN	14
1	A	336	LEU	14
1	A	337	ILE	13
1	A	304	VAL	12
1	A	321	ASP	9
1	A	332	ARG	8
1	A	298	VAL	7
1	A	309	CYS	6
1	A	328	LYS	5
1	A	308	CYS	4
1	A	305	LYS	3
1	A	325	GLU	3
1	A	289	GLN	3
1	A	349	GLN	3
1	A	346	ASP	3
1	A	282	SER	3
1	A	351	ARG	3
1	A	345	VAL	2
1	A	274	ARG	2
1	A	272	ARG	2
1	A	347	GLU	1
1	A	339	MET	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided