



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:05 PM UTC

PDB ID : 3QBW / pdb_00003qbw
Title : Crystal structure of pseudomonas aeruginosa 1,6-anhydro-n-actetylmuramic acid kinase (ANMK) bound to adenosine diphosphate
Authors : Bacik, J.P.; Martin, D.R.; Mark, B.L.
Deposited on : 2011-01-14
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	371	12% 81% 11% 6%
1	B	371	11% 81% 13% • •

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Anhydro-N-acetylmuramic acid kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	347	Total	C	N	O	S	0	0	0
			2567	1629	452	472	14			
1	B	356	Total	C	N	O	S	0	0	0
			2661	1681	480	485	15			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	364	GLY	-	expression tag	UNP Q9I5Q5
A	365	SER	-	expression tag	UNP Q9I5Q5
A	366	HIS	-	expression tag	UNP Q9I5Q5
A	367	HIS	-	expression tag	UNP Q9I5Q5
A	368	HIS	-	expression tag	UNP Q9I5Q5
A	369	HIS	-	expression tag	UNP Q9I5Q5
A	370	HIS	-	expression tag	UNP Q9I5Q5
A	371	HIS	-	expression tag	UNP Q9I5Q5
B	364	GLY	-	expression tag	UNP Q9I5Q5
B	365	SER	-	expression tag	UNP Q9I5Q5
B	366	HIS	-	expression tag	UNP Q9I5Q5
B	367	HIS	-	expression tag	UNP Q9I5Q5
B	368	HIS	-	expression tag	UNP Q9I5Q5
B	369	HIS	-	expression tag	UNP Q9I5Q5
B	370	HIS	-	expression tag	UNP Q9I5Q5
B	371	HIS	-	expression tag	UNP Q9I5Q5

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 5	O 4	S 1	0	0
3	B	1	Total 5	O 4	S 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	69	Total 69	O 69	0	0
4	B	70	Total 70	O 70	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Anhydro-N-acetylmuramic acid kinase



- Molecule 1: Anhydro-N-acetylmuramic acid kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	90.22Å 90.22Å 174.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.71 – 2.23 46.71 – 2.23	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.71-2.23) 99.9 (46.71-2.23)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.23 (at 2.22Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.188 , 0.210 0.215 , 0.233	Depositor DCC
R_{free} test set	1691 reflections (4.32%)	wwPDB-VP
Wilson B-factor (Å ²)	34.9	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.147 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.547 for 1.000H, 1.000K, L 0.453 for 1.000H+1.000K, -1.000K, -L	Depositor
Outliers	2 of 39162 reflections (0.005%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5431	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/2625	0.84	2/3577 (0.1%)
1	B	0.62	0/2722	0.84	0/3704
All	All	0.61	0/5347	0.84	2/7281 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	PRO	CA-C-N	5.14	124.93	119.28
1	A	321	PRO	C-N-CA	5.14	124.93	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2567	0	2486	35	0
1	B	2661	0	2608	51	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0
3	A	5	0	0	0	0
3	B	5	0	0	1	0
4	A	69	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	70	0	0	3	0
All	All	5431	0	5118	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:GLN:HG2	1:A:335:HIS:CD2	1.77	1.19
1:B:23:GLN:HG2	1:B:335:HIS:CD2	1.79	1.17
1:A:23:GLN:HG2	1:A:335:HIS:HD2	1.13	1.03
1:B:23:GLN:HG2	1:B:335:HIS:HD2	1.19	0.90
1:B:335:HIS:HE1	1:B:339:GLU:HG3	1.40	0.85
1:B:335:HIS:CE1	1:B:339:GLU:HG3	2.14	0.83
1:A:23:GLN:CG	1:A:335:HIS:HD2	1.92	0.80
1:A:23:GLN:CG	1:A:335:HIS:CD2	2.63	0.80
1:B:23:GLN:CG	1:B:335:HIS:CD2	2.64	0.76
1:A:276:SER:HB3	4:A:420:HOH:O	1.91	0.71
1:A:64:GLN:HE22	1:B:105:HIS:HB2	1.56	0.70
1:A:335:HIS:CE1	1:A:339:GLU:HG3	2.26	0.70
1:B:23:GLN:CG	1:B:335:HIS:HD2	1.99	0.67
1:A:64:GLN:NE2	1:B:105:HIS:HB2	2.09	0.66
1:B:143:VAL:HB	1:B:147:HIS:CD2	2.33	0.63
1:A:94:HIS:CE1	1:A:129:ARG:HH11	2.17	0.62
1:B:94:HIS:CE1	1:B:129:ARG:HH11	2.18	0.61
1:B:335:HIS:CE1	1:B:339:GLU:CG	2.83	0.61
1:B:129:ARG:HH21	1:B:140:ALA:HB2	1.66	0.60
1:B:286:GLU:OE2	1:B:318:TYR:OH	2.23	0.57
1:A:33:HIS:HB2	1:A:77:LEU:HD13	1.87	0.56
1:A:335:HIS:HE1	1:A:339:GLU:HG3	1.72	0.55
1:B:33:HIS:HB2	1:B:77:LEU:HD13	1.89	0.55
1:A:94:HIS:HE1	1:A:129:ARG:HH11	1.55	0.54
1:A:313:ALA:HB1	1:A:317:GLU:HG3	1.89	0.54
1:B:129:ARG:HH21	1:B:140:ALA:CB	2.20	0.54
1:A:129:ARG:HH21	1:A:140:ALA:HB2	1.72	0.54
1:B:288:LEU:HD21	1:B:318:TYR:CZ	2.43	0.54
1:A:147:HIS:ND1	1:A:160:VAL:HG11	2.23	0.53
1:A:335:HIS:ND1	1:A:335:HIS:C	2.67	0.53
1:B:147:HIS:ND1	1:B:160:VAL:CG1	2.72	0.53
1:B:313:ALA:HB1	1:B:317:GLU:HG3	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:PRO:HG2	1:A:348:VAL:HG11	1.91	0.53
1:B:129:ARG:NH2	3:B:372:SO4:O3	2.41	0.52
1:A:16:MET:CE	1:A:70:ALA:HA	2.39	0.52
1:B:281:GLN:HE21	1:B:284:CYS:HB2	1.75	0.52
1:B:16:MET:CE	1:B:70:ALA:HA	2.41	0.51
1:B:61:GLU:HB3	4:B:417:HOH:O	2.11	0.51
1:B:168:ASN:HB3	1:B:182:ASP:OD1	2.11	0.50
1:B:144:PRO:HG2	1:B:348:VAL:HG11	1.92	0.50
1:B:158:ARG:HG2	1:B:286:GLU:HB3	1.94	0.50
1:B:147:HIS:ND1	1:B:160:VAL:HG11	2.28	0.49
1:B:42:ARG:NH1	1:B:201:HIS:HE1	2.11	0.49
1:A:243:LEU:HB3	1:A:244:PRO:HD3	1.95	0.48
1:B:243:LEU:HB3	1:B:244:PRO:HD3	1.95	0.48
1:A:129:ARG:HH21	1:A:140:ALA:CB	2.27	0.48
1:A:109:GLN:NE2	4:A:377:HOH:O	2.40	0.47
1:B:288:LEU:CD2	1:B:318:TYR:CE1	2.97	0.47
1:B:143:VAL:HB	1:B:147:HIS:NE2	2.29	0.47
1:A:315:THR:HG21	1:A:325:MET:CE	2.45	0.46
1:B:288:LEU:HD22	1:B:318:TYR:CE1	2.50	0.46
1:B:94:HIS:HE1	1:B:129:ARG:HH11	1.60	0.46
1:A:44:ASP:OD2	1:A:65:ARG:NH2	2.45	0.46
1:A:143:VAL:N	1:A:144:PRO:CD	2.79	0.45
1:A:168:ASN:HB3	1:A:182:ASP:OD1	2.16	0.45
1:B:109:GLN:NE2	4:B:377:HOH:O	2.46	0.45
1:B:143:VAL:O	1:B:147:HIS:HD2	2.00	0.45
1:A:16:MET:HE3	1:A:70:ALA:HA	1.97	0.45
1:B:195:HIS:NE2	4:B:424:HOH:O	2.36	0.45
1:B:209:ALA:HB2	1:B:262:GLN:HG3	1.99	0.45
1:B:315:THR:HG21	1:B:325:MET:CE	2.46	0.45
1:B:44:ASP:OD2	1:B:65:ARG:NH2	2.49	0.44
1:B:281:GLN:NE2	1:B:284:CYS:HB2	2.32	0.44
1:B:25:ASP:OD1	1:B:25:ASP:N	2.51	0.43
1:B:302:ARG:HD2	1:B:302:ARG:HA	1.87	0.43
1:B:63:GLU:CD	1:B:112:ASN:H	2.26	0.43
1:B:198:ARG:C	1:B:200:GLU:H	2.28	0.42
1:B:16:MET:HE3	1:B:70:ALA:HA	2.01	0.42
1:B:256:LEU:HA	1:B:257:PRO:HD3	1.94	0.42
1:A:8:MET:HE3	1:A:10:GLY:CA	2.49	0.42
1:A:198:ARG:C	1:A:200:GLU:H	2.28	0.42
1:A:10:GLY:HA3	2:A:601:ADP:O1B	2.20	0.41
1:A:105:HIS:HB2	1:B:64:GLN:HE22	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:SER:OG	1:B:179:ARG:NH2	2.51	0.41
1:B:335:HIS:ND1	1:B:335:HIS:C	2.79	0.41
1:B:315:THR:HG21	1:B:325:MET:HE3	2.02	0.41
1:A:13:LEU:HB3	1:A:42:ARG:HG3	2.03	0.41
1:A:63:GLU:CD	1:A:112:ASN:H	2.28	0.41
1:A:56:ILE:HD13	1:B:98:ILE:HD12	2.03	0.40
1:A:143:VAL:HB	1:A:147:HIS:CD2	2.56	0.40
1:B:143:VAL:N	1:B:144:PRO:CD	2.84	0.40
1:A:209:ALA:HB2	1:A:262:GLN:HG3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/371 (91%)	324 (96%)	13 (4%)	2 (1%)	21	20
1	B	350/371 (94%)	335 (96%)	13 (4%)	2 (1%)	21	20
All	All	689/742 (93%)	659 (96%)	26 (4%)	4 (1%)	21	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	112	ASN
1	A	112	ASN
1	A	111	GLY
1	B	111	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/287 (88%)	247 (98%)	5 (2%)	48	58
1	B	266/287 (93%)	259 (97%)	7 (3%)	40	48
All	All	518/574 (90%)	506 (98%)	12 (2%)	44	53

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	130	ARG
1	A	274	SER
1	A	297	THR
1	A	317	GLU
1	A	335	HIS
1	B	25	ASP
1	B	130	ARG
1	B	173	SER
1	B	274	SER
1	B	297	THR
1	B	317	GLU
1	B	335	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	94	HIS
1	A	109	GLN
1	A	335	HIS
1	B	64	GLN
1	B	94	HIS
1	B	109	GLN
1	B	201	HIS
1	B	281	GLN
1	B	335	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ADP	B	602	-	28,29,29	2.37	7 (25%)	43,45,45	1.76	9 (20%)
2	ADP	A	601	-	28,29,29	2.26	7 (25%)	43,45,45	1.80	11 (25%)
3	SO4	B	372	-	4,4,4	0.31	0	6,6,6	0.16	0
3	SO4	A	372	-	4,4,4	0.26	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	B	602	-	-	0/16/32/32	0/3/3/3
2	ADP	A	601	-	-	4/16/32/32	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	ADP	C8-N7	7.09	1.45	1.31
2	A	601	ADP	C8-N7	6.93	1.45	1.31
2	B	602	ADP	C2-N3	4.74	1.42	1.33
2	A	601	ADP	C2-N3	4.67	1.42	1.33
2	B	602	ADP	C4-N9	4.51	1.47	1.37
2	A	601	ADP	C4-N9	4.14	1.46	1.37
2	B	602	ADP	C6-N6	3.99	1.44	1.34
2	A	601	ADP	C6-N6	3.86	1.44	1.34
2	B	602	ADP	C2-N1	3.43	1.40	1.33
2	A	601	ADP	C2-N1	3.15	1.39	1.33
2	B	602	ADP	O4'-C1'	2.61	1.48	1.42
2	B	602	ADP	PB-O1B	2.45	1.58	1.50
2	A	601	ADP	O4'-C1'	2.15	1.47	1.42
2	A	601	ADP	PB-O1B	2.05	1.56	1.50

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	ADP	N3-C2-N1	-6.15	119.28	128.58
2	B	602	ADP	N3-C2-N1	-5.86	119.70	128.58
2	A	601	ADP	N9-C8-N7	-4.25	107.90	113.94
2	B	602	ADP	N9-C8-N7	-4.16	108.03	113.94
2	A	601	ADP	C5-C4-N3	-4.02	121.18	126.72
2	B	602	ADP	C5-C4-N3	-3.98	121.23	126.72
2	A	601	ADP	C2-N3-C4	3.21	119.67	111.83
2	B	602	ADP	C2-N3-C4	3.08	119.35	111.83
2	B	602	ADP	C5-N7-C8	2.84	107.91	103.45
2	A	601	ADP	C5-N7-C8	2.70	107.70	103.45
2	B	602	ADP	C4-C5-N7	-2.43	107.80	110.58
2	A	601	ADP	C4-N9-C8	2.38	108.24	105.74
2	B	602	ADP	C4-N9-C8	2.24	108.09	105.74
2	A	601	ADP	C2'-C1'-N9	-2.19	107.86	113.30
2	A	601	ADP	C4-C5-N7	-2.16	108.11	110.58
2	B	602	ADP	C5-C4-N9	2.16	108.17	105.81
2	A	601	ADP	N3-C4-N9	2.11	130.76	127.17
2	A	601	ADP	C5-C4-N9	2.04	108.04	105.81
2	A	601	ADP	O5'-C5'-C4'	2.04	115.95	108.99
2	B	602	ADP	N3-C4-N9	2.01	130.59	127.17

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	ADP	C3'-C4'-C5'-O5'
2	A	601	ADP	O4'-C4'-C5'-O5'
2	A	601	ADP	PB-O3A-PA-O2A
2	A	601	ADP	PB-O3A-PA-O1A


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	ADP	1	0
3	B	372	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	347/371 (93%)	0.74	46 (13%) 7 6	18, 33, 55, 58	0
1	B	356/371 (95%)	0.65	39 (10%) 10 10	18, 34, 54, 57	0
All	All	703/742 (94%)	0.69	85 (12%) 8 8	18, 34, 54, 58	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	238	ARG	4.3
1	A	283	ASP	4.3
1	B	251	ALA	3.7
1	A	222	LEU	3.7
1	B	224	ALA	3.7
1	A	216	HIS	3.7
1	A	228	PHE	3.6
1	A	227	PHE	3.5
1	B	10	GLY	3.3
1	A	276	SER	3.3
1	B	198	ARG	3.2
1	A	224	ALA	3.2
1	A	157	SER	3.1
1	B	199	GLY	3.1
1	B	220	ALA	3.1
1	A	251	ALA	3.1
1	B	308	PRO	3.0
1	A	237	GLY	3.0
1	B	282	PRO	2.9
1	B	310	ALA	2.9
1	A	239	GLU	2.9
1	A	199	GLY	2.9
1	A	223	LEU	2.9
1	A	305	MET	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	196	HIS	2.8
1	B	214	VAL	2.8
1	B	309	GLU	2.8
1	A	219	LEU	2.7
1	A	214	VAL	2.7
1	B	237	GLY	2.7
1	B	248	GLU	2.7
1	A	183	CYS	2.7
1	A	253	HIS	2.6
1	A	241	PHE	2.6
1	A	231	ARG	2.6
1	A	274	SER	2.6
1	A	312	VAL	2.6
1	B	157	SER	2.6
1	A	201	HIS	2.6
1	A	279	ASP	2.5
1	B	201	HIS	2.5
1	A	256	LEU	2.5
1	B	305	MET	2.5
1	A	184	GLY	2.5
1	B	280	ALA	2.5
1	B	195	HIS	2.5
1	B	200	GLU	2.5
1	A	316	ASP	2.5
1	B	35	LEU	2.4
1	A	304	ALA	2.4
1	B	210	ALA	2.4
1	A	202	PHE	2.4
1	B	207	ALA	2.3
1	B	250	LEU	2.3
1	A	308	PRO	2.3
1	A	235	SER	2.3
1	A	287	VAL	2.3
1	A	306	LEU	2.2
1	B	306	LEU	2.2
1	A	232	GLY	2.2
1	B	222	LEU	2.2
1	B	245	TRP	2.2
1	B	283	ASP	2.2
1	A	282	PRO	2.2
1	A	194	ILE	2.2
1	B	223	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	202	PHE	2.2
1	A	281	GLN	2.2
1	B	256	LEU	2.1
1	B	212	GLY	2.1
1	A	217	ALA	2.1
1	A	206	GLY	2.1
1	B	312	VAL	2.1
1	A	297	THR	2.0
1	B	274	SER	2.0
1	A	192	ALA	2.0
1	A	298	ALA	2.0
1	B	209	ALA	2.0
1	B	281	GLN	2.0
1	B	171	LEU	2.0
1	B	194	ILE	2.0
1	A	234	LYS	2.0
1	B	229	ALA	2.0
1	A	172	LEU	2.0
1	A	311	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ADP	B	602	27/27	0.84	0.13	50,58,59,59	0
3	SO4	B	372	5/5	0.88	0.15	61,61,62,63	0
3	SO4	A	372	5/5	0.90	0.16	63,63,64,65	0
2	ADP	A	601	27/27	0.93	0.08	39,41,42,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.