



wwPDB EM Validation Summary Report ⓘ

Mar 27, 2026 – 01:36 PM UTC

PDB ID : 8QBT / pdb_00008qbt
EMDB ID : EMD-18320
Title : E. coli ApdP-stalled ribosomal complex
Authors : Morici, M.; Wilson, D.N.
Deposited on : 2023-08-25
Resolution : 2.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMD archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	3184 (1.71 - 2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2903	12% 76% 20% ••
2	B	120	13% 82% 16% •
3	C	273	• 95% 5% •












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	209	
5	E	201	
6	F	179	
7	G	177	
8	H	149	
9	J	142	
10	K	123	
11	L	144	
12	M	136	
13	N	127	
14	O	117	
15	P	115	
16	Q	118	
17	R	103	
18	S	110	
19	T	100	
20	U	104	
21	V	94	
22	W	85	
23	X	78	
24	Y	63	
25	Z	59	
26	a	57	
27	b	55	
28	c	46	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	65	
30	i	1540	
31	j	241	
32	m	167	
33	n	135	
34	o	179	
35	p	130	
36	q	130	
37	s	129	
38	t	124	
39	u	118	
40	v	101	
41	w	89	
42	y	84	
43	z	75	
44	1	92	
45	2	87	
46	3	71	
47	4	10	
48	5	77	
48	6	77	
49	7	76	
50	e	38	
51	f	6	

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 141132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2841	Total	C	N	O	P	0	0
			60998	27210	11227	19720	2841		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2209	C	G	conflict	GB 991970073
A	2215	G	C	conflict	GB 991970073

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	118	Total	C	N	O	P	0	0
			2529	1126	464	821	118		

- Molecule 3 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 5 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 6 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 7 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	171	Total	C	N	O	S	0	0
			1285	811	235	237	2		

- Molecule 8 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	47	Total	C	N	O	S	0	0
			359	233	62	63	1		

- Molecule 9 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	K	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 14 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	114	Total	C	N	O		0	0
			875	542	175	158			

- Molecule 15 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	112	Total	C	N	O	S	0	0
			900	564	176	159	1		

- Molecule 16 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	116	Total	C	N	O		0	0
			941	601	191	149			

- Molecule 17 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	T	92	Total	C	N	O	S	0	0
			730	461	138	130	1		

- Molecule 20 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	U	102	Total	C	N	O		
			779	492	146	141	0	0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	V	94	Total	C	N	O	S	
			753	479	137	134	3	0

- Molecule 22 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	W	84	Total	C	N	O	S	
			628	388	126	113	1	0

- Molecule 23 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	X	77	Total	C	N	O	S	
			625	388	129	106	2	0

- Molecule 24 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	Y	63	Total	C	N	O	S	
			509	313	99	95	2	0

- Molecule 25 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	Z	56	Total	C	N	O	S	
			435	272	84	77	2	0

- Molecule 26 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	a	56	Total	C	N	O	S	
			444	269	94	80	1	0

- Molecule 27 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	b	48	Total	C	N	O	0	0
			395	254	72	69		

- Molecule 28 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 29 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 30 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	i	1539	Total	C	N	O	P	0	0
			33015	14725	6052	10699	1539		

- Molecule 31 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	j	215	Total	C	N	O	S	0	0
			1679	1067	299	307	6		

- Molecule 32 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	m	150	Total	C	N	O	S	0	0
			1105	687	211	201	6		

- Molecule 33 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	n	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 34 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	o	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 35 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	p	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 36 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	q	125	Total	C	N	O	S	0	0
			1001	622	200	176	3		

- Molecule 37 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	s	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 38 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	t	119	Total	C	N	O	S	0	0
			922	570	188	160	4		

- Molecule 39 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	u	112	Total	C	N	O	S	0	0
			867	535	175	154	3		

- Molecule 40 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	v	96	Total	C	N	O	S	0	0
			774	483	160	128	3		

- Molecule 41 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	w	86	Total	C	N	O	S	0	0
			687	425	135	126	1		

- Molecule 42 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	y	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 43 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	z	55	Total	C	N	O	0	0
			455	288	86	81		

- Molecule 44 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	1	74	Total	C	N	O	S	0	0
			594	381	110	101	2		

- Molecule 45 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	2	78	Total	C	N	O	S	0	0
			612	376	126	107	3		

- Molecule 46 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	3	42	Total	C	N	O	S	0	0
			346	214	72	59	1		

- Molecule 47 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	4	10	Total	C	N	O	P	0	0
			214	95	40	69	10		

- Molecule 48 is a RNA chain called Pro-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	5	77	Total	C	N	O	P	0	0
			1644	733	295	540	76		
48	6	77	Total	C	N	O	P	0	0
			1648	733	295	543	77		

- Molecule 49 is a RNA chain called Ala-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	7	76	Total	C	N	O	P	0	0
			1618	722	289	532	75		

- Molecule 50 is a protein called Large ribosomal subunit protein bL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	e	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 51 is a protein called ApdP nascent chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	f	6	Total	C	N	O	S	0	0
			46	29	10	6	1		


- Molecule 52 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
52	A	178	Total	Mg	0
			178	178	
52	B	5	Total	Mg	0
			5	5	
52	C	1	Total	Mg	0
			1	1	
52	D	1	Total	Mg	0
			1	1	
52	a	1	Total	Mg	0
			1	1	
52	i	61	Total	Mg	0
			61	61	
52	6	1	Total	Mg	0
			1	1	

- Molecule 53 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
53	A	83	Total	K	0
			83	83	
53	C	3	Total	K	0
			3	3	
53	E	1	Total	K	0
			1	1	
53	U	1	Total	K	0
			1	1	
53	i	37	Total	K	0
			37	37	
53	n	1	Total	K	0
			1	1	
53	u	1	Total	K	0
			1	1	

- Molecule 54 is PROLINE (CCD ID: PRO) (formula: $C_5H_9NO_2$).



Mol	Chain	Residues	Atoms				AltConf
54	5	1	Total	C	N	O	0
			7	5	1	1	

- Molecule 55 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
55	e	1	Total	Zn	0
			1	1	


- Molecule 56 is water.

Mol	Chain	Residues	Atoms		AltConf
56	A	1006	Total 1006	O 1006	0
56	B	10	Total 10	O 10	0
56	C	14	Total 14	O 14	0
56	D	2	Total 2	O 2	0
56	E	3	Total 3	O 3	0
56	L	4	Total 4	O 4	0
56	N	3	Total 3	O 3	0
56	T	1	Total 1	O 1	0
56	a	4	Total 4	O 4	0
56	d	4	Total 4	O 4	0
56	i	176	Total 176	O 176	0
56	s	1	Total 1	O 1	0
56	4	3	Total 3	O 3	0
56	5	3	Total 3	O 3	0
56	6	2	Total 2	O 2	0
56	f	3	Total 3	O 3	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S rRNA







- Molecule 2: 5S rRNA




- Molecule 3: Large ribosomal subunit protein uL2




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: Large ribosomal subunit protein uL4




- Molecule 6: Large ribosomal subunit protein uL5




- Molecule 7: Large ribosomal subunit protein uL6




- Molecule 8: Large ribosomal subunit protein bL9




- Molecule 9: Large ribosomal subunit protein uL13




- Molecule 10: Large ribosomal subunit protein uL14




- Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16

Chain M:  96% ..




- Molecule 13: Large ribosomal subunit protein bL17

Chain N:  89% 7%




- Molecule 14: Large ribosomal subunit protein uL18

Chain O:  27% 94% ...



- Molecule 15: Large ribosomal subunit protein bL19

Chain P:  12% 90% 7% ..




- Molecule 16: Large ribosomal subunit protein bL20

Chain Q:  94% ..




- Molecule 17: Large ribosomal subunit protein bL21

Chain R:  23% 90% 10%




- Molecule 18: Large ribosomal subunit protein uL22


Chain S:  9% 88% 12%




- Molecule 19: Large ribosomal subunit protein uL23




- Molecule 20: Large ribosomal subunit protein uL24




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: Large ribosomal subunit protein bL27





- Molecule 23: Large ribosomal subunit protein bL28





- Molecule 24: Large ribosomal subunit protein uL29





- Molecule 25: Large ribosomal subunit protein uL30




- Molecule 26: Large ribosomal subunit protein bL32



- Molecule 27: Large ribosomal subunit protein bL33




- Molecule 28: Large ribosomal subunit protein bL34




- Molecule 29: Large ribosomal subunit protein bL35





- Molecule 30: 16S rRNA









• Molecule 31: 30S ribosomal protein S2



• Molecule 32: Small ribosomal subunit protein uS5




• Molecule 33: 30S ribosomal protein S6, fully modified isoform




• Molecule 34: 30S ribosomal protein S7









- Molecule 35: Small ribosomal subunit protein uS8




- Molecule 36: Small ribosomal subunit protein uS9




- Molecule 37: 30S ribosomal protein S11





- Molecule 38: 30S ribosomal protein S12









- Molecule 39: Small ribosomal subunit protein uS13





- Molecule 40: Small ribosomal subunit protein uS14




- Molecule 41: Small ribosomal subunit protein uS15





- Molecule 42: Small ribosomal subunit protein uS17





- Molecule 43: Small ribosomal subunit protein bS18




- Molecule 44: Small ribosomal subunit protein uS19





- Molecule 45: 30S ribosomal protein S20




- Molecule 46: Small ribosomal subunit protein bS21




- Molecule 47: mRNA





- Molecule 48: Pro-tRNA








- Molecule 48: Pro-tRNA




- Molecule 49: Ala-tRNA



- Molecule 50: Large ribosomal subunit protein bL36A



- Molecule 51: ApdP nascent chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	205838	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	75.6	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.418	Depositor
Minimum map value	-0.187	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.04	Depositor
Map size (Å)	295.2, 295.2, 295.2	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82000005, 0.82000005, 0.82000005	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, K, ZN, MG, 2MA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/68247	1.10	273/106469 (0.3%)
2	B	0.52	0/2828	1.01	5/4410 (0.1%)
3	C	0.63	0/2121	1.04	2/2852 (0.1%)
4	D	0.62	0/1586	0.99	1/2134 (0.0%)
5	E	0.59	0/1571	1.02	1/2113 (0.0%)
6	F	0.47	0/1434	1.00	0/1926
7	G	0.54	0/1303	0.96	0/1759
8	H	0.49	0/364	0.93	0/490
9	J	0.54	0/1152	0.91	1/1551 (0.1%)
10	K	0.54	0/947	1.04	1/1268 (0.1%)
11	L	0.59	0/1054	1.01	0/1403
12	M	0.54	0/1093	0.97	0/1460
13	N	0.58	0/958	1.04	0/1281
14	O	0.52	0/885	1.03	1/1187 (0.1%)
15	P	0.55	0/912	0.95	1/1220 (0.1%)
16	Q	0.63	0/954	0.99	0/1271
17	R	0.56	0/829	0.95	0/1107
18	S	0.57	0/864	0.96	0/1156
19	T	0.52	0/736	1.00	0/984
20	U	0.49	0/787	0.97	0/1051
21	V	0.50	0/766	0.94	1/1025 (0.1%)
22	W	0.56	0/636	0.96	0/841
23	X	0.57	0/635	1.00	0/848
24	Y	0.46	0/510	1.03	0/677
25	Z	0.53	0/439	0.94	0/587
26	a	0.61	0/450	1.05	0/599
27	b	0.52	0/402	0.97	0/536
28	c	0.63	0/380	1.12	0/498
29	d	0.62	0/513	1.05	0/676
30	i	0.54	0/36966	1.04	122/57666 (0.2%)
31	j	0.52	0/1710	1.08	1/2306 (0.0%)
32	m	0.53	0/1118	0.99	0/1504

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	n	0.50	0/835	0.98	0/1128
34	o	0.52	0/1195	1.04	1/1602 (0.1%)
35	p	0.48	0/989	0.93	0/1326
36	q	0.58	0/1013	1.08	0/1350
37	s	0.56	0/893	1.02	1/1205 (0.1%)
38	t	0.54	0/935	1.01	0/1256
39	u	0.51	0/875	1.09	0/1170
40	v	0.52	0/785	0.95	0/1043
41	w	0.50	0/695	0.98	0/931
42	y	0.51	0/657	0.96	0/881
43	z	0.49	0/462	0.97	0/621
44	1	0.53	0/609	0.99	0/822
45	2	0.50	0/616	1.17	0/814
46	3	0.61	0/349	1.23	0/461
47	4	0.54	0/238	0.97	1/369 (0.3%)
48	5	0.54	0/1837	1.02	7/2864 (0.2%)
48	6	0.55	0/1841	1.01	5/2868 (0.2%)
49	7	0.61	0/1807	0.88	1/2816 (0.0%)
50	e	0.58	0/303	1.05	0/397
51	f	0.55	0/46	0.99	0/60
All	All	0.53	0/152130	1.06	426/228839 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
3	C	0	6
4	D	0	2
5	E	0	1
9	J	0	1
11	L	0	1
12	M	0	2
13	N	0	1
14	O	0	1
15	P	0	1
16	Q	0	1
17	R	0	2
22	W	0	4
23	X	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
26	a	0	1
27	b	0	2
29	d	0	1
32	m	0	2
33	n	0	2
36	q	0	5
38	t	0	4
39	u	0	3
All	All	0	51

There are no bond length outliers.

The worst 5 of 426 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2296	U	O3'-P-O5'	-18.30	76.55	104.00
1	A	685	A	O3'-P-O5'	-17.00	78.50	104.00
1	A	994	C	O3'-P-O5'	-12.82	84.77	104.00
30	i	500	G	O3'-P-O5'	-12.63	85.05	104.00
30	i	501	C	O3'-P-O5'	-12.63	85.06	104.00

There are no chirality outliers.

5 of 51 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1025	G	Sidechain
1	A	250	G	Sidechain
1	A	395	U	Sidechain
1	A	463	G	Sidechain
1	A	512	G	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	60998	0	30646	58	0
2	B	2529	0	1281	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	2082	0	2153	3	0
4	D	1565	0	1616	9	0
5	E	1552	0	1619	4	0
6	F	1410	0	1444	2	0
7	G	1285	0	1341	3	0
8	H	359	0	381	2	0
9	J	1129	0	1162	5	0
10	K	938	0	1012	5	0
11	L	1045	0	1117	14	0
12	M	1074	0	1157	2	0
13	N	945	0	989	2	0
14	O	875	0	906	2	0
15	P	900	0	945	5	0
16	Q	941	0	1014	3	0
17	R	816	0	839	5	0
18	S	857	0	922	8	0
19	T	730	0	795	1	0
20	U	779	0	830	2	0
21	V	753	0	780	3	0
22	W	628	0	642	3	0
23	X	625	0	652	1	0
24	Y	509	0	543	2	0
25	Z	435	0	470	1	0
26	a	444	0	458	3	0
27	b	395	0	422	2	0
28	c	377	0	418	1	0
29	d	504	0	572	1	0
30	i	33015	0	16604	36	0
31	j	1679	0	1705	16	0
32	m	1105	0	1148	2	0
33	n	817	0	808	1	0
34	o	1181	0	1238	4	0
35	p	979	0	1031	2	0
36	q	1001	0	1044	10	0
37	s	877	0	887	8	0
38	t	922	0	978	4	0
39	u	867	0	921	2	0
40	v	774	0	824	1	0
41	w	687	0	702	1	0
42	y	648	0	691	3	0
43	z	455	0	478	1	0
44	1	594	0	610	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
45	2	612	0	650	1	0
46	3	346	0	369	5	0
47	4	214	0	111	1	0
48	5	1644	0	832	4	0
48	6	1648	0	831	2	0
49	7	1618	0	823	0	0
50	e	302	0	340	6	0
51	f	46	0	53	1	0
52	6	1	0	0	0	0
52	A	178	0	0	0	0
52	B	5	0	0	0	0
52	C	1	0	0	0	0
52	D	1	0	0	0	0
52	a	1	0	0	0	0
52	i	61	0	0	0	0
53	A	83	0	0	0	0
53	C	3	0	0	0	0
53	E	1	0	0	0	0
53	U	1	0	0	0	0
53	i	37	0	0	0	0
53	n	1	0	0	0	0
53	u	1	0	0	0	0
54	5	7	0	7	1	0
55	e	1	0	0	1	0
56	4	3	0	0	0	0
56	5	3	0	0	0	0
56	6	2	0	0	0	0
56	A	1006	0	0	0	0
56	B	10	0	0	0	0
56	C	14	0	0	0	0
56	D	2	0	0	0	0
56	E	3	0	0	0	0
56	L	4	0	0	0	0
56	N	3	0	0	0	0
56	T	1	0	0	0	0
56	a	4	0	0	0	0
56	d	4	0	0	0	0
56	f	3	0	0	0	0
56	i	176	0	0	0	0
56	s	1	0	0	0	0
All	All	141132	0	90811	218	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 218 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
50:e:11:CYS:SG	50:e:14:CYS:N	2.46	0.88
46:3:37:PHE:O	46:3:41:PRO:HD2	1.76	0.84
48:5:8:U:H5	48:5:14:A:N7	1.86	0.73
36:q:52:LEU:HB3	36:q:57:MET:HG3	1.71	0.71
50:e:33:HIS:ND1	55:e:100:ZN:ZN	1.54	0.70

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	269/273 (98%)	256 (95%)	13 (5%)	0	100	100
4	D	207/209 (99%)	200 (97%)	7 (3%)	0	100	100
5	E	199/201 (99%)	188 (94%)	10 (5%)	1 (0%)	24	27
6	F	175/179 (98%)	165 (94%)	10 (6%)	0	100	100
7	G	167/177 (94%)	158 (95%)	9 (5%)	0	100	100
8	H	45/149 (30%)	42 (93%)	2 (4%)	1 (2%)	5	3
9	J	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
10	K	120/123 (98%)	115 (96%)	5 (4%)	0	100	100
11	L	141/144 (98%)	133 (94%)	7 (5%)	1 (1%)	18	19
12	M	134/136 (98%)	128 (96%)	6 (4%)	0	100	100
13	N	116/127 (91%)	109 (94%)	7 (6%)	0	100	100
14	O	112/117 (96%)	107 (96%)	5 (4%)	0	100	100
15	P	110/115 (96%)	107 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	Q	114/118 (97%)	112 (98%)	2 (2%)	0	100	100
17	R	101/103 (98%)	93 (92%)	8 (8%)	0	100	100
18	S	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
19	T	90/100 (90%)	88 (98%)	2 (2%)	0	100	100
20	U	100/104 (96%)	94 (94%)	6 (6%)	0	100	100
21	V	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
22	W	82/85 (96%)	80 (98%)	2 (2%)	0	100	100
23	X	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
24	Y	61/63 (97%)	55 (90%)	6 (10%)	0	100	100
25	Z	54/59 (92%)	52 (96%)	2 (4%)	0	100	100
26	a	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
27	b	46/55 (84%)	46 (100%)	0	0	100	100
28	c	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
29	d	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
31	j	213/241 (88%)	187 (88%)	25 (12%)	1 (0%)	24	27
32	m	148/167 (89%)	139 (94%)	9 (6%)	0	100	100
33	n	98/135 (73%)	88 (90%)	10 (10%)	0	100	100
34	o	149/179 (83%)	136 (91%)	13 (9%)	0	100	100
35	p	127/130 (98%)	121 (95%)	6 (5%)	0	100	100
36	q	123/130 (95%)	105 (85%)	16 (13%)	2 (2%)	7	6
37	s	115/129 (89%)	106 (92%)	8 (7%)	1 (1%)	14	14
38	t	117/124 (94%)	103 (88%)	13 (11%)	1 (1%)	14	14
39	u	110/118 (93%)	100 (91%)	10 (9%)	0	100	100
40	v	92/101 (91%)	87 (95%)	3 (3%)	2 (2%)	5	3
41	w	84/89 (94%)	82 (98%)	2 (2%)	0	100	100
42	y	78/84 (93%)	68 (87%)	10 (13%)	0	100	100
43	z	53/75 (71%)	52 (98%)	1 (2%)	0	100	100
44	1	72/92 (78%)	71 (99%)	1 (1%)	0	100	100
45	2	74/87 (85%)	71 (96%)	3 (4%)	0	100	100
46	3	40/71 (56%)	39 (98%)	1 (2%)	0	100	100
50	e	36/38 (95%)	33 (92%)	2 (6%)	1 (3%)	4	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	f	4/6 (67%)	3 (75%)	1 (25%)	0	100	100
All	All	4751/5225 (91%)	4480 (94%)	260 (6%)	11 (0%)	44	51

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	E	190	ALA
11	L	111	ILE
37	s	119	ASN
40	v	23	LYS
36	q	51	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	216/218 (99%)	216 (100%)	0	100	100
4	D	164/164 (100%)	164 (100%)	0	100	100
5	E	165/165 (100%)	164 (99%)	1 (1%)	78	89
6	F	148/150 (99%)	148 (100%)	0	100	100
7	G	133/138 (96%)	131 (98%)	2 (2%)	57	73
8	H	38/114 (33%)	37 (97%)	1 (3%)	40	55
9	J	116/116 (100%)	116 (100%)	0	100	100
10	K	103/104 (99%)	103 (100%)	0	100	100
11	L	102/103 (99%)	102 (100%)	0	100	100
12	M	109/109 (100%)	108 (99%)	1 (1%)	70	84
13	N	98/103 (95%)	98 (100%)	0	100	100
14	O	84/87 (97%)	84 (100%)	0	100	100
15	P	97/100 (97%)	96 (99%)	1 (1%)	68	81
16	Q	89/90 (99%)	89 (100%)	0	100	100
17	R	84/84 (100%)	84 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	S	93/93 (100%)	91 (98%)	2 (2%)	45	61
19	T	79/84 (94%)	79 (100%)	0	100	100
20	U	83/85 (98%)	83 (100%)	0	100	100
21	V	78/78 (100%)	78 (100%)	0	100	100
22	W	61/63 (97%)	61 (100%)	0	100	100
23	X	67/68 (98%)	67 (100%)	0	100	100
24	Y	55/55 (100%)	55 (100%)	0	100	100
25	Z	47/49 (96%)	47 (100%)	0	100	100
26	a	47/48 (98%)	47 (100%)	0	100	100
27	b	44/49 (90%)	44 (100%)	0	100	100
28	c	38/38 (100%)	38 (100%)	0	100	100
29	d	51/52 (98%)	51 (100%)	0	100	100
31	j	177/199 (89%)	173 (98%)	4 (2%)	44	59
32	m	113/126 (90%)	111 (98%)	2 (2%)	51	68
33	n	87/116 (75%)	86 (99%)	1 (1%)	65	79
34	o	124/147 (84%)	123 (99%)	1 (1%)	73	85
35	p	104/105 (99%)	102 (98%)	2 (2%)	50	66
36	q	103/107 (96%)	96 (93%)	7 (7%)	14	17
37	s	90/99 (91%)	88 (98%)	2 (2%)	45	61
38	t	100/104 (96%)	96 (96%)	4 (4%)	28	38
39	u	90/96 (94%)	90 (100%)	0	100	100
40	v	79/84 (94%)	78 (99%)	1 (1%)	61	76
41	w	73/77 (95%)	73 (100%)	0	100	100
42	y	74/78 (95%)	73 (99%)	1 (1%)	59	75
43	z	48/65 (74%)	47 (98%)	1 (2%)	47	63
44	1	65/79 (82%)	65 (100%)	0	100	100
45	2	60/66 (91%)	60 (100%)	0	100	100
46	3	35/61 (57%)	33 (94%)	2 (6%)	18	23
50	e	34/34 (100%)	34 (100%)	0	100	100
51	f	5/5 (100%)	5 (100%)	0	100	100
All	All	3950/4255 (93%)	3914 (99%)	36 (1%)	68	84

5 of 36 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
38	t	18	LYS
46	3	17	ARG
38	t	36	ARG
42	y	17	MET
32	m	52	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 62 such sidechains are listed below:

Mol	Chain	Res	Type
19	T	91	GLN
38	t	72	HIS
23	X	17	ASN
38	t	5	ASN
45	2	3	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2838/2903 (97%)	365 (12%)	55 (1%)
2	B	117/120 (97%)	13 (11%)	1 (0%)
30	i	1538/1540 (99%)	286 (18%)	0
47	4	9/10 (90%)	0	0
48	5	76/77 (98%)	15 (19%)	4 (5%)
48	6	76/77 (98%)	11 (14%)	4 (5%)
49	7	75/76 (98%)	28 (37%)	3 (4%)
All	All	4729/4803 (98%)	718 (15%)	67 (1%)

5 of 718 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	10	A
1	A	12	U
1	A	34	U
1	A	46	G
1	A	61	C

5 of 67 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
48	5	20	G
48	5	57	C
49	7	74	C
1	A	1135	C
1	A	1133	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PSU	A	2504	1,53	18,21,22	1.08	1 (5%)	21,30,33	1.06	2 (9%)
1	2MA	A	2503	52,1,53	22,25,26	0.92	1 (4%)	32,37,40	1.23	3 (9%)
1	PSU	A	746	52,1	18,21,22	1.00	1 (5%)	21,30,33	1.63	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	A	2504	1,53	-	0/7/25/26	0/2/2/2
1	2MA	A	2503	52,1,53	-	0/7/25/26	0/3/3/3
1	PSU	A	746	52,1	-	2/7/25/26	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2504	PSU	C6-C5	3.76	1.39	1.35
1	A	746	PSU	C6-C5	3.56	1.39	1.35
1	A	2503	2MA	C6-N6	-2.25	1.28	1.34

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	746	PSU	O3'-C3'-C4'	4.49	123.98	111.08
1	A	746	PSU	C3'-C2'-C1'	3.33	105.62	101.69
1	A	2503	2MA	CM2-C2-N1	3.23	121.97	117.13
1	A	2503	2MA	C5-C4-N3	-2.80	124.23	127.18
1	A	746	PSU	C6-C5-C4	-2.48	116.50	118.17

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	746	PSU	O4'-C1'-C5-C6
1	A	746	PSU	C2'-C1'-C5-C6

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 377 ligands modelled in this entry, 376 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
54	PRO	5	101	48	6,7,8	0.67	0	7,8,10	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	PRO	5	101	48	-	0/0/9/11	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	5	101	PRO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18320. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 181




Y Index: 203




Z Index: 193


6.3.2 Raw map



X Index: 186



Y Index: 203




Z Index: 193


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.04. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 598 nm^3 ; this corresponds to an approximate mass of 540 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.455 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.455 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.37	2.82	2.44

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-18320 and PDB model 8QBT. Per-residue inclusion information can be found in section [3](#) on page [15](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.04 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).

9.4 Atom inclusion ⓘ



At the recommended contour level, 66% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6900	 0.6110
1	 0.3210	 0.4400
2	 0.2410	 0.3730
3	 0.4100	 0.4420
4	 0.7430	 0.6350
5	 0.5490	 0.5330
6	 0.5790	 0.5210
7	 0.0730	 0.1520
A	 0.8270	 0.6810
B	 0.6890	 0.6090
C	 0.8880	 0.7330
D	 0.8340	 0.7140
E	 0.6360	 0.6240
F	 0.3950	 0.4820
G	 0.3430	 0.4640
H	 0.3930	 0.5070
J	 0.8660	 0.7160
K	 0.8260	 0.7020
L	 0.7680	 0.6730
M	 0.8630	 0.7190
N	 0.9080	 0.7440
O	 0.5780	 0.5850
P	 0.7850	 0.6680
Q	 0.9020	 0.7520
R	 0.6860	 0.6300
S	 0.8230	 0.7030
T	 0.6790	 0.5940
U	 0.4820	 0.5260
V	 0.6170	 0.6020
W	 0.8780	 0.7130
X	 0.7820	 0.6830
Y	 0.4750	 0.5090
Z	 0.8270	 0.6930
a	 0.7920	 0.6930
b	 0.7360	 0.6220



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.9240	 0.7480
d	 0.9310	 0.7560
e	 0.7950	 0.6670
f	 0.8410	 0.7340
i	 0.5730	 0.5310
j	 0.2810	 0.4470
m	 0.6180	 0.5950
n	 0.3330	 0.4650
o	 0.3080	 0.4380
p	 0.5320	 0.5740
q	 0.3500	 0.4600
s	 0.5600	 0.5680
t	 0.3390	 0.4610
u	 0.3740	 0.4670
v	 0.4290	 0.5130
w	 0.5440	 0.5520
y	 0.2560	 0.3830
z	 0.6170	 0.5680