



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:20 AM UTC

PDB ID : 1QDO / pdb_00001qdo
Title : MAN(APLHA1-3)MAN(ALPHA1-O)METHYL CONCAVALIN A COM-
PLEX
Authors : Bouckaert, J.; Loris, R.; Wyns, L.
Deposited on : 1999-05-24
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	237	% 70% 27% .
1	B	237	65% 32% .
1	C	237	69% 28% .
1	D	237	% 75% 21% .
2	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%
2	G	2	 50%50%
2	H	2	 50%50%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7373 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (CONCANAVALIN A).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	237	Total	C	N	O	S	0	0	0
			1809	1141	302	364	2			
1	B	237	Total	C	N	O	S	0	0	0
			1809	1141	302	364	2			
1	C	237	Total	C	N	O	S	0	0	0
			1809	1141	302	364	2			
1	D	237	Total	C	N	O	S	0	0	0
			1809	1141	302	364	2			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-methyl alpha-D-mannopyranoside.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	E	2	Total	C	O	0	0	0
			24	13	11			
2	F	2	Total	C	O	0	0	0
			24	13	11			
2	G	2	Total	C	O	0	0	0
			24	13	11			
2	H	2	Total	C	O	0	0	0
			24	13	11			

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Mn 1	0	0
3	C	1	Total 1	Mn 1	0	0
3	D	1	Total 1	Mn 1	0	0

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Ca 1	0	0
4	B	1	Total 1	Ca 1	0	0
4	C	1	Total 1	Ca 1	0	0
4	D	1	Total 1	Ca 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total 5	O 5	0	0
5	B	12	Total 12	O 12	0	0
5	C	9	Total 9	O 9	0	0
5	D	7	Total 7	O 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PROTEIN (CONCANAVALIN A)





- Molecule 1: PROTEIN (CONCANAVALIN A)



- Molecule 1: PROTEIN (CONCANAVALIN A)




- Molecule 1: PROTEIN (CONCANAVALIN A)



- Molecule 2: alpha-D-mannopyranose-(1-3)-methyl alpha-D-mannopyranoside



- Molecule 2: alpha-D-mannopyranose-(1-3)-methyl alpha-D-mannopyranoside



- Molecule 2: alpha-D-mannopyranose-(1-3)-methyl alpha-D-mannopyranoside



- Molecule 2: alpha-D-mannopyranose-(1-3)-methyl alpha-D-mannopyranoside



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.41Å 64.53Å 126.96Å 90.00° 93.21° 90.00°	Depositor
Resolution (Å)	25.00 – 2.80 25.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (25.00-2.80) 99.6 (25.00-2.80)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 2.80Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.164 , 0.257 0.166 , 0.248	Depositor DCC
R_{free} test set	2449 reflections (10.09%)	wwPDB-VP
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.849	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 49.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7373	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, CA, MMA, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	0/1851	1.15	18/2522 (0.7%)
1	B	0.81	0/1851	1.16	12/2522 (0.5%)
1	C	0.86	1/1851 (0.1%)	1.15	15/2522 (0.6%)
1	D	0.79	0/1851	1.18	14/2522 (0.6%)
All	All	0.82	1/7404 (0.0%)	1.16	59/10088 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	120	THR	CA-CB	5.49	1.62	1.53

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	217	ILE	N-CA-C	8.50	119.28	110.36
1	B	4	ILE	N-CA-C	8.01	119.33	108.11
1	B	17	ILE	N-CA-C	7.05	120.91	112.80
1	A	4	ILE	N-CA-C	6.99	118.54	108.48
1	D	216	ASN	N-CA-C	-6.86	101.47	110.53
1	C	22	TYR	N-CA-C	6.79	114.33	108.22
1	C	117	SER	N-CA-C	6.74	119.00	110.24
1	D	4	ILE	N-CA-C	6.29	117.84	108.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	LEU	N-CA-C	-6.25	99.72	108.54
1	D	87	GLU	N-CA-C	6.16	118.79	111.71
1	A	212	PHE	N-CA-C	-5.94	99.55	109.24
1	C	5	VAL	N-CA-C	-5.94	99.79	108.11
1	B	209	GLY	N-CA-C	5.92	118.06	112.08
1	C	189	ALA	N-CA-C	-5.90	100.08	109.23
1	C	205	HIS	CA-C-N	-5.84	114.58	120.31
1	C	205	HIS	C-N-CA	-5.84	114.58	120.31
1	B	16	ASP	N-CA-C	-5.82	104.84	111.07
1	A	6	ALA	N-CA-C	5.79	117.87	109.07
1	D	124	ASN	N-CA-C	-5.77	100.00	109.40
1	A	214	ILE	N-CA-C	-5.66	100.19	108.11
1	D	103	THR	N-CA-C	-5.63	101.31	110.20
1	A	117	SER	N-CA-C	5.57	117.72	110.43
1	D	123	THR	N-CA-C	5.55	118.33	110.50
1	D	233	PHE	CA-C-N	5.55	125.07	119.19
1	D	233	PHE	C-N-CA	5.55	125.07	119.19
1	B	212	PHE	N-CA-C	-5.54	100.64	109.96
1	A	205	HIS	CA-C-N	-5.51	114.58	120.03
1	A	205	HIS	C-N-CA	-5.51	114.58	120.03
1	D	156	LEU	N-CA-C	5.50	117.27	111.28
1	D	125	ALA	N-CA-C	5.46	117.37	109.07
1	A	226	THR	N-CA-C	-5.44	101.94	110.36
1	B	9	LEU	N-CA-C	-5.41	100.92	108.54
1	A	175	PHE	N-CA-C	-5.37	102.93	110.50
1	C	217	ILE	N-CA-C	5.36	120.50	109.34
1	B	125	ALA	N-CA-C	5.35	117.31	109.24
1	A	177	ALA	N-CA-C	5.35	116.56	109.93
1	B	172	ARG	CB-CG-CD	-5.33	99.05	111.30
1	C	149	GLY	N-CA-C	5.33	122.18	114.67
1	A	232	LEU	N-CA-C	5.31	120.25	113.55
1	C	216	ASN	N-CA-C	-5.30	103.03	110.50
1	B	123	THR	N-CA-C	5.28	118.29	110.48
1	C	123	THR	N-CA-C	5.26	117.48	110.53
1	A	21	SER	N-CA-C	5.25	121.98	110.80
1	C	66	SER	N-CA-C	5.24	117.15	109.24
1	C	59	LYS	N-CA-C	-5.22	104.03	111.24
1	A	66	SER	N-CA-C	5.22	117.01	109.07
1	A	124	ASN	N-CA-C	-5.18	100.96	109.40
1	A	87	GLU	N-CA-C	5.17	119.21	113.01
1	B	131	ASN	N-CA-C	-5.13	106.42	113.30
1	D	19	ASP	CA-C-N	-5.12	115.29	120.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	19	ASP	C-N-CA	-5.12	115.29	120.21
1	D	131	ASN	N-CA-C	-5.12	107.01	114.12
1	A	181	ILE	N-CA-C	5.11	119.24	111.89
1	A	138	LYS	N-CA-C	5.05	118.92	112.87
1	B	124	ASN	N-CA-C	-5.04	100.25	108.76
1	C	15	THR	N-CA-C	5.02	118.50	112.38
1	C	12	TYR	CA-C-N	5.01	126.11	119.84
1	C	12	TYR	C-N-CA	5.01	126.11	119.84
1	B	214	ILE	N-CA-C	-5.01	101.26	108.48

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	54	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1809	0	1755	42	0
1	B	1809	0	1755	48	0
1	C	1809	0	1755	42	0
1	D	1809	0	1755	31	0
2	E	24	0	23	0	0
2	F	24	0	23	2	0
2	G	24	0	23	0	0
2	H	24	0	23	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	12	0	0	0	0
5	C	9	0	0	0	0
5	D	7	0	0	0	0
All	All	7373	0	7112	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:170:VAL:HG23	1:C:226:THR:HG22	1.49	0.92
1:A:170:VAL:HG23	1:A:226:THR:HG22	1.50	0.92
1:A:172:ARG:HD2	1:A:221:ILE:HG12	1.59	0.84
1:C:187:VAL:HG12	1:C:188:VAL:HG23	1.62	0.80
1:A:187:VAL:HG12	1:A:188:VAL:HG23	1.65	0.79
1:C:14:ASN:O	1:C:19:ASP:HB2	1.88	0.74
1:B:170:VAL:HG12	1:B:221:ILE:HD13	1.69	0.74
1:C:230:LEU:O	1:C:232:LEU:HG	1.86	0.74
1:D:118:ASN:HB2	1:D:185:SER:O	1.90	0.72
1:B:170:VAL:HG23	1:B:226:THR:HG22	1.74	0.70
1:B:17:ILE:HG21	1:B:236:ALA:HB1	1.77	0.67
1:C:118:ASN:HB2	1:C:185:SER:O	1.94	0.67
1:B:60:ARG:HH21	1:D:60:ARG:NH2	1.93	0.66
1:D:43:GLN:NE2	1:D:46:LYS:HD2	2.10	0.66
1:A:162:ASN:HD22	1:A:164:SER:HB2	1.62	0.65
1:A:162:ASN:ND2	1:A:164:SER:HB2	2.12	0.64
1:C:162:ASN:HD22	1:C:164:SER:HB2	1.62	0.64
1:A:170:VAL:HG12	1:A:221:ILE:HD13	1.81	0.63
1:A:104:ASN:HD22	1:A:210:ILE:CG1	2.12	0.62
1:C:170:VAL:CG2	1:C:226:THR:HG22	2.28	0.62
1:C:25:ILE:HG23	1:C:40:TRP:HB2	1.82	0.62
1:B:43:GLN:NE2	1:B:46:LYS:HD2	2.16	0.61
1:A:60:ARG:HH21	1:C:60:ARG:NH2	2.00	0.60
1:D:156:LEU:O	1:D:171:GLY:HA3	2.02	0.59
1:A:170:VAL:CG2	1:A:226:THR:HA	2.33	0.59
1:C:17:ILE:O	1:C:33:ARG:HG2	2.02	0.59
1:C:3:THR:HG22	1:C:85:LEU:HD23	1.85	0.58
1:A:106:ILE:HB	1:A:154:LEU:HB3	1.85	0.57
1:B:17:ILE:CG2	1:B:236:ALA:HB1	2.34	0.57
1:B:170:VAL:CG1	1:B:221:ILE:HD13	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:170:VAL:HG12	1:C:221:ILE:HD13	1.87	0.56
1:A:229:LEU:HD13	1:A:233:PHE:O	2.06	0.55
1:D:170:VAL:HG12	1:D:221:ILE:HD13	1.89	0.54
1:B:3:THR:HG21	1:B:84:VAL:O	2.07	0.54
1:B:95:ALA:HB1	1:B:104:ASN:ND2	2.22	0.54
1:B:101:LYS:N	1:B:101:LYS:HD3	2.23	0.54
1:B:91:VAL:HG12	1:B:214:ILE:HG12	1.90	0.53
1:A:14:ASN:H	1:A:19:ASP:CB	2.20	0.53
1:B:121:HIS:HD2	1:D:49:THR:OG1	1.92	0.53
1:C:93:LEU:HD13	1:C:106:ILE:HD12	1.91	0.53
1:A:104:ASN:HD22	1:A:210:ILE:HG12	1.73	0.53
1:C:162:ASN:ND2	1:C:164:SER:HB2	2.23	0.52
1:B:230:LEU:O	1:B:232:LEU:HG	2.09	0.52
1:C:32:VAL:HB	1:C:233:PHE:CD2	2.43	0.52
1:B:156:LEU:O	1:B:171:GLY:HA3	2.09	0.52
1:C:104:ASN:HD22	1:C:210:ILE:HG12	1.75	0.52
1:C:229:LEU:HD13	1:C:233:PHE:O	2.10	0.52
1:A:156:LEU:O	1:A:171:GLY:HA3	2.10	0.52
1:B:60:ARG:HH21	1:D:60:ARG:HH21	1.58	0.51
1:B:120:THR:CG2	1:B:122:GLU:HB2	2.41	0.51
1:C:101:LYS:N	1:C:101:LYS:HD3	2.26	0.51
1:A:60:ARG:HH21	1:C:60:ARG:HH21	1.57	0.51
1:B:20:PRO:HB2	1:B:22:TYR:CZ	2.45	0.51
1:B:228:ARG:HG3	2:F:2:MAN:O4	2.10	0.51
1:A:174:LEU:HD12	1:A:174:LEU:N	2.26	0.51
1:D:25:ILE:HG23	1:D:40:TRP:HB2	1.92	0.50
1:A:104:ASN:HD22	1:A:210:ILE:HG13	1.76	0.50
1:C:170:VAL:HG11	1:C:221:ILE:HG21	1.92	0.50
1:C:120:THR:HG22	1:C:122:GLU:H	1.76	0.50
1:B:222:PRO:HB2	1:B:225:SER:HB3	1.93	0.50
1:C:28:ASP:HB3	1:C:31:SER:O	2.11	0.50
1:D:230:LEU:O	1:D:232:LEU:HG	2.12	0.49
1:B:210:ILE:HG22	1:B:211:ALA:N	2.27	0.49
1:A:111:PHE:HB3	1:A:128:PHE:CE2	2.48	0.49
1:D:3:THR:HG21	1:D:84:VAL:O	2.13	0.49
1:B:137:GLN:HG2	1:B:140:LEU:HG	1.95	0.49
1:D:10:ASP:HB3	1:D:24:HIS:CE1	2.47	0.49
1:D:14:ASN:O	1:D:19:ASP:HB2	2.12	0.49
1:C:66:SER:HB3	1:C:72:SER:HB3	1.95	0.49
1:C:170:VAL:CG2	1:C:226:THR:HA	2.42	0.48
1:A:118:ASN:HB2	1:A:185:SER:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:ASN:C	1:C:19:ASP:HB2	2.38	0.48
1:A:95:ALA:HB1	1:A:104:ASN:ND2	2.28	0.47
1:D:111:PHE:HB3	1:D:128:PHE:CZ	2.50	0.47
1:C:177:ALA:HA	1:C:178:PRO:HD3	1.79	0.47
1:A:199:ILE:HD11	1:A:210:ILE:HD12	1.97	0.47
1:A:60:ARG:NH2	1:C:60:ARG:HH21	2.12	0.47
1:A:230:LEU:O	1:A:232:LEU:HG	2.14	0.47
1:B:170:VAL:CG2	1:B:226:THR:HG22	2.43	0.47
1:B:228:ARG:HG3	2:F:2:MAN:O3	2.15	0.47
1:D:32:VAL:HB	1:D:233:PHE:CD2	2.49	0.47
1:C:117:SER:O	1:C:121:HIS:HA	2.15	0.46
1:A:170:VAL:CG1	1:A:221:ILE:HD13	2.44	0.46
1:B:51:HIS:O	1:B:63:ALA:HA	2.15	0.46
1:C:111:PHE:HB3	1:C:128:PHE:CZ	2.50	0.46
1:A:14:ASN:H	1:A:19:ASP:HB2	1.79	0.46
1:B:116:LYS:HG3	1:B:123:THR:OG1	2.15	0.46
1:B:25:ILE:HG23	1:B:40:TRP:HB2	1.97	0.46
1:B:120:THR:HG22	1:B:122:GLU:HB2	1.97	0.46
1:D:43:GLN:HE22	1:D:46:LYS:HD2	1.77	0.46
1:C:111:PHE:HB3	1:C:128:PHE:CE2	2.51	0.46
1:B:12:TYR:HB2	1:B:207:ALA:HB2	1.97	0.45
1:B:170:VAL:CG2	1:B:226:THR:HA	2.46	0.45
1:D:207:ALA:HB1	1:D:208:ASP:OD1	2.17	0.45
1:B:14:ASN:C	1:B:19:ASP:HB2	2.42	0.45
1:C:169:SER:O	1:C:170:VAL:HG23	2.16	0.45
1:D:172:ARG:HD2	1:D:221:ILE:HG12	1.99	0.45
1:B:12:TYR:HB2	1:B:207:ALA:CB	2.46	0.45
1:A:94:SER:HB2	1:A:172:ARG:HG2	1.99	0.45
1:B:14:ASN:ND2	1:B:228:ARG:HG2	2.32	0.44
1:B:56:SER:HB3	1:B:189:ALA:H	1.82	0.44
1:A:14:ASN:HB3	1:A:17:ILE:HG12	1.99	0.44
1:D:117:SER:HA	1:D:186:ALA:HA	1.99	0.44
1:C:135:LYS:HG2	1:C:149:GLY:HA3	2.00	0.44
1:C:210:ILE:HG22	1:C:211:ALA:N	2.32	0.44
1:B:56:SER:HB2	1:B:189:ALA:HB3	1.99	0.44
1:A:117:SER:O	1:A:121:HIS:HA	2.17	0.44
1:B:150:THR:O	1:B:151:ASP:HB2	2.18	0.43
1:C:120:THR:O	1:C:121:HIS:HB2	2.18	0.43
1:C:12:TYR:HB2	1:C:207:ALA:HB2	2.00	0.43
1:A:107:LEU:HD23	1:A:153:ASN:CG	2.43	0.43
1:B:14:ASN:O	1:B:19:ASP:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:PHE:HB3	1:B:128:PHE:CE2	2.54	0.43
1:D:8:GLU:C	1:D:9:LEU:HD12	2.44	0.43
1:B:60:ARG:NH2	1:D:60:ARG:HH21	2.16	0.43
1:C:34:SER:HB2	1:C:37:THR:HG23	1.99	0.43
1:A:66:SER:HB3	1:A:72:SER:HB3	2.00	0.43
1:B:47:VAL:HG13	1:B:107:LEU:HD12	2.01	0.43
1:C:25:ILE:HG13	1:C:75:VAL:HG11	2.01	0.43
1:A:170:VAL:CG2	1:A:226:THR:HG22	2.34	0.43
1:A:172:ARG:HD2	1:A:221:ILE:CG1	2.38	0.43
1:D:90:ARG:NH1	1:D:217:ILE:HG23	2.33	0.43
1:B:90:ARG:NH1	1:B:217:ILE:HG23	2.34	0.42
1:B:111:PHE:O	1:B:127:HIS:HA	2.19	0.42
1:B:68:PRO:O	1:B:69:ASN:HB2	2.18	0.42
1:D:210:ILE:HG22	1:D:211:ALA:N	2.33	0.42
1:A:200:LYS:HB3	1:A:200:LYS:HE2	1.78	0.42
1:B:50:ALA:O	1:B:194:THR:HA	2.19	0.42
1:A:87:GLU:HB2	1:A:182:TRP:O	2.20	0.42
1:D:116:LYS:HG3	1:D:123:THR:OG1	2.18	0.42
1:A:160:SER:OG	1:A:162:ASN:HB3	2.19	0.42
1:D:170:VAL:CG1	1:D:221:ILE:HD13	2.49	0.42
1:A:66:SER:HB3	1:A:72:SER:CB	2.48	0.42
1:A:96:SER:OG	1:A:230:LEU:HA	2.20	0.42
1:D:56:SER:HB3	1:D:189:ALA:HB3	2.02	0.42
1:D:170:VAL:CG2	1:D:226:THR:HA	2.50	0.42
1:D:210:ILE:HG22	1:D:211:ALA:H	1.85	0.42
1:C:12:TYR:HB2	1:C:207:ALA:CB	2.50	0.42
1:A:143:GLN:HB2	1:A:172:ARG:HB2	2.02	0.42
1:A:12:TYR:HB2	1:A:207:ALA:HB2	2.02	0.41
1:B:51:HIS:C	1:B:52:ILE:HD12	2.45	0.41
1:C:96:SER:OG	1:C:230:LEU:HA	2.20	0.41
1:D:170:VAL:HG11	1:D:221:ILE:HG21	2.02	0.41
1:B:228:ARG:HG3	1:B:228:ARG:H	1.50	0.41
1:C:55:ASN:OD1	1:C:57:VAL:HB	2.20	0.41
1:C:95:ALA:HB1	1:C:104:ASN:ND2	2.36	0.41
1:A:181:ILE:HG23	1:A:182:TRP:CD1	2.55	0.41
1:A:170:VAL:HG22	1:A:226:THR:HA	2.03	0.40
1:B:181:ILE:HG23	1:B:182:TRP:HD1	1.86	0.40
1:D:169:SER:O	1:D:170:VAL:HG23	2.20	0.40
1:B:42:MET:HE3	1:B:42:MET:HB3	1.73	0.40
1:B:90:ARG:HB3	1:B:174:LEU:HD23	2.02	0.40
1:C:34:SER:HB2	1:C:37:THR:CG2	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:ILE:HG23	1:A:40:TRP:HB2	2.03	0.40
1:D:177:ALA:HA	1:D:178:PRO:HD3	1.84	0.40
1:D:111:PHE:HB3	1:D:128:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	235/237 (99%)	213 (91%)	20 (8%)	2 (1%)	14	41
1	B	235/237 (99%)	216 (92%)	16 (7%)	3 (1%)	9	31
1	C	235/237 (99%)	216 (92%)	15 (6%)	4 (2%)	7	25
1	D	235/237 (99%)	218 (93%)	15 (6%)	2 (1%)	14	41
All	All	940/948 (99%)	863 (92%)	66 (7%)	11 (1%)	10	34

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	21	SER
1	C	21	SER
1	B	117	SER
1	D	117	SER
1	B	21	SER
1	C	231	GLY
1	A	228	ARG
1	B	203	ASP
1	C	225	SER
1	C	228	ARG
1	D	228	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/203 (100%)	189 (93%)	14 (7%)	14	41
1	B	203/203 (100%)	188 (93%)	15 (7%)	13	37
1	C	203/203 (100%)	194 (96%)	9 (4%)	25	59
1	D	203/203 (100%)	189 (93%)	14 (7%)	14	41
All	All	812/812 (100%)	760 (94%)	52 (6%)	16	44

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	THR
1	A	16	ASP
1	A	21	SER
1	A	34	SER
1	A	41	ASN
1	A	53	ILE
1	A	75	VAL
1	A	110	SER
1	A	113	SER
1	A	132	GLN
1	A	134	SER
1	A	208	ASP
1	A	230	LEU
1	A	235	ASP
1	B	15	THR
1	B	25	ILE
1	B	41	ASN
1	B	42	MET
1	B	53	ILE
1	B	62	SER
1	B	76	SER
1	B	78	ASP
1	B	117	SER
1	B	120	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	132	GLN
1	B	147	THR
1	B	188	VAL
1	B	208	ASP
1	B	228	ARG
1	C	16	ASP
1	C	34	SER
1	C	41	ASN
1	C	53	ILE
1	C	107	LEU
1	C	120	THR
1	C	132	GLN
1	C	208	ASP
1	C	220	SER
1	D	15	THR
1	D	16	ASP
1	D	41	ASN
1	D	42	MET
1	D	53	ILE
1	D	56	SER
1	D	76	SER
1	D	117	SER
1	D	118	ASN
1	D	132	GLN
1	D	170	VAL
1	D	188	VAL
1	D	208	ASP
1	D	220	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	51	HIS
1	A	104	ASN
1	A	132	GLN
1	A	162	ASN
1	A	205	HIS
1	B	43	GLN
1	B	69	ASN
1	B	121	HIS
1	B	124	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	132	GLN
1	B	237	ASN
1	C	14	ASN
1	C	104	ASN
1	C	124	ASN
1	C	132	GLN
1	C	162	ASN
1	C	205	HIS
1	D	43	GLN
1	D	51	HIS
1	D	118	ASN
1	D	132	GLN
1	D	237	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MMA	E	1	2	13,13,13	0.73	0	18,18,18	0.65	0
2	MAN	E	2	2	11,11,12	0.54	0	15,15,17	0.56	0
2	MMA	F	1	2	13,13,13	0.67	0	18,18,18	0.90	1 (5%)
2	MAN	F	2	2	11,11,12	0.63	0	15,15,17	0.63	0
2	MMA	G	1	2	13,13,13	0.53	0	18,18,18	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MAN	G	2	2	11,11,12	0.54	0	15,15,17	0.67	1 (6%)
2	MMA	H	1	2	13,13,13	0.64	0	18,18,18	0.63	1 (5%)
2	MAN	H	2	2	11,11,12	0.68	0	15,15,17	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MMA	E	1	2	-	0/4/24/24	0/1/1/1
2	MAN	E	2	2	-	0/2/19/22	0/1/1/1
2	MMA	F	1	2	-	0/4/24/24	0/1/1/1
2	MAN	F	2	2	-	0/2/19/22	0/1/1/1
2	MMA	G	1	2	-	0/4/24/24	0/1/1/1
2	MAN	G	2	2	-	0/2/19/22	0/1/1/1
2	MMA	H	1	2	-	0/4/24/24	0/1/1/1
2	MAN	H	2	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1	MMA	O1-C1-C2	3.05	111.66	108.14
2	G	2	MAN	C1-O5-C5	2.22	115.16	112.19
2	H	1	MMA	O1-C1-C2	2.12	110.59	108.14

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	2	MAN	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain E




Oligosaccharide Chain F



Oligosaccharide Chain G



Oligosaccharide Chain H



5.6 Ligand geometry

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/237 (100%)	-0.49	2 (0%) 82 75	7, 26, 75, 98	0
1	B	237/237 (100%)	-0.51	0 100 100	7, 26, 71, 94	0
1	C	237/237 (100%)	-0.47	1 (0%) 88 84	6, 25, 77, 95	0
1	D	237/237 (100%)	-0.54	2 (0%) 82 75	6, 26, 72, 97	0
All	All	948/948 (100%)	-0.50	5 (0%) 87 82	6, 26, 74, 98	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	119	SER	3.6
1	D	118	ASN	3.3
1	A	118	ASN	3.2
1	C	118	ASN	3.0
1	D	119	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MMA	F	1	13/13	0.78	0.11	55,62,77,80	0
2	MMA	H	1	13/13	0.80	0.10	53,61,73,79	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MMA	E	1	13/13	0.82	0.10	39,60,73,90	0
2	MMA	G	1	13/13	0.84	0.09	49,63,77,90	0
2	MAN	F	2	11/12	0.87	0.11	37,43,50,55	0
2	MAN	H	2	11/12	0.91	0.08	32,36,46,46	0
2	MAN	G	2	11/12	0.93	0.08	30,36,51,64	0
2	MAN	E	2	11/12	0.94	0.07	23,39,45,45	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	A	241	1/1	0.86	0.09	49,49,49,49	0
4	CA	D	247	1/1	0.92	0.06	42,42,42,42	0
4	CA	C	245	1/1	0.94	0.08	47,47,47,47	0
4	CA	B	243	1/1	0.94	0.04	39,39,39,39	0
3	MN	C	244	1/1	0.97	0.05	42,42,42,42	0
3	MN	A	240	1/1	0.98	0.06	43,43,43,43	0
3	MN	D	246	1/1	0.98	0.05	47,47,47,47	0
3	MN	B	242	1/1	0.98	0.05	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.