



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:34 PM UTC

PDB ID : 3QE2 / pdb_00003qe2
Title : Crystal Structure of Human NADPH-Cytochrome P450 Reductase
Authors : Xia, C.; Marohnic, C.; Panda, S.P.; Masters, B.S.; Kim, J.-J.P.
Deposited on : 2011-01-19
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	618	6% 79% 17% ..
1	B	618	13% 79% 18% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10859 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADPH–cytochrome P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	604	Total	C	N	O	S	0	0	0
			4836	3059	837	917	23			
1	B	606	Total	C	N	O	S	0	0	0
			4826	3053	836	914	23			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	63	GLY	-	expression tag	UNP P16435
A	64	SER	-	expression tag	UNP P16435
A	65	HIS	-	expression tag	UNP P16435
A	66	MET	-	expression tag	UNP P16435
A	228	LEU	PRO	SEE REMARK 999	UNP P16435
A	503	VAL	ALA	SEE REMARK 999	UNP P16435
B	63	GLY	-	expression tag	UNP P16435
B	64	SER	-	expression tag	UNP P16435
B	65	HIS	-	expression tag	UNP P16435
B	66	MET	-	expression tag	UNP P16435
B	228	LEU	PRO	SEE REMARK 999	UNP P16435
B	503	VAL	ALA	SEE REMARK 999	UNP P16435

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 3 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 17	N 4	O 9	P 1	0	0
3	B	1	Total 31	C 17	N 4	O 9	P 1	0	0

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	B	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	596	Total O 596 596	0	0
6	B	370	Total O 370 370	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NADPH-cytochrome P450 reductase



• Molecule 1: NADPH-cytochrome P450 reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.14Å 117.78Å 156.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.10 – 1.75 45.10 – 1.75	Depositor EDS
% Data completeness (in resolution range)	95.4 (45.10-1.75) 95.4 (45.10-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 1.75Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.211 , 0.239 0.211 , 0.239	Depositor DCC
R_{free} test set	6299 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	22.4	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10859	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAP, FMN, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/4944	0.87	13/6689 (0.2%)
1	B	0.32	0/4935	0.82	11/6679 (0.2%)
All	All	0.34	0/9879	0.84	24/13368 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	299	THR	N-CA-C	-8.06	103.17	113.16
1	A	424	VAL	N-CA-C	7.55	117.52	110.42
1	A	92	GLY	N-CA-C	7.05	124.71	115.40
1	B	544	ILE	N-CA-C	-6.92	103.56	110.62
1	B	424	VAL	N-CA-C	6.92	116.92	110.42
1	A	386	THR	N-CA-C	6.76	119.48	111.71
1	A	599	SER	N-CA-C	6.57	119.27	111.71
1	B	492	VAL	N-CA-C	6.51	116.61	110.30
1	A	544	ILE	N-CA-C	-6.46	104.20	110.72
1	B	92	GLY	N-CA-C	6.12	123.48	115.40
1	A	654	GLY	N-CA-C	-5.86	106.53	115.66
1	B	275	GLN	N-CA-C	5.81	118.20	108.96
1	A	492	VAL	N-CA-C	5.78	115.90	110.30
1	B	88	GLY	N-CA-C	-5.78	99.49	113.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	171	PHE	N-CA-C	5.72	117.66	109.14
1	B	636	ARG	N-CA-C	5.46	117.04	111.14
1	B	437	CYS	CA-C-N	5.28	125.59	119.47
1	B	437	CYS	C-N-CA	5.28	125.59	119.47
1	A	88	GLY	N-CA-C	-5.27	100.69	113.18
1	B	386	THR	N-CA-C	5.27	117.70	111.33
1	A	636	ARG	N-CA-C	5.12	116.86	111.28
1	B	171	PHE	N-CA-C	5.06	116.69	109.14
1	A	256	ILE	N-CA-C	5.02	116.47	109.55
1	A	123	ALA	N-CA-C	-5.01	106.42	112.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	459	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4836	0	4711	86	0
1	B	4826	0	4684	84	0
2	A	53	0	31	0	0
2	B	53	0	31	0	0
3	A	31	0	19	0	0
3	B	31	0	19	0	0
4	A	31	0	11	1	0
4	B	31	0	11	1	0
5	A	1	0	0	0	0
6	A	596	0	0	17	0
6	B	370	0	0	12	0
All	All	10859	0	9517	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:609:GLN:H	1:A:609:GLN:HE21	1.09	0.99
1:B:640:ARG:HH11	1:B:640:ARG:HB3	1.32	0.94
1:B:509:ARG:O	1:B:511:LEU:HG	1.69	0.93
1:A:247:GLN:HE21	1:A:353:ASN:HD21	1.24	0.84
1:A:609:GLN:HE22	4:A:753:NAP:H2A	1.42	0.82
1:A:609:GLN:H	1:A:609:GLN:NE2	1.79	0.80
1:A:407:LYS:HD3	1:A:414:GLU:HG3	1.63	0.80
1:B:609:GLN:HE22	4:B:753:NAP:H2A	1.48	0.79
1:B:82:ASN:HD21	1:B:110:MET:HB3	1.47	0.78
1:A:609:GLN:HE21	1:A:609:GLN:N	1.82	0.77
1:B:482:GLU:HG2	1:B:488:ILE:CD1	2.15	0.76
1:A:509:ARG:HD3	1:A:511:LEU:HD21	1.68	0.75
1:B:640:ARG:HB3	1:B:640:ARG:NH1	2.01	0.74
1:A:440:LEU:O	1:A:441:ARG:HD3	1.87	0.74
1:A:339:LYS:NZ	1:A:339:LYS:HB3	2.02	0.73
1:B:657:GLU:H	1:B:660:GLN:HE21	1.35	0.73
1:A:247:GLN:HE21	1:A:353:ASN:ND2	1.87	0.72
1:B:609:GLN:H	1:B:609:GLN:HE21	1.38	0.71
1:A:268:ARG:HB2	1:A:268:ARG:NH1	2.05	0.71
1:A:244:SER:HA	6:A:957:HOH:O	1.90	0.71
1:B:379:ASP:HB3	1:B:452:PRO:HG2	1.73	0.70
1:A:637:ASN:HD22	1:A:640:ARG:HH11	1.40	0.68
1:A:435:GLN:HE21	1:A:487:ARG:HH11	1.42	0.66
1:A:657:GLU:H	1:A:660:GLN:HE21	1.43	0.66
1:B:613:LYS:HE3	6:B:905:HOH:O	1.95	0.65
1:B:570:ARG:HD3	1:B:575:ASP:OD2	1.96	0.65
1:A:247:GLN:NE2	1:A:353:ASN:HD21	1.94	0.64
1:B:81:ARG:HG3	1:B:81:ARG:HH11	1.61	0.64
1:A:451:LEU:HD22	6:A:963:HOH:O	1.98	0.64
1:A:429:HIS:HD2	1:A:432:ALA:H	1.48	0.62
1:B:170:LYS:NZ	1:B:233:HIS:HE1	1.98	0.62
1:B:482:GLU:HG2	1:B:488:ILE:HD13	1.82	0.61
1:B:631:VAL:HB	1:B:676:LEU:HD23	1.82	0.61
1:B:298:GLY:HA3	1:B:574:GLU:OE1	2.01	0.61
1:A:389:LEU:HD11	1:A:423:VAL:HG21	1.83	0.60
1:A:339:LYS:HB3	1:A:339:LYS:HZ3	1.64	0.60
1:B:666:LYS:HE3	6:B:977:HOH:O	2.02	0.60
1:B:303:LEU:CD2	1:B:577:LEU:HD21	2.32	0.59
1:B:303:LEU:HD22	1:B:577:LEU:HD21	1.84	0.59
1:B:609:GLN:H	1:B:609:GLN:NE2	2.01	0.59
1:B:260:LYS:HG3	6:B:1030:HOH:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:662:VAL:CG1	1:B:666:LYS:HE2	2.33	0.58
1:A:552:TRP:O	1:A:556:GLN:HG2	2.03	0.58
1:A:526:LYS:HE2	6:A:826:HOH:O	2.04	0.57
1:A:179:LYS:HE2	1:A:210:ASP:OD2	2.04	0.57
1:A:353:ASN:ND2	1:A:355:ASP:H	2.02	0.57
1:B:353:ASN:HD22	1:B:354:LEU:N	2.03	0.57
1:A:79:THR:HG22	1:A:357:GLU:OE1	2.04	0.56
1:A:485:ALA:HB3	6:A:896:HOH:O	2.05	0.56
1:A:303:LEU:HD22	1:A:577:LEU:HD21	1.87	0.55
1:A:407:LYS:HD3	1:A:414:GLU:CG	2.35	0.55
1:A:89:SER:HB2	1:A:94:ALA:HB3	1.87	0.55
1:A:80:GLY:HA2	6:A:733:HOH:O	2.05	0.55
1:A:429:HIS:CD2	1:A:432:ALA:H	2.25	0.55
1:B:662:VAL:HG12	1:B:666:LYS:HE2	1.89	0.55
1:A:305:HIS:HD2	1:A:578:TYR:OH	1.89	0.55
1:A:119:GLU:HG3	6:A:965:HOH:O	2.07	0.54
1:B:544:ILE:O	1:B:548:GLN:HG3	2.07	0.54
1:B:81:ARG:HD3	1:B:111:ARG:HB3	1.90	0.54
1:B:257:ASP:HB2	1:B:260:LYS:NZ	2.23	0.54
1:B:552:TRP:O	1:B:556:GLN:HG2	2.07	0.54
1:B:571:ARG:HB2	1:B:574:GLU:HB2	1.89	0.54
1:A:379:ASP:HB3	1:A:452:PRO:HG2	1.90	0.53
1:B:609:GLN:HE21	1:B:609:GLN:N	2.04	0.53
1:B:564:LEU:N	1:B:564:LEU:HD12	2.23	0.53
1:A:322:HIS:HD2	6:A:906:HOH:O	1.91	0.53
1:A:353:ASN:HD22	1:A:354:LEU:N	2.06	0.53
1:B:640:ARG:HH11	1:B:640:ARG:CB	2.15	0.53
1:A:268:ARG:HH11	1:A:268:ARG:CB	2.22	0.52
1:B:301:ARG:NH1	1:B:570:ARG:NE	2.58	0.52
1:A:268:ARG:HB2	1:A:268:ARG:HH11	1.74	0.51
1:A:435:GLN:NE2	1:A:487:ARG:HH11	2.06	0.51
1:B:662:VAL:O	1:B:666:LYS:HG3	2.10	0.51
1:A:387:ASN:HD22	1:A:387:ASN:H	1.57	0.51
1:B:74:GLU:O	1:B:78:LYS:HG2	2.11	0.51
1:B:407:LYS:HB3	1:B:407:LYS:NZ	2.26	0.51
1:B:269:LEU:O	1:B:270:LYS:HB2	2.11	0.51
1:A:593:GLN:HE21	1:A:595:ASN:HD21	1.59	0.50
1:B:395:TYR:OH	1:B:446:HIS:HD2	1.93	0.50
1:A:353:ASN:HD22	1:A:355:ASP:H	1.59	0.50
1:A:407:LYS:CD	1:A:414:GLU:HG3	2.37	0.50
1:B:159:LEU:HB3	1:B:194:ARG:HG2	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:571:ARG:HB2	1:B:574:GLU:CB	2.42	0.50
1:B:291:THR:HB	1:B:307:GLU:HB2	1.94	0.49
1:B:583:ALA:O	1:B:587:ARG:HG3	2.12	0.49
1:A:498:ARG:HD3	6:A:909:HOH:O	2.11	0.49
1:A:628:HIS:HE1	6:A:1063:HOH:O	1.94	0.49
1:B:353:ASN:ND2	1:B:355:ASP:H	2.10	0.49
1:A:253:HIS:HD2	6:A:1042:HOH:O	1.95	0.49
1:B:170:LYS:HZ2	1:B:233:HIS:HE1	1.60	0.49
1:A:478:VAL:HA	1:A:494:THR:HB	1.95	0.49
1:A:190:TYR:CZ	1:A:194:ARG:HG3	2.48	0.48
1:B:148:PRO:HB3	1:B:187:MET:SD	2.53	0.48
1:A:408:MET:HE1	1:A:422:TRP:CE3	2.48	0.48
1:A:414:GLU:OE2	1:B:276:LYS:HE3	2.13	0.48
1:B:257:ASP:HB2	1:B:260:LYS:HE2	1.94	0.48
1:A:564:LEU:HD12	1:A:564:LEU:N	2.28	0.48
1:B:246:ARG:HD3	1:B:446:HIS:CD2	2.49	0.47
1:B:301:ARG:HH11	1:B:570:ARG:NE	2.12	0.47
1:B:509:ARG:O	1:B:510:ALA:C	2.58	0.47
1:A:673:ARG:HD3	6:A:1188:HOH:O	2.14	0.47
1:B:441:ARG:HD2	6:B:965:HOH:O	2.14	0.47
1:B:635:ALA:HB2	1:B:678:VAL:HB	1.97	0.47
1:A:290:THR:HA	1:A:503:VAL:HG22	1.95	0.47
1:B:175:GLY:C	1:B:185:ASN:HD21	2.22	0.47
1:B:265:GLU:HG2	6:B:696:HOH:O	2.14	0.47
1:A:341:LEU:HD23	6:A:930:HOH:O	2.15	0.47
1:B:667:LYS:O	1:B:671:LYS:HG2	2.15	0.47
1:A:305:HIS:HE1	1:A:307:GLU:OE1	1.98	0.47
1:B:620:TRP:HB2	1:B:653:LEU:HD12	1.97	0.46
1:A:144:GLY:O	1:A:147:ASP:OD2	2.33	0.46
1:B:122:LEU:HG	1:B:155:PHE:CD1	2.50	0.46
1:B:249:GLU:HB3	1:B:354:LEU:HD21	1.97	0.46
1:A:268:ARG:NH1	1:A:268:ARG:CB	2.77	0.46
1:A:193:LYS:O	1:A:197:GLN:HG3	2.16	0.46
1:A:297:GLN:N	1:A:297:GLN:CD	2.74	0.46
1:B:478:VAL:HA	1:B:494:THR:HB	1.98	0.46
1:B:584:GLN:NE2	1:B:584:GLN:HA	2.31	0.45
1:B:602:GLN:HG2	1:B:604:HIS:O	2.17	0.45
1:B:82:ASN:ND2	1:B:111:ARG:H	2.15	0.45
1:B:183:HIS:HB3	1:B:186:ALA:HB2	1.99	0.45
1:A:382:ASN:ND2	6:A:776:HOH:O	2.50	0.45
1:B:81:ARG:HG3	1:B:81:ARG:NH1	2.29	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:GLU:OE2	1:B:411:SER:HB3	2.16	0.44
1:A:353:ASN:HD22	1:A:353:ASN:C	2.26	0.44
1:B:657:GLU:H	1:B:660:GLN:NE2	2.10	0.44
1:B:310:ILE:HD13	1:B:472:VAL:HG23	1.99	0.44
1:A:142:THR:CG2	1:A:146:GLY:HA2	2.47	0.43
1:A:636:ARG:HB2	1:A:636:ARG:NH1	2.32	0.43
1:A:637:ASN:HD22	1:A:640:ARG:NH1	2.10	0.43
1:B:193:LYS:O	1:B:197:GLN:HG3	2.18	0.43
1:B:257:ASP:HB2	1:B:260:LYS:CE	2.48	0.43
1:B:80:GLY:HA2	6:B:964:HOH:O	2.17	0.43
1:B:595:ASN:ND2	6:B:845:HOH:O	2.51	0.43
1:B:297:GLN:HG3	1:B:573:ASP:O	2.18	0.43
1:A:362:HIS:HE1	6:A:692:HOH:O	2.02	0.43
1:B:128:LEU:N	1:B:129:PRO:CD	2.81	0.43
1:B:313:SER:O	1:B:314:LYS:HB2	2.19	0.43
1:A:631:VAL:HB	1:A:676:LEU:HD23	2.01	0.43
1:A:544:ILE:O	1:A:548:GLN:HG3	2.18	0.42
1:A:635:ALA:HB2	1:A:678:VAL:HB	2.02	0.42
1:A:288:ALA:HB2	1:A:509:ARG:HD3	2.00	0.42
1:A:175:GLY:C	1:A:185:ASN:HD21	2.27	0.42
1:B:490:LYS:HB3	1:B:495:ASN:ND2	2.34	0.42
1:A:393:ALA:HB1	1:A:406:ARG:HG3	2.02	0.42
1:A:393:ALA:HB1	1:A:406:ARG:NH1	2.34	0.42
1:B:163:ASP:HB3	6:B:908:HOH:O	2.19	0.42
1:A:90:GLN:HB3	1:A:143:TYR:CZ	2.54	0.42
1:B:224:GLU:HG3	6:B:730:HOH:O	2.19	0.42
1:A:672:GLY:HA2	6:A:717:HOH:O	2.20	0.42
1:B:628:HIS:HD2	6:B:879:HOH:O	2.02	0.42
1:A:143:TYR:O	1:A:144:GLY:C	2.63	0.42
1:A:148:PRO:HB3	1:A:187:MET:SD	2.60	0.41
1:A:332:ALA:O	1:A:336:GLN:HG3	2.20	0.41
1:A:122:LEU:HG	1:A:155:PHE:CD1	2.55	0.41
1:B:485:ALA:HB3	6:B:779:HOH:O	2.20	0.41
1:B:543:PHE:O	1:B:547:ILE:HG13	2.20	0.41
1:A:247:GLN:HG2	6:A:918:HOH:O	2.21	0.41
1:A:509:ARG:CD	1:A:511:LEU:HD21	2.44	0.41
1:A:616:ARG:HG3	1:A:653:LEU:HD11	2.02	0.41
1:B:123:ALA:HA	1:B:158:TRP:CZ2	2.55	0.41
1:B:143:TYR:O	1:B:147:ASP:HB2	2.20	0.41
1:B:336:GLN:NE2	6:B:854:HOH:O	2.53	0.41
1:A:265:GLU:HA	1:A:272:TYR:CZ	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:616:ARG:HD2	6:A:18:HOH:O	2.20	0.41
1:B:304:MET:HE2	1:B:478:VAL:HG22	2.02	0.41
1:A:640:ARG:HG2	1:A:640:ARG:HH21	1.85	0.40
1:A:628:HIS:CE1	1:A:673:ARG:HG2	2.56	0.40
1:A:128:LEU:N	1:A:129:PRO:CD	2.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	598/618 (97%)	579 (97%)	17 (3%)	2 (0%)	36	21
1	B	602/618 (97%)	582 (97%)	18 (3%)	2 (0%)	36	21
All	All	1200/1236 (97%)	1161 (97%)	35 (3%)	4 (0%)	36	21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	GLY
1	B	144	GLY
1	A	244	SER
1	B	510	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/526 (98%)	509 (98%)	8 (2%)	57	41
1	B	511/526 (97%)	501 (98%)	10 (2%)	48	29
All	All	1028/1052 (98%)	1010 (98%)	18 (2%)	51	33

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	LEU
1	A	185	ASN
1	A	300	GLU
1	A	382	ASN
1	A	387	ASN
1	A	591	LEU
1	A	602	GLN
1	A	609	GLN
1	B	161	GLU
1	B	250	LEU
1	B	265	GLU
1	B	297	GLN
1	B	407	LYS
1	B	417	GLU
1	B	570	ARG
1	B	591	LEU
1	B	609	GLN
1	B	640	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (50) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	153	GLN
1	A	185	ASN
1	A	253	HIS
1	A	283	ASN
1	A	305	HIS
1	A	322	HIS
1	A	353	ASN
1	A	362	HIS
1	A	387	ASN
1	A	394	GLN
1	A	429	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	435	GLN
1	A	455	GLN
1	A	468	HIS
1	A	489	ASN
1	A	555	GLN
1	A	584	GLN
1	A	593	GLN
1	A	602	GLN
1	A	609	GLN
1	A	628	HIS
1	A	637	ASN
1	A	660	GLN
1	B	82	ASN
1	B	153	GLN
1	B	160	GLN
1	B	183	HIS
1	B	185	ASN
1	B	225	GLN
1	B	233	HIS
1	B	283	ASN
1	B	336	GLN
1	B	353	ASN
1	B	382	ASN
1	B	394	GLN
1	B	402	GLN
1	B	446	HIS
1	B	455	GLN
1	B	470	ASN
1	B	489	ASN
1	B	520	GLN
1	B	555	GLN
1	B	556	GLN
1	B	584	GLN
1	B	586	HIS
1	B	595	ASN
1	B	609	GLN
1	B	628	HIS
1	B	660	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	B	752	-	58,58,58	2.77	21 (36%)	85,89,89	1.52	14 (16%)
3	FMN	A	751	-	33,33,33	2.37	11 (33%)	48,50,50	1.48	6 (12%)
4	NAP	A	753	-	32,33,52	2.62	9 (28%)	50,52,80	1.99	13 (26%)
2	FAD	A	752	-	58,58,58	2.63	20 (34%)	85,89,89	1.52	13 (15%)
3	FMN	B	751	-	33,33,33	2.30	11 (33%)	48,50,50	1.46	9 (18%)
4	NAP	B	753	-	32,33,52	2.81	11 (34%)	50,52,80	2.00	13 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	752	-	-	2/34/50/50	0/6/6/6
3	FMN	A	751	-	-	0/18/18/18	0/3/3/3
4	NAP	A	753	-	-	4/21/37/67	0/3/3/5
2	FAD	A	752	-	-	2/34/50/50	0/6/6/6
3	FMN	B	751	-	-	0/18/18/18	0/3/3/3
4	NAP	B	753	-	-	6/21/37/67	0/3/3/5

All (83) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	753	NAP	PA-O3	-9.31	1.49	1.59
4	B	753	NAP	C4A-N3A	8.48	1.50	1.34
2	B	752	FAD	PA-O3P	-8.24	1.50	1.59
4	A	753	NAP	C4A-N3A	8.18	1.49	1.34
4	A	753	NAP	PA-O3	-8.01	1.50	1.59
2	A	752	FAD	C1'-C2'	7.21	1.62	1.52
2	A	752	FAD	PA-O3P	-7.06	1.51	1.59
2	B	752	FAD	C4A-N3A	6.20	1.46	1.34
2	B	752	FAD	C1'-C2'	5.96	1.61	1.52
2	A	752	FAD	C4A-N3A	5.86	1.45	1.34
2	A	752	FAD	C5'-C4'	-5.55	1.44	1.51
2	B	752	FAD	C9A-C5X	5.53	1.50	1.41
2	B	752	FAD	C5'-C4'	-5.52	1.44	1.51
3	A	751	FMN	C10-N10	5.43	1.49	1.37
3	B	751	FMN	C10-N10	5.10	1.48	1.37
2	B	752	FAD	C9A-N10	5.08	1.50	1.41
3	B	751	FMN	C4A-N5	4.99	1.41	1.30
3	A	751	FMN	C4A-N5	4.92	1.41	1.30
3	A	751	FMN	C9-C9A	4.88	1.47	1.39
2	A	752	FAD	C9A-C5X	4.86	1.49	1.41
4	B	753	NAP	C5A-C4A	4.79	1.47	1.39
2	B	752	FAD	C4X-N5	4.65	1.40	1.30
3	A	751	FMN	C9A-N10	4.61	1.49	1.41
4	A	753	NAP	C5A-C4A	4.56	1.47	1.39
2	A	752	FAD	C9A-N10	4.54	1.49	1.41
2	B	752	FAD	C2'-C3'	4.46	1.61	1.53
2	A	752	FAD	C2'-C3'	4.40	1.61	1.53
3	B	751	FMN	C9A-N10	4.38	1.48	1.41
2	A	752	FAD	C6-C5X	4.35	1.46	1.40
2	B	752	FAD	C6-C5X	4.12	1.46	1.40
3	B	751	FMN	C9-C9A	4.12	1.46	1.39
2	A	752	FAD	C4X-N5	4.08	1.39	1.30
2	B	752	FAD	C8A-N7A	4.02	1.39	1.31
3	B	751	FMN	C9A-C5A	3.83	1.47	1.41
2	A	752	FAD	C8A-N7A	3.79	1.39	1.31
3	A	751	FMN	C9A-C5A	3.75	1.47	1.41
2	B	752	FAD	C5A-C4A	3.67	1.45	1.39
2	B	752	FAD	C10-N1	3.62	1.40	1.33
3	B	751	FMN	C8-C7	3.60	1.49	1.40
2	B	752	FAD	C8-C7	3.58	1.49	1.40
4	A	753	NAP	P2B-O1X	3.52	1.61	1.50
3	A	751	FMN	C6-C5A	3.50	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	752	FAD	C9-C9A	3.38	1.45	1.39
2	A	752	FAD	C10-N1	3.38	1.40	1.33
2	A	752	FAD	C8-C7	3.35	1.49	1.40
4	B	753	NAP	P2B-O1X	3.34	1.60	1.50
3	A	751	FMN	C8-C7	3.34	1.49	1.40
2	A	752	FAD	C5A-C4A	3.32	1.45	1.39
3	B	751	FMN	C6-C5A	3.24	1.44	1.40
3	B	751	FMN	C1'-C2'	3.24	1.57	1.52
4	A	753	NAP	C8A-N7A	3.22	1.37	1.31
4	B	753	NAP	C8A-N7A	3.14	1.37	1.31
2	A	752	FAD	O2'-C2'	3.07	1.49	1.43
2	B	752	FAD	C6-C7	3.07	1.43	1.39
2	B	752	FAD	O2'-C2'	3.05	1.49	1.43
2	A	752	FAD	C9-C9A	3.01	1.44	1.39
3	A	751	FMN	C1'-C2'	2.97	1.56	1.52
2	A	752	FAD	C6-C7	2.91	1.43	1.39
4	B	753	NAP	PA-O5B	-2.90	1.48	1.59
2	B	752	FAD	P-O3P	-2.85	1.56	1.59
4	A	753	NAP	PA-O5B	-2.79	1.48	1.59
2	B	752	FAD	PA-O5B	-2.77	1.48	1.59
4	B	753	NAP	C8A-N9A	2.71	1.42	1.37
4	A	753	NAP	C8A-N9A	2.59	1.42	1.37
4	A	753	NAP	C1B-N9A	-2.55	1.39	1.46
2	B	752	FAD	C4-N3	2.54	1.43	1.38
4	B	753	NAP	P2B-O2B	2.53	1.64	1.59
2	A	752	FAD	PA-O5B	-2.49	1.49	1.59
3	A	751	FMN	C8M-C8	2.46	1.55	1.51
4	B	753	NAP	C1B-N9A	-2.43	1.39	1.46
2	A	752	FAD	C4-N3	2.38	1.43	1.38
4	B	753	NAP	C2A-N1A	2.33	1.38	1.33
3	B	751	FMN	O4'-C4'	2.32	1.48	1.43
2	A	752	FAD	P-O5'	-2.29	1.50	1.59
3	A	751	FMN	C10-N1	2.26	1.37	1.33
2	B	752	FAD	C2A-N3A	2.25	1.37	1.33
4	A	753	NAP	C2A-N1A	2.24	1.37	1.33
2	B	752	FAD	P-O5'	-2.20	1.50	1.59
3	B	751	FMN	C8M-C8	2.18	1.55	1.51
2	A	752	FAD	C2A-N3A	2.17	1.37	1.33
3	B	751	FMN	C10-N1	2.16	1.37	1.33
4	B	753	NAP	C5A-C6A	2.10	1.46	1.41
3	A	751	FMN	O4'-C4'	2.05	1.47	1.43

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	753	NAP	N9A-C8A-N7A	5.95	122.37	113.94
4	B	753	NAP	C4A-N9A-C8A	-5.79	99.66	105.74
4	A	753	NAP	N9A-C8A-N7A	5.76	122.10	113.94
4	A	753	NAP	C4A-N9A-C8A	-5.74	99.71	105.74
2	B	752	FAD	C2A-N1A-C6A	5.60	127.92	118.73
2	A	752	FAD	C2A-N1A-C6A	5.49	127.74	118.73
4	B	753	NAP	C5A-C4A-N3A	-4.88	120.00	126.72
4	A	753	NAP	C5A-C4A-N3A	-4.78	120.14	126.72
2	B	752	FAD	N3A-C2A-N1A	-4.42	121.90	128.58
2	A	752	FAD	N3A-C2A-N1A	-4.37	121.97	128.58
4	A	753	NAP	C5A-N7A-C8A	-4.25	96.78	103.45
4	B	753	NAP	C5A-N7A-C8A	-4.16	96.91	103.45
3	A	751	FMN	C9A-C5A-N5	4.00	126.70	122.45
3	B	751	FMN	C9A-C5A-N5	3.86	126.55	122.45
4	A	753	NAP	C1B-N9A-C8A	3.80	135.53	127.09
4	B	753	NAP	C1B-N9A-C8A	3.56	135.01	127.09
2	A	752	FAD	O2P-P-O3P	3.35	116.33	107.27
2	A	752	FAD	C2'-C1'-N10	-3.17	95.20	110.20
4	B	753	NAP	N3A-C2A-N1A	-3.05	123.96	128.58
2	A	752	FAD	C1B-N9A-C8A	3.05	133.87	127.09
2	B	752	FAD	O2P-P-O3P	3.05	115.51	107.27
4	A	753	NAP	N3A-C2A-N1A	-3.02	124.01	128.58
3	A	751	FMN	O4-C4-N3	-3.02	114.44	120.11
2	B	752	FAD	C1B-N9A-C8A	2.97	133.68	127.09
3	B	751	FMN	O4-C4-N3	-2.91	114.64	120.11
2	B	752	FAD	O2-C2-N3	2.89	124.13	118.58
2	A	752	FAD	O2-C2-N3	2.89	124.12	118.58
2	B	752	FAD	C2'-C1'-N10	-2.86	96.66	110.20
4	B	753	NAP	O2N-PN-O3	2.86	114.21	104.64
3	A	751	FMN	C5A-C9A-N10	-2.79	115.45	117.97
4	B	753	NAP	N3A-C4A-N9A	2.78	131.89	127.17
3	A	751	FMN	C9-C9A-N10	2.77	125.58	121.85
2	B	752	FAD	C5X-C9A-N10	-2.67	115.56	117.97
4	A	753	NAP	O2N-PN-O3	2.63	113.47	104.64
2	B	752	FAD	C9-C9A-N10	2.60	125.35	121.85
4	A	753	NAP	N3A-C4A-N9A	2.54	131.49	127.17
4	A	753	NAP	O2A-PA-O3	2.54	114.14	107.27
4	B	753	NAP	C2A-N1A-C6A	2.50	122.84	118.73
2	A	752	FAD	C4A-N9A-C1B	-2.50	120.80	126.63
2	B	752	FAD	C10-N1-C2	2.44	122.13	116.85
2	A	752	FAD	O5'-C5'-C4'	2.42	115.82	109.36
2	A	752	FAD	C9A-C5X-N5	2.41	125.01	122.45
2	B	752	FAD	C9A-C5X-N5	2.41	125.01	122.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	752	FAD	C5X-C9A-N10	-2.40	115.79	117.97
2	A	752	FAD	C10-N1-C2	2.39	122.03	116.85
4	A	753	NAP	C2A-N1A-C6A	2.38	122.64	118.73
4	A	753	NAP	C5A-C4A-N9A	2.35	108.37	105.81
2	A	752	FAD	C8M-C8-C9	-2.34	115.45	119.57
3	B	751	FMN	C5A-C9A-N10	-2.33	115.86	117.97
4	B	753	NAP	O2A-PA-O3	2.33	113.57	107.27
3	B	751	FMN	C9-C9A-N10	2.31	124.96	121.85
2	B	752	FAD	C4A-N9A-C1B	-2.29	121.27	126.63
2	A	752	FAD	C9-C9A-N10	2.29	124.94	121.85
3	B	751	FMN	C4'-C3'-C2'	-2.28	109.77	113.57
2	B	752	FAD	O5'-C5'-C4'	2.27	115.43	109.36
2	B	752	FAD	C8M-C8-C9	-2.25	115.61	119.57
3	A	751	FMN	O4'-C4'-C3'	-2.22	104.06	109.25
3	A	751	FMN	C4'-C3'-C2'	-2.18	109.95	113.57
3	B	751	FMN	O3P-P-O5'	-2.17	101.01	106.67
3	B	751	FMN	C8M-C8-C7	2.17	125.18	120.76
4	A	753	NAP	C4A-C5A-N7A	2.15	113.04	110.58
2	B	752	FAD	O2'-C2'-C3'	-2.14	104.25	109.25
3	B	751	FMN	O4'-C4'-C3'	-2.13	104.25	109.25
4	B	753	NAP	C5A-C4A-N9A	2.11	108.11	105.81
3	B	751	FMN	C8M-C8-C9	-2.08	115.91	119.57
4	B	753	NAP	O4B-C1B-C2B	-2.07	103.02	106.59
4	B	753	NAP	C4A-C5A-N7A	2.07	112.95	110.58
4	A	753	NAP	O3-PN-O1N	-2.01	100.48	111.04

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	753	NAP	PA-O3-PN-O2N
4	B	753	NAP	PA-O3-PN-O5D
4	A	753	NAP	C2B-C1B-N9A-C8A
4	B	753	NAP	C2B-C1B-N9A-C8A
2	A	752	FAD	PA-O3P-P-O2P
2	B	752	FAD	PA-O3P-P-O2P
4	A	753	NAP	C5B-O5B-PA-O1A
4	A	753	NAP	C2B-C1B-N9A-C4A
4	B	753	NAP	C2B-C1B-N9A-C4A
4	B	753	NAP	PA-O3-PN-O1N
4	A	753	NAP	O4B-C1B-N9A-C8A
4	B	753	NAP	O4B-C1B-N9A-C8A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	752	FAD	PA-O3P-P-O1P
2	A	752	FAD	PA-O3P-P-O1P


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	753	NAP	1	0
4	B	753	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	604/618 (97%)	0.36	35 (5%) 29 33	13, 22, 37, 51	0
1	B	606/618 (98%)	1.00	80 (13%) 7 8	17, 30, 45, 51	0
All	All	1210/1236 (97%)	0.68	115 (9%) 14 16	13, 26, 43, 51	0

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	143	TYR	6.7
1	A	655	ALA	5.7
1	B	239	THR	5.6
1	A	503	VAL	5.1
1	B	525	PHE	5.0
1	A	298	GLY	4.9
1	B	255	ASP	4.8
1	A	297	GLN	4.1
1	B	399	PRO	4.0
1	B	485	ALA	3.9
1	B	506	ASN	3.9
1	B	70	SER	3.8
1	B	505	GLU	3.8
1	B	488	ILE	3.7
1	B	268	ARG	3.7
1	B	510	ALA	3.7
1	B	414	GLU	3.6
1	B	503	VAL	3.5
1	B	299	THR	3.4
1	A	239	THR	3.3
1	B	397	SER	3.3
1	B	418	LEU	3.2
1	A	300	GLU	3.2
1	B	507	GLY	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	273	GLU	3.2
1	B	437	CYS	3.2
1	B	145	GLU	3.1
1	B	247	GLN	3.1
1	A	243	SER	3.0
1	A	602	GLN	3.0
1	B	298	GLY	3.0
1	B	415	GLY	2.9
1	A	509	ARG	2.9
1	A	267	GLY	2.9
1	A	680	SER	2.9
1	A	359	ASN	2.8
1	B	339	LYS	2.8
1	A	245	ILE	2.8
1	A	299	THR	2.8
1	B	163	ASP	2.8
1	B	603	SER	2.8
1	B	571	ARG	2.7
1	A	441	ARG	2.7
1	A	580	GLU	2.7
1	B	590	ALA	2.7
1	A	603	SER	2.7
1	B	417	GLU	2.7
1	B	181	TYR	2.7
1	A	485	ALA	2.6
1	B	300	GLU	2.6
1	B	504	GLY	2.6
1	B	256	ILE	2.6
1	A	573	ASP	2.5
1	B	404	LEU	2.5
1	A	510	ALA	2.5
1	B	277	PRO	2.5
1	B	606	VAL	2.5
1	B	144	GLY	2.5
1	B	560	VAL	2.5
1	A	70	SER	2.5
1	A	244	SER	2.5
1	B	583	ALA	2.4
1	B	280	ASP	2.4
1	B	588	ASP	2.4
1	B	398	GLU	2.4
1	A	406	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	310	ILE	2.4
1	B	150	ASP	2.4
1	B	107	ARG	2.4
1	B	467	VAL	2.4
1	A	415	GLY	2.3
1	B	589	GLY	2.3
1	B	291	THR	2.3
1	B	499	ALA	2.3
1	B	282	LYS	2.3
1	B	591	LEU	2.3
1	B	297	GLN	2.3
1	B	390	TYR	2.3
1	B	576	TYR	2.3
1	B	354	LEU	2.3
1	B	131	ILE	2.3
1	B	412	SER	2.2
1	B	355	ASP	2.2
1	B	602	GLN	2.2
1	A	69	GLU	2.2
1	B	289	VAL	2.2
1	B	636	ARG	2.2
1	B	552	TRP	2.2
1	B	551	ALA	2.2
1	B	556	GLN	2.2
1	B	420	LEU	2.2
1	A	274	ASN	2.2
1	B	597	ALA	2.1
1	A	107	ARG	2.1
1	B	250	LEU	2.1
1	B	511	LEU	2.1
1	B	400	SER	2.1
1	B	574	GLU	2.1
1	B	252	VAL	2.1
1	B	408	MET	2.1
1	A	280	ASP	2.1
1	B	403	GLU	2.1
1	A	339	LYS	2.1
1	B	483	THR	2.1
1	B	393	ALA	2.0
1	B	559	GLU	2.0
1	A	106	HIS	2.0
1	B	162	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	260	LYS	2.0
1	B	357	GLU	2.0
1	A	486	GLY	2.0
1	A	636	ARG	2.0
1	B	132	ASP	2.0
1	A	270	LYS	2.0
1	A	604	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAP	B	753	31/48	0.92	0.10	22,27,48,52	0
3	FMN	B	751	31/31	0.94	0.10	23,27,32,33	0
4	NAP	A	753	31/48	0.95	0.08	15,21,37,40	0
2	FAD	B	752	53/53	0.95	0.09	19,24,43,44	0
3	FMN	A	751	31/31	0.96	0.08	17,19,24,26	0
2	FAD	A	752	53/53	0.96	0.07	12,16,27,30	0
5	CA	A	762	1/1	0.97	0.06	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP B 753:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN B 751:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 753:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 752:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN A 751:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.