



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:47 PM UTC

PDB ID : 3QEN / pdb_00003qen
Title : S74E dCK in complex with 5-bromodeoxycytidine and UDP
Authors : Lavie, A.; Hazra, S.
Deposited on : 2011-01-20
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	32% 55% 26% • 15%
1	B	279	28% 58% 23% • 16%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4123 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	0	0
			1956	1254	323	372	7			
1	B	234	Total	C	N	O	S	0	0	0
			1945	1247	321	370	7			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP P27707
A	-17	GLY	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	SER	-	expression tag	UNP P27707
A	-14	HIS	-	expression tag	UNP P27707
A	-13	HIS	-	expression tag	UNP P27707
A	-12	HIS	-	expression tag	UNP P27707
A	-11	HIS	-	expression tag	UNP P27707
A	-10	HIS	-	expression tag	UNP P27707
A	-9	HIS	-	expression tag	UNP P27707
A	-8	SER	-	expression tag	UNP P27707
A	-7	GLY	-	expression tag	UNP P27707
A	-6	LEU	-	expression tag	UNP P27707
A	-5	VAL	-	expression tag	UNP P27707
A	-4	PRO	-	expression tag	UNP P27707
A	-3	ARG	-	expression tag	UNP P27707
A	-2	GLY	-	expression tag	UNP P27707
A	-1	SER	-	expression tag	UNP P27707
A	0	HIS	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
A	74	GLU	SER	engineered mutation	UNP P27707
A	146	SER	CYS	engineered mutation	UNP P27707
B	-18	MET	-	expression tag	UNP P27707

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	GLY	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	SER	-	expression tag	UNP P27707
B	-14	HIS	-	expression tag	UNP P27707
B	-13	HIS	-	expression tag	UNP P27707
B	-12	HIS	-	expression tag	UNP P27707
B	-11	HIS	-	expression tag	UNP P27707
B	-10	HIS	-	expression tag	UNP P27707
B	-9	HIS	-	expression tag	UNP P27707
B	-8	SER	-	expression tag	UNP P27707
B	-7	GLY	-	expression tag	UNP P27707
B	-6	LEU	-	expression tag	UNP P27707
B	-5	VAL	-	expression tag	UNP P27707
B	-4	PRO	-	expression tag	UNP P27707
B	-3	ARG	-	expression tag	UNP P27707
B	-2	GLY	-	expression tag	UNP P27707
B	-1	SER	-	expression tag	UNP P27707
B	0	HIS	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707
B	59	SER	CYS	engineered mutation	UNP P27707
B	74	GLU	SER	engineered mutation	UNP P27707
B	146	SER	CYS	engineered mutation	UNP P27707

- Molecule 2 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is 5-bromo-2'-deoxycytidine (CCD ID: 5BT) (formula: $C_9H_{12}BrN_3O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	Br	C	N	O	0	0
			17	1	9	3	4		
3	B	1	Total	Br	C	N	O	0	0
			17	1	9	3	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	70	Total	O	0	0
			70	70		
4	B	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Deoxycytidine kinase



• Molecule 1: Deoxycytidine kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	69.14Å 69.14Å 118.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	69.17 – 2.00 69.14 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.6 (69.17-2.00) 97.6 (69.14-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.5.0053	Depositor
R, R_{free}	0.197 , 0.247 0.197 , 0.197	Depositor DCC
R_{free} test set	3746 reflections (9.90%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 29.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.468 for h,-k,-l	Xtriage
Reported twinning fraction	0.494 for H, K, L 0.506 for -H, K, -L	Depositor
Outliers	0 of 37639 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4123	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5BT, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/2002	1.02	4/2708 (0.1%)
1	B	0.77	0/1991	1.05	3/2693 (0.1%)
All	All	0.76	0/3993	1.04	7/5401 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	190	TYR	CA-CB-CG	7.28	127.00	113.90
1	B	149	GLU	N-CA-C	6.90	119.68	111.33
1	B	190	TYR	CB-CA-C	6.78	122.37	110.85
1	A	72	THR	N-CA-C	5.55	122.62	110.80
1	A	51	VAL	CB-CA-C	-5.34	106.00	111.08
1	A	231	VAL	CA-C-N	5.28	125.53	119.83
1	A	231	VAL	C-N-CA	5.28	125.53	119.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1956	0	1891	74	0
1	B	1945	0	1885	59	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	25	0	11	0	0
2	B	25	0	11	1	0
3	A	17	0	12	4	0
3	B	17	0	12	2	0
4	A	70	0	0	9	1
4	B	68	0	0	2	1
All	All	4123	0	3822	122	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:PHE:HE2	1:B:165:GLN:HB3	1.40	0.86
1:A:57:ARG:CB	1:A:75:GLN:HE22	1.89	0.84
1:A:187:HIS:O	1:A:190:TYR:HB3	1.80	0.82
1:A:165:GLN:HB3	1:B:166:PHE:CZ	2.17	0.79
1:B:49:GLU:HG2	1:B:115:LYS:HD3	1.68	0.74
1:A:162:MET:SD	1:B:162:MET:HE3	2.29	0.72
1:B:53:GLU:OE1	3:B:402:5BT:BR5	2.63	0.72
1:B:20:ARG:HB2	1:B:20:ARG:HH11	1.53	0.72
1:A:97:GLN:HE22	3:A:402:5BT:HN4	1.36	0.71
1:B:49:GLU:CG	1:B:115:LYS:HD3	2.21	0.70
1:B:53:GLU:OE2	4:B:284:HOH:O	2.08	0.70
1:B:97:GLN:HE22	3:B:402:5BT:HN4	1.37	0.70
1:A:57:ARG:CB	1:A:75:GLN:NE2	2.55	0.69
1:B:161:TRP:O	1:B:165:GLN:HG2	1.93	0.69
1:A:45:SER:O	4:A:293:HOH:O	2.11	0.68
1:A:162:MET:SD	1:B:162:MET:CE	2.83	0.67
1:B:42:LYS:HD2	4:B:294:HOH:O	1.95	0.66
1:A:166:PHE:CE2	1:B:165:GLN:HB3	2.29	0.66
1:A:53:GLU:OE1	3:A:402:5BT:BR5	2.69	0.65
1:A:140:ASN:HD21	1:A:207:LYS:HD3	1.61	0.65
1:A:54:PRO:HD2	4:A:290:HOH:O	1.97	0.65
1:B:81:VAL:HA	1:B:84:MET:HE3	1.78	0.65
1:B:192:ARG:NH2	2:B:401:UDP:O2B	2.28	0.65
1:A:194:ARG:HD2	1:A:197:GLU:OE1	1.97	0.65
1:A:254:LYS:NZ	4:A:283:HOH:O	2.25	0.64
1:A:165:GLN:HB3	1:B:166:PHE:CE1	2.33	0.62
1:B:166:PHE:O	1:B:168:GLN:N	2.34	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:GLY:HA2	1:A:231:VAL:HG12	1.83	0.59
1:A:20:ARG:NH2	1:A:119:ALA:O	2.34	0.59
1:B:23:LYS:HD3	1:B:112:LEU:HD11	1.84	0.58
1:A:27:GLU:OE2	4:A:265:HOH:O	2.17	0.58
1:A:174:GLY:HA2	1:A:231:VAL:CG1	2.34	0.58
1:A:153:THR:HG22	1:B:77:ASN:HD21	1.69	0.57
1:A:26:ILE:HD12	1:A:26:ILE:N	2.18	0.57
1:A:53:GLU:HG3	1:A:104:ARG:NH2	2.19	0.57
3:A:402:5BT:H5'	3:A:402:5BT:H6	1.87	0.57
1:A:104:ARG:NH2	1:A:127:GLU:O	2.36	0.57
1:B:192:ARG:HD3	1:B:194:ARG:NE	2.19	0.56
1:A:166:PHE:O	1:A:168:GLN:N	2.38	0.56
1:A:19:THR:HG22	1:A:21:ILE:H	1.70	0.56
1:A:196:GLU:H	1:A:196:GLU:CD	2.14	0.55
1:A:150:THR:HG21	1:B:84:MET:HE1	1.87	0.55
1:B:163:ASN:HA	1:B:167:GLY:H	1.72	0.55
1:B:232:PRO:HG2	1:B:260:LEU:HD22	1.89	0.55
1:A:165:GLN:HB3	1:B:166:PHE:HZ	1.68	0.54
1:B:30:ILE:O	1:B:185:CYS:HB3	2.08	0.54
1:B:85:MET:HE2	1:B:96:PHE:CD2	2.44	0.53
1:A:48:TRP:CD1	1:A:123:VAL:HB	2.44	0.53
1:A:186:LEU:HD12	4:A:281:HOH:O	2.09	0.52
1:A:106:ARG:HG3	1:A:107:ALA:N	2.25	0.52
1:A:53:GLU:HG3	1:A:104:ARG:HH22	1.75	0.51
1:B:234:LEU:HD22	1:B:256:PHE:HB2	1.92	0.51
1:B:131:TYR:CD2	1:B:228:LEU:HD11	2.46	0.51
1:A:204:TYR:HB2	4:A:316:HOH:O	2.10	0.50
1:B:166:PHE:C	1:B:168:GLN:N	2.68	0.50
1:A:164:ASN:O	1:A:168:GLN:NE2	2.42	0.50
1:A:128:ARG:HB3	1:A:132:SER:OG	2.11	0.50
1:B:226:ASP:OD1	1:B:226:ASP:N	2.44	0.50
1:A:58:TRP:CD2	1:A:78:GLY:HA3	2.46	0.50
1:A:53:GLU:CD	3:A:402:5BT:BR5	3.10	0.50
1:B:72:THR:HG23	1:B:75:GLN:HG3	1.94	0.50
1:A:82:LEU:HD11	1:A:86:TYR:HE1	1.75	0.50
1:B:143:GLU:OE1	1:B:211:LYS:NZ	2.45	0.49
1:A:38:VAL:HG13	1:A:50:VAL:HG21	1.93	0.49
1:A:225:PHE:O	1:A:228:LEU:HB2	2.12	0.49
1:A:104:ARG:HD2	1:A:133:ASP:OD2	2.13	0.48
1:B:168:GLN:HA	1:B:168:GLN:OE1	2.13	0.48
1:A:82:LEU:HD11	1:A:86:TYR:CE1	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:PHE:CE2	1:B:165:GLN:CB	2.96	0.48
1:A:180:ALA:HB2	1:A:238:VAL:HG23	1.95	0.48
1:B:49:GLU:HA	1:B:49:GLU:OE1	2.12	0.48
1:A:178:LEU:HD22	1:A:238:VAL:HG11	1.96	0.47
1:B:49:GLU:HG3	1:B:115:LYS:HD3	1.95	0.47
1:A:187:HIS:O	1:A:190:TYR:CB	2.56	0.47
1:A:210:TYR:CD2	1:A:210:TYR:C	2.92	0.47
1:A:57:ARG:C	1:A:75:GLN:HE22	2.23	0.47
1:A:223:THR:C	1:A:225:PHE:H	2.22	0.47
1:B:192:ARG:NH1	1:B:197:GLU:OE1	2.48	0.47
1:A:28:GLY:O	1:A:34:LYS:NZ	2.34	0.47
1:A:164:ASN:C	1:A:168:GLN:HE21	2.23	0.46
1:B:228:LEU:HA	1:B:231:VAL:HG23	1.97	0.46
1:B:85:MET:HG3	1:B:96:PHE:CG	2.51	0.46
1:A:104:ARG:NH2	1:A:128:ARG:HB2	2.31	0.46
1:A:161:TRP:CZ2	1:A:165:GLN:HG3	2.50	0.46
1:A:161:TRP:CE2	1:A:165:GLN:HG3	2.52	0.45
1:A:166:PHE:CZ	1:B:166:PHE:CE1	3.05	0.45
1:A:257:LEU:HD23	1:A:260:LEU:HD12	1.99	0.45
1:A:25:SER:C	1:A:26:ILE:HD12	2.41	0.45
1:A:166:PHE:C	1:A:168:GLN:H	2.23	0.45
1:B:253:VAL:O	1:B:257:LEU:HG	2.17	0.45
1:A:177:TYR:HB2	1:A:216:LEU:HD13	1.98	0.45
1:A:26:ILE:N	1:A:26:ILE:CD1	2.80	0.44
1:B:148:ASN:OD1	1:B:148:ASN:C	2.60	0.44
1:B:166:PHE:O	1:B:167:GLY:C	2.60	0.44
1:B:204:TYR:CZ	1:B:208:LEU:HD11	2.52	0.44
1:A:48:TRP:O	4:A:293:HOH:O	2.21	0.44
1:A:34:LYS:NZ	1:A:128:ARG:NH2	2.66	0.44
1:A:104:ARG:O	1:A:108:GLN:HG3	2.18	0.43
1:B:36:THR:CG2	1:B:243:LYS:HE2	2.48	0.43
1:B:36:THR:HG21	1:B:243:LYS:HE2	2.01	0.43
1:B:81:VAL:HG13	1:B:96:PHE:HD1	1.84	0.42
1:B:135:TYR:HB3	1:B:221:LEU:HD21	2.02	0.42
1:B:85:MET:HE2	1:B:96:PHE:CE2	2.55	0.42
1:B:162:MET:O	1:B:166:PHE:N	2.33	0.42
1:B:163:ASN:HA	1:B:167:GLY:N	2.34	0.42
1:A:42:LYS:O	4:A:293:HOH:O	2.21	0.42
1:B:26:ILE:HG22	1:B:34:LYS:HG2	2.02	0.42
1:B:175:ILE:HB	1:B:233:ILE:HG12	2.02	0.41
1:A:176:ILE:HG12	1:A:234:LEU:HD23	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:ILE:HA	1:B:122:PRO:HG2	2.02	0.41
1:B:250:VAL:HG12	1:B:254:LYS:HD2	2.02	0.41
1:B:54:PRO:HG2	1:B:104:ARG:HA	2.01	0.41
1:A:49:GLU:CG	1:A:115:LYS:HD3	2.50	0.41
1:A:72:THR:HG23	1:A:75:GLN:HB2	2.02	0.41
1:A:53:GLU:OE2	1:A:55:VAL:HG22	2.20	0.41
1:A:19:THR:HG22	1:A:21:ILE:HG13	2.03	0.41
1:B:20:ARG:NH2	1:B:119:ALA:O	2.54	0.40
1:A:49:GLU:HG2	1:A:115:LYS:HD3	2.03	0.40
1:A:99:TYR:CD1	1:B:154:ILE:HG23	2.56	0.40
1:B:38:VAL:HG13	1:B:50:VAL:HG11	2.04	0.40
1:A:38:VAL:HG13	1:A:50:VAL:CG2	2.51	0.40
1:A:133:ASP:HB3	4:A:324:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:271:HOH:O	4:B:303:HOH:O[4_564]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	232/279 (83%)	208 (90%)	21 (9%)	3 (1%)	9	5
1	B	230/279 (82%)	220 (96%)	8 (4%)	2 (1%)	14	9
All	All	462/558 (83%)	428 (93%)	29 (6%)	5 (1%)	11	7

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	168	GLN
1	A	167	GLY
1	B	167	GLY
1	A	72	THR
1	A	190	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	213/255 (84%)	195 (92%)	18 (8%)	10	7
1	B	213/255 (84%)	196 (92%)	17 (8%)	11	8
All	All	426/510 (84%)	391 (92%)	35 (8%)	10	7

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LYS
1	A	26	ILE
1	A	38	VAL
1	A	50	VAL
1	A	55	VAL
1	A	71	LEU
1	A	72	THR
1	A	73	MET
1	A	85	MET
1	A	87	GLU
1	A	132	SER
1	A	164	ASN
1	A	183	GLU
1	A	196	GLU
1	A	203	GLU
1	A	217	LEU
1	A	226	ASP
1	A	229	GLN
1	B	20	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	38	VAL
1	B	49	GLU
1	B	55	VAL
1	B	60	ASN
1	B	72	THR
1	B	73	MET
1	B	85	MET
1	B	87	GLU
1	B	106	ARG
1	B	183	GLU
1	B	190	TYR
1	B	196	GLU
1	B	203	GLU
1	B	222	LYS
1	B	224	ASN
1	B	226	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	97	GLN
1	A	140	ASN
1	A	156	GLN
1	A	164	ASN
1	A	218	HIS
1	A	224	ASN
1	B	77	ASN
1	B	97	GLN
1	B	165	GLN
1	B	187	HIS
1	B	224	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	5BT	B	402	-	18,18,18	1.06	2 (11%)	25,26,26	1.17	3 (12%)
2	UDP	B	401	-	25,26,26	0.98	2 (8%)	38,40,40	1.62	5 (13%)
3	5BT	A	402	-	18,18,18	1.30	3 (16%)	25,26,26	1.37	4 (16%)
2	UDP	A	401	-	25,26,26	1.11	3 (12%)	38,40,40	1.60	6 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	5BT	B	402	-	-	0/6/18/18	0/2/2/2
2	UDP	B	401	-	-	0/16/32/32	0/2/2/2
3	5BT	A	402	-	-	2/6/18/18	0/2/2/2
2	UDP	A	401	-	-	0/16/32/32	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	5BT	C4-C5	2.80	1.49	1.42
3	A	402	5BT	C6-C5	2.73	1.39	1.34
3	A	402	5BT	C6-N1	-2.67	1.33	1.38
2	A	401	UDP	PA-O3A	2.61	1.62	1.59
3	B	402	5BT	C6-N1	-2.56	1.33	1.38
2	B	401	UDP	PB-O3B	-2.31	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	UDP	C6-C5	2.22	1.40	1.35
2	A	401	UDP	C6-C5	2.12	1.40	1.35
2	A	401	UDP	PB-O3B	-2.11	1.47	1.54
3	B	402	5BT	C4-C5	2.11	1.47	1.42

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	UDP	C4-N3-C2	-5.59	119.67	126.61
2	A	401	UDP	C4-N3-C2	-5.10	120.28	126.61
2	B	401	UDP	N3-C2-N1	4.92	121.29	114.89
2	A	401	UDP	O3B-PB-O3A	3.83	117.48	104.64
2	A	401	UDP	C5-C4-N3	3.51	119.72	114.80
2	B	401	UDP	C5-C4-N3	3.45	119.63	114.80
2	A	401	UDP	N3-C2-N1	3.44	119.37	114.89
3	B	402	5BT	O4'-C1'-N1	3.04	113.25	107.86
3	A	402	5BT	BR5-C5-C6	-2.99	116.46	120.64
3	A	402	5BT	BR5-C5-C4	2.98	124.94	118.93
2	A	401	UDP	O2A-PA-O3A	2.87	115.03	107.27
2	A	401	UDP	O4-C4-C5	-2.74	120.44	125.16
3	A	402	5BT	O2-C2-N3	-2.40	118.54	122.33
3	B	402	5BT	N4-C4-N3	2.28	122.63	118.51
2	B	401	UDP	O4-C4-C5	-2.23	121.31	125.16
2	B	401	UDP	O2-C2-N3	-2.23	117.38	121.49
3	A	402	5BT	C2'-C1'-N1	2.19	119.29	113.81
3	B	402	5BT	N1-C2-N3	2.02	122.31	118.80

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	402	5BT	O4'-C4'-C5'-O5'
3	A	402	5BT	C3'-C4'-C5'-O5'



There are no ring outliers.


3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	402	5BT	2	0
2	B	401	UDP	1	0
3	A	402	5BT	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/279 (84%)	1.82	89 (37%)  	30, 40, 53, 63	0
1	B	234/279 (83%)	1.69	79 (33%)  	27, 39, 52, 60	0
All	All	470/558 (84%)	1.76	168 (35%)  	27, 39, 53, 63	0

All (168) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	167	GLY	12.1
1	A	70	GLU	10.5
1	A	166	PHE	6.9
1	B	166	PHE	6.6
1	A	186	LEU	5.1
1	B	61	VAL	4.9
1	B	119	ALA	4.6
1	A	190	TYR	4.3
1	A	191	LEU	4.2
1	B	221	LEU	4.1
1	B	195	ASN	4.1
1	A	71	LEU	4.0
1	B	190	TYR	3.9
1	B	180	ALA	3.9
1	A	258	SER	3.9
1	A	230	GLU	3.9
1	B	231	VAL	3.9
1	A	62	GLN	3.8
1	A	169	SER	3.8
1	A	210	TYR	3.8
1	A	217	LEU	3.7
1	A	189	ILE	3.7
1	A	61	VAL	3.7
1	A	200	ILE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	62	GLN	3.6
1	B	210	TYR	3.6
1	A	214	SER	3.6
1	B	114	GLY	3.6
1	B	216	LEU	3.6
1	A	222	LYS	3.4
1	B	71	LEU	3.4
1	A	72	THR	3.4
1	A	204	TYR	3.3
1	B	236	LEU	3.3
1	B	223	THR	3.3
1	A	226	ASP	3.3
1	B	258	SER	3.3
1	A	202	LEU	3.3
1	A	220	THR	3.3
1	A	238	VAL	3.2
1	A	162	MET	3.2
1	A	163	ASN	3.2
1	B	113	ASN	3.2
1	A	206	GLU	3.2
1	B	86	TYR	3.1
1	B	112	LEU	3.1
1	A	20	ARG	3.1
1	B	120	GLU	3.1
1	A	73	MET	3.1
1	B	249	LEU	3.1
1	A	63	SER	3.1
1	A	193	GLY	3.1
1	A	195	ASN	3.0
1	A	118	ASP	3.0
1	B	168	GLN	3.0
1	B	60	ASN	3.0
1	A	116	LEU	2.9
1	A	44	LEU	2.9
1	A	121	LYS	2.9
1	B	115	LYS	2.9
1	B	57	ARG	2.9
1	A	236	LEU	2.9
1	A	19	THR	2.9
1	A	179	GLN	2.9
1	A	260	LEU	2.9
1	A	60	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	223	THR	2.8
1	B	19	THR	2.8
1	B	118	ASP	2.8
1	A	199	GLY	2.8
1	B	220	THR	2.8
1	A	187	HIS	2.8
1	B	214	SER	2.8
1	A	165	GLN	2.8
1	B	184	THR	2.8
1	B	230	GLU	2.8
1	B	191	LEU	2.8
1	A	164	ASN	2.7
1	B	181	THR	2.7
1	A	208	LEU	2.7
1	B	226	ASP	2.7
1	B	164	ASN	2.7
1	B	187	HIS	2.7
1	A	237	ASP	2.7
1	A	161	TRP	2.6
1	B	215	TRP	2.6
1	B	20	ARG	2.6
1	B	137	PHE	2.6
1	B	85	MET	2.6
1	A	203	GLU	2.6
1	A	201	PRO	2.6
1	A	228	LEU	2.6
1	B	219	ARG	2.6
1	A	229	GLN	2.6
1	A	38	VAL	2.6
1	A	180	ALA	2.6
1	B	111	SER	2.6
1	A	119	ALA	2.6
1	B	139	SER	2.6
1	A	168	GLN	2.5
1	A	198	GLN	2.5
1	A	225	PHE	2.5
1	A	209	HIS	2.5
1	A	192	ARG	2.5
1	A	182	PRO	2.5
1	A	224	ASN	2.4
1	A	233	ILE	2.4
1	B	56	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	163	ASN	2.4
1	B	240	GLU	2.4
1	B	165	GLN	2.4
1	B	116	LEU	2.4
1	A	256	PHE	2.4
1	B	37	PHE	2.4
1	B	235	THR	2.3
1	A	216	LEU	2.3
1	A	138	ALA	2.3
1	B	189	ILE	2.3
1	B	233	ILE	2.3
1	B	222	LYS	2.3
1	A	120	GLU	2.3
1	A	75	GLN	2.3
1	A	158	TRP	2.3
1	A	177	TYR	2.3
1	B	110	ALA	2.3
1	A	240	GLU	2.3
1	A	170	LEU	2.3
1	B	21	ILE	2.2
1	B	244	ASP	2.2
1	A	249	LEU	2.2
1	B	196	GLU	2.2
1	B	58	TRP	2.2
1	B	200	ILE	2.2
1	B	238	VAL	2.2
1	A	36	THR	2.2
1	A	239	ASN	2.2
1	A	253	VAL	2.2
1	B	250	VAL	2.2
1	A	95	THR	2.2
1	A	248	SER	2.2
1	A	112	LEU	2.2
1	A	167	GLY	2.2
1	B	170	LEU	2.2
1	B	217	LEU	2.2
1	B	260	LEU	2.2
1	B	158	TRP	2.1
1	B	161	TRP	2.1
1	A	172	LEU	2.1
1	A	221	LEU	2.1
1	B	136	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	59	SER	2.1
1	B	259	THR	2.1
1	A	219	ARG	2.1
1	B	145	GLU	2.1
1	B	203	GLU	2.1
1	B	206	GLU	2.1
1	B	255	GLU	2.1
1	B	44	LEU	2.1
1	A	144	SER	2.1
1	A	242	PHE	2.0
1	B	169	SER	2.0
1	B	81	VAL	2.0
1	A	213	GLU	2.0
1	B	87	GLU	2.0
1	A	184	THR	2.0
1	B	179	GLN	2.0
1	B	224	ASN	2.0
1	A	50	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	5BT	A	402	17/17	0.82	0.16	31,43,46,62	0
3	5BT	B	402	17/17	0.82	0.16	38,44,49,61	0
2	UDP	A	401	25/25	0.93	0.11	30,43,50,51	0
2	UDP	B	401	25/25	0.93	0.10	26,36,38,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 5BT A 402:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5BT B 402:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.