



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 10:00 AM UTC

PDB ID : 6QEE / pdb_00006qee
EMDB ID : EMD-4536
Title : Nanodisc reconstituted Human-mouse chimeric ABCB1 (ABCB1HM)-EQ mutant in complex with UIC2 Fab and Zosuquidar.
Authors : Alam, A.
Deposited on : 2019-01-07
Resolution : 3.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1300	
2	B	220	
3	C	225	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12975 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ABCB1HM-EQ.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1182	9184	5908	1555	1683	38	0	0

- Molecule 2 is a protein called UIC2 Antigen Binding Fragment Light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	220	1713	1071	292	342	8	1	0

- Molecule 3 is a protein called UIC2 Antigen Binding Fragment Heavy Chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	225	1720	1100	274	337	9	1	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0

- Molecule 5 is Zosuquidar (CCD ID: ZQU) (formula: $C_{32}H_{31}F_2N_3O_2$).




Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total 39	C 32	F 2	N 3	O 2	0
5	A	1	Total 39	C 32	F 2	N 3	O 2	0

- Molecule 6 is CHOLESTEROL (CCD ID: CLR) (formula: $\text{C}_{27}\text{H}_{46}\text{O}$).



Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	

- Molecule 7 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
7	A	1	42	32	1	8	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ABCB1HM-EQ




• Molecule 2: UIC2 Antigen Binding Fragment Light chain

Chain B:

82%

16%




● Molecule 3: UIC2 Antigen Binding Fragment Heavy Chain

Chain C:

91%

9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	291197	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2.1	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.171	Depositor
Minimum map value	-0.079	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size ($\text{\AA}$)	336.0, 336.0, 336.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.84, 0.84, 0.84	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CLR, 3PE, ZQU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	1/9354 (0.0%)	0.65	1/12644 (0.0%)
2	B	0.46	0/1757	0.65	0/2384
3	C	0.49	0/1773	0.56	0/2420
All	All	0.44	1/12884 (0.0%)	0.63	1/17448 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	2
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	966	LYS	CB-CG	-5.03	1.37	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	100	THR	CA-C-O	-5.09	113.94	120.31

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	100	THR	Mainchain
2	B	55	LYS	Peptide
2	B	7	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9184	0	9351	109	0
2	B	1713	0	1659	20	0
3	C	1720	0	1661	14	0
4	A	42	0	39	5	0
5	A	78	0	0	0	0
6	A	196	0	322	13	0
7	A	42	0	58	0	0
All	All	12975	0	13090	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:ASN:HD21	4:A:1402:NAG:C1	1.10	1.59
1:A:98:ASN:ND2	4:A:1403:NAG:C1	1.80	1.44
1:A:90:ASN:ND2	4:A:1402:NAG:C1	1.79	1.39
1:A:98:ASN:HD22	4:A:1403:NAG:C1	1.54	1.01
1:A:98:ASN:HD21	4:A:1403:NAG:C1	1.63	0.96
1:A:173:ARG:O	1:A:177:ASP:HB2	1.74	0.87
1:A:440:GLN:HE21	1:A:471:VAL:HG21	1.48	0.78
1:A:75:THR:HG21	1:A:331:LEU:HD12	1.70	0.74
1:A:872:VAL:HG23	1:A:992:SER:HB2	1.76	0.68
1:A:501:LYS:O	1:A:505:GLU:HB2	1.93	0.68
1:A:1119:PRO:HB3	1:A:1184:ALA:HB2	1.76	0.68
1:A:275:ARG:NH2	1:A:1123:ASP:OD1	2.29	0.66
1:A:100:THR:O	1:A:104:MET:N	2.26	0.65
1:A:393:PHE:HB2	1:A:414:LEU:H	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:25:SER:OG	2:B:26:SER:N	2.29	0.64
1:A:158:GLU:HG3	1:A:160:GLY:H	1.64	0.62
1:A:317:THR:HA	1:A:320:VAL:HG12	1.83	0.61
1:A:1029:MET:HE3	1:A:1032:GLY:H	1.66	0.60
1:A:867:ILE:HD11	1:A:985:MET:HE2	1.84	0.60
1:A:1053:GLN:H	1:A:1248:GLY:HA3	1.67	0.59
1:A:537:ARG:HA	1:A:540:ILE:HG22	1.85	0.59
1:A:797:ARG:NH1	1:A:1018:ASP:OD2	2.36	0.59
2:B:24:ARG:NH2	2:B:75:ASP:OD1	2.36	0.58
2:B:195:HIS:O	2:B:217:ARG:NH1	2.37	0.58
1:A:1189:LEU:O	1:A:1192:GLN:NE2	2.37	0.58
2:B:95:GLN:NE2	2:B:96:SER:O	2.30	0.57
1:A:100:THR:HG22	1:A:104:MET:HG3	1.86	0.57
3:C:28:SER:OG	3:C:31:ASN:ND2	2.37	0.57
1:A:96:ASP:O	1:A:100:THR:OG1	2.23	0.56
3:C:51:ILE:HG22	3:C:58:THR:HG22	1.87	0.56
1:A:488:ARG:NH1	1:A:494:VAL:O	2.40	0.55
1:A:553:LEU:HD13	1:A:583:VAL:HG22	1.89	0.55
1:A:424:LEU:HG	1:A:598:ALA:HB3	1.89	0.55
1:A:573:ASP:HA	1:A:576:ARG:HD3	1.89	0.55
1:A:67:MET:HE3	1:A:949:TYR:HD2	1.72	0.54
2:B:22:SER:OG	2:B:23:CYS:N	2.40	0.54
1:A:1152:ASN:O	1:A:1182:ARG:NH1	2.41	0.54
2:B:70:SER:OG	2:B:71:GLY:N	2.41	0.53
1:A:365:PHE:HA	1:A:368:ILE:HG12	1.90	0.53
1:A:417:LYS:NZ	1:A:420:GLN:OE1	2.38	0.52
1:A:482:THR:O	1:A:486:ASN:ND2	2.42	0.52
1:A:1252:GLU:HB3	1:A:1259:LEU:HD21	1.91	0.52
1:A:511:PHE:HE1	1:A:537:ARG:HD2	1.73	0.52
1:A:730:ILE:HD13	1:A:757:LEU:HB3	1.92	0.52
1:A:838:ASN:HB3	6:A:1409:CLR:H72	1.90	0.52
1:A:854:TRP:HA	1:A:857:THR:HG22	1.92	0.51
1:A:509:TYR:HA	1:A:512:ILE:HG22	1.92	0.51
1:A:869:ILE:HA	1:A:872:VAL:HG12	1.91	0.51
1:A:1232:ARG:NH2	1:A:1234:SER:OG	2.44	0.51
1:A:86:ASP:OD1	1:A:87:LEU:N	2.44	0.51
1:A:392:GLU:HG2	1:A:415:LYS:HG3	1.93	0.51
1:A:1266:TYR:HA	1:A:1269:MET:HG2	1.92	0.51
2:B:155:LYS:O	2:B:199:THR:OG1	2.29	0.50
1:A:495:THR:OG1	1:A:498:GLU:OE2	2.30	0.50
1:A:496:MET:HA	1:A:499:ILE:HD12	1.91	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1120:ILE:O	1:A:1187:ARG:NH1	2.40	0.50
1:A:861:LEU:HD21	6:A:1410:CLR:H273	1.94	0.49
1:A:1198:LEU:HD12	1:A:1228:VAL:HG22	1.95	0.49
1:A:429:GLY:HA2	1:A:432:LYS:HE3	1.95	0.48
1:A:816:ARG:HH21	1:A:1010:ILE:HD11	1.78	0.48
1:A:387:ILE:HG23	1:A:549:LYS:HG3	1.94	0.48
2:B:12:PRO:HA	2:B:111:ASP:HB2	1.95	0.48
2:B:40:TRP:HB2	2:B:53:ILE:HB	1.95	0.48
1:A:1125:SER:OG	1:A:1128:GLU:OE1	2.22	0.47
1:A:1084:ARG:HD2	1:A:1100:ILE:HG22	1.96	0.47
3:C:47:TRP:O	3:C:61:ASN:ND2	2.44	0.47
3:C:55:ASN:N	3:C:55:ASN:OD1	2.48	0.47
3:C:179:LEU:HD11	3:C:182:ASP:HA	1.97	0.46
6:A:1407:CLR:H191	6:A:1407:CLR:H8	1.75	0.46
2:B:153:LYS:HB3	2:B:201:GLU:HB2	1.98	0.46
3:C:163:TRP:HA	3:C:204[A]:CYS:HA	1.97	0.46
3:C:211:SER:O	3:C:211:SER:OG	2.32	0.46
1:A:797:ARG:HH12	1:A:1014:THR:HG23	1.79	0.46
6:A:1410:CLR:H211	6:A:1410:CLR:H232	1.79	0.46
1:A:484:ALA:HB2	1:A:519:PHE:HB3	1.98	0.46
1:A:1175:LEU:HD23	1:A:1179:GLN:HB3	1.98	0.46
2:B:26:SER:O	2:B:26:SER:OG	2.30	0.46
2:B:157:ASP:HA	2:B:197:SER:HB3	1.98	0.45
1:A:96:ASP:OD1	1:A:96:ASP:N	2.48	0.45
2:B:178:THR:OG1	2:B:179:TYR:N	2.49	0.45
6:A:1412:CLR:H221	6:A:1412:CLR:H162	1.70	0.45
1:A:1027:PRO:HD2	1:A:1107:TRP:CD2	2.52	0.45
1:A:331:LEU:HD23	1:A:331:LEU:HA	1.81	0.45
1:A:118:THR:HG21	6:A:1407:CLR:H71	1.98	0.45
1:A:570:ALA:O	1:A:574:LYS:HG3	2.16	0.45
3:C:19:LYS:HE3	3:C:19:LYS:HB2	1.74	0.45
1:A:313:PHE:HD2	1:A:758:PHE:HE2	1.64	0.44
1:A:764:ILE:O	1:A:768:THR:OG1	2.32	0.44
1:A:798:GLN:HA	1:A:1015:PRO:HG3	1.98	0.44
1:A:1025:LEU:HD21	1:A:1103:LEU:HG	1.99	0.44
6:A:1407:CLR:H222	6:A:1407:CLR:H162	1.80	0.44
2:B:109:LYS:HE3	2:B:109:LYS:HB3	1.84	0.44
1:A:483:ILE:HG21	1:A:512:ILE:HD11	2.00	0.44
1:A:996:ASP:OD2	1:A:996:ASP:N	2.49	0.44
3:C:163:TRP:HA	3:C:204[B]:CYS:HA	2.00	0.44
2:B:4:MET:HB3	2:B:4:MET:HE3	1.60	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:565:GLU:HA	1:A:568:VAL:HG12	1.98	0.43
1:A:852:TYR:HD2	1:A:975:LEU:HD22	1.83	0.43
1:A:309:TYR:CD1	1:A:334:PHE:HZ	2.35	0.43
1:A:37:THR:HA	1:A:40:ARG:HG3	2.01	0.43
1:A:487:ILE:HG21	1:A:499:ILE:HG23	2.01	0.43
1:A:525:GLU:O	1:A:529:GLN:NE2	2.43	0.43
3:C:147:LEU:HD23	3:C:147:LEU:HA	1.89	0.43
6:A:1410:CLR:H232	6:A:1410:CLR:H272	1.80	0.43
3:C:28:SER:OG	3:C:28:SER:O	2.34	0.43
1:A:166:ASP:HB3	1:A:169:GLU:HB3	2.01	0.43
1:A:791:VAL:O	1:A:795:MET:HB2	2.19	0.43
6:A:1410:CLR:H191	6:A:1410:CLR:H8	1.83	0.43
1:A:61:GLY:O	1:A:198:THR:OG1	2.34	0.42
1:A:969:SER:OG	1:A:970:PHE:N	2.51	0.42
3:C:202:ILE:HD12	3:C:202:ILE:HA	1.92	0.42
1:A:1243:VAL:HG13	1:A:1250:VAL:HG13	2.01	0.42
1:A:68:MET:HG3	1:A:335:PHE:HB3	2.01	0.42
1:A:304:LEU:HD23	1:A:304:LEU:HA	1.87	0.42
2:B:31:HIS:CD2	2:B:32:SER:H	2.36	0.42
2:B:144:ASN:HD22	2:B:178:THR:HG21	1.84	0.42
1:A:897:THR:HA	1:A:900:ILE:HG22	2.01	0.42
1:A:1078:VAL:HA	1:A:1081:LEU:HB3	2.02	0.42
1:A:319:LEU:HA	1:A:319:LEU:HD23	1.83	0.42
1:A:115:TYR:HE1	6:A:1407:CLR:H41	1.85	0.42
1:A:471:VAL:HG22	1:A:552:LEU:HB2	2.02	0.42
1:A:741:ILE:HD11	3:C:104:GLY:N	2.35	0.42
1:A:948:MET:HE3	1:A:948:MET:HB2	1.97	0.42
1:A:884:LYS:HE3	1:A:884:LYS:HB3	1.90	0.42
2:B:55:LYS:O	2:B:57:SER:N	2.53	0.42
1:A:894:LYS:HA	1:A:897:THR:HG22	2.01	0.41
2:B:131:LEU:HA	2:B:189:LYS:HE2	2.02	0.41
1:A:860:LEU:HD13	1:A:860:LEU:HA	1.87	0.41
6:A:1407:CLR:H193	6:A:1407:CLR:H111	1.82	0.41
1:A:466:ARG:O	1:A:546:ARG:NH2	2.51	0.41
1:A:510:ASP:N	1:A:510:ASP:OD1	2.52	0.41
1:A:1210:GLU:H	1:A:1210:GLU:HG2	1.70	0.41
6:A:1409:CLR:H193	6:A:1409:CLR:H111	1.87	0.41
6:A:1409:CLR:H211	6:A:1409:CLR:H232	1.82	0.41
1:A:481:THR:HG22	1:A:482:THR:H	1.85	0.41
1:A:555:GLN:N	1:A:584:ILE:O	2.53	0.41
1:A:827:ALA:HB2	1:A:1000:ALA:HB1	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:139:ASP:OD1	3:C:139:ASP:N	2.48	0.41
1:A:94:ARG:HH22	1:A:99:ASP:HB2	1.85	0.41
1:A:338:LEU:HA	1:A:338:LEU:HD12	1.85	0.41
1:A:1027:PRO:HD2	1:A:1107:TRP:CE2	2.55	0.41
1:A:94:ARG:NH2	1:A:99:ASP:HB2	2.36	0.41
1:A:504:LYS:HE2	1:A:509:TYR:CZ	2.56	0.41
1:A:507:ASN:HB3	1:A:571:ALA:HB2	2.03	0.41
1:A:787:LEU:HA	1:A:787:LEU:HD12	1.84	0.41
1:A:245:ALA:HB2	1:A:286:LEU:HD23	2.03	0.40
1:A:393:PHE:HD2	1:A:414:LEU:HB2	1.86	0.40
1:A:468:ILE:HG13	1:A:469:ILE:HG13	2.03	0.40
1:A:797:ARG:HH22	1:A:1014:THR:HA	1.86	0.40
1:A:1145:VAL:O	1:A:1149:LYS:HG3	2.21	0.40
2:B:189:LYS:NZ	2:B:193:GLU:OE2	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1178/1300 (91%)	1119 (95%)	59 (5%)	0	100	100
2	B	219/220 (100%)	198 (90%)	20 (9%)	1 (0%)	24	59
3	C	224/225 (100%)	207 (92%)	17 (8%)	0	100	100
All	All	1621/1745 (93%)	1524 (94%)	96 (6%)	1 (0%)	49	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	56	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	975/1077 (90%)	970 (100%)	5 (0%)	81	82
2	B	200/199 (100%)	194 (97%)	6 (3%)	36	57
3	C	196/195 (100%)	190 (97%)	6 (3%)	35	57
All	All	1371/1471 (93%)	1354 (99%)	17 (1%)	63	72

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	THR
1	A	100	THR
1	A	392	GLU
1	A	472	VAL
1	A	768	THR
2	B	3	VAL
2	B	4	MET
2	B	21	ILE
2	B	26	SER
2	B	200[A]	CYS
2	B	200[B]	CYS
3	C	11	LEU
3	C	18	VAL
3	C	25	SER
3	C	72	VAL
3	C	204[A]	CYS
3	C	204[B]	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	ASN
1	A	98	ASN
1	A	269	GLN
1	A	278	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	440	GLN
1	A	486	ASN
1	A	507	ASN
1	A	924	GLN
1	A	929	ASN
1	A	1152	ASN
1	A	1181	GLN
1	A	1194	HIS
1	A	1214	GLN
1	A	1247	ASN
1	A	1256	HIS
2	B	31	HIS
2	B	144	ASN
2	B	167	ASN
2	B	172	GLN
2	B	204	HIS
3	C	31	ASN
3	C	200	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ZQU	A	1405	-	45,45,45	0.81	1 (2%)	50,67,67	1.06	3 (6%)
6	CLR	A	1406	-	31,31,31	0.97	2 (6%)	48,48,48	1.79	10 (20%)
6	CLR	A	1411	-	31,31,31	0.71	0	48,48,48	1.51	6 (12%)
6	CLR	A	1409	-	31,31,31	0.83	1 (3%)	48,48,48	1.78	10 (20%)
6	CLR	A	1408	-	31,31,31	0.73	0	48,48,48	1.95	14 (29%)
6	CLR	A	1412	-	31,31,31	0.79	1 (3%)	48,48,48	1.70	11 (22%)
4	NAG	A	1401	1	14,14,15	2.34	4 (28%)	17,19,21	1.43	2 (11%)
4	NAG	A	1403	-	14,14,15	2.38	4 (28%)	17,19,21	2.19	4 (23%)
4	NAG	A	1402	-	14,14,15	2.24	4 (28%)	17,19,21	1.36	3 (17%)
6	CLR	A	1410	-	31,31,31	0.88	2 (6%)	48,48,48	2.04	13 (27%)
6	CLR	A	1407	-	31,31,31	0.75	1 (3%)	48,48,48	1.83	11 (22%)
5	ZQU	A	1404	-	45,45,45	0.84	0	50,67,67	1.08	1 (2%)
7	3PE	A	1413	-	41,41,50	1.00	4 (9%)	44,46,55	1.30	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ZQU	A	1405	-	-	7/13/52/52	0/7/7/7
6	CLR	A	1406	-	-	4/10/68/68	0/4/4/4
6	CLR	A	1411	-	-	6/10/68/68	0/4/4/4
6	CLR	A	1409	-	-	5/10/68/68	0/4/4/4
6	CLR	A	1408	-	-	7/10/68/68	0/4/4/4
6	CLR	A	1412	-	-	7/10/68/68	0/4/4/4
4	NAG	A	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1403	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1402	-	-	2/6/23/26	0/1/1/1
6	CLR	A	1410	-	-	4/10/68/68	0/4/4/4
6	CLR	A	1407	-	-	4/10/68/68	0/4/4/4
5	ZQU	A	1404	-	-	3/13/52/52	0/7/7/7
7	3PE	A	1413	-	-	26/45/45/54	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1401	NAG	O5-C1	5.44	1.52	1.43
4	A	1403	NAG	O5-C1	5.20	1.52	1.43
4	A	1402	NAG	O5-C1	5.08	1.52	1.43
4	A	1403	NAG	C7-N2	4.63	1.49	1.34
4	A	1402	NAG	C7-N2	4.47	1.48	1.34
4	A	1401	NAG	C7-N2	4.37	1.48	1.34
4	A	1403	NAG	C2-N2	3.62	1.52	1.46
6	A	1406	CLR	C10-C9	-3.16	1.51	1.56
4	A	1402	NAG	C2-N2	2.77	1.50	1.46
6	A	1412	CLR	C10-C9	-2.76	1.51	1.56
4	A	1403	NAG	O7-C7	-2.73	1.17	1.23
4	A	1401	NAG	C2-N2	2.73	1.50	1.46
4	A	1402	NAG	O7-C7	-2.65	1.17	1.23
6	A	1409	CLR	C10-C9	-2.64	1.51	1.56
4	A	1401	NAG	O7-C7	-2.63	1.17	1.23
6	A	1407	CLR	C10-C9	-2.59	1.51	1.56
6	A	1410	CLR	C10-C9	-2.39	1.52	1.56
7	A	1413	3PE	O31-C31	2.39	1.40	1.33
7	A	1413	3PE	O21-C21	2.35	1.40	1.34
7	A	1413	3PE	O21-C2	-2.16	1.41	1.46
6	A	1406	CLR	C10-C5	-2.14	1.48	1.52
6	A	1410	CLR	C8-C14	-2.05	1.49	1.53
5	A	1405	ZQU	C30-C27	-2.03	1.38	1.41
7	A	1413	3PE	O31-C3	-2.02	1.40	1.45

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1408	CLR	C21-C20-C17	-5.31	104.91	112.88
6	A	1410	CLR	C7-C8-C14	-5.12	103.68	110.93
6	A	1410	CLR	C19-C10-C9	-4.75	106.33	111.66
7	A	1413	3PE	O21-C21-C22	4.72	121.70	111.48
6	A	1408	CLR	C8-C7-C6	-4.65	106.32	112.76
6	A	1410	CLR	C15-C14-C8	-4.55	111.84	119.10
6	A	1406	CLR	C13-C17-C20	-4.51	112.54	119.50
6	A	1407	CLR	C21-C20-C17	-4.49	106.15	112.88
6	A	1407	CLR	C10-C9-C8	-4.47	106.18	112.71
4	A	1403	NAG	O5-C1-C2	4.37	118.05	111.29
6	A	1406	CLR	C19-C10-C9	-4.36	106.77	111.66
6	A	1409	CLR	C19-C10-C9	-4.28	106.86	111.66
6	A	1411	CLR	C7-C8-C9	-4.23	104.83	109.72
6	A	1407	CLR	C13-C17-C20	-4.22	112.98	119.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1410	CLR	C10-C9-C8	-4.08	106.75	112.71
6	A	1409	CLR	C13-C17-C20	-4.07	113.21	119.50
6	A	1410	CLR	C21-C20-C17	-4.05	106.80	112.88
4	A	1403	NAG	C4-C3-C2	4.04	116.94	111.02
6	A	1412	CLR	C13-C17-C20	-4.04	113.27	119.50
6	A	1406	CLR	C21-C20-C17	-4.03	106.84	112.88
6	A	1407	CLR	C19-C10-C9	-4.01	107.17	111.66
6	A	1412	CLR	C19-C10-C9	-4.00	107.17	111.66
6	A	1409	CLR	C21-C20-C17	-3.88	107.06	112.88
6	A	1411	CLR	C3-C4-C5	-3.84	105.94	112.05
6	A	1408	CLR	C10-C9-C8	-3.77	107.20	112.71
4	A	1403	NAG	C1-O5-C5	3.76	117.23	112.19
6	A	1408	CLR	C15-C14-C8	-3.74	113.13	119.10
6	A	1412	CLR	C4-C5-C10	3.74	121.21	116.42
4	A	1403	NAG	C2-N2-C7	3.69	127.84	122.90
6	A	1410	CLR	C4-C5-C6	-3.62	115.66	120.57
6	A	1408	CLR	C13-C14-C8	-3.56	109.36	114.41
4	A	1401	NAG	C2-N2-C7	-3.48	118.24	122.90
6	A	1409	CLR	C3-C4-C5	-3.25	106.88	112.05
6	A	1406	CLR	C12-C11-C9	-3.21	107.68	113.14
6	A	1412	CLR	C2-C3-C4	-3.19	105.81	110.29
6	A	1410	CLR	C1-C10-C9	3.17	112.93	108.74
6	A	1410	CLR	C3-C4-C5	-3.07	107.16	112.05
4	A	1402	NAG	C4-C3-C2	3.05	115.49	111.02
5	A	1405	ZQU	O02-C24-C26	-3.02	117.81	124.45
6	A	1408	CLR	C22-C20-C17	2.97	116.49	110.33
6	A	1410	CLR	C13-C17-C20	-2.97	114.92	119.50
6	A	1412	CLR	C1-C10-C5	2.93	113.80	108.74
6	A	1408	CLR	C3-C4-C5	-2.93	107.39	112.05
6	A	1407	CLR	C4-C5-C6	-2.92	116.61	120.57
6	A	1408	CLR	C9-C10-C5	2.92	113.92	109.65
6	A	1409	CLR	C7-C8-C14	-2.89	106.85	110.93
6	A	1406	CLR	C3-C4-C5	-2.87	107.48	112.05
6	A	1407	CLR	C7-C8-C9	-2.87	106.40	109.72
6	A	1409	CLR	C10-C9-C8	-2.87	108.52	112.71
6	A	1406	CLR	C4-C5-C6	-2.80	116.78	120.57
6	A	1408	CLR	C19-C10-C9	-2.79	108.53	111.66
7	A	1413	3PE	O31-C31-C32	2.69	120.04	111.83
6	A	1407	CLR	C8-C7-C6	-2.66	109.07	112.76
6	A	1411	CLR	C19-C10-C9	-2.64	108.70	111.66
6	A	1407	CLR	C15-C14-C8	-2.63	114.91	119.10
6	A	1409	CLR	C4-C5-C6	-2.62	117.02	120.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1412	CLR	C4-C5-C6	-2.59	117.05	120.57
6	A	1410	CLR	C12-C13-C17	2.57	120.39	116.60
6	A	1412	CLR	C7-C8-C14	-2.57	107.29	110.93
7	A	1413	3PE	O12-P-O14	-2.55	100.57	112.44
6	A	1412	CLR	C1-C2-C3	-2.54	107.12	110.48
6	A	1412	CLR	C13-C14-C8	-2.52	110.84	114.41
5	A	1404	ZQU	C16-N02-C15	2.51	114.25	108.84
5	A	1405	ZQU	O02-C24-C25	2.51	122.06	115.11
4	A	1401	NAG	C8-C7-N2	2.43	120.15	116.12
6	A	1408	CLR	C12-C13-C17	2.41	120.15	116.60
6	A	1408	CLR	C7-C6-C5	-2.41	120.95	125.02
6	A	1410	CLR	C14-C8-C9	-2.41	105.94	109.09
6	A	1407	CLR	C1-C10-C9	2.40	111.91	108.74
6	A	1406	CLR	C7-C8-C14	-2.35	107.61	110.93
6	A	1406	CLR	C16-C17-C20	2.34	115.73	112.18
6	A	1409	CLR	C15-C14-C8	-2.34	115.36	119.10
6	A	1411	CLR	C19-C10-C5	-2.33	104.83	108.38
6	A	1412	CLR	C3-C4-C5	-2.32	108.36	112.05
6	A	1408	CLR	C7-C8-C9	-2.30	107.06	109.72
6	A	1411	CLR	C15-C14-C8	-2.30	115.43	119.10
6	A	1410	CLR	C4-C5-C10	2.29	119.35	116.42
6	A	1407	CLR	C13-C14-C8	-2.28	111.18	114.41
6	A	1408	CLR	C12-C13-C14	-2.27	103.85	107.25
6	A	1409	CLR	C21-C20-C22	-2.26	106.84	110.34
6	A	1411	CLR	C12-C13-C17	2.22	119.86	116.60
4	A	1402	NAG	C8-C7-N2	2.13	119.66	116.12
6	A	1408	CLR	C19-C10-C5	-2.13	105.12	108.38
6	A	1406	CLR	C2-C3-C4	-2.13	107.29	110.29
6	A	1407	CLR	C22-C20-C17	2.12	114.73	110.33
4	A	1402	NAG	C6-C5-C4	-2.11	107.83	113.02
5	A	1405	ZQU	C22-C21-N02	2.08	116.00	112.23
6	A	1412	CLR	C15-C14-C8	-2.07	115.80	119.10
6	A	1406	CLR	C1-C10-C5	2.05	112.28	108.74
6	A	1409	CLR	C2-C3-C4	-2.04	107.42	110.29
6	A	1410	CLR	C2-C3-C4	-2.03	107.43	110.29

There are no chirality outliers.

All (80) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1404	ZQU	C08-C06-N01-C12
5	A	1405	ZQU	C21-C22-C23-O02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1406	CLR	C13-C17-C20-C21
6	A	1409	CLR	C13-C17-C20-C21
6	A	1410	CLR	C13-C17-C20-C21
6	A	1410	CLR	C13-C17-C20-C22
6	A	1410	CLR	C16-C17-C20-C22
7	A	1413	3PE	C22-C21-O21-C2
6	A	1411	CLR	C21-C20-C22-C23
7	A	1413	3PE	O32-C31-O31-C3
6	A	1406	CLR	C16-C17-C20-C21
6	A	1407	CLR	C16-C17-C20-C21
6	A	1410	CLR	C16-C17-C20-C21
6	A	1407	CLR	C13-C17-C20-C21
6	A	1407	CLR	C13-C17-C20-C22
6	A	1412	CLR	C13-C17-C20-C22
7	A	1413	3PE	O22-C21-O21-C2
6	A	1409	CLR	C16-C17-C20-C21
6	A	1412	CLR	C13-C17-C20-C21
6	A	1406	CLR	C13-C17-C20-C22
6	A	1409	CLR	C13-C17-C20-C22
7	A	1413	3PE	C32-C31-O31-C3
6	A	1406	CLR	C16-C17-C20-C22
4	A	1401	NAG	O5-C5-C6-O6
6	A	1408	CLR	C16-C17-C20-C22
4	A	1401	NAG	C4-C5-C6-O6
6	A	1409	CLR	C16-C17-C20-C22
6	A	1408	CLR	C13-C17-C20-C22
6	A	1412	CLR	C17-C20-C22-C23
6	A	1408	CLR	C16-C17-C20-C21
6	A	1408	CLR	C13-C17-C20-C21
5	A	1405	ZQU	C25-C24-O02-C23
6	A	1407	CLR	C16-C17-C20-C22
4	A	1403	NAG	C4-C5-C6-O6
7	A	1413	3PE	C1-C2-O21-C21
5	A	1405	ZQU	C26-C24-O02-C23
6	A	1412	CLR	C16-C17-C20-C21
6	A	1412	CLR	C16-C17-C20-C22
7	A	1413	3PE	C33-C34-C35-C36
6	A	1411	CLR	C23-C24-C25-C26
7	A	1413	3PE	C26-C27-C28-C29
7	A	1413	3PE	C37-C38-C39-C3A
6	A	1411	CLR	C23-C24-C25-C27
6	A	1411	CLR	C22-C23-C24-C25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1412	CLR	C21-C20-C22-C23
7	A	1413	3PE	C2B-C2C-C2D-C2E
7	A	1413	3PE	C25-C26-C27-C28
5	A	1404	ZQU	C22-C23-O02-C24
5	A	1405	ZQU	C22-C23-O02-C24
7	A	1413	3PE	C1-C2-C3-O31
6	A	1408	CLR	C20-C22-C23-C24
4	A	1403	NAG	C1-C2-N2-C7
6	A	1411	CLR	C17-C20-C22-C23
6	A	1409	CLR	C20-C22-C23-C24
4	A	1402	NAG	C4-C5-C6-O6
5	A	1405	ZQU	O01-C22-C23-O02
4	A	1402	NAG	O5-C5-C6-O6
7	A	1413	3PE	C21-C22-C23-C24
7	A	1413	3PE	O21-C2-C3-O31
7	A	1413	3PE	C1-O11-P-O13
7	A	1413	3PE	C1-O11-P-O14
7	A	1413	3PE	C11-O13-P-O11
7	A	1413	3PE	C11-O13-P-O12
7	A	1413	3PE	C11-O13-P-O14
7	A	1413	3PE	O13-C11-C12-N
4	A	1403	NAG	O5-C5-C6-O6
7	A	1413	3PE	O11-C1-C2-C3
7	A	1413	3PE	C35-C36-C37-C38
6	A	1412	CLR	C22-C23-C24-C25
6	A	1408	CLR	C22-C23-C24-C25
5	A	1404	ZQU	N02-C21-C22-O01
7	A	1413	3PE	C2C-C2D-C2E-C2F
6	A	1411	CLR	C13-C17-C20-C21
7	A	1413	3PE	O21-C21-C22-C23
6	A	1408	CLR	C21-C20-C22-C23
7	A	1413	3PE	C36-C37-C38-C39
5	A	1405	ZQU	C22-C21-N02-C15
5	A	1405	ZQU	C22-C21-N02-C16
7	A	1413	3PE	O22-C21-C22-C23
7	A	1413	3PE	O31-C31-C32-C33

There are no ring outliers.

6 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1409	CLR	3	0




Continued on next page...




Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1412	CLR	1	0
4	A	1403	NAG	3	0
4	A	1402	NAG	2	0
6	A	1410	CLR	4	0
6	A	1407	CLR	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4536. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 199



Y Index: 216




Z Index: 220


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 240 nm^3 ; this corresponds to an approximate mass of 217 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.86	4.34	3.89
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4536 and PDB model 6QEE. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8580	0.4250
A	0.8320	0.4070
B	0.9370	0.4660
C	0.9260	0.4860

