



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:25 PM UTC

PDB ID : 6QER / pdb_00006qer
Title : Apo Form Of ComR From S. Thermophilus in space group C2
Authors : Thuillier, J.; Nessler, S.
Deposited on : 2019-01-08
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	
1	B	310	
1	C	310	
1	D	310	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcriptional regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	300	Total	C	N	O	S	0	0	0
			2492	1609	406	471	6			
1	B	300	Total	C	N	O	S	0	0	0
			2492	1609	406	471	6			
1	C	305	Total	C	N	O	S	0	0	0
			2531	1634	414	477	6			
1	D	294	Total	C	N	O	S	0	0	0
			2450	1585	399	461	5			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	32	Total	O	0	0
			32	32		
2	B	20	Total	O	0	0
			20	20		
2	C	32	Total	O	0	0
			32	32		
2	D	5	Total	O	0	0
			5	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Transcriptional regulator




• Molecule 1: Transcriptional regulator




• Molecule 1: Transcriptional regulator



• Molecule 1: Transcriptional regulator





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	271.79Å 73.72Å 78.31Å 90.00° 104.97° 90.00°	Depositor
Resolution (Å)	44.24 – 2.46 44.24 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.3 (44.24-2.46) 99.5 (44.24-2.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.45Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.231 , 0.264 0.237 , 0.265	Depositor DCC
R_{free} test set	2707 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	47.6	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10054	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	0/2535	0.97	9/3411 (0.3%)
1	B	0.71	0/2535	0.90	2/3411 (0.1%)
1	C	0.91	0/2577	0.93	9/3469 (0.3%)
1	D	0.53	0/2492	0.89	6/3352 (0.2%)
All	All	0.77	0/10139	0.92	26/13643 (0.2%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	97	ILE	N-CA-C	10.88	121.17	111.81
1	D	260	HIS	N-CA-C	-8.65	94.81	108.90
1	D	93	ASN	CA-C-N	8.10	128.87	119.47
1	D	93	ASN	C-N-CA	8.10	128.87	119.47
1	B	136	GLU	N-CA-C	-7.90	102.71	113.30
1	A	137	GLU	N-CA-C	7.45	122.67	113.50
1	A	88	PHE	CA-C-N	7.08	127.25	120.31
1	A	88	PHE	C-N-CA	7.08	127.25	120.31
1	C	90	THR	N-CA-C	-6.84	98.55	109.76
1	D	259	LEU	N-CA-C	-6.60	105.97	112.97
1	D	17	ARG	N-CA-C	-6.41	102.52	110.41
1	A	98	LYS	N-CA-C	6.29	119.39	109.96
1	D	136	GLU	N-CA-C	-5.85	105.46	113.30
1	C	46	LEU	CA-C-N	-5.79	114.01	120.14
1	C	46	LEU	C-N-CA	-5.79	114.01	120.14
1	A	93	ASN	CA-C-N	5.53	125.46	119.76
1	A	93	ASN	C-N-CA	5.53	125.46	119.76
1	C	91	TYR	N-CA-C	-5.51	104.76	112.25
1	C	137	GLU	N-CA-C	-5.32	106.81	113.72
1	C	93	ASN	CA-C-N	5.22	125.53	119.47
1	C	93	ASN	C-N-CA	5.22	125.53	119.47
1	C	74	ILE	CA-C-N	5.14	125.08	119.78
1	C	74	ILE	C-N-CA	5.14	125.08	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	68	ASP	CB-CA-C	-5.12	110.26	117.23
1	A	136	GLU	N-CA-C	-5.08	101.96	109.83
1	B	68	ASP	CB-CA-C	-5.01	110.42	117.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2492	0	2545	38	0
1	B	2492	0	2545	44	0
1	C	2531	0	2575	30	0
1	D	2450	0	2503	49	0
2	A	32	0	0	2	0
2	B	20	0	0	1	0
2	C	32	0	0	0	0
2	D	5	0	0	0	0
All	All	10054	0	10168	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:GLU:HG2	1:B:266:GLU:HB2	1.51	0.90
1:D:79:TYR:O	1:D:83:ASN:ND2	2.17	0.78
1:A:272:ASP:OD1	1:A:294:LYS:NZ	2.16	0.78
1:B:108:TYR:CE1	1:B:123:LEU:HB3	2.18	0.78
1:B:178:GLN:N	1:B:178:GLN:OE1	2.22	0.71
1:B:12:LYS:NZ	1:B:16:GLU:OE2	2.25	0.70
1:B:281:LEU:HD22	1:B:283:ASP:HB2	1.74	0.69
1:B:295:LEU:HD23	1:B:300:GLY:HA2	1.76	0.68
1:A:98:LYS:O	2:A:401:HOH:O	2.12	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:278:ALA:HB2	1:D:290:ILE:HD12	1.77	0.66
1:D:276:VAL:O	1:D:279:SER:OG	2.09	0.64
1:C:287:GLU:OE2	1:C:304:SER:HB3	1.98	0.63
1:B:122:THR:HG23	1:B:164:LEU:HD13	1.80	0.63
1:A:81:MET:HE1	1:A:106:GLU:HG2	1.81	0.63
1:B:10:ARG:NH1	1:B:70:ASP:OD2	2.24	0.62
1:C:10:ARG:HD2	1:C:66:LEU:O	2.01	0.61
1:B:82:LYS:HA	1:B:85:LEU:HD12	1.83	0.60
1:C:85:LEU:O	1:C:100:LYS:HE3	2.02	0.60
1:D:197:TRP:CD1	1:D:198:THR:H	2.21	0.59
1:A:87:LYS:NZ	2:A:404:HOH:O	2.30	0.58
1:A:109:GLU:OE2	1:B:189:LYS:NZ	2.32	0.58
1:D:197:TRP:CG	1:D:198:THR:H	2.20	0.58
1:C:178:GLN:OE1	1:C:178:GLN:N	2.30	0.58
1:A:197:TRP:CG	1:A:198:THR:H	2.23	0.57
1:A:3:LEU:HD11	1:A:70:ASP:HB3	1.85	0.57
1:C:276:VAL:O	1:C:280:VAL:HG23	2.05	0.56
1:B:10:ARG:NH2	1:B:66:LEU:O	2.30	0.56
1:D:90:THR:HG22	1:D:92:ARG:H	1.71	0.56
1:D:197:TRP:CD1	1:D:198:THR:HG1	2.24	0.56
1:D:15:ARG:NE	1:D:41:GLU:OE2	2.32	0.55
1:B:294:LYS:HG2	1:B:299:LEU:HB2	1.89	0.55
1:B:10:ARG:HD2	1:B:66:LEU:O	2.06	0.54
1:A:92:ARG:HE	1:A:283:ASP:CG	2.15	0.54
1:C:3:LEU:HD11	1:C:70:ASP:HB3	1.89	0.54
1:D:204:ILE:HD12	1:D:245:TYR:CZ	2.43	0.54
1:C:25:LEU:HD22	1:C:37:LEU:HD22	1.90	0.53
1:D:86:ILE:HG21	1:D:201:VAL:HG13	1.89	0.53
1:A:184:PHE:CE2	1:A:188:ILE:HD11	2.43	0.53
1:B:176:ARG:HH11	1:D:62:SER:HB3	1.72	0.53
1:A:276:VAL:O	1:A:280:VAL:HG12	2.09	0.53
1:D:82:LYS:HA	1:D:85:LEU:HD12	1.91	0.52
1:B:85:LEU:O	1:B:100:LYS:HE3	2.09	0.52
1:A:87:LYS:HG2	1:A:204:ILE:HD12	1.90	0.52
1:B:87:LYS:HG2	1:B:204:ILE:HD12	1.91	0.52
1:B:93:ASN:ND2	1:B:285:VAL:HG11	2.24	0.52
1:D:94:PRO:HA	1:D:97:ILE:HD12	1.90	0.52
1:C:93:ASN:HD22	1:C:285:VAL:HG13	1.75	0.51
1:B:85:LEU:HD22	1:B:104:ILE:HG13	1.92	0.51
1:B:108:TYR:CZ	1:B:123:LEU:HB3	2.44	0.51
1:D:39:ARG:NH2	1:D:117:GLU:OE1	2.39	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:192:LEU:O	1:D:232:LYS:HE3	2.11	0.51
1:C:71:ASN:HD21	1:C:73:THR:HB	1.76	0.50
1:B:147:ASP:OD2	2:B:401:HOH:O	2.19	0.50
1:D:159:SER:OG	1:D:160:THR:N	2.45	0.50
1:D:200:ASP:O	1:D:204:ILE:HG12	2.12	0.50
1:C:135:TRP:CZ3	1:C:136:GLU:HG2	2.47	0.49
1:D:231:ASP:OD1	1:D:232:LYS:N	2.44	0.49
1:B:101:LEU:HD11	1:B:130:LEU:HB3	1.93	0.49
1:A:179:TYR:CE2	1:A:181:LYS:HG2	2.47	0.49
1:B:286:LEU:O	1:B:290:ILE:HG13	2.11	0.49
1:D:258:LEU:C	1:D:260:HIS:H	2.20	0.49
1:A:207:PHE:CZ	1:A:211:MET:HE3	2.48	0.48
1:B:81:MET:HE2	1:B:107:VAL:HG22	1.95	0.48
1:B:104:ILE:HG23	1:B:108:TYR:CZ	2.48	0.48
1:D:276:VAL:O	1:D:280:VAL:HG23	2.13	0.48
1:C:29:GLY:HA2	1:C:32:LEU:O	2.13	0.48
1:A:295:LEU:HD23	1:A:300:GLY:HA3	1.95	0.48
1:C:197:TRP:CD1	1:C:198:THR:H	2.31	0.48
1:B:175:GLY:HA2	1:B:219:PHE:CZ	2.48	0.48
1:D:35:ARG:NH1	1:D:143:GLU:HG3	2.29	0.48
1:C:275:ILE:HD13	1:C:302:GLY:HA3	1.96	0.48
1:A:14:GLU:OE1	1:A:61:LYS:NZ	2.46	0.48
1:D:237:ILE:O	1:D:241:GLN:N	2.47	0.48
1:D:93:ASN:O	1:D:97:ILE:HG13	2.13	0.47
1:C:242:LEU:HB3	1:C:245:TYR:CD1	2.49	0.47
1:D:142:GLU:OE2	1:D:172:HIS:NE2	2.44	0.47
1:B:108:TYR:HE1	1:B:123:LEU:HB3	1.71	0.47
1:B:31:GLU:O	1:B:51:ARG:NH1	2.46	0.47
1:B:169:TYR:O	1:B:172:HIS:HB2	2.13	0.47
1:D:140:LYS:H	1:D:140:LYS:HG2	1.41	0.47
1:C:197:TRP:CG	1:C:198:THR:H	2.32	0.47
1:D:265:LYS:HE3	1:D:265:LYS:HB2	1.66	0.46
1:A:184:PHE:CZ	1:A:188:ILE:HD11	2.50	0.46
1:D:197:TRP:CG	1:D:198:THR:N	2.83	0.46
1:C:182:LYS:O	1:C:186:ARG:HG3	2.16	0.46
1:D:169:TYR:O	1:D:172:HIS:HB2	2.16	0.46
1:D:231:ASP:HA	1:D:234:LEU:HG	1.97	0.46
1:B:176:ARG:NH1	1:D:62:SER:HB3	2.31	0.46
1:D:104:ILE:O	1:D:107:VAL:HG12	2.15	0.46
1:D:177:LYS:O	1:D:177:LYS:HD3	2.15	0.45
1:B:281:LEU:CD2	1:B:283:ASP:HB2	2.45	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:GLU:O	1:C:18:GLN:HG3	2.17	0.45
1:C:138:SER:HB3	1:C:141:VAL:HB	1.99	0.45
1:C:184:PHE:CE2	1:C:188:ILE:HD11	2.52	0.45
1:A:92:ARG:NE	1:A:283:ASP:OD1	2.49	0.45
1:C:4:LYS:HE2	1:C:46:LEU:HB2	1.99	0.45
1:B:14:GLU:O	1:B:18:GLN:HG3	2.17	0.44
1:D:100:LYS:O	1:D:104:ILE:HG13	2.17	0.44
1:D:119:GLU:O	1:D:122:THR:OG1	2.30	0.44
1:A:97:ILE:HD11	1:C:264:LYS:HG3	1.98	0.44
1:A:4:LYS:HG2	1:A:46:LEU:HB2	2.00	0.44
1:C:32:LEU:HD13	1:C:51:ARG:HD2	1.98	0.44
1:D:68:ASP:OD1	1:D:69:GLN:HG2	2.17	0.44
1:B:200:ASP:OD1	1:B:240:SER:OG	2.36	0.44
1:D:12:LYS:HE2	1:D:16:GLU:OE2	2.18	0.44
1:D:17:ARG:HG2	1:D:18:GLN:H	1.82	0.44
1:A:88:PHE:HA	1:A:89:PRO:HD3	1.68	0.43
1:A:197:TRP:CG	1:A:198:THR:N	2.87	0.43
1:D:108:TYR:O	1:D:112:PHE:HB2	2.18	0.43
1:A:101:LEU:O	1:A:105:GLU:HG3	2.18	0.43
1:A:135:TRP:HA	1:A:137:GLU:OE1	2.19	0.43
1:D:190:ARG:O	1:D:194:GLN:NE2	2.38	0.43
1:B:246:LYS:HD3	1:B:277:PHE:CZ	2.53	0.43
1:B:277:PHE:O	1:B:280:VAL:HG12	2.18	0.43
1:C:135:TRP:C	1:C:137:GLU:H	2.26	0.43
1:D:256:TYR:O	1:D:260:HIS:HB2	2.18	0.42
1:A:135:TRP:HD1	1:A:137:GLU:OE1	2.02	0.42
1:B:46:LEU:HD12	1:B:47:PRO:HD2	2.00	0.42
1:C:30:ALA:HB2	1:C:154:ARG:HH21	1.85	0.42
1:B:35:ARG:NH1	1:B:143:GLU:HG3	2.33	0.42
1:A:138:SER:HB3	1:A:141:VAL:HG23	2.01	0.42
1:A:182:LYS:O	1:A:186:ARG:HG3	2.19	0.42
1:C:92:ARG:HD3	1:C:92:ARG:HA	1.85	0.42
1:A:133:THR:C	1:A:135:TRP:H	2.27	0.42
1:C:67:LEU:HD23	1:C:67:LEU:HA	1.76	0.42
1:D:240:SER:HB3	1:D:242:LEU:HG	2.01	0.42
1:B:101:LEU:O	1:B:104:ILE:HB	2.20	0.42
1:B:95:ASP:HA	1:B:98:LYS:HE3	2.02	0.42
1:B:78:TYR:OH	1:B:119:GLU:OE1	2.35	0.42
1:C:196:ILE:HG22	1:C:239:LYS:HG2	2.01	0.42
1:A:35:ARG:NH1	1:A:143:GLU:HG3	2.35	0.41
1:A:287:GLU:HG2	1:A:291:LYS:HE2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:207:PHE:CZ	1:C:211:MET:HE3	2.55	0.41
1:D:185:GLU:O	1:D:188:ILE:HG13	2.20	0.41
1:D:225:ASP:HB3	1:D:228:THR:OG1	2.21	0.41
1:D:159:SER:H	1:D:162:ASP:HB2	1.85	0.41
1:A:67:LEU:HD23	1:A:67:LEU:HA	1.72	0.41
1:D:127:GLU:O	1:D:131:SER:HB3	2.21	0.41
1:A:122:THR:HG23	1:A:164:LEU:HD13	2.03	0.41
1:B:75:PRO:HG2	1:B:111:PHE:HE1	1.84	0.41
1:D:82:LYS:NZ	1:D:119:GLU:OE2	2.34	0.41
1:A:183:LEU:O	1:A:187:ILE:HG12	2.20	0.41
1:C:88:PHE:HA	1:C:89:PRO:HD3	1.79	0.41
1:A:103:LEU:O	1:A:107:VAL:HG23	2.21	0.41
1:A:275:ILE:HD13	1:A:291:LYS:HG2	2.03	0.41
1:D:138:SER:HB3	1:D:141:VAL:HB	2.02	0.41
1:D:143:GLU:O	1:D:146:GLU:HB3	2.20	0.41
1:A:197:TRP:CD1	1:A:198:THR:H	2.37	0.41
1:A:10:ARG:HD2	1:A:66:LEU:O	2.21	0.40
1:A:74:ILE:HA	1:A:75:PRO:HD3	1.81	0.40
1:B:207:PHE:CE2	1:B:245:TYR:HD2	2.39	0.40
1:C:295:LEU:HD23	1:C:295:LEU:HA	1.80	0.40
1:A:255:LYS:HE3	1:A:297:ASP:OD2	2.21	0.40
1:B:257:GLU:OE2	1:B:261:LYS:HG3	2.21	0.40
1:D:204:ILE:HD11	1:D:242:LEU:HD22	2.04	0.40
1:B:91:TYR:OH	1:B:244:SER:HB2	2.21	0.40
1:B:288:GLU:HA	1:B:291:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	298/310 (96%)	289 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	298/310 (96%)	289 (97%)	8 (3%)	1 (0%)	36	45
1	C	303/310 (98%)	295 (97%)	8 (3%)	0	100	100
1	D	290/310 (94%)	282 (97%)	7 (2%)	1 (0%)	36	45
All	All	1189/1240 (96%)	1155 (97%)	32 (3%)	2 (0%)	43	54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	132	PHE
1	B	262	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/286 (97%)	276 (99%)	2 (1%)	76	84
1	B	278/286 (97%)	273 (98%)	5 (2%)	51	65
1	C	281/286 (98%)	278 (99%)	3 (1%)	65	76
1	D	273/286 (96%)	269 (98%)	4 (2%)	57	70
All	All	1110/1144 (97%)	1096 (99%)	14 (1%)	61	73

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	137	GLU
1	B	73	THR
1	B	102	THR
1	B	122	THR
1	B	133	THR
1	B	277	PHE
1	C	73	THR
1	C	114	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	305	HIS
1	D	64	THR
1	D	90	THR
1	D	119	GLU
1	D	177	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	18	GLN
1	B	220	HIS
1	C	71	ASN
1	C	241	GLN
1	D	18	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	300/310 (96%)	-0.15	0 100 100	22, 34, 60, 88	0
1	B	300/310 (96%)	0.56	28 (9%) 14 12	25, 54, 117, 171	0
1	C	305/310 (98%)	-0.26	3 (0%) 79 80	21, 32, 51, 68	0
1	D	294/310 (94%)	1.91	135 (45%) 0 0	37, 115, 178, 184	0
All	All	1199/1240 (96%)	0.50	166 (13%) 6 5	21, 44, 154, 184	0

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	108	TYR	6.8
1	D	130	LEU	5.5
1	D	243	TYR	5.2
1	D	277	PHE	4.4
1	D	258	LEU	4.4
1	B	280	VAL	4.4
1	D	207	PHE	4.3
1	D	281	LEU	4.2
1	D	285	VAL	4.2
1	D	226	PHE	4.2
1	D	298	GLY	4.2
1	D	245	TYR	4.1
1	D	259	LEU	4.0
1	D	229	VAL	4.0
1	D	3	LEU	4.0
1	D	91	TYR	4.0
1	D	249	VAL	4.0
1	D	286	LEU	4.0
1	B	88	PHE	3.9
1	D	86	ILE	3.9
1	D	88	PHE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	230	VAL	3.7
1	D	218	ILE	3.7
1	D	276	VAL	3.6
1	D	242	LEU	3.6
1	D	205	VAL	3.6
1	D	227	LEU	3.5
1	D	115	LEU	3.5
1	D	234	LEU	3.5
1	D	123	LEU	3.5
1	D	246	LYS	3.5
1	D	107	VAL	3.4
1	B	91	TYR	3.4
1	D	244	SER	3.4
1	D	271	TYR	3.4
1	D	132	PHE	3.4
1	D	201	VAL	3.4
1	D	252	LEU	3.4
1	D	278	ALA	3.4
1	D	290	ILE	3.3
1	D	131	SER	3.3
1	D	94	PRO	3.3
1	D	282	GLU	3.3
1	D	87	LYS	3.3
1	D	256	TYR	3.3
1	D	236	VAL	3.3
1	B	281	LEU	3.2
1	D	280	VAL	3.2
1	D	223	PHE	3.2
1	D	253	LYS	3.2
1	D	275	ILE	3.2
1	B	284	SER	3.1
1	D	104	ILE	3.1
1	D	197	TRP	3.1
1	D	108	TYR	3.1
1	D	196	ILE	3.0
1	D	89	PRO	3.0
1	B	277	PHE	3.0
1	D	79	TYR	2.9
1	D	297	ASP	2.9
1	B	299	LEU	2.9
1	D	101	LEU	2.9
1	D	168	TYR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	133	THR	2.9
1	D	231	ASP	2.9
1	B	285	VAL	2.9
1	B	296	ALA	2.9
1	D	114	ILE	2.8
1	D	171	PHE	2.8
1	D	268	ALA	2.8
1	D	206	LEU	2.8
1	D	250	PHE	2.8
1	D	248	SER	2.8
1	D	191	VAL	2.8
1	D	261	LYS	2.8
1	D	173	LEU	2.8
1	B	87	LYS	2.8
1	B	300	GLY	2.7
1	B	295	LEU	2.7
1	B	90	THR	2.7
1	D	251	VAL	2.7
1	D	274	ALA	2.7
1	D	296	ALA	2.7
1	D	72	ILE	2.6
1	D	264	LYS	2.6
1	D	211	MET	2.6
1	D	109	GLU	2.6
1	D	272	ASP	2.6
1	D	187	ILE	2.6
1	D	64	THR	2.6
1	B	174	TYR	2.6
1	B	290	ILE	2.6
1	D	74	ILE	2.6
1	D	103	LEU	2.6
1	D	235	ALA	2.6
1	D	112	PHE	2.6
1	D	85	LEU	2.6
1	D	99	SER	2.6
1	D	289	SER	2.6
1	D	228	THR	2.6
1	D	78	TYR	2.6
1	B	89	PRO	2.5
1	D	293	GLY	2.5
1	D	295	LEU	2.5
1	B	264	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	233	ALA	2.5
1	D	81	MET	2.5
1	D	292	ALA	2.5
1	D	232	LYS	2.5
1	C	303	TRP	2.5
1	D	214	ALA	2.5
1	D	247	PRO	2.4
1	D	174	TYR	2.4
1	D	204	ILE	2.4
1	B	132	PHE	2.4
1	D	287	GLU	2.4
1	D	97	ILE	2.4
1	D	183	LEU	2.4
1	B	271	TYR	2.4
1	D	135	TRP	2.4
1	D	179	TYR	2.4
1	D	63	MET	2.4
1	D	43	GLY	2.3
1	D	49	LEU	2.3
1	D	216	LEU	2.3
1	D	158	PHE	2.3
1	D	170	PHE	2.3
1	D	202	TYR	2.3
1	D	210	LEU	2.3
1	D	95	ASP	2.3
1	D	111	PHE	2.3
1	B	104	ILE	2.3
1	D	192	LEU	2.3
1	C	88	PHE	2.3
1	D	224	SER	2.3
1	D	100	LYS	2.2
1	D	126	LEU	2.2
1	D	213	ILE	2.2
1	D	184	PHE	2.2
1	D	110	LYS	2.2
1	B	283	ASP	2.2
1	D	270	ASN	2.2
1	D	90	THR	2.2
1	D	138	SER	2.2
1	D	165	VAL	2.2
1	D	260	HIS	2.2
1	D	237	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	177	LYS	2.2
1	D	254	ALA	2.1
1	D	46	LEU	2.1
1	B	286	LEU	2.1
1	D	177	LYS	2.1
1	D	172	HIS	2.1
1	D	215	ALA	2.1
1	D	208	ASN	2.1
1	D	166	ILE	2.1
1	D	279	SER	2.1
1	B	197	TRP	2.1
1	C	197	TRP	2.1
1	D	102	THR	2.1
1	D	221	ASN	2.0
1	B	103	LEU	2.0
1	B	267	ALA	2.0
1	B	274	ALA	2.0
1	D	175	GLY	2.0
1	D	188	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.