



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:25 PM UTC

PDB ID : 7QFZ / pdb_00007qfz
Title : BrxR, a WYL-domain containing transcriptional regulator
Authors : Picton, D.M.; Blower, T.R.
Deposited on : 2021-12-07
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	5% 87% 10% .
1	B	295	12% 85% 11% ..
1	C	295	6% 85% 13% .
1	D	295	9% 83% 15% .
1	E	295	20% 81% 15% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	295	 14% 82% 16% •
1	G	295	 25% 83% 13% •
1	H	295	 32% 80% 10% 10%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 19401 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called WYL domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2323	1478	419	421	5			
1	B	288	Total	C	N	O	S	0	0	0
			2330	1480	420	425	5			
1	C	289	Total	C	N	O	S	0	0	0
			2338	1486	421	426	5			
1	D	290	Total	C	N	O	S	0	0	0
			2342	1488	422	427	5			
1	E	286	Total	C	N	O	S	0	0	0
			2312	1470	418	419	5			
1	F	288	Total	C	N	O	S	0	0	0
			2330	1480	420	425	5			
1	G	282	Total	C	N	O	S	0	0	0
			2291	1460	413	413	5			
1	H	266	Total	C	N	O	S	0	0	0
			2171	1386	390	390	5			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP B7L3Y3
B	1	MET	-	initiating methionine	UNP B7L3Y3
C	1	MET	-	initiating methionine	UNP B7L3Y3
D	1	MET	-	initiating methionine	UNP B7L3Y3
E	1	MET	-	initiating methionine	UNP B7L3Y3
F	1	MET	-	initiating methionine	UNP B7L3Y3
G	1	MET	-	initiating methionine	UNP B7L3Y3
H	1	MET	-	initiating methionine	UNP B7L3Y3

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	151	Total	O	0	0
			151	151		
3	B	155	Total	O	0	0
			155	155		
3	C	161	Total	O	0	0
			161	161		
3	D	157	Total	O	0	0
			157	157		
3	E	101	Total	O	0	0
			101	101		
3	F	79	Total	O	0	0
			79	79		
3	G	44	Total	O	0	0
			44	44		
3	H	36	Total	O	0	0
			36	36		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: WYL domain-containing protein




- Molecule 1: WYL domain-containing protein




- Molecule 1: WYL domain-containing protein





- Molecule 1: WYL domain-containing protein









● Molecule 1: WYL domain-containing protein




● Molecule 1: WYL domain-containing protein



● Molecule 1: WYL domain-containing protein



● Molecule 1: WYL domain-containing protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	131.12Å 131.12Å 358.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	82.35 – 2.15 82.35 – 2.15	Depositor EDS
% Data completeness (in resolution range)	100.0 (82.35-2.15) 99.9 (82.35-2.15)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.02 (at 2.14Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.220 , 0.244 (Not available) , 0.216	Depositor DCC
R_{free} test set	11345 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	48.7	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	19401	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.41	0/2377	0.67	4/3219 (0.1%)
1	B	0.45	0/2384	0.74	3/3228 (0.1%)
1	C	0.46	0/2392	0.71	4/3239 (0.1%)
1	D	0.46	0/2396	0.73	6/3244 (0.2%)
1	E	0.48	0/2366	0.79	3/3204 (0.1%)
1	F	0.36	0/2384	0.64	0/3228
1	G	0.35	0/2344	0.63	2/3173 (0.1%)
1	H	0.39	0/2221	0.68	4/3007 (0.1%)
All	All	0.42	0/18864	0.70	26/25542 (0.1%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	199	VAL	CB-CA-C	7.83	124.13	111.29
1	D	117	ASN	N-CA-C	6.86	119.16	110.24
1	E	74	THR	CB-CA-C	-6.78	98.00	113.33
1	G	117	ASN	N-CA-CB	6.69	123.11	111.13
1	A	28	LYS	CA-C-N	-6.68	103.08	122.46
1	A	28	LYS	C-N-CA	-6.68	103.08	122.46
1	A	266	ASN	CB-CA-C	-6.19	98.11	110.42
1	D	146	SER	CA-C-N	-6.18	109.29	121.41
1	D	146	SER	C-N-CA	-6.18	109.29	121.41
1	E	268	ARG	N-CA-CB	6.01	121.46	110.76
1	D	268	ARG	N-CA-C	6.00	118.22	108.08
1	A	266	ASN	N-CA-C	5.96	123.50	110.80
1	G	117	ASN	N-CA-C	-5.88	99.07	109.06
1	H	116	LEU	N-CA-C	-5.77	100.84	109.96
1	D	28	LYS	CA-C-N	-5.76	105.75	122.46
1	D	28	LYS	C-N-CA	-5.76	105.75	122.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	28	LYS	CA-C-N	-5.67	106.23	122.06
1	C	28	LYS	C-N-CA	-5.67	106.23	122.06
1	H	28	LYS	CA-C-N	-5.62	106.17	122.46
1	H	28	LYS	C-N-CA	-5.62	106.17	122.46
1	B	271	HIS	N-CA-C	-5.60	106.80	113.97
1	H	116	LEU	CB-CA-C	-5.50	101.92	112.43
1	B	264	LYS	N-CA-C	-5.42	105.30	112.24
1	E	268	ARG	N-CA-C	-5.31	101.76	108.45
1	B	175	ARG	CA-CB-CG	-5.20	103.71	114.10
1	C	116	LEU	N-CA-C	-5.07	101.95	109.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2323	0	2310	25	0
1	B	2330	0	2310	24	0
1	C	2338	0	2321	24	0
1	D	2342	0	2324	27	0
1	E	2312	0	2298	38	0
1	F	2330	0	2310	50	0
1	G	2291	0	2279	26	0
1	H	2171	0	2164	21	0
2	A	10	0	0	1	0
2	B	10	0	0	0	0
2	C	10	0	0	1	0
2	D	10	0	0	1	0
2	E	10	0	0	0	0
2	F	10	0	0	2	0
2	G	10	0	0	1	0
2	H	10	0	0	1	0
3	A	151	0	0	2	0
3	B	155	0	0	1	0
3	C	161	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	157	0	0	3	0
3	E	101	0	0	3	0
3	F	79	0	0	2	0
3	G	44	0	0	3	0
3	H	36	0	0	0	0
All	All	19401	0	18316	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:253:ARG:HH11	1:F:268:ARG:HD2	1.28	0.98
1:A:97:GLY:HA3	3:A:471:HOH:O	1.66	0.95
1:E:271:HIS:CE1	1:F:144:LEU:CD1	2.52	0.93
1:E:271:HIS:CE1	1:F:144:LEU:HD13	2.05	0.90
1:E:29:GLY:HA3	1:F:133:LYS:HE3	1.55	0.88
1:F:261:LYS:HG3	3:F:403:HOH:O	1.75	0.87
1:G:30:GLU:OE1	1:G:70:VAL:HG11	1.82	0.80
1:B:159:ILE:HD11	1:B:208:TRP:HH2	1.53	0.73
1:E:288:LEU:HA	1:F:268:ARG:HH12	1.53	0.73
1:A:62:VAL:CG1	1:A:71:HIS:HB3	2.18	0.73
1:G:30:GLU:HB2	1:G:70:VAL:CG1	2.18	0.73
1:A:159:ILE:HD11	1:A:208:TRP:HH2	1.53	0.72
1:G:8:GLU:N	3:G:402:HOH:O	2.22	0.72
1:A:254:LEU:O	1:B:163:LEU:HD21	1.90	0.72
1:H:213:GLU:HG2	1:H:242:GLU:HG2	1.73	0.71
1:E:288:LEU:HA	1:F:268:ARG:NH1	2.06	0.71
1:B:215:GLU:OE2	1:B:240:ARG:NH1	2.26	0.68
1:F:105:ARG:HG3	1:F:106:PRO:HD2	1.76	0.68
1:C:29:GLY:HA3	1:D:133:LYS:HE3	1.74	0.68
1:A:62:VAL:HG11	1:A:71:HIS:HB3	1.76	0.67
1:G:216:LEU:HD12	1:G:239:LEU:HD23	1.78	0.65
1:C:159:ILE:HD11	1:C:208:TRP:HH2	1.61	0.65
1:E:133:LYS:HE3	1:F:29:GLY:HA3	1.77	0.65
1:F:105:ARG:CG	1:F:106:PRO:HD2	2.27	0.65
1:A:215:GLU:OE2	1:A:240:ARG:NH1	2.31	0.63
1:C:33:ARG:NH1	3:C:401:HOH:O	2.30	0.63
1:H:137:ILE:HG22	1:H:190:LEU:HA	1.82	0.62
1:E:134:ARG:NH1	3:E:402:HOH:O	2.32	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:268:ARG:HD3	1:F:269:GLU:H	1.63	0.62
1:F:151:ARG:HD3	1:F:171:ASP:OD1	1.99	0.62
1:A:29:GLY:HA3	1:B:133:LYS:HE3	1.80	0.62
1:C:184:ARG:NH1	2:C:302:SO4:O1	2.33	0.61
1:C:133:LYS:HE3	1:D:29:GLY:HA3	1.82	0.60
1:F:184:ARG:NH1	2:F:302:SO4:O2	2.35	0.60
1:G:29:GLY:HA3	1:H:133:LYS:HE3	1.82	0.60
1:G:215:GLU:OE2	1:G:238:ARG:NE	2.36	0.59
1:C:73:LYS:NZ	3:C:402:HOH:O	2.36	0.58
1:F:151:ARG:NH2	2:F:301:SO4:O2	2.36	0.58
1:E:183:THR:HG23	3:E:446:HOH:O	2.04	0.58
1:B:206:LYS:HE3	3:B:517:HOH:O	2.03	0.58
1:F:162:GLY:HA3	1:F:254:LEU:HD22	1.85	0.57
1:E:175:ARG:NH2	3:E:404:HOH:O	2.36	0.57
1:G:64:TYR:CE2	1:G:66:GLU:HG2	2.39	0.56
1:E:271:HIS:ND1	1:F:144:LEU:HD11	2.20	0.56
1:A:151:ARG:HD3	1:A:171:ASP:OD1	2.06	0.56
1:F:34:SER:HA	1:F:37:THR:HG22	1.88	0.56
1:A:133:LYS:HE3	1:B:29:GLY:HA3	1.88	0.55
1:H:217:ILE:HG21	1:H:275:LYS:HB2	1.88	0.55
1:G:258:ASP:CG	3:G:407:HOH:O	2.48	0.55
1:F:25:LEU:HD11	1:F:62:VAL:CG2	2.37	0.55
1:B:159:ILE:HD11	1:B:208:TRP:CH2	2.39	0.55
1:H:217:ILE:CG2	1:H:275:LYS:HB2	2.36	0.55
1:B:105:ARG:NH1	1:D:198:GLU:OE2	2.40	0.55
1:A:151:ARG:NH2	2:A:301:SO4:O2	2.40	0.54
1:A:159:ILE:HD11	1:A:208:TRP:CH2	2.38	0.54
1:G:178:ARG:HG2	1:G:179:ASP:N	2.22	0.54
1:F:215:GLU:OE2	1:F:238:ARG:NH1	2.37	0.54
1:C:215:GLU:OE2	1:C:275:LYS:HD3	2.08	0.54
1:H:10:LEU:O	1:H:15:ARG:NH1	2.41	0.54
1:D:151:ARG:NH2	2:D:301:SO4:O3	2.39	0.53
1:E:268:ARG:HG2	1:F:253:ARG:HD3	1.89	0.53
1:H:212:VAL:HG13	1:H:279:ALA:HB1	1.90	0.53
1:H:151:ARG:HD3	1:H:171:ASP:OD1	2.08	0.53
1:C:159:ILE:HD11	1:C:208:TRP:CH2	2.43	0.53
1:D:136:VAL:HG22	1:D:154:VAL:HG22	1.91	0.52
1:D:68:ARG:HB2	1:D:70:VAL:HG22	1.90	0.52
1:D:199:VAL:HG22	1:D:200:GLU:HG3	1.90	0.52
1:H:212:VAL:CG1	1:H:279:ALA:HB1	2.40	0.52
1:B:163:LEU:O	1:B:164:ARG:HD2	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:256:ASN:OD1	1:F:268:ARG:HG2	2.10	0.51
1:C:215:GLU:CD	1:C:275:LYS:HD3	2.35	0.51
1:E:21:ILE:HD11	1:E:36:LEU:HD11	1.92	0.51
1:G:213:GLU:HG2	1:G:242:GLU:HG2	1.91	0.51
1:G:184:ARG:NH1	2:G:302:SO4:O3	2.44	0.51
1:A:214:LEU:HB2	1:A:241:VAL:HG22	1.92	0.51
1:C:120:LYS:HA	1:C:120:LYS:HE2	1.92	0.50
1:E:271:HIS:ND1	1:F:144:LEU:CD1	2.73	0.50
1:F:137:ILE:HG22	1:F:190:LEU:HA	1.93	0.50
1:F:33:ARG:HH21	1:F:44:PRO:C	2.19	0.50
1:A:161:ASN:O	1:A:162:GLY:C	2.54	0.50
1:B:162:GLY:HA3	1:B:254:LEU:HD22	1.94	0.50
1:E:214:LEU:HD13	1:E:252:LEU:HD21	1.94	0.50
1:G:216:LEU:HB2	1:G:239:LEU:HB3	1.93	0.50
1:C:96:PHE:CE2	1:C:107:PRO:HB3	2.47	0.50
1:G:219:HIS:NE2	1:G:258:ASP:OD2	2.36	0.49
1:A:184:ARG:NH1	1:B:231:ASP:OD2	2.44	0.49
1:G:33:ARG:O	1:G:37:THR:HG23	2.12	0.49
1:E:271:HIS:CE1	1:F:144:LEU:HD11	2.46	0.49
1:F:105:ARG:CG	1:F:106:PRO:CD	2.90	0.49
1:F:214:LEU:HD13	1:F:252:LEU:HD21	1.95	0.49
1:G:133:LYS:HE3	1:H:29:GLY:HA3	1.94	0.49
1:E:183:THR:OG1	1:F:231:ASP:OD1	2.23	0.48
1:C:215:GLU:OE2	1:C:238:ARG:NE	2.40	0.48
1:E:124:VAL:HG22	1:E:182:LEU:HD23	1.94	0.48
1:E:151:ARG:HD3	1:E:171:ASP:OD1	2.13	0.48
1:A:89:LEU:HB3	1:B:165:TRP:CZ2	2.48	0.48
1:H:136:VAL:HG22	1:H:154:VAL:HG22	1.94	0.48
1:E:288:LEU:O	1:F:268:ARG:NH2	2.46	0.48
1:C:254:LEU:O	1:D:163:LEU:HD21	2.15	0.47
1:F:105:ARG:HG3	1:F:106:PRO:CD	2.43	0.47
1:D:8:GLU:H	1:D:8:GLU:CD	2.22	0.47
1:E:267:GLY:O	1:E:268:ARG:NH1	2.48	0.47
1:C:20:HIS:HD2	3:D:405:HOH:O	1.98	0.47
1:G:24:THR:HG22	1:G:30:GLU:O	2.15	0.47
1:A:198:GLU:OE2	1:C:105:ARG:NH1	2.48	0.47
1:F:37:THR:O	1:F:41:SER:HA	2.15	0.47
1:H:170:PHE:CD2	1:H:200:GLU:HG2	2.50	0.46
1:A:33:ARG:O	1:A:37:THR:HG23	2.16	0.46
1:B:32:GLY:H	1:B:35:TYR:HD2	1.63	0.46
1:C:32:GLY:H	1:C:35:TYR:HD2	1.63	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:25:LEU:CD1	1:F:62:VAL:HG22	2.45	0.46
1:E:178:ARG:NH1	1:E:179:ASP:O	2.49	0.46
1:A:29:GLY:HA3	1:B:133:LYS:CE	2.46	0.46
1:A:215:GLU:OE1	1:A:275:LYS:HD3	2.15	0.46
1:F:206:LYS:HE3	3:F:472:HOH:O	2.15	0.46
1:F:21:ILE:HD11	1:F:36:LEU:HD11	1.97	0.46
1:F:213:GLU:HG2	1:F:242:GLU:HG2	1.97	0.46
1:B:63:MET:HE3	1:B:63:MET:HB3	1.78	0.46
1:H:214:LEU:HD13	1:H:252:LEU:HD21	1.98	0.45
1:F:105:ARG:HG2	1:F:106:PRO:HD2	1.98	0.45
1:G:92:ILE:HB	1:G:108:MET:HE2	1.99	0.45
1:F:25:LEU:CD1	1:F:62:VAL:CG2	2.94	0.45
1:G:68:ARG:O	1:G:70:VAL:HG23	2.16	0.45
1:G:178:ARG:HD3	1:G:180:PHE:CZ	2.51	0.45
1:D:10:LEU:O	1:D:15:ARG:NH1	2.48	0.45
1:E:133:LYS:CE	1:F:29:GLY:HA3	2.46	0.45
1:F:96:PHE:CE2	1:F:107:PRO:HB3	2.52	0.45
1:C:30:GLU:HB3	1:C:72:LEU:HD23	1.99	0.45
1:A:165:TRP:CZ2	1:B:89:LEU:HB3	2.51	0.45
1:D:237:ASN:ND2	3:D:409:HOH:O	2.50	0.45
1:E:253:ARG:HD3	1:F:268:ARG:NE	2.32	0.45
1:G:43:ALA:HB3	1:G:46:VAL:HG23	1.98	0.45
1:G:211:ILE:O	3:G:401:HOH:O	2.21	0.45
1:E:64:TYR:HE2	1:E:71:HIS:NE2	2.15	0.45
1:E:215:GLU:OE2	1:E:238:ARG:HD3	2.17	0.45
1:B:119:PRO:HB3	1:B:182:LEU:HB3	1.99	0.45
1:D:215:GLU:OE2	1:D:238:ARG:NH1	2.42	0.45
1:E:247:PHE:CE2	1:F:113:PRO:HG3	2.52	0.45
1:B:67:LYS:HA	1:B:67:LYS:HD2	1.72	0.44
1:G:260:SER:HA	1:G:291:GLY:O	2.18	0.44
1:H:210:ARG:NE	1:H:212:VAL:HG22	2.32	0.44
1:D:213:GLU:HG2	1:D:242:GLU:HG2	1.99	0.44
1:F:17:ARG:HE	1:F:50:ASP:CG	2.24	0.44
1:D:214:LEU:HD13	1:D:252:LEU:HD21	2.00	0.44
1:A:54:TYR:HE2	1:A:62:VAL:CG2	2.31	0.44
1:A:162:GLY:HA3	1:A:254:LEU:HD22	1.99	0.44
1:D:25:LEU:O	1:D:73:LYS:HD2	2.18	0.44
1:D:151:ARG:HD3	1:D:171:ASP:OD1	2.17	0.44
1:C:25:LEU:O	1:C:73:LYS:HD3	2.18	0.43
1:D:119:PRO:HB2	1:D:124:VAL:CG2	2.48	0.43
1:B:66:GLU:H	1:B:66:GLU:HG3	1.47	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:170:PHE:CE2	1:H:200:GLU:HG2	2.53	0.43
1:D:142:THR:O	1:D:184:ARG:HD2	2.18	0.43
1:A:165:TRP:HB3	1:A:182:LEU:HD22	2.00	0.43
1:C:160:ASP:HB2	1:C:165:TRP:CZ2	2.52	0.43
1:D:264:LYS:HD3	1:D:267:GLY:HA2	2.00	0.43
1:E:253:ARG:NH1	1:F:268:ARG:HD2	2.12	0.43
1:F:103:LYS:HE2	1:F:104:VAL:O	2.18	0.43
1:D:292:TYR:OH	1:D:294:GLU:HG3	2.19	0.43
1:F:25:LEU:O	1:F:73:LYS:HD2	2.19	0.43
1:C:33:ARG:O	1:C:37:THR:HG23	2.19	0.43
1:G:96:PHE:CE2	1:G:107:PRO:HB3	2.54	0.43
1:G:30:GLU:HB2	1:G:70:VAL:HG12	2.00	0.42
1:B:261:LYS:NZ	1:B:293:SER:O	2.38	0.42
1:F:243:ILE:HD12	1:F:248:ALA:HA	2.02	0.42
1:C:137:ILE:HG22	1:C:190:LEU:HA	2.02	0.42
1:E:232:TYR:HB3	1:E:239:LEU:HD22	2.01	0.42
1:E:33:ARG:O	1:E:37:THR:HG23	2.20	0.42
1:E:288:LEU:CA	1:F:268:ARG:HH12	2.27	0.42
1:B:18:LEU:HD12	1:B:18:LEU:HA	1.77	0.42
1:H:210:ARG:HE	1:H:212:VAL:HG22	1.85	0.42
1:C:237:ASN:ND2	3:C:403:HOH:O	2.39	0.41
1:D:21:ILE:HD11	1:D:36:LEU:HD11	2.02	0.41
1:E:89:LEU:HB3	1:F:165:TRP:CZ2	2.55	0.41
1:D:120:LYS:O	1:D:124:VAL:HG23	2.20	0.41
1:F:162:GLY:HA3	1:F:254:LEU:CD2	2.50	0.41
1:E:77:PHE:CD1	1:E:77:PHE:C	2.98	0.41
1:D:262:ASN:OD1	1:D:262:ASN:O	2.38	0.41
1:D:155:PRO:HA	1:D:169:ALA:HB2	2.03	0.41
1:H:8:GLU:H	1:H:8:GLU:CD	2.29	0.41
1:D:221:LYS:HD2	1:D:264:LYS:HE3	2.03	0.41
1:E:32:GLY:H	1:E:35:TYR:HD2	1.68	0.41
1:H:145:SER:OG	2:H:301:SO4:O1	2.35	0.41
1:B:96:PHE:CE2	1:B:107:PRO:HB3	2.56	0.41
1:G:89:LEU:HB3	1:H:165:TRP:CZ2	2.56	0.41
1:H:275:LYS:C	1:H:277:PRO:HD3	2.45	0.41
1:H:151:ARG:HD2	1:H:180:PHE:CE1	2.56	0.41
1:B:33:ARG:O	1:B:37:THR:HG23	2.21	0.41
1:B:137:ILE:HG22	1:B:190:LEU:HA	2.03	0.41
1:C:29:GLY:HA3	1:D:133:LYS:CE	2.48	0.41
1:G:139:ILE:HA	1:G:187:GLU:O	2.21	0.41
1:E:139:ILE:HA	1:E:187:GLU:O	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:284:ASP:O	1:C:285:ASN:HB2	2.21	0.40
1:E:73:LYS:HG3	1:E:77:PHE:CD2	2.56	0.40
1:F:43:ALA:HB3	1:F:46:VAL:HG23	2.03	0.40
1:A:206:LYS:NZ	3:A:410:HOH:O	2.51	0.40
1:A:264:LYS:HE2	1:A:264:LYS:HB2	1.77	0.40
1:E:96:PHE:CE2	1:E:107:PRO:HB3	2.56	0.40
1:E:119:PRO:HB3	1:E:182:LEU:HB3	2.03	0.40
1:D:284:ASP:OD1	3:D:401:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/295 (97%)	274 (96%)	11 (4%)	0	100	100
1	B	286/295 (97%)	274 (96%)	12 (4%)	0	100	100
1	C	287/295 (97%)	280 (98%)	7 (2%)	0	100	100
1	D	288/295 (98%)	280 (97%)	8 (3%)	0	100	100
1	E	284/295 (96%)	274 (96%)	10 (4%)	0	100	100
1	F	286/295 (97%)	278 (97%)	8 (3%)	0	100	100
1	G	278/295 (94%)	270 (97%)	8 (3%)	0	100	100
1	H	262/295 (89%)	255 (97%)	7 (3%)	0	100	100
All	All	2256/2360 (96%)	2185 (97%)	71 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/254 (97%)	246 (100%)	1 (0%)	84	89
1	B	248/254 (98%)	240 (97%)	8 (3%)	34	36
1	C	249/254 (98%)	242 (97%)	7 (3%)	38	40
1	D	249/254 (98%)	247 (99%)	2 (1%)	73	79
1	E	246/254 (97%)	235 (96%)	11 (4%)	24	22
1	F	248/254 (98%)	248 (100%)	0	100	100
1	G	243/254 (96%)	242 (100%)	1 (0%)	84	89
1	H	232/254 (91%)	230 (99%)	2 (1%)	70	77
All	All	1962/2032 (97%)	1930 (98%)	32 (2%)	55	61

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	GLU
1	B	9	GLU
1	B	18	LEU
1	B	62	VAL
1	B	63	MET
1	B	66	GLU
1	B	67	LYS
1	B	69	ARG
1	B	264	LYS
1	C	66	GLU
1	C	67	LYS
1	C	69	ARG
1	C	182	LEU
1	C	199	VAL
1	C	266	ASN
1	C	268	ARG
1	D	67	LYS
1	D	199	VAL
1	E	63	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	65	ASP
1	E	67	LYS
1	E	68	ARG
1	E	69	ARG
1	E	72	LEU
1	E	73	LYS
1	E	175	ARG
1	E	212	VAL
1	E	264	LYS
1	E	268	ARG
1	G	269	GLU
1	H	184	ARG
1	H	241	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	HIS
1	A	266	ASN
1	B	14	GLN
1	C	271	HIS
1	D	71	HIS
1	D	237	ASN
1	D	266	ASN
1	E	138	ASN
1	E	148	HIS
1	E	196	ASN
1	E	237	ASN
1	E	256	ASN
1	F	132	HIS
1	F	138	ASN
1	F	237	ASN
1	G	12	GLN
1	G	138	ASN
1	G	271	HIS
1	H	20	HIS
1	H	196	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	H	301	-	4,4,4	0.28	0	6,6,6	0.08	0
2	SO4	H	302	-	4,4,4	0.25	0	6,6,6	0.19	0
2	SO4	C	302	-	4,4,4	0.17	0	6,6,6	0.60	0
2	SO4	D	301	-	4,4,4	0.31	0	6,6,6	0.55	0
2	SO4	G	301	-	4,4,4	0.30	0	6,6,6	0.24	0
2	SO4	E	302	-	4,4,4	0.28	0	6,6,6	0.37	0
2	SO4	A	302	-	4,4,4	0.28	0	6,6,6	0.73	0
2	SO4	F	301	-	4,4,4	0.32	0	6,6,6	0.21	0
2	SO4	A	301	-	4,4,4	0.15	0	6,6,6	0.22	0
2	SO4	B	301	-	4,4,4	0.24	0	6,6,6	0.39	0
2	SO4	E	301	-	4,4,4	0.23	0	6,6,6	0.17	0
2	SO4	G	302	-	4,4,4	0.27	0	6,6,6	0.23	0
2	SO4	D	302	-	4,4,4	0.31	0	6,6,6	0.67	0
2	SO4	F	302	-	4,4,4	0.19	0	6,6,6	0.24	0
2	SO4	B	302	-	4,4,4	0.27	0	6,6,6	0.66	0
2	SO4	C	301	-	4,4,4	0.16	0	6,6,6	0.37	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	301	SO4	1	0
2	C	302	SO4	1	0
2	D	301	SO4	1	0
2	F	301	SO4	1	0
2	A	301	SO4	1	0
2	G	302	SO4	1	0
2	F	302	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/295 (97%)	0.39	14 (4%) 35 39	33, 46, 68, 96	0
1	B	288/295 (97%)	0.62	35 (12%) 8 9	33, 45, 89, 118	0
1	C	289/295 (97%)	0.33	19 (6%) 24 27	32, 43, 73, 106	0
1	D	290/295 (98%)	0.47	27 (9%) 14 16	33, 45, 80, 100	0
1	E	286/295 (96%)	1.12	58 (20%) 3 3	39, 55, 101, 126	0
1	F	288/295 (97%)	0.92	42 (14%) 6 6	39, 56, 91, 118	0
1	G	282/295 (95%)	1.39	75 (26%) 1 2	48, 76, 105, 128	0
1	H	266/295 (90%)	1.52	95 (35%) 1 1	43, 83, 111, 133	0
All	All	2276/2360 (96%)	0.84	365 (16%) 5 5	32, 53, 102, 133	0

All (365) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	271	HIS	8.1
1	D	267	GLY	7.0
1	D	263	SER	6.6
1	C	267	GLY	6.2
1	D	265	SER	5.7
1	B	268	ARG	5.6
1	A	266	ASN	5.6
1	F	268	ARG	5.6
1	B	265	SER	5.6
1	A	267	GLY	5.5
1	C	271	HIS	5.3
1	C	268	ARG	5.3
1	H	212	VAL	5.3
1	H	270	PHE	5.3
1	E	267	GLY	5.2
1	B	162	GLY	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	223	ALA	5.0
1	H	280	LEU	5.0
1	B	163	LEU	4.9
1	H	217	ILE	4.8
1	D	266	ASN	4.8
1	E	72	LEU	4.8
1	C	266	ASN	4.7
1	D	268	ARG	4.7
1	F	267	GLY	4.5
1	E	62	VAL	4.5
1	D	162	GLY	4.5
1	E	163	LEU	4.4
1	F	265	SER	4.4
1	H	135	ALA	4.4
1	E	42	VAL	4.4
1	H	199	VAL	4.3
1	E	265	SER	4.3
1	E	162	GLY	4.2
1	A	265	SER	4.2
1	C	270	PHE	4.2
1	H	170	PHE	4.2
1	H	252	LEU	4.2
1	F	162	GLY	4.1
1	D	269	GLU	4.0
1	B	295	SER	4.0
1	G	72	LEU	3.9
1	B	261	LYS	3.9
1	A	162	GLY	3.9
1	G	29	GLY	3.9
1	G	70	VAL	3.9
1	E	63	MET	3.9
1	E	261	LYS	3.9
1	H	144	LEU	3.9
1	H	260	SER	3.8
1	E	76	THR	3.8
1	E	54	TYR	3.8
1	F	10	LEU	3.8
1	E	70	VAL	3.8
1	G	217	ILE	3.8
1	H	154	VAL	3.8
1	H	162	GLY	3.8
1	C	265	SER	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	116	LEU	3.7
1	G	222	LEU	3.7
1	D	295	SER	3.7
1	H	271	HIS	3.7
1	E	295	SER	3.6
1	H	274	LEU	3.6
1	H	255	TRP	3.6
1	G	25	LEU	3.6
1	G	64	TYR	3.6
1	F	70	VAL	3.5
1	G	220	PRO	3.5
1	E	29	GLY	3.5
1	E	97	GLY	3.5
1	E	64	TYR	3.5
1	H	149	GLY	3.5
1	F	29	GLY	3.5
1	E	66	GLU	3.4
1	E	71	HIS	3.4
1	H	181	VAL	3.4
1	H	185	ILE	3.4
1	B	263	SER	3.4
1	H	273	ALA	3.4
1	H	279	ALA	3.4
1	H	163	LEU	3.4
1	H	190	LEU	3.4
1	H	153	ILE	3.4
1	F	97	GLY	3.4
1	G	214	LEU	3.4
1	H	214	LEU	3.4
1	H	216	LEU	3.4
1	E	266	ASN	3.3
1	G	46	VAL	3.3
1	B	10	LEU	3.3
1	E	269	GLU	3.3
1	H	259	CYS	3.3
1	E	41	SER	3.3
1	G	230	ILE	3.3
1	B	18	LEU	3.3
1	B	62	VAL	3.3
1	E	36	LEU	3.3
1	G	163	LEU	3.3
1	B	266	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	232	TYR	3.2
1	B	262	ASN	3.2
1	E	51	PHE	3.2
1	H	201	THR	3.2
1	G	271	HIS	3.2
1	D	250	TYR	3.2
1	F	49	GLN	3.2
1	H	177	PHE	3.2
1	F	264	LYS	3.2
1	A	7	LEU	3.2
1	B	72	LEU	3.2
1	H	139	ILE	3.2
1	D	262	ASN	3.2
1	G	62	VAL	3.1
1	H	195	VAL	3.1
1	G	144	LEU	3.1
1	H	251	LEU	3.1
1	H	257	ILE	3.1
1	H	180	PHE	3.1
1	B	97	GLY	3.1
1	B	264	LYS	3.1
1	H	221	LYS	3.1
1	B	43	ALA	3.1
1	F	72	LEU	3.1
1	G	77	PHE	3.1
1	G	218	PRO	3.1
1	E	268	ARG	3.1
1	G	31	ALA	3.1
1	G	269	GLU	3.1
1	H	222	LEU	3.1
1	H	239	LEU	3.1
1	B	45	SER	3.1
1	F	42	VAL	3.1
1	H	207	GLN	3.1
1	G	51	PHE	3.0
1	H	29	GLY	3.0
1	G	225	PRO	3.0
1	H	150	SER	3.0
1	H	188	VAL	3.0
1	D	68	ARG	3.0
1	G	237	ASN	3.0
1	E	270	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	41	SER	3.0
1	E	18	LEU	3.0
1	B	269	GLU	3.0
1	F	266	ASN	3.0
1	F	63	MET	3.0
1	G	270	PHE	3.0
1	H	246	ALA	2.9
1	C	193	ASP	2.9
1	C	64	TYR	2.9
1	H	141	TYR	2.9
1	E	75	SER	2.9
1	H	250	TYR	2.9
1	E	196	ASN	2.9
1	D	197	ASP	2.9
1	H	142	THR	2.9
1	H	230	ILE	2.9
1	E	35	TYR	2.9
1	C	7	LEU	2.8
1	B	70	VAL	2.8
1	F	51	PHE	2.8
1	G	97	GLY	2.8
1	E	48	THR	2.8
1	C	295	SER	2.8
1	F	250	TYR	2.8
1	A	268	ARG	2.8
1	E	186	SER	2.8
1	G	63	MET	2.8
1	H	234	MET	2.8
1	E	10	LEU	2.8
1	H	182	LEU	2.8
1	A	67	LYS	2.8
1	E	44	PRO	2.8
1	H	218	PRO	2.8
1	H	220	PRO	2.8
1	H	136	VAL	2.8
1	D	196	ASN	2.7
1	G	45	SER	2.7
1	D	63	MET	2.7
1	C	29	GLY	2.7
1	H	97	GLY	2.7
1	G	114	PHE	2.7
1	E	272	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	10	LEU	2.7
1	H	116	LEU	2.7
1	H	211	ILE	2.7
1	A	269	GLU	2.7
1	D	163	LEU	2.7
1	E	80	LEU	2.7
1	H	76	THR	2.7
1	G	263	SER	2.7
1	A	29	GLY	2.7
1	B	58	ALA	2.7
1	B	66	GLU	2.7
1	B	46	VAL	2.7
1	C	70	VAL	2.7
1	G	228	VAL	2.7
1	F	269	GLU	2.6
1	H	269	GLU	2.6
1	G	113	PRO	2.6
1	H	131	ILE	2.6
1	H	249	GLY	2.6
1	E	14	GLN	2.6
1	E	77	PHE	2.6
1	H	77	PHE	2.6
1	D	264	LYS	2.6
1	E	40	PHE	2.6
1	E	81	PHE	2.6
1	F	105	ARG	2.6
1	F	186	SER	2.6
1	B	267	GLY	2.6
1	H	173	LYS	2.6
1	E	53	ARG	2.6
1	F	37	THR	2.6
1	A	163	LEU	2.6
1	D	6	GLY	2.5
1	G	54	TYR	2.5
1	B	71	HIS	2.5
1	G	71	HIS	2.5
1	G	43	ALA	2.5
1	G	59	PRO	2.5
1	F	190	LEU	2.5
1	G	247	PHE	2.5
1	H	204	TRP	2.5
1	G	104	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	271	HIS	2.5
1	G	259	CYS	2.5
1	H	178	ARG	2.5
1	H	225	PRO	2.5
1	E	57	LEU	2.5
1	E	73	LYS	2.5
1	E	68	ARG	2.5
1	H	123	VAL	2.5
1	H	137	ILE	2.5
1	G	66	GLU	2.5
1	F	295	SER	2.5
1	F	59	PRO	2.5
1	H	245	ALA	2.5
1	F	163	LEU	2.5
1	G	36	LEU	2.5
1	G	216	LEU	2.5
1	H	158	LEU	2.5
1	G	40	PHE	2.5
1	H	208	TRP	2.5
1	D	67	LYS	2.4
1	F	261	LYS	2.4
1	D	70	VAL	2.4
1	H	169	ALA	2.4
1	E	190	LEU	2.4
1	H	191	LEU	2.4
1	H	172	ARG	2.4
1	H	155	PRO	2.4
1	G	288	LEU	2.4
1	G	32	GLY	2.4
1	A	261	LYS	2.4
1	F	67	LYS	2.4
1	H	253	ARG	2.4
1	E	20	HIS	2.4
1	G	255	TRP	2.4
1	H	148	HIS	2.4
1	H	254	LEU	2.3
1	D	147	GLY	2.3
1	F	221	LYS	2.3
1	G	21	ILE	2.3
1	H	127	ILE	2.3
1	H	146	SER	2.3
1	B	44	PRO	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	44	PRO	2.3
1	E	250	TYR	2.3
1	F	58	ALA	2.3
1	G	233	ALA	2.3
1	G	26	LEU	2.3
1	G	229	LEU	2.3
1	G	272	LEU	2.3
1	E	43	ALA	2.3
1	C	250	TYR	2.3
1	F	36	LEU	2.3
1	G	147	GLY	2.3
1	G	274	LEU	2.3
1	E	221	LYS	2.3
1	H	174	HIS	2.3
1	C	199	VAL	2.3
1	G	24	THR	2.3
1	G	74	THR	2.3
1	B	69	ARG	2.3
1	F	33	ARG	2.3
1	G	58	ALA	2.3
1	G	223	ALA	2.3
1	H	130	ALA	2.3
1	A	97	GLY	2.3
1	B	29	GLY	2.3
1	D	29	GLY	2.3
1	C	116	LEU	2.3
1	H	202	LEU	2.3
1	H	272	LEU	2.3
1	B	35	TYR	2.3
1	G	292	TYR	2.3
1	A	192	GLU	2.2
1	G	148	HIS	2.2
1	D	186	SER	2.2
1	G	257	ILE	2.2
1	B	68	ARG	2.2
1	C	68	ARG	2.2
1	H	248	ALA	2.2
1	G	186	SER	2.2
1	H	145	SER	2.2
1	B	32	GLY	2.2
1	F	294	GLU	2.2
1	B	64	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	28	LYS	2.2
1	E	21	ILE	2.2
1	G	243	ILE	2.2
1	D	187	GLU	2.2
1	H	200	GLU	2.2
1	F	35	TYR	2.2
1	D	221	LYS	2.2
1	E	59	PRO	2.1
1	H	114	PHE	2.1
1	H	241	VAL	2.1
1	A	250	TYR	2.1
1	G	8	GLU	2.1
1	E	74	THR	2.1
1	H	243	ILE	2.1
1	B	33	ARG	2.1
1	E	15	ARG	2.1
1	D	261	LYS	2.1
1	E	101	LEU	2.1
1	F	57	LEU	2.1
1	F	101	LEU	2.1
1	G	73	LYS	2.1
1	H	186	SER	2.1
1	F	65	ASP	2.1
1	F	76	THR	2.1
1	F	95	GLY	2.1
1	G	15	ARG	2.1
1	G	268	ARG	2.1
1	F	100	PHE	2.1
1	E	264	LYS	2.1
1	G	264	LYS	2.1
1	F	45	SER	2.1
1	D	66	GLU	2.1
1	F	66	GLU	2.1
1	H	224	HIS	2.1
1	B	47	ALA	2.1
1	E	45	SER	2.1
1	G	52	ALA	2.1
1	G	109	ALA	2.1
1	H	101	LEU	2.0
1	H	229	LEU	2.0
1	C	197	ASP	2.0
1	C	76	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	92	ILE	2.0
1	F	62	VAL	2.0
1	G	27	PHE	2.0
1	H	228	VAL	2.0
1	D	146	SER	2.0
1	E	109	ALA	2.0
1	B	36	LEU	2.0
1	H	7	LEU	2.0
1	G	175	ARG	2.0
1	H	166	HIS	2.0
1	C	264	LYS	2.0
1	G	35	TYR	2.0
1	G	250	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	H	301	5/5	0.56	0.15	104,107,118,120	0
2	SO4	H	302	5/5	0.82	0.10	105,105,110,112	0
2	SO4	G	301	5/5	0.87	0.11	75,77,83,88	0
2	SO4	D	302	5/5	0.89	0.13	53,53,60,63	0
2	SO4	A	302	5/5	0.91	0.12	53,53,58,62	0
2	SO4	C	302	5/5	0.92	0.10	49,50,56,63	0
2	SO4	G	302	5/5	0.92	0.08	81,84,86,90	0
2	SO4	B	302	5/5	0.93	0.10	45,48,50,52	0
2	SO4	F	302	5/5	0.93	0.10	55,58,61,61	0
2	SO4	E	302	5/5	0.95	0.08	51,52,59,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	D	301	5/5	0.95	0.07	43,47,53,54	0
2	SO4	F	301	5/5	0.97	0.06	47,48,54,55	0
2	SO4	A	301	5/5	0.97	0.06	47,49,54,54	0
2	SO4	C	301	5/5	0.97	0.06	43,43,45,46	0
2	SO4	E	301	5/5	0.98	0.06	42,44,46,50	0
2	SO4	B	301	5/5	0.98	0.05	38,40,48,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.