



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 09:48 PM UTC

PDB ID : 2QGW / pdb_00002qgw
Title : Crystal Structure of the Estrogen Receptor Alpha Ligand Binding Domain
Complexed with a Chloro-Indazole Compound
Authors : Nettles, K.W.; Bruning, J.B.; Nowak, J.; Sharma, S.K.; Hahm, J.B.; Shi, Y.;
Kulp, K.; Hochberg, R.B.; Zhou, H.; Katzenellenbogen, J.A.; Katzenellenbo-
gen, B.S.; Kim, Y.; Joachimiak, A.; Greene, G.L.
Deposited on : 2007-06-29
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	17% 74% 16% • 9%
1	B	258	14% 73% 20% • 6%
2	C	13	62% 69% 15% 15%
2	D	13	54% 54% 15% 31%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4234 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	0	0
			1884	1205	323	337	19			
1	B	242	Total	C	N	O	S	0	0	0
			1925	1230	330	346	19			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	297	SER	-	expression tag	UNP P03372
A	537	SER	TYR	engineered mutation	UNP P03372
B	297	SER	-	expression tag	UNP P03372
B	537	SER	TYR	engineered mutation	UNP P03372

- Molecule 2 is a protein called Nuclear receptor coactivator 2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	11	Total	C	N	O	0	0	0
			94	60	20	14			
2	D	9	Total	C	N	O	0	0	0
			79	51	16	12			

- Molecule 3 is 3-CHLORO-2-(4-HYDROXYPHENYL)-2H-INDAZOL-5-OL (CCD ID: EES) (formula: C₁₃H₉ClN₂O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			18	13	1	2	2		
3	B	1	Total	C	Cl	N	O	0	0
			18	13	1	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	103	Total	O	0	0
			103	103		
4	B	106	Total	O	0	0
			106	106		
4	C	4	Total	O	0	0
			4	4		
4	D	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Estrogen receptor



- Molecule 1: Estrogen receptor




- Molecule 2: Nuclear receptor coactivator 2



- Molecule 2: Nuclear receptor coactivator 2





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.05Å 84.27Å 58.21Å 90.00° 108.48° 90.00°	Depositor
Resolution (Å)	33.37 – 2.39 33.37 – 2.39	Depositor EDS
% Data completeness (in resolution range)	87.5 (33.37-2.39) 87.5 (33.37-2.39)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.238 , 0.296 0.242 , 0.300	Depositor DCC
R_{free} test set	920 reflections (4.49%)	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtriage
Anisotropy	0.111	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.033 for l,-k,h	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4234	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/1919	0.86	1/2592 (0.0%)
1	B	0.62	0/1959	0.84	0/2646
2	C	0.50	0/95	0.71	0/126
2	D	0.75	0/79	0.96	0/104
All	All	0.61	0/4052	0.85	1/5468 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	523	GLU	N-CA-C	11.32	123.62	111.28

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	523	GLU	CA

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1884	0	1928	28	0
1	B	1925	0	1982	40	1
2	C	94	0	97	1	0
2	D	79	0	88	1	0
3	A	18	0	7	2	0
3	B	18	0	7	1	0
4	A	103	0	0	8	0
4	B	106	0	0	9	0
4	C	4	0	0	0	0
4	D	3	0	0	0	0
All	All	4234	0	4109	67	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:528:MET:HE3	1:A:533:VAL:HG21	1.20	1.12
1:A:519:ASN:HD22	1:B:519:ASN:HD22	1.03	0.98
1:A:519:ASN:ND2	1:B:519:ASN:HD22	1.70	0.89
1:A:519:ASN:HD22	1:B:519:ASN:ND2	1.79	0.80
1:B:359:ASN:ND2	4:B:652:HOH:O	2.07	0.77
1:A:335:ARG:HD3	4:A:644:HOH:O	1.86	0.75
1:A:528:MET:CE	1:A:533:VAL:HG21	2.12	0.72
1:B:342:MET:HE3	1:B:410:LEU:HD13	1.72	0.70
1:B:498:GLN:HG3	4:B:646:HOH:O	1.92	0.69
1:B:307:ALA:HB3	4:B:560:HOH:O	1.93	0.68
1:A:334:THR:O	4:A:555:HOH:O	2.12	0.68
1:B:377:HIS:NE2	1:B:460:THR:HB	2.12	0.65
1:A:434:ARG:HD3	1:A:437:MET:HE3	1.80	0.62
3:B:1:EES:HAF	3:B:1:EES:CL1	2.36	0.62
1:B:308:LEU:HD21	1:B:477:ARG:HB3	1.81	0.61
1:B:377:HIS:CE1	1:B:460:THR:HB	2.37	0.60
3:A:1:EES:HAF	3:A:1:EES:CL1	2.39	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:464:SER:N	1:B:468:SER:HG	1.99	0.60
1:B:465:THR:HG23	4:B:621:HOH:O	2.00	0.59
1:B:348:ASN:HD21	1:B:352:ARG:HH21	1.50	0.58
1:A:339:GLU:OE1	1:A:419:GLU:HG2	2.04	0.58
1:B:348:ASN:ND2	1:B:352:ARG:HH21	2.04	0.56
1:A:548:ARG:HB2	4:A:635:HOH:O	2.06	0.56
1:B:396:MET:HE3	1:B:436:ARG:HA	1.88	0.55
1:B:331:TYR:CZ	1:B:333:PRO:HA	2.43	0.54
1:A:472:LYS:NZ	4:A:575:HOH:O	2.41	0.53
1:B:332:ASP:OD1	1:B:335:ARG:NH1	2.42	0.52
1:A:548:ARG:C	4:A:649:HOH:O	2.53	0.52
1:A:424:ILE:HA	1:A:427:MET:HE2	1.90	0.52
1:B:330:GLU:HG2	1:B:348:ASN:ND2	2.25	0.51
1:B:305:SER:HB3	4:B:560:HOH:O	2.12	0.49
1:B:397:GLU:HG3	1:B:398:HIS:CE1	2.48	0.48
1:B:383:TRP:CD1	1:B:543:MET:HE3	2.47	0.48
1:B:366:GLY:O	1:B:474:HIS:HE1	1.96	0.48
1:A:415:GLY:O	1:A:421:MET:HB3	2.14	0.47
1:A:308:LEU:HD21	1:A:477:ARG:HD3	1.95	0.47
1:A:434:ARG:CD	1:A:437:MET:HE3	2.43	0.47
1:B:354:LEU:O	1:B:358:ILE:HG12	2.15	0.46
1:B:308:LEU:HA	1:B:481:LYS:HD2	1.97	0.46
1:B:435:PHE:HE1	1:B:510:ILE:HG21	1.81	0.46
1:A:331:TYR:CZ	1:A:333:PRO:HA	2.51	0.46
1:B:465:THR:O	1:B:466:LEU:C	2.60	0.45
1:B:548:ARG:NH2	4:B:640:HOH:O	2.49	0.44
1:B:310:LEU:HD22	1:B:314:GLN:HB3	1.98	0.44
1:B:348:ASN:ND2	4:B:556:HOH:O	2.11	0.44
1:A:305:SER:HB2	4:A:573:HOH:O	2.18	0.43
1:B:527:SER:HG	1:B:531:LYS:HZ3	1.64	0.43
1:B:392:VAL:HG13	1:B:432:SER:HA	2.01	0.43
1:B:338:SER:H	1:B:341:SER:HG	1.65	0.43
1:A:343:MET:HE1	3:A:1:EES:OAC	2.19	0.42
1:A:321:ASP:CG	4:A:606:HOH:O	2.63	0.42
1:B:358:ILE:HD12	1:B:379:LEU:HD13	2.00	0.42
1:B:543:MET:SD	2:D:690:LEU:HD22	2.59	0.42
1:A:487:ILE:HD11	1:A:504:LEU:HD22	2.02	0.41
1:B:331:TYR:CE1	1:B:333:PRO:HA	2.55	0.41
1:B:392:VAL:HG11	1:B:431:THR:HG22	2.02	0.41
1:A:332:ASP:OD2	1:A:332:ASP:C	2.63	0.41
1:A:496:THR:O	1:A:500:GLN:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:ALA:HB1	1:B:365:PRO:HB3	2.02	0.41
1:A:332:ASP:OD1	4:A:644:HOH:O	2.22	0.41
1:B:410:LEU:HB2	4:B:625:HOH:O	2.21	0.41
1:A:358:ILE:HD13	2:C:693:LEU:HD13	2.04	0.40
1:A:330:GLU:O	1:A:331:TYR:C	2.64	0.40
1:A:474:HIS:O	1:A:478:VAL:HG23	2.22	0.40
1:B:527:SER:OG	1:B:531:LYS:NZ	2.47	0.40
1:A:501:HIS:HE1	4:B:641:HOH:O	2.04	0.40
1:B:343:MET:HE2	1:B:528:MET:HG3	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:334:THR:CG2	1:B:373:HIS:ND1[2_645]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	232/258 (90%)	230 (99%)	1 (0%)	1 (0%)	30	43
1	B	238/258 (92%)	232 (98%)	6 (2%)	0	100	100
2	C	9/13 (69%)	8 (89%)	1 (11%)	0	100	100
2	D	7/13 (54%)	7 (100%)	0	0	100	100
All	All	486/542 (90%)	477 (98%)	8 (2%)	1 (0%)	43	58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	331	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/233 (91%)	198 (93%)	14 (7%)	15	26
1	B	218/233 (94%)	213 (98%)	5 (2%)	44	66
2	C	10/13 (77%)	9 (90%)	1 (10%)	7	11
2	D	9/13 (69%)	8 (89%)	1 (11%)	6	9
All	All	449/492 (91%)	428 (95%)	21 (5%)	23	41

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	308	LEU
1	A	310	LEU
1	A	329	SER
1	A	345	LEU
1	A	419	GLU
1	A	432	SER
1	A	471	GLU
1	A	475	ILE
1	A	481	LYS
1	A	497	LEU
1	A	520	LYS
1	A	532	ASN
1	A	534	VAL
1	A	545	ASP
1	B	306	LEU
1	B	373	HIS
1	B	460	THR
1	B	473	ASP
1	B	541	LEU
2	C	688	LYS
2	D	693	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	413	ASN
1	A	501	HIS
1	A	513	HIS
1	A	532	ASN
1	B	348	ASN
1	B	359	ASN
1	B	398	HIS
1	B	439	ASN
1	B	474	HIS
1	B	476	HIS
1	B	519	ASN
1	B	532	ASN
2	C	695	GLN
2	D	691	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EES	B	1	-	19,20,20	2.45	4 (21%)	24,29,29	2.11	7 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EES	A	1	-	19,20,20	2.49	4 (21%)	24,29,29	1.98	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EES	B	1	-	-	2/4/4/4	0/3/3/3
3	EES	A	1	-	-	2/4/4/4	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1	EES	CAP-CL1	7.30	1.84	1.70
3	B	1	EES	CAP-CL1	7.20	1.84	1.70
3	A	1	EES	OAB-CAM	-5.42	1.24	1.37
3	B	1	EES	OAB-CAM	-5.35	1.25	1.37
3	A	1	EES	CAO-NAS	-4.28	1.35	1.43
3	B	1	EES	CAO-NAS	-4.11	1.35	1.43
3	B	1	EES	CAQ-NAL	2.78	1.36	1.33
3	A	1	EES	CAQ-NAL	2.63	1.36	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1	EES	CAR-CAP-CL1	-5.71	121.16	128.65
3	B	1	EES	CL1-CAP-NAS	5.42	129.19	121.93
3	A	1	EES	CL1-CAP-NAS	5.10	128.75	121.93
3	A	1	EES	CAR-CAP-CL1	-4.97	122.12	128.65
3	A	1	EES	CAF-CAO-NAS	3.42	124.87	119.72
3	B	1	EES	CAF-CAO-NAS	2.77	123.90	119.72
3	B	1	EES	CAN-CAJ-CAR	-2.67	118.33	120.89
3	A	1	EES	CAQ-NAL-NAS	2.62	106.23	104.43
3	B	1	EES	CAQ-NAL-NAS	2.60	106.22	104.43
3	A	1	EES	CAN-CAJ-CAR	-2.50	118.49	120.89
3	B	1	EES	CAO-NAS-NAL	2.31	122.02	118.67
3	B	1	EES	CAE-CAG-CAO	2.03	122.87	120.30

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1	EES	CAF-CAO-NAS-CAP
3	B	1	EES	CAF-CAO-NAS-CAP
3	A	1	EES	CAG-CAO-NAS-CAP
3	B	1	EES	CAG-CAO-NAS-CAP


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1	EES	1	0
3	A	1	EES	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	236/258 (91%)	1.31	43 (18%)	3 3	20, 29, 47, 68	1 (0%)
1	B	242/258 (93%)	1.29	35 (14%)	6 4	13, 27, 49, 64	3 (1%)
2	C	11/13 (84%)	2.94	8 (72%)	0 0	34, 36, 47, 49	0
2	D	9/13 (69%)	2.67	7 (77%)	0 0	31, 35, 40, 43	0
All	All	498/542 (91%)	1.36	93 (18%)	3 3	13, 28, 49, 68	4 (0%)

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	686	LYS	6.2
1	B	465	THR	5.8
2	C	696	ASP	5.3
1	B	549	LEU	5.2
1	A	306	LEU	4.9
1	B	460	THR	4.8
1	B	321	ASP	4.5
1	A	305	SER	4.4
1	B	308	LEU	4.3
1	A	461	PHE	4.3
1	A	459	TYR	4.2
2	D	695	GLN	4.1
1	A	331	TYR	4.0
1	B	306	LEU	4.0
1	B	363	ARG	4.0
1	B	397	GLU	4.0
1	B	305	SER	4.0
1	B	334	THR	3.9
1	A	337	PHE	3.8
1	A	422	VAL	3.6
2	D	696	ASP	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	336	PRO	3.6
1	B	468	SER	3.6
1	B	466	LEU	3.6
1	B	336	PRO	3.6
1	B	464	SER	3.5
1	A	340	ALA	3.5
1	B	373	HIS	3.4
2	D	692	ARG	3.4
2	C	695	GLN	3.3
1	B	526	TYR	3.3
1	B	469	LEU	3.2
1	A	335	ARG	3.1
1	A	322	ALA	3.1
1	B	333	PRO	3.1
2	D	689	ILE	3.1
1	B	548	ARG	3.1
1	A	307	ALA	3.1
1	A	473	ASP	3.0
1	A	333	PRO	3.0
1	A	334	THR	2.9
1	A	533	VAL	2.9
1	A	534	VAL	2.9
1	A	329	SER	2.8
1	A	529	LYS	2.8
1	B	459	TYR	2.8
2	C	687	HIS	2.7
2	C	694	LEU	2.7
1	A	419	GLU	2.7
1	A	373	HIS	2.6
1	A	476	HIS	2.6
1	A	471	GLU	2.6
1	A	392	VAL	2.6
1	A	326	ILE	2.6
1	B	467	LYS	2.6
1	B	372	LEU	2.5
1	B	417	CYS	2.5
1	B	359	ASN	2.5
1	A	309	SER	2.5
1	B	331	TYR	2.5
1	B	318	ALA	2.5
2	D	694	LEU	2.4
1	B	367	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	689	ILE	2.4
1	A	544	LEU	2.4
1	A	477	ARG	2.4
1	B	307	ALA	2.4
1	A	308	LEU	2.4
1	B	488	HIS	2.4
1	A	532	ASN	2.3
1	B	332	ASP	2.3
1	A	460	THR	2.3
1	A	497	LEU	2.3
2	D	693	LEU	2.3
1	A	527	SER	2.3
1	B	545	ASP	2.3
1	A	361	ALA	2.3
1	A	479	LEU	2.2
1	A	548	ARG	2.2
2	C	692	ARG	2.2
1	B	368	VAL	2.2
1	A	472	LYS	2.2
1	B	471	GLU	2.2
1	B	507	LEU	2.1
2	C	690	LEU	2.1
1	A	397	GLU	2.1
1	A	523	GLU	2.1
1	B	523	GLU	2.1
1	A	310	LEU	2.1
1	A	420	GLY	2.1
2	D	688	LYS	2.1
1	A	358	ILE	2.0
1	A	377	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EES	A	1	18/18	0.75	0.38	97,98,98,98	0
3	EES	B	1	18/18	0.78	0.37	97,98,98,98	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.