



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:21 AM UTC

PDB ID : 1QHB / pdb_00001qhb
Title : VANADIUM BROMOPEROXIDASE FROM RED ALGA CORALLINA OF-
FICINALIS
Authors : Isupov, M.N.; Dalby, A.R.; Brindley, A.A.; Littlechild, J.A.
Deposited on : 1999-05-11
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	596	87% 12% .
1	B	596	86% 13% .
1	C	596	89% 10% .
1	D	596	89% 10% .
1	E	596	86% 12% .
1	F	596	87% 12% .

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 29624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HALOPEROXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			
1	B	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			
1	C	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			
1	D	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			
1	E	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			
1	F	595	Total	C	N	O	S	0	0	0
			4567	2900	766	893	8			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0
2	C	1	Total O P 5 4 1	0	0
2	D	1	Total O P 5 4 1	0	0
2	E	1	Total O P 5 4 1	0	0
2	F	1	Total O P 5 4 1	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0
3	B	1	Total Ca 1 1	0	0
3	C	1	Total Ca 1 1	0	0
3	D	1	Total Ca 1 1	0	0
3	E	1	Total Ca 1 1	0	0
3	F	1	Total Ca 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	335	Total O 335 335	0	0
4	B	394	Total O 394 394	0	0
4	C	372	Total O 372 372	0	0
4	D	387	Total O 387 387	0	0
4	E	352	Total O 352 352	0	0
4	F	346	Total O 346 346	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HALOPEROXIDASE





• Molecule 1: HALOPEROXIDASE





• Molecule 1: HALOPEROXIDASE




• Molecule 1: HALOPEROXIDASE



• Molecule 1: HALOPEROXIDASE



• Molecule 1: HALOPEROXIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 2 2	Depositor
Cell constants a, b, c, α , β , γ	201.91Å 201.91Å 178.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 20.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.8 (20.00-2.30) 96.6 (20.00-2.30)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.30Å)	Xtriage
Refinement program	REFMAC WITH INPUT DM PHASES	Depositor
R, R_{free}	0.172 , 0.227 0.155 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	16.6	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 46.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29624	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 54.01 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8834e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	1/4666 (0.0%)	1.67	52/6339 (0.8%)
1	B	0.80	0/4666	1.65	59/6339 (0.9%)
1	C	0.80	0/4666	1.58	38/6339 (0.6%)
1	D	0.82	1/4666 (0.0%)	1.65	43/6339 (0.7%)
1	E	0.78	0/4666	1.62	51/6339 (0.8%)
1	F	0.80	0/4666	1.61	47/6339 (0.7%)
All	All	0.80	2/27996 (0.0%)	1.63	290/38034 (0.8%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	71	ASP	C-O	-5.86	1.20	1.25
1	A	169	ARG	CD-NE	5.03	1.53	1.46

All (290) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	503	ASN	OD1-CG-ND2	-30.48	92.12	122.60
1	B	327	ALA	CA-C-O	13.29	134.64	120.55
1	D	503	ASN	CB-CG-OD1	11.18	143.16	120.80
1	A	503	ASN	OD1-CG-ND2	-10.37	112.23	122.60
1	D	356	ASN	CA-CB-CG	-9.89	102.71	112.60
1	D	432	ASP	CA-C-O	9.16	130.43	120.82
1	C	335	LEU	CA-C-O	-8.94	110.00	120.10
1	F	356	ASN	CA-CB-CG	-8.57	104.03	112.60
1	A	335	LEU	CA-C-O	-8.28	110.44	119.97
1	B	417	ASN	OD1-CG-ND2	-8.22	114.38	122.60
1	B	327	ALA	O-C-N	-8.17	113.46	122.12
1	A	504	PHE	CA-CB-CG	8.15	121.95	113.80
1	F	485	HIS	CB-CG-CD2	-8.12	120.64	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	481	TYR	N-CA-CB	-8.10	98.53	110.84
1	D	335	LEU	CA-C-O	-8.03	110.74	119.97
1	B	106	PRO	CA-C-O	-7.90	111.83	121.31
1	C	417	ASN	CA-CB-CG	7.81	120.41	112.60
1	C	318	ARG	NE-CZ-NH2	7.58	126.02	119.20
1	A	556	GLN	OE1-CD-NE2	-7.44	115.16	122.60
1	B	503	ASN	OD1-CG-ND2	-7.42	115.18	122.60
1	C	503	ASN	OD1-CG-ND2	-7.41	115.19	122.60
1	B	13	LYS	CA-C-O	7.32	128.18	120.42
1	E	335	LEU	CA-C-O	-7.22	111.66	119.97
1	A	29	ARG	NE-CZ-NH2	-7.19	112.73	119.20
1	D	528	LEU	CA-C-O	-7.18	113.20	121.68
1	D	204	LEU	CA-C-N	-7.17	114.90	123.44
1	D	204	LEU	C-N-CA	-7.17	114.90	123.44
1	A	471	PHE	CA-CB-CG	7.11	120.91	113.80
1	D	317	ALA	CA-C-O	-7.05	113.69	121.23
1	F	244	GLY	N-CA-C	-7.04	102.92	112.57
1	B	499	PHE	CA-CB-CG	-7.04	106.76	113.80
1	A	455	ALA	CA-C-O	-7.00	112.19	120.10
1	A	112	LEU	CA-C-O	-6.99	113.42	120.90
1	D	334	SER	N-CA-C	-6.99	100.65	110.50
1	C	334	SER	N-CA-C	-6.96	100.69	110.50
1	E	334	SER	N-CA-C	-6.96	100.69	110.50
1	C	246	LYS	CA-C-O	-6.94	114.19	121.55
1	F	555	ASP	CA-CB-CG	6.92	119.52	112.60
1	D	411	GLY	CA-C-N	6.88	127.62	119.98
1	D	411	GLY	C-N-CA	6.88	127.62	119.98
1	B	556	GLN	OE1-CD-NE2	-6.88	115.72	122.60
1	B	328	THR	N-CA-C	-6.86	103.73	111.14
1	E	356	ASN	CA-CB-CG	-6.83	105.77	112.60
1	A	417	ASN	CA-CB-CG	6.81	119.41	112.60
1	F	481	TYR	N-CA-CB	-6.77	100.14	110.77
1	A	123	TRP	CA-C-O	-6.76	114.19	121.56
1	B	356	ASN	CA-CB-CG	-6.73	105.87	112.60
1	A	439	SER	CA-C-O	-6.70	113.73	120.90
1	B	417	ASN	CA-CB-CG	6.69	119.29	112.60
1	E	553	PHE	CA-C-N	6.67	129.22	120.28
1	E	553	PHE	C-N-CA	6.67	129.22	120.28
1	F	334	SER	N-CA-C	-6.67	101.28	110.35
1	B	555	ASP	CA-CB-CG	6.66	119.26	112.60
1	F	354	ASP	CA-CB-CG	6.65	119.25	112.60
1	B	334	SER	N-CA-C	-6.64	101.14	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	190	GLU	CA-C-O	-6.63	113.86	120.82
1	B	275	SER	CA-C-O	6.62	127.20	119.32
1	E	169	ARG	NH1-CZ-NH2	6.61	127.90	119.30
1	A	356	ASN	CA-CB-CG	-6.60	106.00	112.60
1	B	328	THR	N-CA-CB	6.58	119.61	110.07
1	C	555	ASP	CA-CB-CG	6.57	119.17	112.60
1	F	226	GLY	CA-C-O	-6.54	115.74	122.28
1	B	481	TYR	N-CA-CB	-6.54	100.51	110.77
1	D	481	TYR	N-CA-CB	-6.53	100.52	110.77
1	F	29	ARG	NE-CZ-NH1	6.53	128.03	121.50
1	A	3	ILE	CA-C-O	6.50	124.80	119.47
1	F	535	ASN	OD1-CG-ND2	-6.49	116.11	122.60
1	E	39	GLU	CA-C-O	6.47	127.43	119.79
1	E	56	SER	CA-C-O	-6.46	113.90	121.46
1	F	178	SER	CA-C-O	6.46	125.62	120.19
1	B	359	PHE	CA-CB-CG	6.46	120.26	113.80
1	E	213	ARG	CD-NE-CZ	6.39	133.35	124.40
1	E	395	ARG	NE-CZ-NH2	6.38	124.94	119.20
1	A	248	ILE	CA-C-N	-6.38	115.85	123.44
1	A	248	ILE	C-N-CA	-6.38	115.85	123.44
1	E	471	PHE	CA-CB-CG	6.38	120.18	113.80
1	D	504	PHE	CA-CB-CG	6.37	120.17	113.80
1	A	540	ASN	CA-CB-CG	6.32	118.92	112.60
1	C	361	GLN	CA-C-O	-6.31	114.75	121.88
1	C	226	GLY	O-C-N	-6.31	116.89	122.88
1	D	267	PHE	CA-CB-CG	-6.29	107.51	113.80
1	D	540	ASN	OD1-CG-ND2	-6.26	116.34	122.60
1	F	184	PHE	CA-CB-CG	-6.24	107.56	113.80
1	B	220	VAL	CA-C-N	6.20	131.41	120.74
1	B	220	VAL	C-N-CA	6.20	131.41	120.74
1	F	246	LYS	CA-C-O	-6.19	114.99	121.55
1	E	481	TYR	N-CA-CB	-6.17	101.45	110.84
1	C	356	ASN	CA-CB-CG	-6.16	106.44	112.60
1	C	556	GLN	OE1-CD-NE2	-6.15	116.45	122.60
1	B	232	GLU	CA-CB-CG	-6.10	101.90	114.10
1	F	417	ASN	CA-CB-CG	6.09	118.69	112.60
1	C	148	PRO	CA-C-O	-6.08	114.41	121.34
1	B	456	ASP	CA-CB-CG	6.04	118.64	112.60
1	F	156	ILE	N-CA-C	-6.04	104.62	110.42
1	C	267	PHE	CA-CB-CG	-6.03	107.77	113.80
1	E	428	PHE	CA-C-N	5.99	125.87	119.28
1	E	428	PHE	C-N-CA	5.99	125.87	119.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	399	PHE	CA-CB-CG	5.98	119.78	113.80
1	F	64	ASP	CA-C-N	5.98	130.70	120.72
1	F	64	ASP	C-N-CA	5.98	130.70	120.72
1	B	439	SER	CA-C-O	-5.97	114.24	120.92
1	C	574	GLN	OE1-CD-NE2	-5.96	116.64	122.60
1	E	267	PHE	CA-CB-CG	-5.90	107.90	113.80
1	A	267	PHE	CA-CB-CG	-5.89	107.91	113.80
1	D	566	ILE	O-C-N	-5.89	116.14	121.91
1	F	66	ASN	N-CA-C	-5.87	105.77	113.17
1	F	490	GLY	O-C-N	-5.87	116.56	122.19
1	E	439	SER	CA-C-O	-5.87	114.35	120.92
1	C	178	SER	CA-C-O	5.86	125.11	120.19
1	A	78	PHE	CA-CB-CG	5.85	119.65	113.80
1	C	81	ALA	O-C-N	-5.83	115.94	122.12
1	D	348	ALA	O-C-N	-5.82	115.95	122.12
1	E	361	GLN	CA-C-O	-5.82	115.90	122.01
1	B	406	ARG	CA-C-N	5.80	126.20	119.47
1	B	406	ARG	C-N-CA	5.80	126.20	119.47
1	C	81	ALA	CA-C-N	5.79	128.39	120.46
1	C	81	ALA	C-N-CA	5.79	128.39	120.46
1	F	456	ASP	CA-CB-CG	5.79	118.39	112.60
1	B	222	ASN	CA-CB-CG	5.78	118.38	112.60
1	F	34	SER	CA-C-O	-5.78	114.12	120.36
1	A	99	ARG	NE-CZ-NH2	5.78	124.40	119.20
1	C	389	ARG	NE-CZ-NH2	-5.77	114.01	119.20
1	C	504	PHE	CA-CB-CG	5.77	119.57	113.80
1	D	499	PHE	CA-CB-CG	-5.76	108.04	113.80
1	A	279	SER	CA-C-O	-5.76	114.41	120.80
1	D	29	ARG	NE-CZ-NH2	-5.75	114.02	119.20
1	F	95	LEU	CA-C-O	-5.75	113.94	120.32
1	A	321	ARG	NE-CZ-NH2	-5.73	114.04	119.20
1	E	499	PHE	CA-CB-CG	-5.73	108.07	113.80
1	E	544	GLY	CA-C-O	-5.73	114.21	120.40
1	A	256	LYS	N-CA-C	5.72	118.57	109.24
1	F	29	ARG	CD-NE-CZ	5.72	132.41	124.40
1	C	485	HIS	CB-CG-CD2	-5.71	123.78	131.20
1	E	359	PHE	CA-CB-CG	5.70	119.50	113.80
1	E	140	GLN	OE1-CD-NE2	5.69	128.29	122.60
1	B	361	GLN	CA-C-O	-5.68	116.05	122.01
1	F	144	MET	N-CA-C	-5.68	101.42	110.10
1	D	104	GLY	N-CA-C	-5.66	107.45	115.43
1	F	315	PRO	CA-C-O	-5.65	115.00	121.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	170	ASP	CA-CB-CG	-5.64	106.96	112.60
1	E	198	PHE	CA-CB-CG	5.64	119.44	113.80
1	B	78	PHE	CA-CB-CG	5.62	119.42	113.80
1	B	378	HIS	CA-C-O	-5.61	115.11	121.00
1	B	528	LEU	CA-C-O	-5.60	115.07	121.68
1	B	402	HIS	N-CA-C	5.60	118.58	111.69
1	A	226	GLY	N-CA-C	-5.59	104.03	112.41
1	B	480	SER	N-CA-C	5.57	119.80	112.89
1	D	502	ALA	N-CA-C	5.57	118.11	111.71
1	E	334	SER	CA-C-O	-5.56	115.50	121.56
1	C	59	LYS	CA-C-O	-5.55	115.09	121.19
1	A	183	ALA	CA-C-O	-5.54	115.00	120.82
1	E	11	ARG	CA-C-N	5.54	127.65	120.44
1	E	11	ARG	C-N-CA	5.54	127.65	120.44
1	E	224	PHE	CA-CB-CG	5.54	119.34	113.80
1	A	66	ASN	CA-CB-CG	5.54	118.14	112.60
1	F	463	LYS	N-CA-C	-5.54	103.07	110.55
1	E	31	ALA	CA-C-O	-5.54	114.29	120.66
1	C	283	ARG	NE-CZ-NH1	-5.54	115.97	121.50
1	F	169	ARG	NE-CZ-NH1	-5.53	115.97	121.50
1	A	321	ARG	NE-CZ-NH1	5.52	127.02	121.50
1	C	493	VAL	CA-C-N	5.52	127.61	120.44
1	C	493	VAL	C-N-CA	5.52	127.61	120.44
1	E	553	PHE	O-C-N	-5.51	116.36	122.09
1	B	267	PHE	CA-CB-CG	-5.50	108.30	113.80
1	A	585	ASN	CA-C-O	-5.50	114.70	120.58
1	D	83	ASN	CA-CB-CG	-5.49	107.11	112.60
1	A	4	PRO	CA-C-N	-5.49	113.39	122.11
1	A	4	PRO	C-N-CA	-5.49	113.39	122.11
1	A	41	LEU	O-C-N	5.47	128.86	122.24
1	B	125	ASN	OD1-CG-ND2	5.47	128.07	122.60
1	A	481	TYR	N-CA-CB	-5.46	102.55	110.84
1	B	339	TYR	CA-CB-CG	-5.45	104.08	113.90
1	C	439	SER	CA-C-O	-5.44	115.08	120.90
1	D	403	ARG	NH1-CZ-NH2	-5.44	112.22	119.30
1	A	361	GLN	CA-C-O	-5.44	115.73	121.88
1	D	80	ARG	CD-NE-CZ	5.44	132.02	124.40
1	C	480	SER	N-CA-C	5.44	119.63	112.89
1	E	369	ASP	CA-CB-CG	5.42	118.02	112.60
1	F	439	SER	CA-C-O	-5.41	114.69	121.02
1	A	108	TRP	CA-C-O	-5.41	115.02	121.89
1	E	147	ALA	CA-C-N	5.41	125.33	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	147	ALA	C-N-CA	5.41	125.33	119.76
1	B	212	ARG	CD-NE-CZ	5.41	131.97	124.40
1	E	144	MET	N-CA-C	-5.40	102.68	110.40
1	D	503	ASN	CB-CG-ND2	5.39	124.49	116.40
1	D	315	PRO	O-C-N	-5.39	116.33	123.01
1	F	242	ILE	CA-C-N	-5.38	113.25	120.95
1	F	242	ILE	C-N-CA	-5.38	113.25	120.95
1	F	359	PHE	CA-CB-CG	5.38	119.18	113.80
1	B	455	ALA	CA-C-O	-5.36	114.86	120.55
1	D	224	PHE	CA-CB-CG	5.36	119.16	113.80
1	A	417	ASN	OD1-CG-ND2	-5.36	117.24	122.60
1	B	121	ARG	CA-C-N	5.36	128.48	122.69
1	B	121	ARG	C-N-CA	5.36	128.48	122.69
1	E	483	SER	CA-C-O	-5.36	114.91	120.70
1	F	339	TYR	CA-CB-CG	-5.35	104.27	113.90
1	B	173	PHE	CA-CB-CG	-5.35	108.45	113.80
1	F	80	ARG	CD-NE-CZ	5.35	131.89	124.40
1	B	471	PHE	CA-CB-CG	5.34	119.14	113.80
1	B	13	LYS	N-CA-C	5.33	117.17	111.36
1	D	545	ARG	CA-C-N	5.32	127.36	120.44
1	D	545	ARG	C-N-CA	5.32	127.36	120.44
1	C	417	ASN	OD1-CG-ND2	-5.32	117.28	122.60
1	E	400	ASN	CA-C-O	-5.32	113.38	119.60
1	A	204	LEU	CA-C-N	-5.31	115.91	123.08
1	A	204	LEU	C-N-CA	-5.31	115.91	123.08
1	A	254	GLY	CA-C-N	-5.31	113.78	122.54
1	A	254	GLY	C-N-CA	-5.31	113.78	122.54
1	F	403	ARG	NE-CZ-NH2	5.31	123.98	119.20
1	A	184	PHE	O-C-N	-5.30	116.61	122.07
1	F	294	ASP	CA-C-O	-5.30	114.61	120.38
1	C	478	HIS	CA-CB-CG	5.29	119.09	113.80
1	B	13	LYS	CA-C-N	5.29	127.80	120.29
1	B	13	LYS	C-N-CA	5.29	127.80	120.29
1	C	95	LEU	CA-C-O	-5.29	114.45	120.32
1	A	513	ASP	O-C-N	-5.28	116.37	122.87
1	E	410	THR	CA-C-O	-5.28	114.82	120.42
1	E	214	ARG	NE-CZ-NH1	-5.28	116.22	121.50
1	B	215	ARG	CD-NE-CZ	-5.27	117.02	124.40
1	D	373	ASN	CA-CB-CG	5.27	117.87	112.60
1	C	335	LEU	N-CA-C	5.27	117.77	111.71
1	A	425	GLU	CA-CB-CG	5.27	124.64	114.10
1	C	432	ASP	CA-C-O	5.26	126.53	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	318	ARG	NE-CZ-NH1	-5.26	116.24	121.50
1	A	502	ALA	N-CA-C	5.26	117.76	111.71
1	E	504	PHE	CA-CB-CG	5.25	119.05	113.80
1	B	334	SER	CA-C-O	-5.25	115.84	121.56
1	F	293	THR	N-CA-C	-5.25	106.92	113.38
1	E	463	LYS	N-CA-C	-5.23	103.49	110.55
1	F	237	LEU	CA-C-O	5.22	127.00	121.05
1	B	335	LEU	CA-C-O	-5.21	114.21	120.10
1	A	395	ARG	O-C-N	-5.21	115.86	122.27
1	E	80	ARG	CD-NE-CZ	5.20	131.67	124.40
1	B	526	GLY	N-CA-C	-5.19	101.75	112.34
1	A	354	ASP	CA-C-O	5.18	124.10	119.59
1	D	226	GLY	N-CA-C	-5.18	104.67	112.60
1	D	232	GLU	CA-CB-CG	-5.18	103.74	114.10
1	F	212	ARG	CD-NE-CZ	5.18	131.65	124.40
1	C	463	LYS	N-CA-C	-5.17	103.57	110.55
1	A	104	GLY	N-CA-C	-5.17	108.19	115.32
1	B	334	SER	CA-CB-OG	-5.17	100.77	111.10
1	D	480	SER	N-CA-C	5.16	118.73	112.23
1	D	354	ASP	CA-CB-CG	5.15	117.75	112.60
1	D	359	PHE	CA-CB-CG	5.15	118.95	113.80
1	D	492	CYS	CA-C-O	-5.15	114.97	120.42
1	A	480	SER	N-CA-C	5.13	119.25	112.89
1	A	321	ARG	N-CA-CB	-5.12	101.53	110.44
1	A	551	HIS	CA-CB-CG	-5.11	108.69	113.80
1	B	191	ARG	CA-CB-CG	-5.11	103.87	114.10
1	E	232	GLU	CA-CB-CG	-5.10	103.89	114.10
1	F	359	PHE	CA-C-O	-5.10	115.62	121.54
1	D	402	HIS	N-CA-C	5.10	119.54	112.45
1	E	337	GLU	N-CA-C	5.10	117.23	111.11
1	E	556	GLN	OE1-CD-NE2	-5.10	117.50	122.60
1	B	405	LEU	CA-C-O	5.09	126.80	121.19
1	D	503	ASN	CA-CB-CG	-5.09	107.51	112.60
1	F	444	ASP	CA-C-O	5.09	125.95	120.55
1	D	150	LEU	N-CA-C	5.09	117.56	111.71
1	F	140	GLN	CA-C-O	5.09	125.51	119.56
1	D	406	ARG	NE-CZ-NH2	5.08	123.78	119.20
1	B	328	THR	O-C-N	-5.08	116.60	122.09
1	E	551	HIS	CA-CB-CG	-5.08	108.72	113.80
1	E	39	GLU	N-CA-C	5.08	118.63	112.23
1	B	355	PRO	O-C-N	-5.07	115.25	122.35
1	C	232	GLU	CA-CB-CG	-5.07	103.96	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	31	ALA	CA-C-O	-5.07	114.69	120.32
1	E	417	ASN	OD1-CG-ND2	-5.06	117.54	122.60
1	F	406	ARG	CA-C-N	5.06	124.84	119.28
1	F	406	ARG	C-N-CA	5.06	124.84	119.28
1	E	417	ASN	CA-CB-CG	5.06	117.66	112.60
1	C	317	ALA	O-C-N	-5.05	118.01	123.42
1	B	191	ARG	CD-NE-CZ	-5.05	117.33	124.40
1	B	463	LYS	N-CA-C	-5.05	104.02	110.53
1	D	501	ASP	CA-CB-CG	5.05	117.65	112.60
1	A	47	GLU	N-CA-C	5.04	116.86	111.36
1	B	10	SER	CA-C-N	5.04	126.99	120.44
1	B	10	SER	C-N-CA	5.04	126.99	120.44
1	A	170	ASP	CA-CB-CG	-5.03	107.57	112.60
1	F	335	LEU	CA-C-O	-5.03	114.41	120.10
1	C	246	LYS	O-C-N	5.03	129.00	122.81
1	E	169	ARG	NE-CZ-NH1	-5.03	116.47	121.50
1	F	396	TYR	O-C-N	-5.03	116.89	122.07
1	A	64	ASP	CA-C-O	-5.03	115.74	121.82
1	A	216	GLY	CA-C-O	5.03	126.86	121.53
1	D	143	ALA	N-CA-C	5.02	117.01	109.23
1	B	415	SER	CA-C-O	-5.01	115.56	120.82
1	C	29	ARG	CD-NE-CZ	5.01	131.42	124.40
1	E	102	GLU	CB-CA-C	-5.01	101.54	110.70
1	E	585	ASN	CA-C-O	-5.01	115.22	120.58
1	E	503	ASN	OD1-CG-ND2	-5.00	117.59	122.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4567	0	4453	18	0
1	B	4567	0	4453	20	0
1	C	4567	0	4453	26	0
1	D	4567	0	4453	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	4567	0	4453	23	0
1	F	4567	0	4453	24	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	335	0	0	3	0
4	B	394	0	0	3	0
4	C	372	0	0	3	0
4	D	387	0	0	2	0
4	E	352	0	0	6	0
4	F	346	0	0	1	0
All	All	29624	0	26718	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:203:LYS:HG2	4:E:3321:HOH:O	1.77	0.84
1:A:49:GLY:HA2	4:A:3281:HOH:O	1.83	0.78
1:F:502:ALA:HB1	1:F:531:ALA:HB2	1.72	0.72
1:E:124:GLU:O	1:E:395:ARG:NH1	2.28	0.67
1:C:369:ASP:HB3	1:F:124:GLU:HG2	1.77	0.66
1:A:50:ASP:HB3	1:A:51:PRO:HD2	1.79	0.64
1:C:50:ASP:HB3	1:C:51:PRO:HD2	1.80	0.64
1:D:50:ASP:HB3	1:D:51:PRO:HD2	1.78	0.64
1:B:50:ASP:HB3	1:B:51:PRO:HD2	1.80	0.63
1:D:502:ALA:HB1	1:D:531:ALA:HB2	1.82	0.62
1:E:50:ASP:HB3	1:E:51:PRO:HD2	1.83	0.60
1:E:502:ALA:HB1	1:E:531:ALA:HB2	1.83	0.59
4:C:3373:HOH:O	1:D:80:ARG:HD3	2.00	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:502:ALA:HB1	1:B:531:ALA:HB2	1.84	0.59
1:C:502:ALA:HB1	1:C:531:ALA:HB2	1.86	0.58
1:D:191:ARG:NH2	4:D:3201:HOH:O	2.37	0.57
1:C:419:ASN:O	1:C:423:LYS:HD2	2.04	0.57
1:D:124:GLU:O	1:D:395:ARG:NH1	2.38	0.57
1:C:124:GLU:O	1:C:395:ARG:NH1	2.39	0.56
1:A:265:ASP:HB3	1:A:270:GLU:HB2	1.87	0.55
1:B:124:GLU:O	1:B:395:ARG:NH1	2.40	0.55
1:A:358:PRO:HG2	1:A:374:PHE:CE2	2.42	0.55
1:E:358:PRO:HG2	1:E:374:PHE:CE2	2.41	0.54
1:A:124:GLU:O	1:A:395:ARG:NH1	2.40	0.54
1:A:502:ALA:HB1	1:A:531:ALA:HB2	1.88	0.54
1:C:358:PRO:HG2	1:C:374:PHE:CE2	2.42	0.54
1:D:358:PRO:HG2	1:D:374:PHE:CE2	2.41	0.54
1:A:121:ARG:HD3	4:A:3218:HOH:O	2.07	0.54
1:E:469:MET:HE3	4:E:3233:HOH:O	2.09	0.53
1:B:358:PRO:HG2	1:B:374:PHE:CE2	2.43	0.53
1:A:191:ARG:NH2	4:A:3225:HOH:O	2.38	0.53
1:B:358:PRO:HG2	1:B:374:PHE:CD2	2.43	0.53
1:E:358:PRO:HG2	1:E:374:PHE:CD2	2.44	0.52
1:F:239:GLN:O	1:F:243:VAL:HG22	2.08	0.52
1:A:303:ASP:O	1:A:304:ALA:HB3	2.09	0.52
1:E:463:LYS:NZ	4:E:3335:HOH:O	2.44	0.51
1:C:303:ASP:O	1:C:304:ALA:HB3	2.10	0.51
1:D:265:ASP:HB3	1:D:270:GLU:HB2	1.91	0.51
1:F:124:GLU:O	1:F:395:ARG:NH1	2.43	0.51
1:E:545:ARG:O	1:E:550:VAL:HG22	2.11	0.51
1:B:220:VAL:HG23	4:B:3194:HOH:O	2.11	0.50
1:B:303:ASP:O	1:B:304:ALA:HB3	2.11	0.50
1:C:60:GLY:HA2	1:C:304:ALA:HB2	1.93	0.50
1:C:124:GLU:HG2	1:F:369:ASP:HB3	1.94	0.50
1:D:358:PRO:HG2	1:D:374:PHE:CD2	2.46	0.50
1:C:239:GLN:O	1:C:243:VAL:HG22	2.11	0.49
1:F:271:ILE:HB	1:F:278:ILE:HB	1.94	0.49
1:A:419:ASN:O	1:A:423:LYS:HD3	2.13	0.48
1:F:183:ALA:O	1:F:187:SER:HB3	2.14	0.48
1:E:476:PRO:HA	4:E:3239:HOH:O	2.14	0.48
1:F:358:PRO:HG2	1:F:374:PHE:CE2	2.49	0.47
1:A:358:PRO:HG2	1:A:374:PHE:CD2	2.50	0.46
1:F:298:PHE:O	1:F:302:GLN:HG2	2.15	0.46
1:E:152:SER:HB2	4:E:3152:HOH:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:LEU:HD11	1:A:560:LEU:HD13	1.97	0.46
1:C:178:SER:HA	1:C:179:PRO:HD3	1.87	0.45
1:C:423:LYS:HD2	1:C:423:LYS:N	2.32	0.45
1:E:390:ALA:HB1	1:E:487:VAL:HG22	1.98	0.45
1:F:60:GLY:HA2	1:F:304:ALA:HB2	1.97	0.45
1:B:481:TYR:HA	1:B:482:GLY:HA2	1.71	0.45
1:B:271:ILE:HB	1:B:278:ILE:HB	1.97	0.45
1:C:228:LEU:HD11	1:C:560:LEU:HD13	1.99	0.45
1:B:372:VAL:O	1:B:378:HIS:HB2	2.17	0.44
1:C:369:ASP:N	1:F:123:TRP:O	2.47	0.44
1:C:585:ASN:ND2	1:C:585:ASN:C	2.75	0.44
1:D:286:THR:HA	1:D:287:PRO:HD3	1.86	0.44
1:D:459:VAL:HG12	1:D:460:SER:N	2.33	0.44
1:F:158:GLU:O	1:F:162:LEU:HG	2.18	0.44
1:B:452:GLN:HB2	4:B:3335:HOH:O	2.18	0.43
1:D:362:GLU:OE1	1:D:364:LYS:HE2	2.19	0.43
1:B:183:ALA:O	1:B:187:SER:HB3	2.18	0.43
1:A:362:GLU:OE1	1:A:364:LYS:HE2	2.17	0.43
1:E:298:PHE:O	1:E:302:GLN:HG2	2.18	0.43
1:C:265:ASP:HB3	1:C:270:GLU:HB2	2.00	0.43
1:C:334:SER:HB2	1:F:380:LEU:HD13	1.99	0.43
1:C:273:TYR:CZ	1:F:337:GLU:HG3	2.53	0.43
1:C:335:LEU:N	4:C:3296:HOH:O	2.51	0.43
1:F:372:VAL:O	1:F:378:HIS:HB2	2.18	0.43
1:E:39:GLU:O	1:E:40:GLU:C	2.59	0.43
1:E:265:ASP:HB3	1:E:270:GLU:HB2	2.00	0.43
1:C:362:GLU:OE1	1:C:364:LYS:HE2	2.19	0.43
1:F:144:MET:HE2	1:F:481:TYR:CZ	2.54	0.43
1:E:132:PHE:HB3	4:E:3294:HOH:O	2.19	0.42
1:B:265:ASP:HB3	1:B:270:GLU:HB2	2.01	0.42
1:B:319:LEU:O	1:B:320:ILE:C	2.63	0.42
1:F:178:SER:OG	1:F:180:LYS:HG2	2.19	0.42
1:F:303:ASP:O	1:F:304:ALA:HB3	2.19	0.42
1:C:50:ASP:HB3	1:C:51:PRO:CD	2.49	0.42
1:F:358:PRO:HG2	1:F:374:PHE:CD2	2.55	0.42
1:B:238:SER:HA	1:B:536:LYS:HD2	2.00	0.42
1:E:178:SER:HA	1:E:179:PRO:HD3	1.88	0.42
1:E:481:TYR:HA	1:E:482:GLY:HA2	1.68	0.42
1:F:481:TYR:HA	1:F:482:GLY:HA2	1.65	0.42
1:D:50:ASP:HB3	1:D:51:PRO:CD	2.47	0.42
1:F:212:ARG:HD3	4:F:3290:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:265:ASP:HB3	1:F:270:GLU:HB2	2.01	0.42
1:A:84:SER:HB3	1:F:581:ASN:ND2	2.35	0.42
1:E:303:ASP:O	1:E:304:ALA:HB3	2.19	0.41
1:B:57:PHE:CD2	1:B:479:PRO:HG3	2.55	0.41
1:A:178:SER:OG	1:A:180:LYS:HG2	2.20	0.41
1:B:212:ARG:NH2	4:B:3370:HOH:O	2.53	0.41
1:A:178:SER:HA	1:A:179:PRO:HD3	1.88	0.41
1:C:2:GLY:N	4:C:3102:HOH:O	2.54	0.41
1:A:6:ASP:OD2	1:E:6:ASP:OD2	2.39	0.41
1:C:358:PRO:HG2	1:C:374:PHE:CD2	2.56	0.41
1:E:478:HIS:HA	1:E:479:PRO:HD3	1.91	0.41
1:B:71:ASP:HA	1:B:72:PRO:HD2	1.80	0.41
1:C:581:ASN:ND2	1:D:84:SER:HB3	2.36	0.41
1:E:271:ILE:HB	1:E:278:ILE:HB	2.03	0.41
1:D:153:PRO:HD2	4:D:3112:HOH:O	2.21	0.41
1:E:406:ARG:HA	1:E:407:PRO:HD3	1.87	0.41
1:F:178:SER:HA	1:F:179:PRO:HD3	1.91	0.41
1:A:100:ASP:O	1:A:104:GLY:N	2.45	0.40
1:B:144:MET:HE2	1:B:481:TYR:CZ	2.57	0.40
1:C:478:HIS:HA	1:C:479:PRO:HD3	1.87	0.40
1:B:225:ARG:HG2	1:B:236:TYR:CE2	2.56	0.40
1:C:585:ASN:C	1:C:585:ASN:HD22	2.29	0.40
1:D:100:ASP:HA	1:D:101:PRO:HD3	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	593/596 (100%)	585 (99%)	8 (1%)	0	100	100
1	B	593/596 (100%)	583 (98%)	8 (1%)	2 (0%)	36	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	593/596 (100%)	587 (99%)	6 (1%)	0	100	100
1	D	593/596 (100%)	585 (99%)	8 (1%)	0	100	100
1	E	593/596 (100%)	586 (99%)	7 (1%)	0	100	100
1	F	593/596 (100%)	583 (98%)	9 (2%)	1 (0%)	43	55
All	All	3558/3576 (100%)	3509 (99%)	46 (1%)	3 (0%)	48	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	424	SER
1	B	371	PHE
1	F	371	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	487/488 (100%)	479 (98%)	8 (2%)	55	73
1	B	487/488 (100%)	480 (99%)	7 (1%)	59	76
1	C	487/488 (100%)	478 (98%)	9 (2%)	51	70
1	D	487/488 (100%)	478 (98%)	9 (2%)	51	70
1	E	487/488 (100%)	477 (98%)	10 (2%)	47	66
1	F	487/488 (100%)	480 (99%)	7 (1%)	59	76
All	All	2922/2928 (100%)	2872 (98%)	50 (2%)	53	72

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	97	PRO
1	A	178	SER
1	A	187	SER
1	A	334	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	385	GLU
1	A	394	VAL
1	A	445	SER
1	A	477	PHE
1	B	178	SER
1	B	187	SER
1	B	334	SER
1	B	394	VAL
1	B	440	SER
1	B	477	PHE
1	B	585	ASN
1	C	178	SER
1	C	187	SER
1	C	334	SER
1	C	385	GLU
1	C	394	VAL
1	C	440	SER
1	C	445	SER
1	C	477	PHE
1	C	585	ASN
1	D	178	SER
1	D	187	SER
1	D	334	SER
1	D	385	GLU
1	D	394	VAL
1	D	440	SER
1	D	477	PHE
1	D	480	SER
1	D	585	ASN
1	E	97	PRO
1	E	178	SER
1	E	187	SER
1	E	203	LYS
1	E	334	SER
1	E	394	VAL
1	E	440	SER
1	E	445	SER
1	E	477	PHE
1	E	585	ASN
1	F	103	THR
1	F	178	SER
1	F	187	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	334	SER
1	F	394	VAL
1	F	440	SER
1	F	477	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	ASN
1	A	341	ASN
1	A	503	ASN
1	A	585	ASN
1	B	66	ASN
1	B	341	ASN
1	B	356	ASN
1	B	505	GLN
1	C	66	ASN
1	C	341	ASN
1	C	505	GLN
1	C	581	ASN
1	D	66	ASN
1	D	341	ASN
1	D	505	GLN
1	D	595	GLN
1	E	66	ASN
1	E	585	ASN
1	E	595	GLN
1	F	66	ASN
1	F	341	ASN
1	F	581	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	C	3004	-	4,4,4	1.68	2 (50%)	6,6,6	1.25	0
2	PO4	D	3006	-	4,4,4	1.64	1 (25%)	6,6,6	0.60	0
2	PO4	A	3000	-	4,4,4	1.60	1 (25%)	6,6,6	0.78	0
2	PO4	F	3010	-	4,4,4	1.52	1 (25%)	6,6,6	0.99	0
2	PO4	B	3002	-	4,4,4	1.66	0	6,6,6	1.63	2 (33%)
2	PO4	E	3008	-	4,4,4	1.44	0	6,6,6	0.27	0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	3004	PO4	P-O2	-2.52	1.47	1.54
2	A	3000	PO4	P-O3	-2.37	1.47	1.54
2	D	3006	PO4	P-O3	-2.32	1.47	1.54
2	F	3010	PO4	P-O2	-2.17	1.48	1.54
2	C	3004	PO4	P-O3	-2.01	1.48	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	3002	PO4	O3-P-O2	2.61	116.03	107.91
2	B	3002	PO4	O3-P-O1	-2.38	102.54	110.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	595/596 (99%)	-0.54	3 (0%) 87 87	7, 15, 40, 74	0
1	B	595/596 (99%)	-0.61	1 (0%) 91 91	7, 15, 39, 75	0
1	C	595/596 (99%)	-0.63	1 (0%) 91 91	7, 15, 38, 66	0
1	D	595/596 (99%)	-0.63	4 (0%) 84 85	7, 15, 39, 73	0
1	E	595/596 (99%)	-0.62	4 (0%) 84 85	7, 15, 38, 66	0
1	F	595/596 (99%)	-0.59	4 (0%) 84 85	7, 15, 39, 90	0
All	All	3570/3576 (99%)	-0.60	17 (0%) 87 87	7, 15, 39, 90	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	102	GLU	4.0
1	F	102	GLU	3.6
1	F	454	ILE	2.9
1	E	102	GLU	2.8
1	E	186	ARG	2.7
1	E	363	ASP	2.6
1	D	366	ASP	2.3
1	C	102	GLU	2.3
1	A	363	ASP	2.3
1	F	101	PRO	2.2
1	D	102	GLU	2.2
1	E	366	ASP	2.2
1	A	459	VAL	2.1
1	F	459	VAL	2.1
1	A	103	THR	2.1
1	D	363	ASP	2.1
1	D	101	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CA	C	3005	1/1	0.89	0.09	45,45,45,45	0
3	CA	F	3011	1/1	0.89	0.08	45,45,45,45	0
3	CA	D	3007	1/1	0.91	0.07	45,45,45,45	0
3	CA	B	3003	1/1	0.93	0.13	44,44,44,44	0
3	CA	E	3009	1/1	0.94	0.09	45,45,45,45	0
3	CA	A	3001	1/1	0.94	0.07	46,46,46,46	0
2	PO4	A	3000	5/5	0.99	0.04	11,14,15,17	0
2	PO4	B	3002	5/5	0.99	0.05	11,13,16,17	0
2	PO4	C	3004	5/5	0.99	0.06	12,14,15,17	0
2	PO4	D	3006	5/5	0.99	0.04	11,13,16,17	0
2	PO4	E	3008	5/5	0.99	0.04	10,13,14,18	0
2	PO4	F	3010	5/5	0.99	0.04	13,13,15,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.