



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 09:38 PM UTC

PDB ID : 3QH0 / pdb_00003qh0
Title : X-ray crystal structure of palmitic acid bound to the cyclooxygenase channel of cyclooxygenase-2
Authors : Vecchio, A.J.; Malkowski, M.G.
Deposited on : 2011-01-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	610	82% 8% 10%
1	B	610	85% 6% 10%
2	C	2	50% 50%
3	D	3	33% 67%
4	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	F	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HSQ	C	1	X	-	-	-
7	PLM	A	625	-	-	X	-
8	AKR	A	2	-	-	X	-

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 10038 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	552	Total	C	N	O	S	0	6	0
			4461	2878	744	814	25			
1	B	551	Total	C	N	O	S	0	8	0
			4447	2878	739	804	26			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	HIS	-	expression tag	UNP Q05769
A	30	HIS	-	expression tag	UNP Q05769
A	31	HIS	-	expression tag	UNP Q05769
A	32	HIS	-	expression tag	UNP Q05769
A	33	HIS	-	expression tag	UNP Q05769
A	34	HIS	-	expression tag	UNP Q05769
A	594	ALA	ASN	engineered mutation	UNP Q05769
B	29	HIS	-	expression tag	UNP Q05769
B	30	HIS	-	expression tag	UNP Q05769
B	31	HIS	-	expression tag	UNP Q05769
B	32	HIS	-	expression tag	UNP Q05769
B	33	HIS	-	expression tag	UNP Q05769
B	34	HIS	-	expression tag	UNP Q05769
B	594	ALA	ASN	engineered mutation	UNP Q05769

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetylamino-2-deoxy-alpha-L-idopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is PALMITIC ACID (CCD ID: PLM) (formula: $C_{16}H_{32}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			18	16	2		

- Molecule 8 is ACRYLIC ACID (CCD ID: AKR) (formula: $C_3H_4O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 5 3 2	0	0
8	A	1	Total C O 5 3 2	0	0

- Molecule 9 is PROTOPORPHYRIN IX CONTAINING CO (CCD ID: COH) (formula: $C_{34}H_{32}CoN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total 43	C 34	Co 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	Co	N	O	0	0
			43	34	1	4	4		

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	N	O	0	0
			14	8	1	5		
10	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 11 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: $C_{14}H_{28}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			20	14	6		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	370	Total	O	0	0
			370	370		
12	B	383	Total	O	0	0
			383	383		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Prostaglandin G/H synthase 2



- Molecule 1: Prostaglandin G/H synthase 2



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetylamino-2-deoxy-alpha-L-idopyranose



- Molecule 3: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%

MAG1
MAG2
MAG3

- Molecule 4: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MDG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	121.91Å 130.89Å 179.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10 20.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.9 (20.00-2.10) 97.8 (20.00-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.159 , 0.199 0.187 , 0.217	Depositor DCC
R_{free} test set	4122 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10038	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLM, MAN, HSQ, NDG, NAG, EDO, BOG, COH, AKR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	1/4606 (0.0%)	0.84	1/6258 (0.0%)
1	B	0.66	0/4599	0.82	3/6247 (0.0%)
All	All	0.67	1/9205 (0.0%)	0.83	4/12505 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	575	CYS	CA-CB	5.01	1.56	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	471	SER	N-CA-C	5.18	118.58	111.54
1	B	486	GLU	N-CA-C	5.14	116.74	111.03
1	B	581	ASN	CA-C-N	5.13	130.94	121.70
1	B	581	ASN	C-N-CA	5.13	130.94	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	581	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4461	0	4261	43	0
1	B	4447	0	4259	25	0
2	C	28	0	25	1	0
3	D	39	0	34	4	0
4	E	28	0	24	0	0
5	F	28	0	25	5	0
6	A	36	0	54	1	0
6	B	56	0	84	5	0
7	A	18	0	31	10	0
8	A	10	0	6	3	0
9	A	43	0	30	2	0
9	B	43	0	30	2	0
10	A	14	0	13	0	0
10	B	14	0	13	1	0
11	A	20	0	28	1	0
12	A	370	0	0	2	0
12	B	383	0	0	2	0
All	All	10038	0	8917	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:ARG:NH1	5:F:2:NAG:H83	1.78	0.99
1:B:216:ARG:HH11	5:F:2:NAG:H83	1.32	0.94
1:A:216:ARG:NH1	3:D:2:NAG:H83	1.95	0.81
1:A:161:THR:HG21	1:A:166:LYS:O	1.81	0.80
1:A:456:ARG:HD3	1:A:502:GLU:OE1	1.84	0.77
1:A:385:TYR:OH	7:A:625:PLM:HD2	1.85	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:LEU:HD13	6:A:621:EDO:H11	1.67	0.76
1:A:492:LYS:HD3	8:A:2:AKR:HA1	1.69	0.72
1:A:216:ARG:HH11	3:D:2:NAG:H83	1.53	0.70
7:A:625:PLM:CC	7:A:625:PLM:H82	2.22	0.69
1:A:477:SER:HB2	8:A:2:AKR:HB2	1.76	0.68
1:B:216:ARG:HG2	5:F:2:NAG:H81	1.79	0.65
1:B:216:ARG:HH11	5:F:2:NAG:C8	2.09	0.64
1:A:472:LEU:HD21	1:A:524:GLU:HG3	1.83	0.61
1:B:300:MET:HG3	1:B:419:LEU:HD13	1.81	0.61
1:A:216:ARG:HH11	3:D:2:NAG:C8	2.14	0.60
1:A:161:THR:HG23	12:A:674:HOH:O	2.03	0.59
7:A:625:PLM:H82	7:A:625:PLM:HC1	1.84	0.58
1:A:391:LEU:HD21	9:A:626:COH:HHC	1.85	0.58
1:B:216:ARG:NH1	5:F:2:NAG:C8	2.62	0.58
1:A:196:MET:HE2	1:A:431:ALA:HB2	1.86	0.57
1:A:114:LYS:HD3	1:A:365:LEU:O	2.04	0.57
1:A:530[B]:SER:OG	7:A:625:PLM:HE1	2.04	0.56
1:A:385:TYR:OH	7:A:625:PLM:CD	2.53	0.56
1:A:161:THR:CG2	1:A:166:LYS:O	2.54	0.55
1:A:387:TRP:HB2	9:A:626:COH:HAC	1.88	0.54
1:B:306:LEU:C	1:B:306:LEU:HD23	2.33	0.54
1:B:227:GLY:HA3	6:B:625:EDO:H11	1.89	0.53
1:B:581:ASN:O	1:B:582:VAL:HG22	2.09	0.53
1:A:274:ILE:HD12	1:A:291:VAL:HG12	1.93	0.51
1:B:472:LEU:HD21	1:B:524:GLU:HG3	1.91	0.51
1:A:526:GLY:HA3	7:A:625:PLM:HA2	1.91	0.51
1:A:294:LEU:HG	1:A:295:VAL:HG23	1.95	0.48
1:A:477:SER:CB	8:A:2:AKR:HB2	2.42	0.48
1:A:99:VAL:O	1:A:103:VAL:HG23	2.13	0.48
1:B:276:PRO:HG2	1:B:279:ILE:HD13	1.95	0.48
7:A:625:PLM:H31	7:A:625:PLM:H71	1.96	0.48
1:A:543:GLN:O	1:B:137:LYS:HE2	2.14	0.47
1:B:536[A]:GLY:O	6:B:625:EDO:O1	2.33	0.47
1:A:198:PHE:CZ	1:A:352:LEU:HD21	2.51	0.46
1:A:306:LEU:C	1:A:306:LEU:HD23	2.40	0.46
7:A:625:PLM:C8	7:A:625:PLM:HC2	2.46	0.46
1:A:161:THR:HG22	1:A:164:GLY:H	1.80	0.46
1:A:385:TYR:CZ	7:A:625:PLM:HD2	2.51	0.46
1:A:96:PHE:O	1:A:99:VAL:HG12	2.15	0.46
12:A:891:HOH:O	6:B:9:EDO:H22	2.16	0.45
1:B:391:LEU:HD21	9:B:627:COH:HHC	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:MET:CE	1:A:431:ALA:HA	2.46	0.45
1:A:137:LYS:HE2	1:B:543:GLN:O	2.17	0.45
1:B:389:PRO:HB2	1:B:434:VAL:HA	1.98	0.45
7:A:625:PLM:CC	7:A:625:PLM:C8	2.88	0.44
1:B:116:VAL:O	1:B:120:ARG:HG2	2.18	0.44
1:B:48[B]:MET:HE3	1:B:48[B]:MET:HB2	1.76	0.44
1:A:124:ILE:HD11	1:A:528:PRO:HB2	2.00	0.43
3:D:2:NAG:O3	3:D:3:MAN:H2	2.18	0.43
1:B:387:TRP:HB2	9:B:627:COH:HAC	2.01	0.43
1:A:171:LEU:HD13	1:A:456:ARG:HD2	2.01	0.43
1:A:388[B]:HIS:HB2	1:A:389:PRO:HD3	2.01	0.43
1:A:552:GLY:HA2	6:B:7:EDO:H21	2.00	0.43
1:B:274:ILE:HD12	1:B:291:VAL:HG12	2.00	0.42
1:A:161:THR:HG22	1:A:164:GLY:N	2.33	0.42
1:B:582:VAL:HG21	6:B:620:EDO:C1	2.49	0.42
1:A:452:ILE:O	1:A:456:ARG:HG3	2.20	0.42
1:B:413:ILE:HG12	10:B:681:NAG:H61	2.02	0.42
1:B:276:PRO:HG2	1:B:279:ILE:CD1	2.49	0.41
1:A:388[A]:HIS:HB3	1:A:444:VAL:HG11	2.02	0.41
11:A:703:BOG:H4'1	11:A:703:BOG:H1'1	1.72	0.41
1:A:553:GLU:H	1:A:553:GLU:HG2	1.63	0.41
1:B:396:ASN:HB3	12:B:962:HOH:O	2.21	0.41
1:A:126:SER:HA	1:A:127:PRO:C	2.45	0.41
1:A:67:GLU:HB3	2:C:1:HSQ:H8A	2.02	0.40
1:A:196:MET:CE	1:A:431:ALA:HB2	2.51	0.40
1:A:352:LEU:HD23	1:A:352:LEU:HA	1.93	0.40
1:B:438:ARG:HD2	12:B:920:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/610 (91%)	547 (98%)	9 (2%)	0	100	100
1	B	557/610 (91%)	545 (98%)	12 (2%)	0	100	100
All	All	1113/1220 (91%)	1092 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	477/542 (88%)	463 (97%)	14 (3%)	37	42
1	B	474/542 (88%)	466 (98%)	8 (2%)	53	62
All	All	951/1084 (88%)	929 (98%)	22 (2%)	44	51

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	LEU
1	A	111	LEU
1	A	161	THR
1	A	282	ASN
1	A	289	GLN
1	A	385	TYR
1	A	408	LEU
1	A	415	LEU
1	A	444	VAL
1	A	456	ARG
1	A	471	SER
1	A	484	GLU
1	A	553	GLU
1	A	556	PHE
1	B	46	GLU
1	B	111	LEU
1	B	122	TYR
1	B	289	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	295	VAL
1	B	385	TYR
1	B	442	ILE
1	B	484	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	421	GLN
1	A	571	ASN
1	B	39	ASN
1	B	105	ASN
1	B	255	GLN
1	B	270	GLN
1	B	278	HIS
1	B	571	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HSQ	C	1	2,1	14,14,15	0.48	0	17,19,21	1.71	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	2	2	14,14,15	0.52	0	17,19,21	1.63	2 (11%)
3	NAG	D	1	3,1	14,14,15	0.55	0	17,19,21	1.26	2 (11%)
3	NAG	D	2	3	14,14,15	0.59	0	17,19,21	0.94	1 (5%)
3	MAN	D	3	3	11,11,12	0.48	0	15,15,17	1.84	3 (20%)
4	NAG	E	1	4,1	14,14,15	1.70	1 (7%)	17,19,21	1.92	2 (11%)
4	NDG	E	2	4	14,14,15	0.59	0	17,19,21	0.98	1 (5%)
5	NAG	F	1	5,1	14,14,15	0.54	0	17,19,21	1.22	2 (11%)
5	NAG	F	2	5	14,14,15	0.67	0	17,19,21	1.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HSQ	C	1	2,1	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	4/6/23/26	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	MAN	D	3	3	-	1/2/19/22	1/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NDG	E	2	4	-	2/6/23/26	0/1/1/1
5	NAG	F	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	1	NAG	O5-C1	-5.97	1.33	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1	NAG	C1-O5-C5	-6.83	103.04	112.19
2	C	1	HSQ	C1-O5-C5	6.09	120.35	112.19
3	D	3	MAN	C1-O5-C5	5.79	119.94	112.19
2	C	2	NAG	C1-O5-C5	5.64	119.75	112.19
5	F	1	NAG	C1-O5-C5	3.32	116.63	112.19
4	E	2	NDG	C1-O5-C5	2.99	116.19	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1	NAG	C1-O5-C5	2.95	116.14	112.19
4	E	1	NAG	O5-C5-C6	2.91	113.32	107.66
3	D	1	NAG	C2-N2-C7	-2.87	119.06	122.90
5	F	1	NAG	C2-N2-C7	-2.84	119.09	122.90
3	D	3	MAN	O5-C5-C6	2.45	112.44	107.66
3	D	3	MAN	C2-C3-C4	-2.21	106.98	110.86
3	D	2	NAG	C4-C3-C2	2.09	114.07	111.02
2	C	2	NAG	C3-C4-C5	2.02	113.89	110.23

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	1	HSQ	C1

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	2	NDG	C8-C7-N2-C2
4	E	2	NDG	O7-C7-N2-C2
2	C	1	HSQ	O5-C5-C6-O6
2	C	1	HSQ	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
5	F	2	NAG	C8-C7-N2-C2
5	F	2	NAG	O7-C7-N2-C2
2	C	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
3	D	3	MAN	C4-C5-C6-O6

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	3	MAN	C1-C2-C3-C4-C5-O5

4 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	3	MAN	1	0
5	F	2	NAG	5	0
2	C	1	HSQ	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	2	NAG	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	A	624	-	3,3,3	0.40	0	2,2,2	0.48	0
6	EDO	A	5	-	3,3,3	0.45	0	2,2,2	0.38	0
6	EDO	A	621	-	3,3,3	0.34	0	2,2,2	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	EDO	B	3	-	3,3,3	0.40	0	2,2,2	0.52	0
6	EDO	B	2	-	3,3,3	0.47	0	2,2,2	0.38	0
6	EDO	B	6	-	3,3,3	0.36	0	2,2,2	0.79	0
10	NAG	A	681	1	14,14,15	0.60	0	17,19,21	1.17	1 (5%)
6	EDO	B	623	-	3,3,3	0.46	0	2,2,2	0.32	0
6	EDO	A	623	-	3,3,3	0.33	0	2,2,2	0.51	0
8	AKR	A	2	-	4,4,4	1.93	1 (25%)	4,4,4	1.05	0
6	EDO	B	622	-	3,3,3	0.42	0	2,2,2	0.44	0
11	BOG	A	703	-	20,20,20	0.51	0	25,25,25	0.52	0
6	EDO	A	619	-	3,3,3	0.39	0	2,2,2	0.46	0
6	EDO	B	620	-	3,3,3	0.54	0	2,2,2	0.16	0
6	EDO	B	621	-	3,3,3	0.32	0	2,2,2	0.53	0
6	EDO	A	4	-	3,3,3	0.38	0	2,2,2	0.67	0
6	EDO	B	7	-	3,3,3	0.32	0	2,2,2	0.55	0
9	COH	B	627	-	50,50,50	1.77	10 (20%)	66,82,82	1.63	10 (15%)
10	NAG	B	681	1	14,14,15	0.86	0	17,19,21	1.53	4 (23%)
6	EDO	B	625	-	3,3,3	0.19	0	2,2,2	0.71	0
7	PLM	A	625	-	17,17,17	0.53	0	17,17,17	0.90	1 (5%)
8	AKR	A	3	-	4,4,4	2.08	3 (75%)	4,4,4	0.94	0
6	EDO	B	619	-	3,3,3	0.15	0	2,2,2	0.81	0
6	EDO	B	626	-	3,3,3	0.40	0	2,2,2	0.46	0
6	EDO	A	620	-	3,3,3	0.46	0	2,2,2	0.25	0
6	EDO	B	9	-	3,3,3	0.36	0	2,2,2	0.41	0
6	EDO	A	622	-	3,3,3	0.34	0	2,2,2	0.54	0
6	EDO	A	1	-	3,3,3	0.50	0	2,2,2	0.29	0
9	COH	A	626	-	50,50,50	1.79	11 (22%)	66,82,82	1.60	10 (15%)
6	EDO	B	8	-	3,3,3	0.42	0	2,2,2	0.49	0
6	EDO	B	624	-	3,3,3	0.36	0	2,2,2	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	624	-	-	0/1/1/1	-
6	EDO	A	5	-	-	1/1/1/1	-
6	EDO	A	621	-	-	0/1/1/1	-
6	EDO	B	3	-	-	0/1/1/1	-
6	EDO	B	2	-	-	1/1/1/1	-
6	EDO	B	6	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	A	681	1	-	0/6/23/26	0/1/1/1
6	EDO	B	623	-	-	1/1/1/1	-
6	EDO	A	623	-	-	0/1/1/1	-
8	AKR	A	2	-	-	0/2/2/2	-
6	EDO	B	622	-	-	1/1/1/1	-
11	BOG	A	703	-	-	5/11/31/31	0/1/1/1
6	EDO	A	619	-	-	1/1/1/1	-
6	EDO	B	620	-	-	1/1/1/1	-
6	EDO	B	621	-	-	0/1/1/1	-
6	EDO	A	4	-	-	1/1/1/1	-
6	EDO	B	7	-	-	0/1/1/1	-
9	COH	B	627	-	-	6/14/54/54	-
10	NAG	B	681	1	-	4/6/23/26	0/1/1/1
6	EDO	B	625	-	-	0/1/1/1	-
7	PLM	A	625	-	-	8/15/15/15	-
8	AKR	A	3	-	-	0/2/2/2	-
6	EDO	B	619	-	-	0/1/1/1	-
6	EDO	B	626	-	-	1/1/1/1	-
6	EDO	A	620	-	-	0/1/1/1	-
6	EDO	B	9	-	-	1/1/1/1	-
6	EDO	A	622	-	-	0/1/1/1	-
6	EDO	A	1	-	-	0/1/1/1	-
9	COH	A	626	-	-	6/14/54/54	-
6	EDO	B	8	-	-	0/1/1/1	-
6	EDO	B	624	-	-	0/1/1/1	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	627	COH	C3D-C2D	5.86	1.54	1.38
9	A	626	COH	C3D-C2D	5.78	1.54	1.38
9	A	626	COH	CO-NB	5.23	2.16	1.96
9	B	627	COH	CO-NA	4.92	2.14	1.96
9	B	627	COH	CO-NB	4.61	2.14	1.96
9	A	626	COH	CO-ND	3.94	2.11	1.96
9	A	626	COH	CO-NA	3.80	2.10	1.96
9	A	626	COH	CO-NC	3.49	2.09	1.96
9	B	627	COH	CO-ND	3.40	2.09	1.96
9	A	626	COH	CAB-C3B	3.01	1.55	1.47
9	B	627	COH	CAB-C3B	2.96	1.55	1.47
9	A	626	COH	CAC-C3C	2.88	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	627	COH	CO-NC	2.79	2.06	1.96
9	B	627	COH	CAC-C3C	2.70	1.54	1.47
8	A	3	AKR	CA-C	-2.69	1.39	1.46
8	A	2	AKR	CA-C	-2.59	1.40	1.46
8	A	3	AKR	OXT-C	-2.31	1.24	1.30
9	A	626	COH	CMA-C3A	2.24	1.55	1.50
9	B	627	COH	CMA-C3A	2.23	1.55	1.50
9	A	626	COH	CMC-C2C	2.15	1.55	1.50
9	B	627	COH	CMB-C2B	2.12	1.55	1.50
9	B	627	COH	CMC-C2C	2.12	1.55	1.50
9	A	626	COH	CMB-C2B	2.11	1.55	1.50
8	A	3	AKR	CB-CA	2.08	1.40	1.30
9	A	626	COH	CMD-C2D	2.07	1.55	1.50

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	627	COH	C4D-ND-C1D	5.10	112.63	105.11
9	A	626	COH	C4D-ND-C1D	5.08	112.59	105.11
9	B	627	COH	C2B-C1B-NB	-4.00	107.77	110.88
9	B	627	COH	C2C-C1C-NC	-3.86	106.95	110.96
9	A	626	COH	C2C-C1C-NC	-3.75	107.06	110.96
9	A	626	COH	C3D-C4D-ND	-3.67	107.47	110.73
9	A	626	COH	C2B-C1B-NB	-3.60	108.08	110.88
9	B	627	COH	C3D-C4D-ND	-3.58	107.55	110.73
9	A	626	COH	C3A-C4A-NA	-3.32	107.51	110.96
10	B	681	NAG	C1-C2-N2	-3.29	105.25	110.43
10	A	681	NAG	C1-O5-C5	3.29	116.59	112.19
9	B	627	COH	C4C-NC-C1C	3.17	109.16	105.12
9	B	627	COH	C3A-C4A-NA	-3.01	107.83	110.96
9	A	626	COH	C4C-NC-C1C	2.98	108.91	105.12
10	B	681	NAG	O5-C5-C4	-2.95	103.64	110.83
9	A	626	COH	C1A-NA-C4A	2.91	108.81	105.12
9	B	627	COH	C1A-NA-C4A	2.74	108.60	105.12
9	A	626	COH	C2A-C1A-NA	-2.67	107.31	110.57
9	A	626	COH	C3C-C2C-C1C	2.61	108.37	106.41
9	B	627	COH	C2A-C1A-NA	-2.54	107.46	110.57
9	B	627	COH	C4B-NB-C1B	2.47	108.76	105.11
7	A	625	PLM	C3-C2-C1	-2.46	108.08	114.51
9	B	627	COH	C3C-C2C-C1C	2.38	108.20	106.41
10	B	681	NAG	C3-C4-C5	-2.23	106.19	110.23
9	A	626	COH	C4B-NB-C1B	2.09	108.20	105.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	681	NAG	C4-C3-C2	2.04	114.02	111.02

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	626	COH	C2C-C3C-CAC-CBC
10	B	681	NAG	C8-C7-N2-C2
10	B	681	NAG	O7-C7-N2-C2
10	B	681	NAG	O5-C5-C6-O6
10	B	681	NAG	C4-C5-C6-O6
7	A	625	PLM	C9-CA-CB-CC
9	B	627	COH	C2A-CAA-CBA-CGA
9	B	627	COH	C2C-C3C-CAC-CBC
7	A	625	PLM	CC-CD-CE-CF
11	A	703	BOG	C3'-C4'-C5'-C6'
6	B	9	EDO	O1-C1-C2-O2
6	B	622	EDO	O1-C1-C2-O2
7	A	625	PLM	CB-CC-CD-CE
7	A	625	PLM	C4-C5-C6-C7
6	A	5	EDO	O1-C1-C2-O2
11	A	703	BOG	C5'-C6'-C7'-C8'
9	A	626	COH	C2B-C3B-CAB-CBB
9	A	626	COH	C4C-C3C-CAC-CBC
11	A	703	BOG	O1-C1'-C2'-C3'
7	A	625	PLM	CD-CE-CF-CG
6	B	626	EDO	O1-C1-C2-O2
7	A	625	PLM	CA-CB-CC-CD
9	A	626	COH	C4B-C3B-CAB-CBB
9	B	627	COH	C4C-C3C-CAC-CBC
7	A	625	PLM	O2-C1-C2-C3
7	A	625	PLM	O1-C1-C2-C3
9	A	626	COH	CAA-CBA-CGA-O1A
9	A	626	COH	CAA-CBA-CGA-O2A
6	A	4	EDO	O1-C1-C2-O2
9	B	627	COH	CAA-CBA-CGA-O2A
9	B	627	COH	C2B-C3B-CAB-CBB
9	B	627	COH	CAA-CBA-CGA-O1A
6	B	2	EDO	O1-C1-C2-O2
6	B	623	EDO	O1-C1-C2-O2
6	A	619	EDO	O1-C1-C2-O2
6	B	620	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
11	A	703	BOG	C1'-C2'-C3'-C4'
11	A	703	BOG	C2'-C3'-C4'-C5'


There are no ring outliers.

11 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	621	EDO	1	0
8	A	2	AKR	3	0
11	A	703	BOG	1	0
6	B	620	EDO	1	0
6	B	7	EDO	1	0
9	B	627	COH	2	0
10	B	681	NAG	1	0
6	B	625	EDO	2	0
7	A	625	PLM	10	0
6	B	9	EDO	1	0
9	A	626	COH	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	552/610 (90%)	-0.12	8 (1%) 73 75	11, 26, 39, 47	6 (1%)
1	B	551/610 (90%)	-0.06	15 (2%) 56 59	11, 27, 43, 52	8 (1%)
All	All	1103/1220 (90%)	-0.09	23 (2%) 63 66	11, 26, 40, 52	14 (1%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	281	GLU	4.9
1	B	283	LEU	4.7
1	B	279	ILE	4.4
1	A	583	GLN	3.5
1	B	122	TYR	3.5
1	B	280	PRO	3.2
1	B	277	PRO	2.9
1	B	278	HIS	2.9
1	B	115	TYR	2.5
1	A	98	GLY	2.5
1	A	122	TYR	2.4
1	A	74	PHE	2.3
1	A	53	ASP	2.3
1	B	91	TYR	2.2
1	A	399	ASP	2.2
1	B	239	ASP	2.2
1	B	282	ASN	2.2
1	B	81	LEU	2.2
1	B	53	ASP	2.2
1	A	81	LEU	2.1
1	B	284	GLN	2.1
1	A	278	HIS	2.1
1	B	157	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	C	2	14/15	0.54	0.14	65,69,70,71	0
3	MAN	D	3	11/12	0.54	0.17	57,60,61,62	0
4	NDG	E	2	14/15	0.63	0.13	65,68,68,68	0
4	NAG	E	1	14/15	0.73	0.13	47,52,56,61	0
2	HSQ	C	1	14/15	0.82	0.11	43,52,55,60	0
5	NAG	F	2	14/15	0.86	0.11	36,40,42,43	0
3	NAG	D	2	14/15	0.89	0.09	38,42,47,52	0
5	NAG	F	1	14/15	0.95	0.07	22,25,27,32	0
3	NAG	D	1	14/15	0.96	0.06	20,25,30,33	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	COH	B	627	43/43	0.68	0.27	66,77,79,80	43
6	EDO	B	620	4/4	0.73	0.21	62,63,63,64	0
10	NAG	B	681	14/15	0.74	0.13	47,54,58,60	0
9	COH	A	626	43/43	0.76	0.22	60,71,74,76	43
7	PLM	A	625	18/18	0.77	0.17	34,51,61,61	0
6	EDO	B	9	4/4	0.79	0.17	50,51,51,52	0
6	EDO	A	5	4/4	0.79	0.19	58,59,59,60	0
6	EDO	B	7	4/4	0.79	0.18	58,58,59,60	0
10	NAG	A	681	14/15	0.81	0.12	44,50,54,56	0
8	AKR	A	2	5/5	0.81	0.15	49,50,50,50	0
6	EDO	B	622	4/4	0.82	0.14	49,49,49,50	0
6	EDO	A	624	4/4	0.83	0.14	50,51,51,52	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	B	624	4/4	0.84	0.14	37,41,42,45	0
6	EDO	B	619	4/4	0.85	0.16	40,40,41,42	0
6	EDO	B	626	4/4	0.85	0.17	60,60,60,62	0
6	EDO	B	623	4/4	0.87	0.15	57,57,57,57	0
6	EDO	B	625	4/4	0.89	0.14	50,50,50,51	0
6	EDO	A	623	4/4	0.89	0.17	59,60,60,61	0
6	EDO	B	6	4/4	0.91	0.09	32,33,33,35	0
6	EDO	A	4	4/4	0.92	0.08	29,29,32,35	0
8	AKR	A	3	5/5	0.92	0.11	38,38,38,39	0
6	EDO	B	621	4/4	0.92	0.11	45,46,46,47	0
11	BOG	A	703	20/20	0.92	0.10	35,38,41,41	0
6	EDO	B	2	4/4	0.93	0.08	34,34,36,36	0
6	EDO	A	621	4/4	0.93	0.10	44,44,45,48	0
6	EDO	A	1	4/4	0.94	0.08	38,38,38,38	0
6	EDO	A	622	4/4	0.95	0.07	45,45,45,45	0
6	EDO	B	3	4/4	0.96	0.06	21,22,22,23	0
6	EDO	A	619	4/4	0.96	0.07	27,29,31,31	0
6	EDO	B	8	4/4	0.97	0.06	24,28,29,29	0
6	EDO	A	620	4/4	0.97	0.07	25,25,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around COH B 627:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around COH A 626:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLM A 625:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BOG A 703:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.