



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:37 PM UTC

PDB ID : 1QIA / pdb_00001qia
Title : CRYSTAL STRUCTURE OF STROMELYSIN CATALYTIC DOMAIN
Authors : Williams, M.G.; Ye, Q.-Z.; Molina, F.; Johnson, L.L.; Ortwine, D.F.; Pavlovsky, A.G.; Rubin, J.R.; Skeean, R.W.; White, A.D.; Blundell, T.L.; Humblet, C.; Hupe, D.J.; Dhanaraj, V.
Deposited on : 1999-06-11
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	162	81% 15% .
1	B	162	83% 14% ..
1	C	162	86% 14% .
1	D	162	79% 18% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5788 atoms, of which 24 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STROMELYSIN-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	162	Total	C	H	N	O	S	0	0	0
			1279	817	6	208	246	2			
1	B	162	Total	C	H	N	O	S	0	0	0
			1279	817	6	208	246	2			
1	C	162	Total	C	H	N	O	S	0	0	0
			1279	817	6	208	246	2			
1	D	162	Total	C	H	N	O	S	0	0	0
			1279	817	6	208	246	2			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Ca	0	0
			3	3		
3	B	3	Total	Ca	0	0
			3	3		
3	C	3	Total	Ca	0	0
			3	3		
3	D	3	Total	Ca	0	0
			3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	196	Total 196	O 196	0	0
4	B	165	Total 165	O 165	0	0
4	C	176	Total 176	O 176	0	0
4	D	115	Total 115	O 115	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: STROMELYSIN-1

Chain A: 



- Molecule 1: STROMELYSIN-1

Chain B: 




- Molecule 1: STROMELYSIN-1

Chain C: 



- Molecule 1: STROMELYSIN-1

Chain D: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	55.20Å 57.63Å 73.19Å 99.25° 109.82° 89.93°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	70.6 (20.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.190 , 0.240	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5788	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/1314	1.00	7/1797 (0.4%)
1	B	0.52	0/1314	0.99	5/1797 (0.3%)
1	C	0.52	0/1314	1.01	3/1797 (0.2%)
1	D	0.49	0/1314	1.00	4/1797 (0.2%)
All	All	0.51	0/5256	1.00	19/7188 (0.3%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	221	PRO	N-CA-C	7.21	123.38	113.65
1	B	158	ASP	N-CA-C	6.71	119.47	110.88
1	A	91	LYS	N-CA-C	6.12	116.51	107.88
1	D	158	ASP	N-CA-C	6.07	120.43	111.87
1	C	222	LEU	N-CA-C	6.01	118.53	108.73
1	C	158	ASP	N-CA-C	5.91	120.06	112.26
1	A	191	THR	N-CA-C	5.65	117.30	111.03
1	D	221	PRO	N-CA-C	5.58	121.81	114.27
1	A	158	ASP	N-CA-C	5.42	119.42	112.26
1	C	211	HIS	N-CA-C	5.42	117.68	110.53
1	A	149	ARG	CB-CA-C	-5.26	110.49	116.54
1	B	149	ARG	CB-CA-C	-5.21	110.55	116.54
1	B	134	ARG	N-CA-C	5.19	118.52	110.17
1	B	127	VAL	N-CA-C	5.15	117.17	112.43
1	A	217	ALA	N-CA-C	5.13	117.74	110.50
1	B	221	PRO	N-CA-C	5.08	120.70	114.35
1	A	102	VAL	N-CA-C	5.06	115.78	110.62
1	D	211	HIS	N-CA-C	5.04	117.18	110.53
1	D	127	VAL	N-CA-C	5.03	117.02	112.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1273	6	1187	17	0
1	B	1273	6	1187	19	0
1	C	1273	6	1187	12	0
1	D	1273	6	1187	24	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
3	D	3	0	0	0	0
4	A	196	0	0	5	0
4	B	165	0	0	5	0
4	C	176	0	0	5	0
4	D	115	0	0	6	0
All	All	5764	24	4748	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:LYS:HB2	1:D:110:LYS:HD2	1.51	0.90
1:A:93:ARG:HD2	1:A:93:ARG:H	1.45	0.82
1:B:110:LYS:HB2	1:D:110:LYS:CD	2.19	0.71
1:D:129:PRO:HB3	1:D:250:PRO:CD	2.24	0.67
1:B:149:ARG:HG2	1:B:149:ARG:HH11	1.57	0.67
1:A:227:THR:HA	4:A:422:HOH:O	1.93	0.67
1:B:179:HIS:HB3	4:B:1048:HOH:O	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ARG:H	1:A:93:ARG:CD	2.09	0.65
1:A:93:ARG:NH2	1:A:171:GLY:HA2	2.13	0.63
1:C:89:ILE:CB	1:C:90:PRO:HD3	2.31	0.61
1:C:120:ALA:O	1:C:123:VAL:HG22	2.03	0.58
1:A:148:VAL:HG12	1:A:149:ARG:HG2	1.84	0.58
1:C:225:SER:HB3	4:C:2106:HOH:O	2.04	0.58
1:A:93:ARG:HH21	1:A:171:GLY:HA2	1.68	0.57
1:B:93:ARG:H	1:B:93:ARG:CZ	2.17	0.57
1:D:119:LYS:HA	1:D:119:LYS:HE2	1.86	0.57
1:C:93:ARG:NH1	1:D:129:PRO:HA	2.19	0.57
1:C:190:THR:HG23	1:C:226:LEU:O	2.05	0.56
1:A:191:THR:HA	4:A:398:HOH:O	2.05	0.56
1:B:128:THR:HB	1:B:129:PRO:HD2	1.87	0.56
1:A:218:LEU:HD12	1:A:234:LEU:CD2	2.35	0.56
1:A:120:ALA:O	1:A:123:VAL:HG22	2.06	0.54
1:C:139:GLU:HB3	4:C:2044:HOH:O	2.08	0.54
1:D:129:PRO:HB3	1:D:250:PRO:HD3	1.91	0.53
1:B:110:LYS:H	1:D:110:LYS:HE3	1.73	0.52
1:B:120:ALA:O	1:B:123:VAL:HG22	2.10	0.52
1:C:210:PHE:HE2	4:C:58:HOH:O	1.93	0.52
1:D:107:ASP:HB2	1:D:108:LEU:HD23	1.91	0.52
1:A:128:THR:HB	1:A:129:PRO:HD2	1.92	0.51
1:A:169:ALA:O	1:A:175:ASN:HB3	2.10	0.51
1:B:92:TRP:HA	1:B:93:ARG:NH1	2.26	0.51
1:C:101:ILE:HD12	1:C:134:ARG:HH12	1.77	0.50
1:C:190:THR:HG22	1:C:190:THR:O	2.11	0.49
1:B:169:ALA:O	1:B:175:ASN:HB3	2.12	0.49
1:D:236:GLN:HG3	1:D:240:ASN:HD21	1.77	0.49
1:D:111:ASP:HB2	4:D:3017:HOH:O	2.12	0.49
1:B:218:LEU:HD12	1:B:234:LEU:HD21	1.93	0.49
1:B:111:ASP:HB2	4:B:5024:HOH:O	2.14	0.47
1:A:190:THR:HA	4:A:421:HOH:O	2.14	0.47
1:B:228:ASP:OD1	1:B:230:THR:HB	2.14	0.47
1:A:142:ILE:HG23	1:A:176:GLY:O	2.15	0.47
1:B:98:THR:HB	1:B:135:LEU:HD13	1.98	0.46
1:C:89:ILE:N	1:C:170:PRO:O	2.48	0.46
1:D:158:ASP:OD2	1:D:163:VAL:HG12	2.16	0.46
1:B:225:SER:HB2	4:B:1107:HOH:O	2.16	0.46
1:D:110:LYS:HA	1:D:110:LYS:HD3	1.80	0.46
1:D:215:THR:HB	4:D:3076:HOH:O	2.16	0.45
1:D:122:LYS:O	1:D:126:GLU:HG2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:LYS:O	1:A:126:GLU:HG3	2.17	0.45
1:D:110:LYS:HD3	4:D:3015:HOH:O	2.16	0.45
1:A:90:PRO:HB3	4:A:308:HOH:O	2.17	0.44
1:D:128:THR:HB	1:D:129:PRO:HD2	1.99	0.44
1:B:90:PRO:HA	4:B:1005:HOH:O	2.16	0.44
1:B:92:TRP:HE3	1:B:93:ARG:HH22	1.66	0.44
1:D:163:VAL:HG11	4:D:3044:HOH:O	2.17	0.44
1:D:96:HIS:HD2	1:D:131:THR:OG1	2.01	0.43
1:D:120:ALA:O	1:D:123:VAL:HG22	2.18	0.43
1:D:89:ILE:N	4:D:3001:HOH:O	2.51	0.43
1:C:179:HIS:HE1	4:C:2058:HOH:O	2.01	0.43
1:B:150:GLU:HB3	4:B:1052:HOH:O	2.18	0.42
1:C:188:LYS:HG2	4:C:2091:HOH:O	2.19	0.42
1:A:190:THR:HG22	4:A:421:HOH:O	2.19	0.42
1:D:89:ILE:N	4:D:3002:HOH:O	2.53	0.42
1:D:108:LEU:HD23	1:D:108:LEU:N	2.35	0.41
1:A:249:PRO:HA	1:A:250:PRO:HD3	1.95	0.41
1:D:198:VAL:O	1:D:202:GLU:HG2	2.20	0.41
1:D:125:GLU:HG3	1:D:130:LEU:O	2.21	0.40
1:B:218:LEU:HD12	1:B:234:LEU:CD2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/162 (99%)	153 (96%)	6 (4%)	1 (1%)	21	17
1	B	160/162 (99%)	151 (94%)	9 (6%)	0	100	100
1	C	160/162 (99%)	154 (96%)	5 (3%)	1 (1%)	21	17
1	D	160/162 (99%)	155 (97%)	5 (3%)	0	100	100
All	All	640/648 (99%)	613 (96%)	25 (4%)	2 (0%)	36	35

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	THR
1	C	90	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/137 (98%)	128 (96%)	6 (4%)	24	23
1	B	134/137 (98%)	128 (96%)	6 (4%)	24	23
1	C	134/137 (98%)	129 (96%)	5 (4%)	30	30
1	D	134/137 (98%)	123 (92%)	11 (8%)	10	7
All	All	536/548 (98%)	508 (95%)	28 (5%)	21	18

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	93	ARG
1	A	122	LYS
1	A	193	THR
1	A	195	LEU
1	A	209	LEU
1	A	218	LEU
1	B	93	ARG
1	B	97	LEU
1	B	111	ASP
1	B	149	ARG
1	B	197	LEU
1	B	218	LEU
1	C	111	ASP
1	C	163	VAL
1	C	189	ASP
1	C	195	LEU
1	C	197	LEU
1	D	108	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	119	LYS
1	D	122	LYS
1	D	149	ARG
1	D	163	VAL
1	D	195	LEU
1	D	197	LEU
1	D	207	LEU
1	D	209	LEU
1	D	218	LEU
1	D	225	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	GLN
1	A	236	GLN
1	A	243	GLN
1	B	243	GLN
1	D	96	HIS
1	D	236	GLN
1	D	240	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 20 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.