



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 07:52 PM UTC

PDB ID : 3QIU / pdb_00003qiu
Title : Crystal structure of the 226 TCR in complex with MCC/I-Ek
Authors : Kruse, A.C.; Ely, L.K.; Newell, E.W.; Davis, M.M.; Garcia, K.C.
Deposited on : 2011-01-27
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	179	0% 78% 22%
2	B	196	4% 61% 23% 15%
3	C	205	10% 66% 21% 13%
4	D	243	6% 72% 25%
5	E	13	69% 31%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	A	901	X	-	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H-2 CLASS II HISTOCOMPATIBILITY ANTIGEN, E-K alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	179	Total	C	N	O	S	0	0	0
			1473	948	241	280	4			

- Molecule 2 is a protein called MHC CLASS II H2-IA-BETA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	167	Total	C	N	O	S	0	0	0
			1393	889	237	261	6			

- Molecule 3 is a protein called TCR 226 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	178	Total	C	N	O	S	0	0	0
			1388	862	242	276	8			

- Molecule 4 is a protein called TCR 226 beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	238	Total	C	N	O	S	0	0	0
			1901	1200	331	360	10			

- Molecule 5 is a protein called MCC peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	13	Total	C	N	O	0	0	0
			97	63	16	18			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	14	GLY	-	expression tag	UNP P00039

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	37	Total	O	0	0
			37	37		
7	B	17	Total	O	0	0
			17	17		
7	C	13	Total	O	0	0
			13	13		
7	D	28	Total	O	0	0
			28	28		
7	E	4	Total	O	0	0
			4	4		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: H-2 CLASS II HISTOCOMPATIBILITY ANTIGEN, E-K alpha chain





● Molecule 5: MCC peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.79Å 71.40Å 106.07Å 90.00° 90.75° 90.00°	Depositor
Resolution (Å)	36.58 – 2.70 36.58 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (36.58-2.70) 99.9 (36.58-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.68Å)	Xtriage
Refinement program	PHENIX 1.6 _289	Depositor
R, R_{free}	0.215 , 0.254 0.210 , 0.251	Depositor DCC
R_{free} test set	1528 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	47.8	Xtriage
Anisotropy	0.357	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 27.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.017 for k,h,-l 0.017 for -k,-h,-l 0.030 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6379	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/1516	0.68	0/2062
2	B	0.28	0/1428	0.77	3/1941 (0.2%)
3	C	0.27	0/1412	0.69	0/1903
4	D	0.27	0/1948	0.69	0/2642
5	E	0.24	0/97	0.52	0/129
All	All	0.27	0/6401	0.70	3/8677 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	78	VAL	N-CA-C	5.64	116.41	111.56
2	B	124	PRO	CA-C-N	5.09	125.59	120.00
2	B	124	PRO	C-N-CA	5.09	125.59	120.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1473	0	1389	25	0
2	B	1393	0	1323	36	0
3	C	1388	0	1330	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	1901	0	1825	47	0
5	E	97	0	104	6	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
7	A	37	0	0	0	0
7	B	17	0	0	0	0
7	C	13	0	0	0	0
7	D	28	0	0	0	0
7	E	4	0	0	0	0
All	All	6379	0	5997	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:173:CYS:H	2:B:186:VAL:HG23	1.34	0.90
4:D:2:MET:HG3	4:D:27:LYS:HB2	1.60	0.83
1:A:135:THR:HG22	1:A:148:PHE:H	1.46	0.81
3:C:108:LEU:HD21	3:C:166:LYS:HD2	1.65	0.79
3:C:78:LEU:H	3:C:78:LEU:HD12	1.49	0.77
2:B:66:GLU:HG2	4:D:100:ASN:HD21	1.50	0.77
5:E:10:GLN:HE21	5:E:11:ALA:H	1.33	0.76
4:D:180:GLN:O	4:D:186:SER:HB2	1.87	0.73
1:A:174:LEU:HD23	1:A:175:ARG:N	2.03	0.73
1:A:36:ILE:HG23	1:A:60:LEU:HD22	1.69	0.72
2:B:116:VAL:HG22	2:B:160:MET:HG2	1.72	0.72
1:A:135:THR:CG2	1:A:148:PHE:H	2.05	0.70
3:C:108:LEU:HD22	3:C:157:VAL:HG21	1.74	0.69
4:D:61:THR:HA	4:D:65:PHE:CD2	2.29	0.68
2:B:173:CYS:N	2:B:186:VAL:HG23	2.09	0.67
2:B:66:GLU:CG	4:D:100:ASN:HD21	2.08	0.67
4:D:22:ARG:HH12	4:D:24:ILE:HD11	1.59	0.67
2:B:19:ASN:HB3	2:B:22:GLN:HB2	1.78	0.64
3:C:94:GLN:O	3:C:94:GLN:HG3	1.96	0.64
4:D:47:ILE:HG13	4:D:57:GLN:HB3	1.81	0.63
1:A:174:LEU:HD23	1:A:174:LEU:C	2.23	0.62
4:D:61:THR:HA	4:D:65:PHE:HD2	1.62	0.62
2:B:19:ASN:ND2	2:B:22:GLN:HG3	2.15	0.62
4:D:117:LEU:HD13	4:D:217:LEU:HD22	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:52:GLU:HA	2:B:55:ARG:HD3	1.82	0.61
3:C:122:ASP:HB3	3:C:125:SER:O	2.00	0.61
1:A:135:THR:HG23	1:A:136:VAL:O	2.01	0.60
2:B:31:PHE:CE2	2:B:36:GLU:HB2	2.36	0.60
4:D:70:PRO:HB2	4:D:73:SER:HB3	1.83	0.60
5:E:10:GLN:NE2	5:E:10:GLN:HA	2.16	0.59
1:A:168:TRP:CD2	2:B:4:ARG:HD3	2.38	0.59
3:C:39:ARG:O	4:D:9:ARG:NH2	2.35	0.58
3:C:108:LEU:HD21	3:C:166:LYS:CB	2.34	0.57
3:C:108:LEU:CD2	3:C:157:VAL:HG21	2.34	0.57
4:D:202:GLN:HA	4:D:242:ARG:O	2.04	0.57
2:B:67:PHE:CE1	2:B:71:LYS:HE3	2.39	0.57
3:C:36:LYS:NZ	4:D:37:GLN:OE1	2.39	0.56
4:D:127:VAL:HG23	4:D:237:ALA:HB3	1.87	0.56
3:C:29:ARG:HG3	3:C:89:GLU:O	2.06	0.56
2:B:74:GLU:HA	2:B:77:THR:OG1	2.05	0.55
3:C:151:TYR:C	3:C:152:ILE:HD12	2.32	0.55
4:D:14:GLY:HA2	4:D:114:ILE:O	2.06	0.55
3:C:11:SER:HB3	3:C:107:TYR:CE2	2.42	0.54
3:C:54:GLU:HG2	3:C:59:LYS:HB2	1.90	0.54
3:C:14:GLU:CD	3:C:108:LEU:HD12	2.32	0.53
3:C:108:LEU:HD21	3:C:166:LYS:HB3	1.90	0.53
1:A:114:PRO:HB3	2:B:6:TRP:CE3	2.44	0.52
3:C:3:VAL:HG11	3:C:86:CYS:SG	2.48	0.52
3:C:29:ARG:NH2	5:E:7:TYR:O	2.41	0.52
1:A:59:ALA:O	1:A:63:ILE:HG12	2.09	0.52
4:D:223:TRP:CZ2	4:D:225:GLN:HB3	2.45	0.52
4:D:22:ARG:NH1	4:D:24:ILE:HD11	2.25	0.52
4:D:21:MET:HG2	4:D:109:THR:HG21	1.92	0.52
4:D:218:SER:H	4:D:221:ASP:HB2	1.74	0.51
3:C:79:GLU:H	3:C:79:GLU:CD	2.18	0.51
3:C:110:ILE:HG13	3:C:137:ASP:HA	1.93	0.51
1:A:174:LEU:C	1:A:174:LEU:CD2	2.83	0.51
3:C:130:VAL:HG13	4:D:128:PHE:CE1	2.45	0.51
1:A:177:HIS:NE2	1:A:179:GLU:HG3	2.27	0.50
3:C:150:VAL:HG12	3:C:152:ILE:HD11	1.94	0.50
2:B:133:ARG:HB2	2:B:138:GLU:OE1	2.12	0.50
1:A:140:ARG:HB2	1:A:142:ASP:OD1	2.12	0.49
3:C:29:ARG:HG2	3:C:91:SER:HA	1.93	0.49
4:D:117:LEU:O	4:D:120:VAL:HG23	2.13	0.49
3:C:35:ARG:HB2	3:C:45:LEU:HD11	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:PHE:C	1:A:12:PHE:CD1	2.90	0.49
4:D:61:THR:HG23	4:D:65:PHE:HB2	1.94	0.49
2:B:101:VAL:HG21	2:B:186:VAL:HG22	1.95	0.49
1:A:26:PHE:HB2	1:A:31:ILE:HD11	1.94	0.49
2:B:71:LYS:NZ	5:E:8:LEU:HD23	2.28	0.48
4:D:26:GLU:HB2	4:D:29:HIS:CG	2.49	0.48
4:D:65:PHE:CE1	4:D:79:ILE:HG12	2.48	0.48
2:B:68:LEU:O	2:B:72:ARG:HG3	2.12	0.48
3:C:108:LEU:HD21	3:C:166:LYS:CD	2.40	0.48
4:D:68:GLU:C	4:D:70:PRO:HD3	2.39	0.47
2:B:66:GLU:H	2:B:66:GLU:CD	2.21	0.47
2:B:70:GLN:HB2	3:C:47:TYR:OH	2.15	0.47
4:D:157:LEU:HD23	4:D:158:SER:N	2.30	0.47
3:C:78:LEU:H	3:C:78:LEU:CD1	2.25	0.46
4:D:180:GLN:O	4:D:186:SER:CB	2.62	0.46
4:D:24:ILE:HG12	4:D:74:PRO:HB3	1.97	0.46
4:D:178:LYS:HD3	4:D:186:SER:HB3	1.97	0.46
2:B:131:TRP:CD1	2:B:161:LEU:HB2	2.50	0.46
2:B:185:THR:O	2:B:186:VAL:C	2.59	0.46
4:D:177:LEU:HD12	4:D:177:LEU:O	2.16	0.46
4:D:227:ARG:HH12	4:D:230:PRO:HG3	1.80	0.46
1:A:140:ARG:HD3	1:A:144:LEU:C	2.41	0.46
1:A:117:VAL:HG12	1:A:167:HIS:HD2	1.81	0.46
3:C:31:VAL:HG22	3:C:32:GLN:N	2.30	0.46
3:C:120:LEU:HD12	3:C:120:LEU:N	2.29	0.46
5:E:10:GLN:HE21	5:E:11:ALA:N	2.08	0.46
2:B:142:ILE:HD11	2:B:161:LEU:HD13	1.97	0.46
4:D:18:LYS:HE2	4:D:78:GLU:OE2	2.17	0.46
4:D:177:LEU:HD12	4:D:177:LEU:C	2.40	0.45
1:A:124:ASN:HA	1:A:160:PHE:CZ	2.52	0.45
1:A:78:ASN:O	1:A:79:ASN:HB2	2.16	0.45
4:D:37:GLN:O	4:D:88:ALA:HB1	2.17	0.45
2:B:53:LEU:HD12	2:B:53:LEU:HA	1.82	0.45
4:D:156:GLU:HB2	4:D:213:GLN:HB3	1.99	0.45
3:C:47:TYR:CD2	3:C:47:TYR:C	2.94	0.45
4:D:123:PRO:HA	4:D:150:PHE:HB3	1.99	0.45
1:A:113:SER:HA	1:A:114:PRO:C	2.41	0.44
1:A:87:PRO:HB3	1:A:112:PHE:HB3	2.00	0.44
3:C:118:TYR:CE2	4:D:134:GLU:HG3	2.53	0.44
4:D:31:VAL:HB	4:D:95:SER:HB3	2.00	0.44
4:D:36:GLN:HB2	4:D:46:LEU:HD11	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:123:PRO:CA	4:D:150:PHE:HB3	2.48	0.43
2:B:123:TYR:CG	2:B:124:PRO:HA	2.53	0.43
2:B:75:VAL:O	2:B:79:CYS:HB2	2.19	0.43
4:D:58:ILE:HG13	4:D:61:THR:H	1.82	0.43
3:C:52:THR:HG22	3:C:53:LYS:N	2.33	0.43
4:D:229:LYS:HE3	4:D:231:VAL:CG1	2.49	0.43
1:A:162:ASP:HB3	1:A:175:ARG:HG3	1.99	0.43
3:C:48:LEU:N	3:C:48:LEU:HD23	2.34	0.43
2:B:19:ASN:HD22	2:B:22:GLN:HG3	1.83	0.43
2:B:177:HIS:CD2	2:B:178:PRO:HD2	2.54	0.42
1:A:79:ASN:O	1:A:81:PRO:HD3	2.19	0.42
2:B:40:PHE:HB2	2:B:47:PHE:CE2	2.55	0.42
3:C:157:VAL:HG23	3:C:167:SER:O	2.19	0.42
2:B:10:TYR:HB3	2:B:31:PHE:HB2	2.02	0.41
2:B:172:THR:HA	2:B:186:VAL:CG2	2.50	0.41
4:D:218:SER:O	4:D:221:ASP:HB2	2.20	0.41
3:C:35:ARG:HD3	3:C:84:TYR:CZ	2.55	0.41
1:A:9:GLN:HB3	2:B:13:SER:HB2	2.03	0.41
4:D:80:GLN:HA	4:D:80:GLN:OE1	2.19	0.41
4:D:114:ILE:HG22	4:D:115:GLU:N	2.36	0.41
2:B:62:ASN:HA	2:B:68:LEU:HD11	2.03	0.41
4:D:49:PHE:CZ	4:D:54:VAL:HG22	2.56	0.41
3:C:185:PHE:O	3:C:186:ASN:C	2.63	0.41
1:A:151:LEU:CD1	1:A:153:PHE:HB3	2.51	0.41
2:B:24:VAL:HG12	2:B:75:VAL:HG13	2.03	0.41
2:B:70:GLN:O	2:B:74:GLU:HG3	2.21	0.41
1:A:11:GLU:OE1	1:A:62:ASN:HB3	2.21	0.40
3:C:32:GLN:HG2	3:C:46:PHE:O	2.21	0.40
2:B:30:TYR:OH	5:E:10:GLN:NE2	2.54	0.40
2:B:102:TYR:HA	2:B:103:PRO:HD3	1.89	0.40
4:D:8:PRO:O	4:D:109:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/179 (99%)	172 (97%)	5 (3%)	0	100	100
2	B	159/196 (81%)	153 (96%)	6 (4%)	0	100	100
3	C	172/205 (84%)	167 (97%)	5 (3%)	0	100	100
4	D	232/243 (96%)	221 (95%)	11 (5%)	0	100	100
5	E	11/13 (85%)	11 (100%)	0	0	100	100
All	All	751/836 (90%)	724 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	162/162 (100%)	158 (98%)	4 (2%)	42	71
2	B	157/182 (86%)	154 (98%)	3 (2%)	50	77
3	C	155/181 (86%)	153 (99%)	2 (1%)	61	83
4	D	210/215 (98%)	209 (100%)	1 (0%)	81	92
5	E	9/9 (100%)	9 (100%)	0	100	100
All	All	693/749 (92%)	683 (99%)	10 (1%)	59	82

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	118	ASN
1	A	152	THR
1	A	154	LEU
1	A	181	GLU
2	B	126	ASN
2	B	140	THR
2	B	186	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	65	LYS
3	C	156	CYS
4	D	2	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	16	HIS
2	B	64	GLN
2	B	126	ASN
2	B	156	GLN
2	B	174	GLN
3	C	72	HIS
3	C	139	GLN
4	D	15	GLN
4	D	57	GLN
4	D	98	ASN
4	D	100	ASN
4	D	119	ASN
5	E	10	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	901	2	14,14,15	0.48	0	17,19,21	0.70	0
6	NAG	A	901	1	14,14,15	0.55	0	17,19,21	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	901	2	-	2/6/23/26	0/1/1/1
6	NAG	A	901	1	1/1/5/7	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	901	NAG	C1

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	901	NAG	C8-C7-N2-C2
6	A	901	NAG	O7-C7-N2-C2
6	A	901	NAG	O5-C5-C6-O6
6	A	901	NAG	C4-C5-C6-O6
6	B	901	NAG	C8-C7-N2-C2
6	B	901	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	179/179 (100%)	-0.19	1 (0%) 85 85	26, 39, 64, 82	0
2	B	167/196 (85%)	0.12	8 (4%) 35 32	29, 41, 75, 84	0
3	C	178/205 (86%)	0.51	20 (11%) 10 8	29, 50, 90, 101	0
4	D	238/243 (97%)	0.33	15 (6%) 26 23	29, 45, 79, 111	0
5	E	13/13 (100%)	-0.17	0 100 100	28, 32, 51, 53	0
All	All	775/836 (92%)	0.20	44 (5%) 29 26	26, 43, 79, 111	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	D	224	THR	4.3
4	D	100	ASN	4.1
3	C	40	GLY	4.1
4	D	2	MET	4.0
4	D	61	THR	3.8
4	D	114	ILE	3.5
2	B	164	VAL	3.5
3	C	126	SER	3.2
2	B	114	LEU	3.1
2	B	143	VAL	3.1
3	C	174	SER	3.1
3	C	112	ASN	3.1
3	C	107	TYR	3.1
3	C	37	ASN	3.0
3	C	128	LYS	3.0
3	C	42	LEU	2.9
3	C	125	SER	2.8
3	C	94	GLN	2.8
4	D	65	PHE	2.8
3	C	144	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	D	182	ALA	2.7
4	D	185	ASP	2.7
3	C	13	HIS	2.6
4	D	39	LYS	2.6
3	C	182	ALA	2.6
4	D	3	LYS	2.5
3	C	38	SER	2.4
3	C	147	ASP	2.4
4	D	22	ARG	2.4
2	B	136	LYS	2.3
2	B	133	ARG	2.3
3	C	39	ARG	2.3
3	C	41	SER	2.3
4	D	218	SER	2.3
4	D	221	ASP	2.3
1	A	3	GLU	2.2
3	C	180	ALA	2.2
3	C	109	HIS	2.2
4	D	216	GLY	2.2
2	B	145	THR	2.2
2	B	76	ASP	2.0
4	D	240	TRP	2.0
3	C	140	THR	2.0
2	B	186	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	B	901	14/15	0.54	0.15	80,88,98,104	0
6	NAG	A	901	14/15	0.82	0.13	57,61,70,70	0

6.5 Other polymers [i](#)

There are no such residues in this entry.