



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:10 PM UTC

PDB ID : 4QID / pdb_00004qid
Title : Crystal structure of Haloquadratum walsbyi bacteriorhodopsin
Authors : Wang, A.H.J.; Hsu, M.F.; Yang, C.S.; Fu, H.Y.
Deposited on : 2014-05-30
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	262	
1	B	262	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	RET	A	301	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3661 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriorhodopsin-I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	228	Total	C	N	O	S	0	0	0
			1755	1169	270	309	7			
1	B	224	Total	C	N	O	S	0	0	0
			1732	1155	266	305	6			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q18DH8
A	2	ALA	-	expression tag	UNP Q18DH8
A	255	LEU	-	expression tag	UNP Q18DH8
A	256	GLU	-	expression tag	UNP Q18DH8
A	257	HIS	-	expression tag	UNP Q18DH8
A	258	HIS	-	expression tag	UNP Q18DH8
A	259	HIS	-	expression tag	UNP Q18DH8
A	260	HIS	-	expression tag	UNP Q18DH8
A	261	HIS	-	expression tag	UNP Q18DH8
A	262	HIS	-	expression tag	UNP Q18DH8
B	1	MET	-	expression tag	UNP Q18DH8
B	2	ALA	-	expression tag	UNP Q18DH8
B	255	LEU	-	expression tag	UNP Q18DH8
B	256	GLU	-	expression tag	UNP Q18DH8
B	257	HIS	-	expression tag	UNP Q18DH8
B	258	HIS	-	expression tag	UNP Q18DH8
B	259	HIS	-	expression tag	UNP Q18DH8
B	260	HIS	-	expression tag	UNP Q18DH8
B	261	HIS	-	expression tag	UNP Q18DH8
B	262	HIS	-	expression tag	UNP Q18DH8

- Molecule 2 is RETINAL (CCD ID: RET) (formula: C₂₀H₂₈O).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C	0	0
			20	20		
2	B	1	Total	C	0	0
			20	20		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is [(Z)-octadec-9-enyl] (2R)-2,3-bis(oxidanyl)propanoate (CCD ID: MPG) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			24	21	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	57	Total	O	0	0
			57	57		
5	B	45	Total	O	0	0
			45	45		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	131.94Å 29.80Å 124.97Å 90.00° 118.76° 90.00°	Depositor
Resolution (Å)	28.87 – 2.57 28.87 – 2.57	Depositor EDS
% Data completeness (in resolution range)	97.3 (28.87-2.57) 97.5 (28.87-2.57)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.57Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.207 , 0.229 0.200 , 0.221	Depositor DCC
R_{free} test set	691 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	47.9	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 61.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3661	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, MPG, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	1/1794 (0.1%)	1.12	2/2448 (0.1%)
1	B	0.98	0/1771	1.07	1/2418 (0.0%)
All	All	1.04	1/3565 (0.0%)	1.09	3/4866 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	154	VAL	C-O	-6.20	1.17	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	ILE	N-CA-C	6.07	116.25	110.42
1	A	216	PHE	N-CA-C	-5.58	105.35	111.82
1	B	128	VAL	N-CA-C	5.31	115.52	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1755	0	1801	61	1
1	B	1732	0	1775	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	20	0	27	16	0
2	B	20	0	27	4	0
3	A	8	0	6	0	0
4	B	24	0	40	3	0
5	A	57	0	0	1	2
5	B	45	0	0	2	0
All	All	3661	0	3676	113	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:LYS:NZ	2:A:301:RET:C15	1.75	1.47
1:A:224:LYS:HZ1	2:A:301:RET:C15	1.33	1.36
1:A:224:LYS:NZ	2:A:301:RET:C14	2.24	0.99
1:A:224:LYS:HZ1	2:A:301:RET:C14	1.77	0.98
1:A:224:LYS:HZ2	2:A:301:RET:C15	1.60	0.90
1:A:114:ARG:NH1	5:A:428:HOH:O	2.14	0.80
1:A:224:LYS:CE	2:A:301:RET:C15	2.62	0.77
2:A:301:RET:H8	2:A:301:RET:H161	1.70	0.73
2:B:301:RET:H8	2:B:301:RET:H161	1.72	0.71
1:A:22:LEU:HB2	1:A:217:MET:HE2	1.73	0.70
1:B:103:LEU:HD22	1:B:107:LEU:HD22	1.76	0.67
1:A:19:TRP:HA	1:A:217:MET:HE3	1.80	0.64
1:A:224:LYS:NZ	2:A:301:RET:H14	2.13	0.63
1:A:146:TRP:O	1:A:150:THR:HG23	1.99	0.62
1:A:37:ASP:OD2	1:A:50:TYR:OH	2.17	0.62
1:B:72:GLY:HA2	1:B:88:TRP:CE2	2.35	0.61
1:A:235:ARG:HG3	1:A:238:MET:SD	2.42	0.60
1:A:28:LEU:HA	1:A:31:MET:HE2	1.82	0.60
1:B:188:VAL:HG13	1:B:189:THR:HG23	1.84	0.60
1:A:192:ILE:HG22	1:A:219:LEU:HD11	1.84	0.60
1:A:76:VAL:HB	1:A:84:VAL:HG12	1.85	0.58
1:A:46:GLN:HG3	1:A:237:ILE:HD12	1.85	0.58
1:A:60:ALA:HB2	1:A:224:LYS:HE2	1.87	0.56
1:B:82:ARG:NH2	1:B:201:THR:O	2.39	0.56
1:A:189:THR:HG21	1:A:222:VAL:CG2	2.35	0.56
1:A:189:THR:HG21	1:A:222:VAL:HG22	1.88	0.56
1:A:153:MET:HE3	2:A:301:RET:H181	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:LEU:HD22	1:A:107:LEU:HD22	1.89	0.55
1:A:94:TRP:CD1	2:A:301:RET:H14	2.41	0.55
1:A:39:LEU:HD11	1:B:21:ALA:HB1	1.89	0.55
1:A:122:ILE:HD11	1:A:152:SER:O	2.07	0.55
1:B:41:VAL:HG13	1:B:46:GLN:HB3	1.89	0.55
1:B:113:GLN:N	1:B:113:GLN:OE1	2.40	0.54
1:B:72:GLY:HA2	1:B:88:TRP:CZ2	2.42	0.54
1:A:129:THR:HG21	1:A:148:ILE:HD11	1.89	0.54
1:B:31:MET:HG3	1:B:57:PRO:HG2	1.91	0.53
1:B:99:PRO:HB3	1:B:120:VAL:HB	1.91	0.53
1:A:126:MET:SD	1:A:153:MET:HB2	2.48	0.53
1:A:218:VAL:O	1:A:222:VAL:HG12	2.08	0.53
1:B:144:ALA:O	1:B:148:ILE:HG23	2.09	0.53
1:B:129:THR:HG21	1:B:148:ILE:HD11	1.90	0.53
1:A:39:LEU:HD11	1:B:21:ALA:CB	2.38	0.52
1:B:14:GLU:CD	1:B:15:GLY:H	2.17	0.52
1:A:98:THR:O	1:A:102:LEU:HD22	2.09	0.51
1:B:124:ALA:O	1:B:128:VAL:HG12	2.11	0.51
1:A:129:THR:CG2	1:A:148:ILE:HD11	2.41	0.51
1:B:209:LEU:O	1:B:213:THR:OG1	2.21	0.51
1:B:97:THR:HG21	1:B:224:LYS:NZ	2.27	0.50
1:B:46:GLN:HG3	1:B:237:ILE:HD12	1.92	0.50
1:A:194:PRO:HB3	2:A:301:RET:H183	1.94	0.49
1:A:119:LEU:HD23	1:A:156:LEU:CD2	2.43	0.49
1:A:47:LYS:O	1:A:51:VAL:HG12	2.12	0.49
1:B:182:LEU:HD11	1:B:231:LEU:HD13	1.96	0.48
1:A:224:LYS:HZ2	2:A:301:RET:C14	2.09	0.47
1:B:97:THR:HG21	1:B:224:LYS:HE3	1.96	0.47
1:A:153:MET:HE1	1:A:194:PRO:HD3	1.96	0.47
1:B:23:GLY:O	1:B:27:MET:HB2	2.13	0.47
1:B:50:TYR:CE2	1:B:232:LEU:HG	2.49	0.47
1:B:94:TRP:CD1	2:B:301:RET:H14	2.49	0.47
2:B:301:RET:H8	2:B:301:RET:C16	2.42	0.47
1:B:144:ALA:O	1:B:147:THR:OG1	2.26	0.47
1:A:146:TRP:CD1	2:A:301:RET:H31	2.50	0.46
1:B:232:LEU:HD12	1:B:237:ILE:HD11	1.98	0.46
1:B:160:LEU:O	1:B:164:PHE:HB2	2.15	0.46
1:A:183:ARG:NH1	1:A:184:ASN:OD1	2.45	0.46
1:B:97:THR:HG21	1:B:224:LYS:CE	2.46	0.46
1:A:201:THR:HG23	1:A:208:GLY:HA2	1.98	0.45
1:A:192:ILE:O	1:A:195:VAL:HG13	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:31:MET:HE2	1:B:58:ALA:HA	1.98	0.45
1:B:102:LEU:HD12	1:B:105:ILE:HD11	1.99	0.45
1:A:74:THR:HG22	1:A:88:TRP:HD1	1.82	0.45
1:A:146:TRP:CD1	1:A:197:TRP:CE3	3.05	0.44
1:B:72:GLY:HA2	1:B:88:TRP:NE1	2.32	0.44
1:A:190:TRP:HA	1:A:193:TYR:HD1	1.81	0.44
2:A:301:RET:H181	2:A:301:RET:H7	1.65	0.44
2:A:301:RET:H11	2:A:301:RET:H191	1.83	0.44
1:B:64:TYR:HA	1:B:67:MET:HE3	2.00	0.44
1:B:50:TYR:CZ	1:B:232:LEU:HG	2.53	0.44
1:B:105:ILE:H	1:B:105:ILE:HG13	1.66	0.44
1:A:69:PHE:CE2	1:B:51:VAL:HB	2.53	0.43
1:A:182:LEU:HD23	1:A:182:LEU:HA	1.84	0.43
1:B:77:SER:HA	1:B:83:VAL:HA	2.00	0.43
1:B:21:ALA:HB2	1:B:68:PHE:CE1	2.53	0.43
1:A:56:ILE:CG2	1:A:224:LYS:HG2	2.48	0.43
1:B:74:THR:HG22	5:B:432:HOH:O	2.19	0.43
1:B:102:LEU:HA	1:B:105:ILE:HD11	2.01	0.43
1:A:182:LEU:HD11	1:A:231:LEU:HB2	2.00	0.43
1:A:29:LEU:HD23	1:A:29:LEU:HA	1.83	0.43
1:A:153:MET:HE1	1:A:190:TRP:O	2.19	0.43
1:A:22:LEU:HB2	1:A:217:MET:CE	2.46	0.42
1:A:56:ILE:HD13	1:A:101:LEU:HD23	2.01	0.42
1:A:190:TRP:HA	1:A:193:TYR:CD1	2.54	0.42
1:B:175:THR:HG22	1:B:236:ALA:HB1	2.00	0.42
1:A:31:MET:HE3	1:B:28:LEU:HD13	2.01	0.42
1:A:72:GLY:HA2	1:A:88:TRP:CE2	2.55	0.42
1:B:181:ALA:HA	4:B:302:MPG:H122	2.02	0.42
1:A:122:ILE:HD11	1:A:152:SER:C	2.45	0.42
1:B:153:MET:HE2	1:B:153:MET:HB3	1.89	0.42
1:A:18:ILE:HD13	1:A:19:TRP:CE2	2.55	0.41
1:B:194:PRO:HB3	2:B:301:RET:H183	2.01	0.41
1:A:149:SER:OG	2:A:301:RET:H41	2.20	0.41
1:A:19:TRP:HB2	1:A:213:THR:HG22	2.01	0.41
1:A:127:ILE:HD13	1:A:127:ILE:HA	1.87	0.41
1:B:146:TRP:CD1	1:B:197:TRP:CE3	3.09	0.41
1:B:177:SER:HA	4:B:302:MPG:H41C	2.01	0.41
1:B:37:ASP:OD2	1:B:50:TYR:OH	2.26	0.41
1:A:18:ILE:HD12	1:A:19:TRP:H	1.86	0.41
1:A:55:LEU:HD23	1:A:55:LEU:HA	1.76	0.41
1:B:93:ASP:O	1:B:97:THR:HB	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:ASN:O	1:B:188:VAL:HG12	2.21	0.41
1:B:201:THR:HG21	1:B:209:LEU:HD13	2.01	0.41
1:B:233:ARG:HA	1:B:233:ARG:HD2	1.68	0.41
4:B:302:MPG:H62C	5:B:424:HOH:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:LYS:NZ	5:A:452:HOH:O[1_565]	2.06	0.14
5:A:442:HOH:O	5:A:442:HOH:O[2_556]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/262 (86%)	215 (95%)	10 (4%)	1 (0%)	30	49
1	B	222/262 (85%)	212 (96%)	9 (4%)	1 (0%)	24	44
All	All	448/524 (86%)	427 (95%)	19 (4%)	2 (0%)	30	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	ASP
1	B	218	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/207 (87%)	141 (78%)	39 (22%)	1	1
1	B	178/207 (86%)	145 (82%)	33 (18%)	1	2
All	All	358/414 (86%)	286 (80%)	72 (20%)	1	2

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ILE
1	A	25	ILE
1	A	39	LEU
1	A	40	ASP
1	A	51	VAL
1	A	55	LEU
1	A	73	LEU
1	A	75	GLU
1	A	83	VAL
1	A	86	VAL
1	A	102	LEU
1	A	103	LEU
1	A	104	ASP
1	A	107	LEU
1	A	114	ARG
1	A	119	LEU
1	A	120	VAL
1	A	122	ILE
1	A	132	VAL
1	A	136	THR
1	A	137	LYS
1	A	139	VAL
1	A	148	ILE
1	A	156	LEU
1	A	161	VAL
1	A	166	GLU
1	A	170	ASP
1	A	180	ASN
1	A	183	ARG
1	A	188	VAL
1	A	195	VAL
1	A	198	LEU
1	A	204	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	MET
1	A	222	VAL
1	A	230	ILE
1	A	232	LEU
1	A	233	ARG
1	A	237	ILE
1	B	51	VAL
1	B	55	LEU
1	B	65	LEU
1	B	73	LEU
1	B	76	VAL
1	B	83	VAL
1	B	85	ASP
1	B	86	VAL
1	B	90	ARG
1	B	97	THR
1	B	102	LEU
1	B	103	LEU
1	B	104	ASP
1	B	105	ILE
1	B	107	LEU
1	B	108	LEU
1	B	114	ARG
1	B	120	VAL
1	B	132	VAL
1	B	136	THR
1	B	139	VAL
1	B	148	ILE
1	B	156	LEU
1	B	161	VAL
1	B	163	VAL
1	B	176	ARG
1	B	183	ARG
1	B	187	LEU
1	B	195	VAL
1	B	209	LEU
1	B	215	LEU
1	B	232	LEU
1	B	237	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	RET	A	301	-	20,20,21	1.42	2 (10%)	27,27,28	2.53	12 (44%)
2	RET	B	301	1	20,20,21	1.23	1 (5%)	27,27,28	2.77	9 (33%)
3	ACT	A	302	-	3,3,3	0.58	0	3,3,3	1.06	0
4	MPG	B	302	-	23,23,24	0.44	0	23,23,25	0.80	1 (4%)
3	ACT	A	303	-	3,3,3	0.87	0	3,3,3	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RET	B	301	1	-	0/13/30/31	0/1/1/1
2	RET	A	301	-	-	0/13/30/31	0/1/1/1
4	MPG	B	302	-	-	13/22/22/25	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	RET	C17-C1	-4.16	1.45	1.53
2	A	301	RET	C17-C1	-3.75	1.46	1.53
2	A	301	RET	C14-C13	2.96	1.35	1.33

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	RET	C16-C1-C6	8.51	123.59	110.24
2	B	301	RET	C17-C1-C6	-7.97	97.74	110.24
2	A	301	RET	C17-C1-C6	-7.10	99.11	110.24
2	A	301	RET	C16-C1-C6	4.31	117.00	110.24
2	A	301	RET	C2-C1-C6	4.00	116.24	110.44
2	B	301	RET	C1-C6-C7	3.47	125.07	115.65
2	A	301	RET	C11-C10-C9	-3.21	122.78	127.28
2	A	301	RET	C4-C5-C6	-3.05	118.58	122.70
2	B	301	RET	C7-C6-C5	-3.01	114.61	121.56
2	B	301	RET	C11-C10-C9	-2.98	123.09	127.28
2	A	301	RET	C19-C9-C8	2.98	122.64	118.09
4	B	302	MPG	O1-CX3-CXD	2.91	118.50	109.56
2	A	301	RET	C1-C6-C7	2.86	123.40	115.65
2	B	301	RET	C17-C1-C16	-2.83	100.52	108.63
2	B	301	RET	C20-C13-C12	2.73	122.26	118.09
2	A	301	RET	C7-C6-C5	-2.54	115.70	121.56
2	B	301	RET	C2-C1-C6	2.42	113.95	110.44
2	A	301	RET	C18-C5-C4	2.39	118.70	113.60
2	A	301	RET	C20-C13-C12	2.35	121.68	118.09
2	B	301	RET	C1-C6-C5	-2.05	119.84	122.64
2	A	301	RET	C15-C14-C13	-2.03	116.82	127.72
2	A	301	RET	C3-C4-C5	-2.02	110.45	114.06

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	302	MPG	O3-C21-CXD-CX3
4	B	302	MPG	O3-C21-CXD-O2
4	B	302	MPG	C11-C12-C13-C14
4	B	302	MPG	C13-C14-C15-C16
4	B	302	MPG	C3-C4-C5-C6
4	B	302	MPG	C12-C13-C14-C15
4	B	302	MPG	CXD-CX3-O1-C1

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	302	MPG	C4-C5-C6-C7
4	B	302	MPG	C2-C3-C4-C5
4	B	302	MPG	C1-C2-C3-C4
4	B	302	MPG	C15-C16-C17-C18
4	B	302	MPG	C2-C1-O1-CX3
4	B	302	MPG	C9-C10-C11-C12


There are no ring outliers.

3 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	RET	16	0
2	B	301	RET	4	0
4	B	302	MPG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/262 (87%)	-0.09	1 (0%) 88 87	31, 43, 77, 111	0
1	B	224/262 (85%)	-0.02	2 (0%) 81 79	30, 50, 84, 103	0
All	All	452/524 (86%)	-0.05	3 (0%) 84 82	30, 45, 82, 111	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	22	LEU	3.4
1	B	48	GLU	2.8
1	B	115	ASP	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ACT	A	303	4/4	0.83	0.21	52,57,58,62	0
3	ACT	A	302	4/4	0.84	0.18	40,40,44,60	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MPG	B	302	24/25	0.89	0.10	42,53,71,72	0
2	RET	A	301	20/21	0.90	0.09	17,33,41,41	0
2	RET	B	301	20/21	0.93	0.09	32,43,56,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around RET A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.