



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 03:59 AM UTC

PDB ID : 3QJF / pdb_00003qjf
Title : Crystal structure of the 2B4 TCR
Authors : Ely, L.K.; Newell, E.W.; Davis, M.M.; Garcia, K.C.
Deposited on : 2011-01-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	4% 77% 15% 6%
1	C	207	4% 74% 18% 7%
2	B	244	5% 79% 18% •
2	D	244	9% 72% 25% ••

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7041 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2B4 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	195	Total	C	N	O	S	0	0	0
			1505	938	258	301	8			
1	C	193	Total	C	N	O	S	0	0	0
			1502	935	258	301	8			

- Molecule 2 is a protein called 2B4 beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	240	Total	C	N	O	S	0	0	0
			1917	1212	334	362	9			
2	D	239	Total	C	N	O	S	0	0	0
			1893	1198	330	357	8			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	50	Total	O	0	0
			50	50		
3	B	72	Total	O	0	0
			72	72		
3	C	42	Total	O	0	0
			42	42		
3	D	60	Total	O	0	0
			60	60		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2B4 alpha chain



- Molecule 1: 2B4 alpha chain




- Molecule 2: 2B4 beta chain



- Molecule 2: 2B4 beta chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.85Å 93.85Å 388.75Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.59 – 2.40 46.59 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.59-2.40) 99.2 (46.59-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtrriage
Refinement program	PHENIX 1.6.4_486	Depositor
R, R_{free}	0.210 , 0.259 0.201 , 0.248	Depositor DCC
R_{free} test set	2034 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtrriage
Anisotropy	(Not available)	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.3	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7041	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/1533	0.82	0/2075
1	C	0.54	0/1528	0.81	2/2064 (0.1%)
2	B	0.71	2/1966 (0.1%)	0.90	4/2670 (0.1%)
2	D	0.59	0/1942	0.88	2/2642 (0.1%)
All	All	0.61	2/6969 (0.0%)	0.86	8/9451 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	117	LEU	C-O	15.98	1.44	1.24
2	B	118	LYS	CA-CB	-5.00	1.45	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	117	LEU	CA-C-O	-6.21	112.40	119.78
2	B	51	ASN	CB-CA-C	-6.18	109.46	116.63
2	D	51	ASN	CB-CA-C	-6.03	109.64	116.63
2	B	117	LEU	O-C-N	5.31	128.88	122.35
1	C	108	VAL	CA-C-N	-5.16	118.88	122.59
1	C	108	VAL	C-N-CA	-5.16	118.88	122.59
2	B	58	ILE	CB-CA-C	-5.13	104.62	111.13
2	D	58	ILE	CB-CA-C	-5.08	103.61	111.08

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1505	0	1429	29	0
1	C	1502	0	1436	39	0
2	B	1917	0	1839	41	0
2	D	1893	0	1797	57	1
3	A	50	0	0	1	0
3	B	72	0	0	0	0
3	C	42	0	0	1	0
3	D	60	0	0	4	0
All	All	7041	0	6501	157	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:95:ASN:O	2:D:56:GLN:OE1	1.78	1.01
2:B:31:VAL:HG22	2:B:50:GLN:OE1	1.70	0.91
1:A:124:ASP:HB3	1:A:127:SER:O	1.72	0.90
2:D:31:VAL:HG22	2:D:50:GLN:OE1	1.73	0.89
1:A:199:PRO:O	1:A:201:PRO:HD3	1.77	0.84
2:B:50:GLN:HB2	2:B:55:LEU:HD11	1.59	0.84
2:B:181:PRO:HG2	1:C:148:LYS:HG3	1.58	0.82
2:D:58:ILE:HD11	2:D:63:LYS:HA	1.65	0.79
2:D:58:ILE:CD1	2:D:63:LYS:HA	2.13	0.78
2:D:64:ARG:NH1	3:D:284:HOH:O	2.18	0.77
2:D:83:GLU:HG3	3:D:284:HOH:O	1.86	0.75
2:D:62:GLU:OE2	3:D:301:HOH:O	2.05	0.75
1:A:148:LYS:O	1:C:148:LYS:O	2.05	0.74
2:B:58:ILE:HD11	2:B:63:LYS:HA	1.70	0.73
1:A:148:LYS:HE3	1:C:150:SER:HA	1.72	0.70
2:B:89:LEU:HD13	2:B:110:ARG:HG3	1.74	0.69
2:B:24:ILE:HG12	2:B:74:PRO:HB3	1.74	0.69
2:D:89:LEU:HD13	2:D:110:ARG:HG3	1.75	0.66
1:C:176:SER:N	1:C:181:PHE:HE1	1.94	0.65
2:D:57:GLN:OE1	2:D:63:LYS:CE	2.44	0.65
2:B:223:TRP:HB2	2:B:229:LYS:HG3	1.77	0.64
1:A:176:SER:HB3	1:A:181:PHE:CE2	2.33	0.63
1:C:176:SER:HB2	1:C:181:PHE:CD1	2.32	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:3:LYS:HE2	2:B:26:GLU:OE2	1.99	0.63
2:D:66:SER:HB2	2:D:80:GLN:OE1	1.99	0.63
2:B:27:LYS:HD2	2:B:28:GLY:H	1.63	0.62
1:C:176:SER:CB	1:C:181:PHE:CD1	2.82	0.62
1:A:176:SER:OG	1:A:177:ASN:N	2.29	0.62
1:C:47:TYR:OH	2:D:101:ASP:HB2	1.98	0.62
2:D:24:ILE:HG12	2:D:74:PRO:HB3	1.83	0.61
1:A:160:LEU:HB3	2:B:171:CYS:HB3	1.83	0.61
2:D:57:GLN:OE1	2:D:63:LYS:NZ	2.34	0.61
2:D:14:GLY:N	2:D:17:GLN:OE1	2.32	0.60
2:D:70:PRO:HB2	2:D:73:SER:HB2	1.83	0.60
2:D:96:LEU:O	2:D:97:ASN:CB	2.49	0.60
2:D:95:SER:HB3	2:D:102:THR:O	2.01	0.60
1:A:37:ASN:HD21	1:A:41:SER:HB2	1.66	0.59
2:D:45:PHE:HZ	2:D:48:ASN:HB2	1.67	0.59
2:D:52:GLN:N	2:D:52:GLN:OE1	2.34	0.59
2:B:46:LEU:HA	2:B:58:ILE:HG23	1.83	0.59
1:C:176:SER:CB	1:C:181:PHE:CE1	2.86	0.57
2:D:52:GLN:NE2	2:D:71:SER:HB3	2.18	0.57
2:D:64:ARG:NH2	2:D:81:SER:O	2.37	0.57
1:C:176:SER:HB2	1:C:181:PHE:CE1	2.40	0.56
2:D:45:PHE:CZ	2:D:48:ASN:HB2	2.40	0.56
2:D:52:GLN:HE21	2:D:71:SER:HB3	1.70	0.56
1:A:95:ASN:HA	2:B:56:GLN:HE22	1.70	0.55
2:D:117:LEU:HD13	2:D:217:LEU:HD22	1.87	0.55
2:B:89:LEU:CD1	2:B:110:ARG:HG3	2.36	0.55
2:D:178:LYS:NZ	2:D:183:LEU:O	2.35	0.55
1:A:147:SER:HA	1:A:189:ASN:HD21	1.72	0.55
1:C:25:THR:HG23	3:C:238:HOH:O	2.06	0.55
1:C:37:ASN:HD21	1:C:41:SER:HB2	1.72	0.55
1:C:95:ASN:O	1:C:96:ASN:HB2	2.06	0.54
2:B:18:LYS:HE3	2:B:78:GLU:CD	2.32	0.54
1:A:79:GLU:H	1:A:79:GLU:CD	2.16	0.53
2:B:52:GLN:OE1	2:B:52:GLN:N	2.41	0.53
2:B:223:TRP:CB	2:B:229:LYS:HG3	2.38	0.53
2:D:71:SER:O	2:D:72:ASN:HB2	2.08	0.53
2:B:27:LYS:HD2	2:B:28:GLY:N	2.23	0.53
2:B:45:PHE:HZ	2:B:48:ASN:HB2	1.74	0.53
1:C:176:SER:HB3	1:C:181:PHE:CD1	2.44	0.53
1:A:176:SER:HB3	1:A:181:PHE:CD2	2.43	0.53
2:D:153:ASP:CG	2:D:176:PRO:HG3	2.35	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:PHE:HE1	1:A:186:ALA:HB2	1.74	0.52
2:B:27:LYS:CD	2:B:28:GLY:H	2.22	0.52
1:C:176:SER:OG	1:C:178:LYS:HG2	2.11	0.51
1:C:79:GLU:H	1:C:79:GLU:CD	2.18	0.51
2:B:95:SER:HB3	2:B:102:THR:O	2.11	0.51
2:B:77:LEU:C	2:B:77:LEU:HD23	2.36	0.50
2:D:177:LEU:HD12	2:D:177:LEU:O	2.11	0.50
1:C:37:ASN:HD22	1:C:43:ILE:HD11	1.76	0.50
1:A:153:TYR:O	1:A:174:ALA:HA	2.11	0.50
2:B:51:ASN:HB3	2:B:52:GLN:OE1	2.12	0.50
2:B:89:LEU:HD13	2:B:110:ARG:CG	2.42	0.49
1:C:176:SER:CB	1:C:181:PHE:HD1	2.24	0.49
1:A:7:PRO:HB3	1:C:10:LEU:HD11	1.95	0.49
2:B:45:PHE:CZ	2:B:48:ASN:HB2	2.48	0.49
1:A:46:PHE:CZ	1:A:55:ASN:HB3	2.48	0.49
1:A:136:THR:O	1:A:137:ASP:HB2	2.12	0.48
2:D:51:ASN:HB3	2:D:52:GLN:OE1	2.13	0.48
1:C:89:LEU:HD13	1:C:98:LEU:HD23	1.95	0.48
2:D:47:ILE:HG12	2:D:48:ASN:H	1.78	0.48
2:B:202:GLN:HA	2:B:242:ARG:O	2.13	0.48
2:D:58:ILE:HD11	2:D:65:PHE:CE1	2.49	0.47
2:D:243:ALA:O	2:D:244:ASP:CB	2.62	0.47
1:C:95:ASN:O	1:C:96:ASN:CB	2.61	0.47
2:D:58:ILE:HD12	2:D:63:LYS:HA	1.93	0.47
1:A:47:TYR:C	1:A:48:LEU:HD12	2.40	0.46
2:B:58:ILE:CD1	2:B:63:LYS:HA	2.44	0.46
1:C:139:ASP:OD1	1:C:141:GLN:CG	2.63	0.46
2:D:96:LEU:HB2	2:D:100:GLN:CB	2.46	0.46
2:D:177:LEU:HD12	2:D:177:LEU:C	2.40	0.46
2:D:57:GLN:OE1	2:D:63:LYS:HD2	2.15	0.46
1:C:58:LEU:CD2	1:C:73:ILE:HG12	2.45	0.46
2:D:87:SER:O	2:D:88:ALA:HB2	2.15	0.46
2:B:18:LYS:HB2	2:B:80:GLN:OE1	2.15	0.46
1:C:153:TYR:O	1:C:174:ALA:HA	2.16	0.46
1:C:167:PHE:CD2	2:D:140:LYS:HE2	2.51	0.46
1:A:46:PHE:HB3	1:A:48:LEU:HD11	1.99	0.45
2:D:18:LYS:HG2	2:D:80:GLN:HA	1.99	0.45
2:D:50:GLN:HB2	2:D:55:LEU:HD11	1.97	0.45
2:D:58:ILE:O	2:D:59:ASP:C	2.57	0.45
2:B:27:LYS:HD2	2:B:27:LYS:HA	1.44	0.45
2:B:223:TRP:CG	2:B:229:LYS:HG3	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:178:LYS:HE3	2:D:186:SER:HB3	1.98	0.45
2:B:45:PHE:O	2:B:58:ILE:CG2	2.64	0.44
2:B:193:ARG:N	2:B:193:ARG:HD2	2.32	0.44
2:D:47:ILE:HG12	2:D:48:ASN:N	2.31	0.44
1:C:48:LEU:HD12	1:C:48:LEU:N	2.31	0.44
2:D:63:LYS:HE2	2:D:65:PHE:O	2.17	0.44
2:D:223:TRP:HB2	2:D:229:LYS:HG3	1.99	0.44
2:B:13:LYS:HE3	2:B:18:LYS:O	2.17	0.44
2:D:205:ARG:NH2	3:D:273:HOH:O	2.50	0.43
1:A:46:PHE:HB3	1:A:48:LEU:CD1	2.48	0.43
2:B:6:GLN:NE2	2:B:108:GLY:HA2	2.34	0.43
1:C:126:LYS:HD3	1:C:126:LYS:HA	1.75	0.43
2:D:31:VAL:HA	2:D:49:PHE:O	2.19	0.43
2:D:52:GLN:HE21	2:D:71:SER:CB	2.30	0.43
1:A:2:GLN:HG3	1:A:3:VAL:H	1.84	0.43
2:B:50:GLN:OE1	2:B:50:GLN:HA	2.19	0.43
2:B:3:LYS:CE	2:B:26:GLU:OE2	2.66	0.42
1:C:148:LYS:HD3	1:C:148:LYS:HA	1.84	0.42
1:C:181:PHE:CD2	1:C:182:ALA:N	2.88	0.42
1:A:121:GLN:C	1:A:122:LEU:HD12	2.45	0.42
1:A:78:LEU:HD13	1:A:168:LYS:HE2	2.01	0.42
2:D:58:ILE:CD1	2:D:63:LYS:CA	2.92	0.42
1:A:176:SER:N	1:A:181:PHE:HE2	2.18	0.42
1:A:44:ASN:OD1	3:A:206:HOH:O	2.21	0.42
2:B:7:THR:HG22	2:B:22:ARG:HB2	2.01	0.41
1:C:116:ASP:N	1:C:117:PRO:CD	2.83	0.41
2:B:45:PHE:O	2:B:58:ILE:HG22	2.20	0.41
1:C:47:TYR:C	1:C:48:LEU:HD12	2.45	0.41
1:C:26:THR:HG22	1:C:28:MET:HE2	2.02	0.41
1:C:3:VAL:HB	1:C:101:GLY:HA2	2.03	0.41
2:D:116:ASP:C	2:D:116:ASP:OD1	2.62	0.41
2:B:153:ASP:O	2:B:153:ASP:CG	2.63	0.41
1:C:135:PHE:HB2	1:C:187:PHE:CE1	2.56	0.41
1:C:178:LYS:O	1:C:178:LYS:HG3	2.20	0.41
2:D:89:LEU:CD1	2:D:110:ARG:HG3	2.47	0.41
1:A:78:LEU:CD1	1:A:168:LYS:HE2	2.51	0.41
2:D:58:ILE:HD12	2:D:63:LYS:CA	2.51	0.41
2:B:54:VAL:O	2:B:54:VAL:HG23	2.19	0.41
1:C:176:SER:HB3	1:C:181:PHE:HD1	1.83	0.41
1:A:37:ASN:ND2	1:A:41:SER:HB2	2.32	0.41
1:A:197:PHE:CE2	1:A:199:PRO:HG3	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:PHE:O	1:A:199:PRO:C	2.63	0.41
1:C:11:SER:HA	1:C:107:SER:O	2.21	0.41
2:D:64:ARG:HE	2:D:64:ARG:HB3	1.71	0.41
2:D:93:ALA:HA	2:D:104:TYR:O	2.21	0.41
2:B:122:PRO:HD3	2:B:230:PRO:HB3	2.03	0.41
1:C:12:LEU:HA	1:C:12:LEU:HD23	1.85	0.41
1:C:176:SER:CB	1:C:181:PHE:HE1	2.33	0.40
2:B:180:GLN:O	2:B:186:SER:HB2	2.21	0.40
2:D:50:GLN:OE1	2:D:50:GLN:HA	2.22	0.40
2:D:57:GLN:OE1	2:D:63:LYS:CD	2.69	0.40
2:D:223:TRP:CG	2:D:229:LYS:HG3	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:115:GLU:OE1	2:D:115:GLU:OE1[12_554]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	189/207 (91%)	183 (97%)	5 (3%)	1 (0%)	24	37
1	C	185/207 (89%)	181 (98%)	4 (2%)	0	100	100
2	B	236/244 (97%)	229 (97%)	7 (3%)	0	100	100
2	D	235/244 (96%)	228 (97%)	7 (3%)	0	100	100
All	All	845/902 (94%)	821 (97%)	23 (3%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/182 (93%)	164 (97%)	5 (3%)	36	58
1	C	170/182 (93%)	166 (98%)	4 (2%)	43	65
2	B	211/217 (97%)	206 (98%)	5 (2%)	43	65
2	D	205/217 (94%)	196 (96%)	9 (4%)	25	43
All	All	755/798 (95%)	732 (97%)	23 (3%)	36	58

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	102	GLN
1	A	122	LEU
1	A	176	SER
1	A	192	ILE
2	B	15	GLN
2	B	22	ARG
2	B	71	SER
2	B	171	CYS
2	B	225	GLN
1	C	22	CYS
1	C	78	LEU
1	C	89	LEU
1	C	139	ASP
2	D	15	GLN
2	D	54	VAL
2	D	58	ILE
2	D	66	SER
2	D	71	SER
2	D	171	CYS
2	D	180	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	225	GLN
2	D	242	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	95	ASN
1	A	121	GLN
1	A	146	GLN
2	B	56	GLN
2	B	57	GLN
1	C	72	HIS
1	C	121	GLN
1	C	185	ASN
2	D	56	GLN
2	D	80	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	195/207 (94%)	-0.03	9 (4%) 37 33	23, 32, 61, 80	0
1	C	193/207 (93%)	0.18	9 (4%) 36 32	24, 40, 65, 83	0
2	B	240/244 (98%)	-0.11	11 (4%) 37 33	14, 32, 61, 78	1 (0%)
2	D	239/244 (97%)	0.23	22 (9%) 14 12	22, 37, 64, 82	1 (0%)
All	All	867/902 (96%)	0.07	51 (5%) 28 24	14, 36, 64, 83	2 (0%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	61	THR	5.5
2	D	97	ASN	4.8
1	C	181	PHE	3.9
1	A	201	PRO	3.9
2	D	244	ASP	3.9
2	B	99	SER	3.5
2	D	62	GLU	3.4
1	C	1	ASP	3.4
2	D	59	ASP	3.4
1	A	181	PHE	3.3
1	A	177	ASN	3.1
2	D	100	GLN	3.0
2	D	119	ASN	3.0
2	B	51	ASN	2.9
2	D	115	GLU	2.8
1	A	92	THR	2.8
2	D	219	GLU	2.8
2	D	27	LYS	2.6
2	B	72	ASN	2.6
2	D	58	ILE	2.6
1	C	96	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	64	ARG	2.6
1	A	128	SER	2.6
2	B	243	ALA	2.6
1	C	95	ASN	2.5
2	D	220	ASN	2.5
2	D	50	GLN	2.5
1	C	178	LYS	2.5
2	D	60	MET	2.5
1	A	148	LYS	2.4
1	A	150	SER	2.4
2	D	139	GLN	2.4
2	B	139	GLN	2.4
2	B	185	ASP	2.4
2	D	226	ASP	2.3
2	B	115	GLU	2.3
2	D	63	LYS	2.2
2	B	224	THR	2.2
2	D	224	THR	2.2
1	C	176	SER	2.2
2	B	80	GLN	2.1
1	C	92	THR	2.1
2	B	58	ILE	2.1
1	A	126	LYS	2.1
1	A	127	SER	2.1
2	B	183	LEU	2.1
1	C	150	SER	2.1
2	D	51	ASN	2.0
2	D	80	GLN	2.0
2	D	26	GLU	2.0
1	C	127	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.