



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:44 PM UTC

PDB ID : 3QJU / pdb_00003qju
Title : The structure of and photolytic induced changes of carbon monoxide binding to the cytochrome ba3-oxidase from *Thermus thermophilus*
Authors : Liu, B.; Zhang, Y.; Sage, J.T.; Doukov, T.; Chen, Y.; Stout, C.D.; Fee, J.A.
Deposited on : 2011-01-30
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	6% 58% 36% • •
2	B	168	5% 62% 29% 8% •
3	C	34	3% 56% 35% • • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	801	X	-	-	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	552	Total	C	N	O	S	0	0	0
			4367	2962	699	690	16			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	166	Total	C	N	O	S	0	0	0
			1298	844	216	234	4			


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	33	Total	C	N	O	0	0	0
			259	179	39	41			

- Molecule 4 is COPPER (I) ION (CCD ID: CU1) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cu	0	0
			1	1		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is HEME-AS (CCD ID: HAS) (formula: $\text{C}_{54}\text{H}_{64}\text{FeN}_4\text{O}_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			65	54	1	4	6		

- Molecule 7 is CARBON MONOXIDE (CCD ID: CMO) (formula: CO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			2	1	1		

- Molecule 8 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Cu	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome c oxidase subunit 1



• Molecule 2: Cytochrome c oxidase subunit 2



● Molecule 3: Cytochrome c oxidase polypeptide 2A



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	109.75Å 109.75Å 164.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.91 – 2.90 19.91 – 2.90	Depositor EDS
% Data completeness (in resolution range)	95.7 (19.91-2.90) 95.3 (19.91-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.21 (at 2.88Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.286 , 0.329 0.284 , 0.328	Depositor DCC
R_{free} test set	1127 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	82.3	Xtriage
Anisotropy	0.235	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 10.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6037	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, CU1, HAS, HEM, CUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	3/4524 (0.1%)	1.10	11/6210 (0.2%)
2	B	0.84	0/1335	1.09	5/1822 (0.3%)
3	C	1.08	0/265	1.31	1/359 (0.3%)
All	All	0.87	3/6124 (0.0%)	1.11	17/8391 (0.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	137	PRO	CA-C	6.89	1.55	1.51
1	A	188	VAL	CA-CB	6.29	1.63	1.54
1	A	374	VAL	CA-CB	5.52	1.61	1.54

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3	GLU	N-CA-C	7.80	121.60	109.52
1	A	365	VAL	N-CA-C	-7.53	103.34	110.42
2	B	141	ARG	CA-C-N	6.96	127.41	120.52
2	B	141	ARG	C-N-CA	6.96	127.41	120.52
1	A	291	ASP	CA-C-N	6.61	128.11	119.84
1	A	291	ASP	C-N-CA	6.61	128.11	119.84
1	A	181	LEU	N-CA-C	6.55	119.01	111.02
1	A	280	GLY	N-CA-C	6.15	120.64	112.77
1	A	375	VAL	N-CA-C	6.06	117.93	112.17
1	A	248	TYR	N-CA-C	6.05	117.68	111.14
1	A	218	GLY	N-CA-C	5.67	119.60	110.87
1	A	348	ALA	CA-C-N	-5.64	112.78	119.84
1	A	348	ALA	C-N-CA	-5.64	112.78	119.84
2	B	167	LYS	N-CA-C	5.45	117.60	109.59
1	A	13	GLU	N-CA-C	5.38	120.51	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	62	GLY	CA-C-N	5.33	126.51	119.84
2	B	62	GLY	C-N-CA	5.33	126.51	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4367	0	4476	164	0
2	B	1298	0	1280	39	0
3	C	259	0	279	8	0
4	A	1	0	0	0	0
5	A	43	0	30	2	0
6	A	65	0	62	9	0
7	A	2	0	0	0	0
8	B	2	0	0	0	0
All	All	6037	0	6127	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:HIS:NE2	1:A:237:TYR:CE2	1.88	1.38
1:A:233:HIS:NE2	1:A:237:TYR:HE2	1.26	1.28
1:A:449:ARG:HD2	1:A:450:ARG:HG3	1.35	1.09
1:A:518:ARG:HG2	1:A:518:ARG:HH21	1.11	1.08
1:A:233:HIS:CD2	1:A:237:TYR:HE2	1.84	0.96
1:A:518:ARG:HH21	1:A:518:ARG:CG	1.79	0.95
1:A:357:ILE:HB	1:A:358:PRO:HD3	1.51	0.93
1:A:47:GLY:HA3	1:A:471:VAL:HG23	1.52	0.92
1:A:233:HIS:CD2	1:A:237:TYR:CE2	2.58	0.91
1:A:321:GLU:O	1:A:325:ARG:HG2	1.76	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:GLY:CA	1:A:502:ALA:HB2	2.08	0.84
1:A:518:ARG:HG2	1:A:518:ARG:NH2	1.83	0.82
1:A:262:ASP:HB2	1:A:511:VAL:HG11	1.66	0.77
1:A:449:ARG:HH12	6:A:801:HAS:CGA	1.97	0.77
6:A:801:HAS:H253	3:C:11:VAL:HG11	1.66	0.76
1:A:357:ILE:HB	1:A:358:PRO:CD	2.16	0.75
1:A:410:GLY:HA3	1:A:502:ALA:HB2	1.71	0.73
1:A:76:ASN:HB3	5:A:800:HEM:CAC	2.20	0.72
1:A:291:ASP:OD2	1:A:293:THR:HB	1.91	0.71
1:A:76:ASN:O	1:A:80:PHE:HB3	1.92	0.69
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.74	0.69
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.75	0.69
2:B:141:ARG:O	2:B:145:TYR:OH	2.04	0.69
1:A:379:ALA:HB1	1:A:439:LEU:HD12	1.76	0.68
1:A:272:PHE:CZ	1:A:308:PRO:HB2	2.29	0.67
1:A:465:VAL:HG23	1:A:466:PRO:HD3	1.76	0.67
1:A:38:PHE:O	1:A:42:GLN:HG3	1.95	0.67
2:B:97:VAL:O	2:B:166:VAL:HA	1.95	0.67
1:A:197:SER:O	1:A:201:VAL:HG23	1.95	0.66
1:A:411:LYS:HG2	1:A:496:GLU:O	1.97	0.65
1:A:111:TRP:O	1:A:115:ILE:HG13	1.97	0.65
2:B:142:PRO:HA	2:B:166:VAL:CG2	2.26	0.64
2:B:46:PRO:HG3	2:B:125:VAL:HG23	1.78	0.64
1:A:220:ASP:HB3	1:A:223:VAL:HG22	1.80	0.64
1:A:174:ASN:HB3	1:A:177:LYS:HD3	1.78	0.64
2:B:166:VAL:O	2:B:166:VAL:HG23	2.00	0.62
1:A:115:ILE:O	1:A:119:VAL:HG23	2.01	0.61
1:A:239:TRP:HE3	6:A:801:HAS:CBC	2.14	0.60
1:A:395:LEU:HD22	1:A:425:VAL:HG13	1.84	0.60
1:A:562:TRP:HA	2:B:155:LEU:HG	1.84	0.59
2:B:54:ASP:OD1	2:B:55:PRO:HD2	2.03	0.59
2:B:19:LEU:HD22	2:B:23:LEU:HD22	1.85	0.59
1:A:298:HIS:HE1	1:A:541:ALA:O	1.86	0.58
1:A:371:LEU:HD11	3:C:27:TYR:HD1	1.68	0.58
1:A:263:PRO:HB3	1:A:520:LEU:HD23	1.86	0.58
2:B:94:PRO:HB2	2:B:165:VAL:CG2	2.34	0.58
1:A:282:HIS:CD2	1:A:283:HIS:CD2	2.92	0.58
1:A:348:ALA:HA	1:A:425:VAL:HG11	1.86	0.58
1:A:368:SER:HB3	2:B:33:ILE:HD11	1.84	0.58
2:B:86:PHE:O	2:B:88:PHE:N	2.38	0.57
1:A:228:PHE:CD2	1:A:228:PHE:C	2.83	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:VAL:HG23	1:A:466:PRO:CD	2.35	0.56
1:A:122:LEU:HB2	1:A:123:PRO:CD	2.36	0.56
1:A:122:LEU:HB2	1:A:123:PRO:HD3	1.87	0.56
2:B:10:ALA:O	2:B:14:TYR:HD1	1.89	0.55
1:A:366:ASN:HB3	6:A:801:HAS:CMD	2.36	0.55
1:A:366:ASN:HB3	6:A:801:HAS:C2D	2.37	0.55
1:A:518:ARG:CG	1:A:518:ARG:NH2	2.50	0.55
1:A:97:LEU:HD22	1:A:170:TRP:CD1	2.41	0.54
1:A:11:VAL:HG22	1:A:503:GLU:HG3	1.88	0.54
1:A:200:LEU:HD12	1:A:200:LEU:O	2.07	0.54
1:A:282:HIS:HA	1:A:285:PHE:CZ	2.42	0.54
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.88	0.54
1:A:382:PRO:HB2	1:A:439:LEU:HG	1.90	0.54
1:A:479:VAL:O	1:A:480:ALA:C	2.52	0.53
1:A:41:PHE:CE2	1:A:55:LEU:HB2	2.44	0.53
1:A:357:ILE:HG23	3:C:15:LEU:HD13	1.91	0.52
1:A:389:VAL:HB	6:A:801:HAS:HBC2	1.92	0.52
1:A:464:ALA:O	1:A:467:MET:HB2	2.09	0.52
1:A:29:PHE:CE1	1:A:401:LEU:HD11	2.45	0.52
1:A:33:ILE:HD11	1:A:488:LEU:CD2	2.40	0.52
1:A:11:VAL:HG13	1:A:18:LYS:HD3	1.93	0.51
1:A:11:VAL:HG21	1:A:502:ALA:HB3	1.92	0.51
1:A:76:ASN:HB3	5:A:800:HEM:C3C	2.45	0.51
1:A:410:GLY:HA2	1:A:502:ALA:HB2	1.88	0.51
1:A:154:LEU:O	1:A:155:SER:C	2.54	0.51
1:A:11:VAL:O	1:A:15:TYR:O	2.29	0.51
1:A:95:ARG:HA	1:A:95:ARG:NH2	2.26	0.51
2:B:166:VAL:CG2	2:B:166:VAL:O	2.58	0.50
1:A:277:THR:N	1:A:278:PRO:CD	2.74	0.50
1:A:209:LEU:O	1:A:213:PHE:CD1	2.65	0.50
1:A:364:ILE:O	1:A:368:SER:OG	2.30	0.50
1:A:494:SER:C	1:A:496:GLU:H	2.19	0.49
1:A:79:VAL:HA	1:A:152:PHE:CZ	2.47	0.49
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.47	0.49
2:B:22:SER:O	2:B:26:LEU:HB2	2.13	0.49
1:A:262:ASP:HB2	1:A:511:VAL:CG1	2.41	0.49
1:A:21:THR:OG1	1:A:91:TYR:HB2	2.13	0.49
1:A:52:TYR:O	1:A:56:LYS:HB2	2.12	0.49
1:A:336:ILE:HA	1:A:339:LEU:HD22	1.94	0.48
1:A:329:GLY:HA3	1:A:335:TRP:HA	1.94	0.48
1:A:390:ALA:HB1	1:A:432:MET:HE3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:379:ALA:C	1:A:382:PRO:HD2	2.39	0.48
1:A:456:VAL:HG23	1:A:456:VAL:O	2.13	0.48
3:C:3:GLU:CD	3:C:4:LYS:H	2.22	0.48
1:A:363:GLY:O	1:A:366:ASN:HB2	2.14	0.48
1:A:136:TYR:O	1:A:139:LEU:HB2	2.13	0.47
1:A:405:LEU:N	1:A:406:PRO:CD	2.77	0.47
1:A:43:ALA:O	1:A:470:ASN:HB3	2.13	0.47
1:A:456:VAL:HG23	1:A:459:ALA:HB3	1.96	0.47
1:A:517:ASP:O	1:A:518:ARG:C	2.57	0.47
2:B:94:PRO:HB2	2:B:165:VAL:HG23	1.95	0.47
1:A:379:ALA:O	1:A:439:LEU:HB3	2.15	0.47
1:A:459:ALA:O	2:B:146:ARG:NH1	2.38	0.47
1:A:412:PRO:HB3	1:A:501:LEU:HD21	1.96	0.47
1:A:346:PHE:CE1	1:A:350:VAL:HG21	2.50	0.47
1:A:67:GLN:HA	1:A:130:THR:HG23	1.97	0.47
1:A:434:ILE:HG22	1:A:473:ALA:HB2	1.96	0.47
2:B:34:ALA:HA	2:B:37:LEU:HB2	1.96	0.47
1:A:378:THR:O	1:A:449:ARG:HB3	2.14	0.46
1:A:449:ARG:NH1	6:A:801:HAS:CGA	2.74	0.46
1:A:12:TYR:O	1:A:16:PRO:CA	2.63	0.46
1:A:24:PHE:HZ	1:A:109:SER:OG	1.99	0.46
1:A:295:LYS:HB2	1:A:369:PHE:CZ	2.51	0.46
1:A:290:ILE:O	1:A:295:LYS:HE3	2.15	0.46
1:A:556:VAL:CG1	2:B:55:PRO:HG3	2.46	0.46
1:A:466:PRO:HA	1:A:469:PHE:HD2	1.81	0.46
2:B:99:GLN:OE1	2:B:142:PRO:HB3	2.16	0.46
1:A:287:ASP:O	1:A:295:LYS:NZ	2.47	0.46
1:A:357:ILE:CB	1:A:358:PRO:CD	2.92	0.46
2:B:91:GLN:HA	2:B:92:PRO:C	2.38	0.46
3:C:17:LEU:O	3:C:21:VAL:HG23	2.15	0.46
1:A:556:VAL:HG21	2:B:129:PRO:HB2	1.98	0.45
1:A:337:ARG:HA	1:A:337:ARG:HD2	1.67	0.45
1:A:525:ASP:O	1:A:527:ILE:N	2.49	0.45
1:A:97:LEU:HD22	1:A:170:TRP:CG	2.51	0.45
6:A:801:HAS:OMD	6:A:801:HAS:HHB	2.17	0.45
2:B:32:LEU:O	2:B:35:TYR:HB3	2.17	0.45
1:A:230:TRP:C	1:A:230:TRP:CD1	2.95	0.44
2:B:151:GLN:O	2:B:152:TYR:C	2.61	0.44
1:A:267:LEU:O	1:A:268:ALA:C	2.59	0.44
3:C:26:VAL:O	3:C:30:PHE:N	2.41	0.44
1:A:15:TYR:HB2	1:A:18:LYS:HD2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:GLY:HA2	2:B:48:GLY:O	2.18	0.44
1:A:399:GLY:O	1:A:402:TYR:HD2	2.00	0.44
1:A:489:PHE:HD2	1:A:493:LEU:HD13	1.82	0.44
2:B:92:PRO:HD2	2:B:95:ILE:HG12	1.98	0.44
1:A:343:ASN:HA	1:A:344:PRO:HD2	1.91	0.44
1:A:348:ALA:O	1:A:395:LEU:HB3	2.17	0.44
1:A:377:ASN:HB3	2:B:150:ASN:O	2.17	0.44
1:A:514:GLY:HA2	2:B:5:HIS:NE2	2.33	0.44
2:B:142:PRO:HA	2:B:166:VAL:HG23	1.98	0.44
1:A:11:VAL:HG21	1:A:502:ALA:CB	2.47	0.44
1:A:15:TYR:HA	1:A:17:GLU:OE1	2.18	0.44
1:A:346:PHE:O	1:A:349:PRO:HD2	2.18	0.44
1:A:526:ARG:HE	1:A:526:ARG:HB3	1.59	0.44
1:A:46:TYR:C	1:A:470:ASN:HD22	2.25	0.43
1:A:138:PRO:HB3	1:A:557:PRO:O	2.19	0.43
1:A:16:PRO:HD2	1:A:100:ARG:HH11	1.83	0.43
1:A:382:PRO:O	1:A:383:GLY:C	2.62	0.43
1:A:420:LEU:O	1:A:423:ALA:HB3	2.19	0.43
1:A:134:THR:O	1:A:135:PHE:C	2.61	0.43
1:A:404:LEU:O	1:A:408:LEU:HG	2.18	0.43
2:B:83:VAL:HG13	2:B:95:ILE:HD11	2.00	0.43
1:A:122:LEU:CB	1:A:123:PRO:CD	2.96	0.43
2:B:157:HIS:C	2:B:159:ASN:H	2.27	0.43
1:A:504:ALA:HA	1:A:505:PRO:HD3	1.84	0.42
2:B:12:LEU:O	2:B:15:GLU:HB3	2.18	0.42
3:C:9:LEU:O	3:C:13:LEU:HB2	2.19	0.42
1:A:179:THR:HG21	1:A:184:TYR:HA	2.01	0.42
1:A:282:HIS:HA	1:A:285:PHE:CE1	2.55	0.42
1:A:387:LEU:O	1:A:391:SER:HB3	2.19	0.42
1:A:380:TRP:CD1	1:A:380:TRP:C	2.97	0.42
1:A:241:LEU:HA	1:A:244:TYR:HB2	2.00	0.42
1:A:382:PRO:HA	1:A:385:PHE:CZ	2.55	0.42
1:A:420:LEU:HD21	1:A:486:TYR:HD2	1.85	0.42
1:A:517:ASP:OD2	1:A:517:ASP:N	2.52	0.42
1:A:560:ARG:HG3	1:A:562:TRP:CZ2	2.55	0.42
1:A:359:GLY:HA3	1:A:388:GLN:NE2	2.35	0.42
1:A:298:HIS:CE1	1:A:541:ALA:O	2.71	0.41
1:A:401:LEU:O	1:A:406:PRO:HD3	2.20	0.41
2:B:90:TYR:CZ	2:B:160:MET:HE2	2.55	0.41
1:A:74:VAL:O	1:A:78:ILE:HB	2.20	0.41
1:A:358:PRO:HB2	1:A:387:LEU:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:495:ARG:HA	1:A:495:ARG:HD3	1.86	0.41
2:B:93:ASN:HD21	2:B:162:GLY:HA2	1.84	0.41
1:A:45:ASN:ND2	1:A:65:TYR:CZ	2.88	0.41
1:A:357:ILE:HG12	6:A:801:HAS:H212	2.01	0.41
1:A:401:LEU:O	1:A:405:LEU:HB2	2.20	0.41
1:A:258:LYS:HG3	1:A:322:PHE:HE1	1.85	0.41
1:A:223:VAL:HG11	1:A:553:LEU:CD2	2.51	0.41
1:A:260:VAL:HB	2:B:11:ILE:HD13	2.02	0.41
1:A:280:GLY:C	1:A:282:HIS:N	2.79	0.41
1:A:296:MET:HE2	2:B:34:ALA:HB2	2.01	0.41
1:A:324:GLY:CA	1:A:339:LEU:CD1	2.98	0.41
1:A:394:THR:O	1:A:397:ALA:HB3	2.21	0.41
1:A:537:LEU:HD23	1:A:537:LEU:HA	1.88	0.41
1:A:222:LEU:HD21	1:A:288:PRO:O	2.21	0.41
1:A:119:VAL:HG11	1:A:147:LEU:HD23	2.02	0.40
1:A:405:LEU:N	1:A:406:PRO:HD2	2.36	0.40
2:B:99:GLN:C	2:B:101:ALA:H	2.29	0.40
2:B:103:ILE:O	2:B:136:ARG:HA	2.21	0.40
1:A:449:ARG:HD2	1:A:450:ARG:CG	2.26	0.40
1:A:64:SER:O	1:A:65:TYR:C	2.63	0.40
1:A:398:MET:HE1	1:A:428:TRP:CE3	2.57	0.40
3:C:29:VAL:HG12	3:C:33:ARG:HD2	2.02	0.40
1:A:351:LEU:HD12	1:A:425:VAL:HG12	2.03	0.40
2:B:87:ALA:C	2:B:88:PHE:CG	3.00	0.40
1:A:220:ASP:OD2	2:B:52:ARG:NH1	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	550/568 (97%)	500 (91%)	46 (8%)	4 (1%)	18 48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	164/168 (98%)	145 (88%)	16 (10%)	3 (2%)	6	25
3	C	31/34 (91%)	28 (90%)	3 (10%)	0	100	100
All	All	745/770 (97%)	673 (90%)	65 (9%)	7 (1%)	14	41

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	518	ARG
2	B	87	ALA
2	B	88	PHE
1	A	384	HIS
1	A	330	ARG
1	A	369	PHE
2	B	100	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/462 (97%)	416 (93%)	32 (7%)	13	40
2	B	136/138 (99%)	117 (86%)	19 (14%)	3	11
3	C	26/27 (96%)	23 (88%)	3 (12%)	5	18
All	All	610/627 (97%)	556 (91%)	54 (9%)	9	28

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	LEU
1	A	32	LEU
1	A	48	ASN
1	A	56	LYS
1	A	133	TYR
1	A	168	ARG
1	A	212	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	215	LEU
1	A	222	LEU
1	A	223	VAL
1	A	230	TRP
1	A	236	VAL
1	A	282	HIS
1	A	305	VAL
1	A	326	LEU
1	A	339	LEU
1	A	354	LEU
1	A	368	SER
1	A	370	THR
1	A	405	LEU
1	A	413	ILE
1	A	430	LEU
1	A	439	LEU
1	A	449	ARG
1	A	458	ASP
1	A	472	LEU
1	A	478	LEU
1	A	500	GLU
1	A	501	LEU
1	A	513	SER
1	A	517	ASP
1	A	518	ARG
2	B	5	HIS
2	B	9	LYS
2	B	11	ILE
2	B	19	LEU
2	B	22	SER
2	B	23	LEU
2	B	26	LEU
2	B	72	VAL
2	B	99	GLN
2	B	107	ILE
2	B	112	VAL
2	B	121	THR
2	B	128	LEU
2	B	146	ARG
2	B	153	CYS
2	B	159	ASN
2	B	163	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	165	VAL
2	B	166	VAL
3	C	3	GLU
3	C	13	LEU
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	76	ASN
1	A	254	GLN
1	A	298	HIS
1	A	366	ASN
1	A	446	ASN
2	B	8	HIS
2	B	69	GLN
2	B	77	ASN
2	B	91	GLN
2	B	93	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	CMO	A	563	-	0,1,1	-	-	-		
8	CUA	B	802	2	0,1,1	-	-	-		
6	HAS	A	801	1	72,72,72	2.40	24 (33%)	87,109,109	3.05	29 (33%)
5	HEM	A	800	1	50,50,50	1.76	8 (16%)	67,82,82	1.17	7 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HAS	A	801	1	1/1/8/18	8/42/82/82	-
5	HEM	A	800	1	-	4/14/54/54	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	800	HEM	C3D-C2D	6.99	1.51	1.36
6	A	801	HAS	CHA-C1A	5.44	1.49	1.38
6	A	801	HAS	FE-NB	5.18	2.10	1.94
6	A	801	HAS	CHD-C4A	5.16	1.48	1.38
6	A	801	HAS	CHC-C4B	5.16	1.48	1.38
6	A	801	HAS	C2A-C3A	4.79	1.47	1.36
6	A	801	HAS	FE-ND	4.60	2.09	1.94
6	A	801	HAS	FE-NC	4.49	2.10	1.95
5	A	800	HEM	FE-NA	4.48	2.10	1.95
6	A	801	HAS	FE-NA	4.48	2.09	1.95
6	A	801	HAS	CHB-C1D	4.29	1.47	1.38
6	A	801	HAS	C2D-C3D	4.24	1.46	1.37
6	A	801	HAS	CHA-C4D	4.07	1.48	1.39
5	A	800	HEM	FE-ND	3.95	2.07	1.94
6	A	801	HAS	C1A-C2A	3.67	1.51	1.45
6	A	801	HAS	CHC-C1C	3.64	1.47	1.39
6	A	801	HAS	C2D-C1D	-3.53	1.38	1.44
6	A	801	HAS	CHB-C1B	3.40	1.46	1.39
6	A	801	HAS	CHD-C4C	3.39	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	800	HEM	CAC-C3C	3.30	1.56	1.47
6	A	801	HAS	C4A-C3A	2.91	1.51	1.45
6	A	801	HAS	C1D-ND	-2.89	1.35	1.40
6	A	801	HAS	C4D-C3D	-2.75	1.40	1.45
5	A	800	HEM	CMB-C2B	2.71	1.56	1.50
6	A	801	HAS	C14-C15	2.67	1.39	1.33
6	A	801	HAS	C1C-C2C	2.61	1.49	1.43
6	A	801	HAS	C1B-C2B	-2.47	1.39	1.44
5	A	800	HEM	CAB-C3B	2.47	1.54	1.47
6	A	801	HAS	C3B-C2B	2.36	1.40	1.34
6	A	801	HAS	C4A-NA	-2.20	1.35	1.39
5	A	800	HEM	C2A-C3A	-2.19	1.33	1.38
5	A	800	HEM	FE-NB	2.12	2.01	1.94

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	C3C-C4C-NC	16.45	123.65	109.80
6	A	801	HAS	C4C-C3C-C2C	-11.76	92.67	107.30
6	A	801	HAS	C2D-C3D-C4D	-5.52	102.43	106.43
6	A	801	HAS	CMC-C2C-C3C	-5.03	114.71	126.55
6	A	801	HAS	C2A-C1A-NA	4.87	115.02	110.32
6	A	801	HAS	CMC-C2C-C1C	4.81	132.74	125.42
6	A	801	HAS	C2B-C1B-NB	4.29	114.86	109.90
6	A	801	HAS	C3C-C2C-C1C	4.14	112.05	107.17
6	A	801	HAS	C3B-C4B-NB	4.02	114.47	109.84
6	A	801	HAS	CMA-C3A-C4A	3.84	131.48	124.73
6	A	801	HAS	C3D-C4D-ND	3.75	113.98	110.35
6	A	801	HAS	CAD-CBD-CGD	-3.69	103.87	113.67
6	A	801	HAS	CAD-C3D-C4D	3.54	130.86	124.70
5	A	800	HEM	CAD-C3D-C4D	3.48	130.76	124.70
6	A	801	HAS	CAA-CBA-CGA	-3.30	104.91	113.67
6	A	801	HAS	C3A-C4A-NA	3.27	115.69	109.64
6	A	801	HAS	CHA-C4D-ND	-3.26	120.91	124.42
6	A	801	HAS	C1A-C2A-C3A	-3.23	102.86	107.11
6	A	801	HAS	C4B-NB-C1B	-3.17	101.46	105.21
5	A	800	HEM	C4D-ND-C1D	3.15	108.94	105.21
6	A	801	HAS	CHC-C4B-NB	-3.08	120.56	124.37
5	A	800	HEM	CBA-CAA-C2A	-3.04	104.14	112.53
6	A	801	HAS	C4A-C3A-C2A	-3.00	102.52	106.97
6	A	801	HAS	C4C-NC-C1C	-2.93	101.04	105.82
6	A	801	HAS	CHD-C4C-C3C	-2.91	114.76	127.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	801	HAS	OMD-CMD-C2D	-2.82	119.26	125.62
6	A	801	HAS	CAA-C2A-C1A	2.80	130.54	124.85
6	A	801	HAS	CHA-C1A-NA	-2.78	121.42	124.45
6	A	801	HAS	C25-C23-C24	2.60	119.75	115.23
5	A	800	HEM	CHD-C4C-NC	2.46	127.13	124.45
5	A	800	HEM	CBB-CAB-C3B	-2.43	115.36	127.53
5	A	800	HEM	C4D-C3D-C2D	-2.43	103.35	106.89
6	A	801	HAS	O2A-CGA-CBA	2.42	121.66	114.00
5	A	800	HEM	CMD-C2D-C1D	2.35	128.71	125.03
6	A	801	HAS	C4B-C3B-C2B	-2.27	103.62	107.44
6	A	801	HAS	C32-C30-C31	2.24	119.74	114.59

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	801	HAS	NA

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	800	HEM	C2B-C3B-CAB-CBB
5	A	800	HEM	C4B-C3B-CAB-CBB
6	A	801	HAS	C2C-C3C-CAC-CBC
6	A	801	HAS	C19-C20-C21-C22
6	A	801	HAS	C3D-C2D-CMD-OMD
6	A	801	HAS	C1D-C2D-CMD-OMD
6	A	801	HAS	CAA-CBA-CGA-O1A
5	A	800	HEM	CAD-CBD-CGD-O1D
6	A	801	HAS	CAA-CBA-CGA-O2A
6	A	801	HAS	CAD-CBD-CGD-O1D
6	A	801	HAS	CAD-CBD-CGD-O2D
5	A	800	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	801	HAS	9	0
5	A	800	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	552/568 (97%)	0.58	33 (5%) 27 21	47, 66, 95, 112	0
2	B	166/168 (98%)	0.69	9 (5%) 31 24	51, 70, 103, 135	0
3	C	33/34 (97%)	0.46	1 (3%) 52 43	51, 56, 76, 82	0
All	All	751/770 (97%)	0.60	43 (5%) 29 23	47, 66, 96, 135	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	502	ALA	4.5
1	A	13	GLU	4.4
1	A	11	VAL	4.1
1	A	14	ALA	4.1
2	B	168	GLU	4.0
1	A	498	LYS	3.9
1	A	496	GLU	3.7
1	A	390	ALA	3.6
1	A	216	VAL	3.6
1	A	330	ARG	3.5
2	B	14	TYR	3.3
1	A	359	GLY	3.2
2	B	7	ALA	3.2
1	A	172	ALA	3.1
1	A	12	TYR	3.1
2	B	69	GLN	3.0
1	A	342	ASP	3.0
1	A	360	GLY	2.8
1	A	389	VAL	2.8
2	B	6	LYS	2.8
2	B	88	PHE	2.7
1	A	15	TYR	2.7
1	A	515	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	151	VAL	2.5
1	A	293	THR	2.5
1	A	503	GLU	2.4
1	A	501	LEU	2.4
3	C	2	GLU	2.4
1	A	120	ALA	2.4
2	B	4	GLU	2.3
1	A	328	GLY	2.3
1	A	504	ALA	2.3
1	A	180	PRO	2.3
1	A	499	PRO	2.3
2	B	123	ILE	2.2
1	A	52	TYR	2.2
1	A	412	PRO	2.2
1	A	514	GLY	2.2
1	A	548	GLN	2.2
1	A	464	ALA	2.1
1	A	105	LEU	2.0
1	A	491	VAL	2.0
2	B	166	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	CMO	A	563	2/2	0.92	0.10	40,40,40,40	0
6	HAS	A	801	65/65	0.94	0.10	40,40,40,40	0
5	HEM	A	800	43/43	0.94	0.11	40,40,40,40	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	CUA	B	802	2/2	0.96	0.08	40,40,40,40	0
4	CU1	A	803	1/1	0.97	0.06	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM A 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.