



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:01 AM UTC

PDB ID : 4QJP / pdb_00004qjp
Title : Crystal structure of human carbonic anhydrase isozyme XIII with inhibitor
Authors : Manakova, E.; Smirnov, A.; Grazulis, S.
Deposited on : 2014-06-04
Resolution : 1.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6728 (1.64-1.60)
Clashscore	190562	7023 (1.64-1.60)
Ramachandran outliers	187476	6898 (1.64-1.60)
Sidechain outliers	187428	6896 (1.64-1.60)
RSRZ outliers	180081	6727 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	3% 81% 16% ..
1	B	263	2% 76% 21% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PEG	B	302	-	X	X	-
4	V1F	B	303	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	258	Total	C	N	O	S	0	8	0
			2118	1350	363	404	1			
1	A	258	Total	C	N	O	S	0	8	0
			2115	1344	366	404	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	expression tag	UNP Q8N1Q1
A	1	MET	-	expression tag	UNP Q8N1Q1

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is 3-(benzylamino)-2,5,6-trifluoro-4-[(2-phenylethyl)sulfonyl]benzenesulfonamide (CCD ID: V1F) (formula: $C_{21}H_{19}F_3N_2O_4S_2$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	B	1	Total	C	F	N	O	S	0	0
			32	21	3	2	4	2		
4	A	1	Total	C	F	N	O	S	0	0
			32	21	3	2	4	2		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			13	6	7		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	239	Total	O	0	0
			239	239		
7	A	244	Total	O	0	0
			244	244		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Carbonic anhydrase 13



• Molecule 1: Carbonic anhydrase 13



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.04Å 57.54Å 159.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.13 – 1.62 54.13 – 1.62	Depositor EDS
% Data completeness (in resolution range)	98.6 (54.13-1.62) 98.6 (54.13-1.62)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.07 (at 1.62Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.168 , 0.205 0.166 , 0.202	Depositor DCC
R_{free} test set	6556 reflections (9.85%)	wwPDB-VP
Wilson B-factor (Å ²)	17.4	Xtriage
Anisotropy	0.477	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4818	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, V1F, CIT, ZN, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.56	8/2177 (0.4%)	1.33	4/2962 (0.1%)
1	B	1.60	15/2181 (0.7%)	1.43	11/2968 (0.4%)
All	All	1.58	23/4358 (0.5%)	1.38	15/5930 (0.3%)

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	247	HIS	ND1-CE1	8.26	1.40	1.32
1	A	80	VAL	C-O	7.10	1.31	1.23
1	B	99	TRP	NE1-CE2	6.57	1.44	1.37
1	B	98	HIS	ND1-CE1	6.41	1.39	1.32
1	A	121	HIS	ND1-CE1	6.26	1.38	1.32
1	A	84	GLY	N-CA	6.20	1.53	1.44
1	A	69	ASN	C-O	5.69	1.30	1.24
1	B	118	ALA	N-CA	5.68	1.52	1.46
1	B	66	HIS	ND1-CE1	5.57	1.38	1.32
1	A	177	ARG	CA-C	-5.57	1.45	1.52
1	B	85	PRO	N-CA	-5.49	1.41	1.47
1	B	247	HIS	ND1-CE1	5.44	1.38	1.32
1	B	194	TRP	N-CA	-5.38	1.39	1.45
1	A	260	ALA	C-O	5.33	1.30	1.24
1	B	96	HIS	CE1-NE2	5.32	1.37	1.32
1	A	75	THR	N-CA	5.31	1.52	1.46
1	B	112	ASP	N-CA	5.28	1.54	1.46
1	B	28	ASP	C-O	-5.22	1.17	1.24
1	B	76	GLU	N-CA	-5.17	1.39	1.45
1	B	96	HIS	N-CA	5.12	1.52	1.46
1	B	211	TRP	N-CA	5.09	1.52	1.46
1	B	92	LEU	N-CA	5.04	1.52	1.46
1	B	130	TYR	CA-CB	5.03	1.60	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	154	GLU	CB-CA-C	6.76	119.25	109.11
1	B	141	ASP	N-CA-C	-6.67	105.04	112.57
1	B	75	THR	N-CA-CB	6.03	119.57	110.77
1	A	208	SER	CA-C-N	-5.84	115.49	123.14
1	A	208	SER	C-N-CA	-5.84	115.49	123.14
1	A	187	LEU	N-CA-C	5.76	117.85	109.84
1	B	238	GLU	N-CA-C	-5.72	100.56	109.72
1	B	147	GLY	CA-C-O	-5.72	115.03	120.64
1	B	197	PRO	CA-C-N	-5.62	117.83	122.16
1	B	197	PRO	C-N-CA	-5.62	117.83	122.16
1	B	140	PRO	N-CA-C	5.56	122.03	113.75
1	B	127	SER	N-CA-C	-5.52	106.32	113.16
1	B	200	LEU	N-CA-C	-5.32	103.11	110.35
1	A	177	ARG	CA-CB-CG	-5.29	103.52	114.10
1	B	209	VAL	N-CA-C	5.17	115.42	108.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2115	0	2034	31	0
1	B	2118	0	2038	34	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	B	7	0	10	4	0
4	A	32	0	19	3	0
4	B	32	0	19	11	0
5	A	12	0	18	5	0
5	B	4	0	6	1	0
6	A	13	0	5	2	0
7	A	244	0	0	5	0
7	B	239	0	0	8	0
All	All	4818	0	4149	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158[B]:GLN:HE22	1:A:182:ASP:H	1.18	0.92
1:A:167:ASP:OD1	5:A:305:EDO:H22	1.72	0.89
1:A:138:HIS:HE1	7:A:613:HOH:O	1.58	0.86
1:B:74[B]:ASP:HA	1:B:91:ARG:HD3	1.65	0.77
4:B:303:V1F:H14	7:B:637:HOH:O	1.87	0.74
1:B:256:ARG:HG3	3:B:302:PEG:H11	1.71	0.72
4:A:303:V1F:H14	7:A:643:HOH:O	1.91	0.71
1:B:104:ASP:OD2	1:B:105:HIS:HD2	1.77	0.65
1:B:74[B]:ASP:OD1	1:B:74[B]:ASP:C	2.39	0.65
4:B:303:V1F:H14	7:B:608:HOH:O	1.98	0.63
1:A:158[B]:GLN:NE2	7:A:635:HOH:O	2.32	0.63
1:B:74[A]:ASP:OD2	1:B:93:ARG:NH1	2.33	0.61
1:B:256:ARG:HG3	3:B:302:PEG:C1	2.33	0.59
1:B:168:SER:OG	1:B:176[B]:THR:HG21	2.02	0.59
1:B:253[A]:LEU:HD12	1:B:256:ARG:HB2	1.84	0.59
1:B:69:ASN:HD21	4:B:303:V1F:H19	1.67	0.58
1:B:29:GLN:OE1	3:B:302:PEG:H22	2.03	0.57
1:B:176[B]:THR:HG22	7:B:539:HOH:O	2.03	0.56
1:B:66:HIS:HD2	4:B:303:V1F:C19	2.19	0.56
1:B:66:HIS:CD2	4:B:303:V1F:C19	2.90	0.54
1:A:201:THR:OG1	4:A:303:V1F:N10	2.43	0.52
1:A:247:HIS:CE1	6:A:302:CIT:H42	2.46	0.51
1:B:135[B]:GLU:OE2	1:B:139:GLU:OE2	2.28	0.51
1:A:99:TRP:O	1:A:247:HIS:HD2	1.92	0.51
1:A:230:SER:OG	5:A:305:EDO:H12	2.10	0.51
1:A:136:ALA:O	1:A:142:GLY:HA3	2.12	0.50
4:B:303:V1F:O23	4:B:303:V1F:C14	2.60	0.49
1:A:104:ASP:N	1:A:104:ASP:OD1	2.44	0.49
1:A:219[B]:ASN:ND2	1:A:219[B]:ASN:H	2.11	0.49
1:B:136:ALA:O	1:B:142:GLY:HA3	2.13	0.49
1:B:74[A]:ASP:CG	7:B:576:HOH:O	2.55	0.48
1:B:186:LEU:O	1:B:218:ILE:HG21	2.14	0.48
1:A:130:TYR:CE1	1:A:139:GLU:HG3	2.48	0.48
1:B:74[B]:ASP:CA	1:B:91:ARG:HD3	2.39	0.47
1:A:161:LYS:HG3	1:A:178:PHE:CE1	2.49	0.47
1:A:76:GLU:HB2	7:A:497:HOH:O	2.13	0.47
1:B:69:ASN:ND2	4:B:303:V1F:H19	2.29	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74[B]:ASP:HA	1:B:91:ARG:CD	2.39	0.46
4:B:303:V1F:O23	4:B:303:V1F:H13	2.16	0.45
1:A:247:HIS:NE2	6:A:302:CIT:H42	2.32	0.45
1:A:171:GLU:HG2	1:A:236:GLU:HG3	1.99	0.45
1:B:105:HIS:HE1	5:B:304:EDO:O2	1.99	0.45
4:A:303:V1F:C16	4:A:303:V1F:O23	2.65	0.44
1:B:72:PHE:O	1:B:73[B]:ASP:C	2.60	0.44
1:B:69:ASN:HD21	4:B:303:V1F:C16	2.31	0.44
1:B:29:GLN:HG2	3:B:302:PEG:H12	1.99	0.44
1:B:32:PRO:HG3	1:B:108:GLU:HB3	2.00	0.44
1:A:114:VAL:HA	5:A:306:EDO:H12	2.00	0.43
1:A:12:HIS:CD2	1:A:12:HIS:H	2.34	0.43
1:B:74[B]:ASP:C	1:B:91:ARG:HD3	2.44	0.43
1:B:104:ASP:OD2	1:B:105:HIS:CD2	2.65	0.43
1:A:114:VAL:HA	5:A:306:EDO:C1	2.49	0.43
4:B:303:V1F:C14	7:B:637:HOH:O	2.58	0.43
1:B:177:ARG:NH2	7:B:567:HOH:O	2.29	0.43
1:A:219[B]:ASN:H	1:A:219[B]:ASN:HD22	1.67	0.42
1:A:91:ARG:O	1:A:124:HIS:HA	2.18	0.42
1:A:167:ASP:OD1	5:A:305:EDO:C2	2.56	0.42
1:B:74[B]:ASP:O	1:B:91:ARG:HD2	2.19	0.42
1:B:8:GLY:O	1:B:14:GLY:HA2	2.20	0.42
4:B:303:V1F:H4	7:B:639:HOH:O	2.18	0.42
1:A:110:ILE:HD12	1:A:115[A]:SER:OG	2.20	0.42
1:A:19:LYS:HB2	1:A:26:ASP:OD2	2.20	0.41
1:B:29:GLN:NE2	7:B:411:HOH:O	2.52	0.41
1:A:130:TYR:CZ	1:A:139:GLU:HG3	2.55	0.41
1:B:58:ALA:O	1:B:59:LYS:HD3	2.21	0.41
1:B:131:PRO:HD2	1:B:135[A]:GLU:HG2	2.03	0.41
1:A:59:LYS:C	1:A:60:ILE:HG13	2.45	0.41
1:A:154[A]:GLU:HG3	7:A:465:HOH:O	2.19	0.41
1:A:19:LYS:HA	1:A:25:ALA:HB3	2.02	0.41
1:A:158[B]:GLN:NE2	1:A:182:ASP:H	1.99	0.40
1:A:192:ASP:HB3	1:A:262:PHE:CD2	2.56	0.40
1:A:34[B]:GLU:OE1	1:A:250:PRO:HG3	2.21	0.40
1:B:15:PRO:HA	1:B:18:TRP:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/263 (100%)	254 (96%)	10 (4%)	0	100	100
1	B	264/263 (100%)	251 (95%)	11 (4%)	2 (1%)	16	4
All	All	528/526 (100%)	505 (96%)	21 (4%)	2 (0%)	43	14

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	73[A]	ASP
1	B	73[B]	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/232 (101%)	231 (98%)	4 (2%)	53	29
1	B	235/232 (101%)	227 (97%)	8 (3%)	32	10
All	All	470/464 (101%)	458 (97%)	12 (3%)	43	16

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	41	LYS
1	B	76	GLU
1	B	94	GLN
1	B	146	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	184	LEU
1	B	253[A]	LEU
1	B	253[B]	LEU
1	B	263	HIS
1	A	16	ILE
1	A	104	ASP
1	A	161	LYS
1	A	238	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	66	HIS
1	B	69	ASN
1	B	105	HIS
1	B	151	GLN
1	B	219	ASN
1	B	251	GLN
1	A	12	HIS
1	A	66	HIS
1	A	69	ASN
1	A	175	GLN
1	A	247	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	306	-	3,3,3	0.37	0	2,2,2	0.71	0
4	V1F	B	303	2	34,34,34	2.72	14 (41%)	48,50,50	2.73	12 (25%)
4	V1F	A	303	2	34,34,34	3.36	13 (38%)	48,50,50	3.43	14 (29%)
3	PEG	B	302	-	6,6,6	0.72	0	5,5,5	3.33	5 (100%)
5	EDO	B	304	-	3,3,3	1.29	0	2,2,2	0.89	0
5	EDO	A	304	-	3,3,3	0.41	0	2,2,2	0.96	0
6	CIT	A	302	-	12,12,12	2.36	3 (25%)	17,17,17	1.92	5 (29%)
5	EDO	A	305	-	3,3,3	0.39	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	306	-	-	0/1/1/1	-
4	V1F	B	303	2	-	7/23/23/23	0/3/3/3
4	V1F	A	303	2	-	7/23/23/23	0/3/3/3
3	PEG	B	302	-	-	2/4/4/4	-
5	EDO	B	304	-	-	1/1/1/1	-
5	EDO	A	304	-	-	1/1/1/1	-
6	CIT	A	302	-	-	0/16/16/16	-
5	EDO	A	305	-	-	0/1/1/1	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	303	V1F	S7-N10	8.43	1.76	1.60
4	B	303	V1F	S7-N10	8.22	1.76	1.60
4	A	303	V1F	O22-S11	7.76	1.54	1.44
4	B	303	V1F	O23-S11	6.81	1.53	1.44
4	A	303	V1F	F26-C5	-6.78	1.25	1.34
4	B	303	V1F	O22-S11	6.62	1.53	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	303	V1F	O23-S11	6.43	1.52	1.44
4	A	303	V1F	O8-S7	5.91	1.54	1.43
4	A	303	V1F	O9-S7	5.89	1.54	1.43
6	A	302	CIT	C3-C6	-5.66	1.47	1.53
4	A	303	V1F	C5-C4	5.27	1.48	1.39
6	A	302	CIT	O2-C1	-4.01	1.17	1.30
4	A	303	V1F	C21-S11	3.39	1.84	1.77
4	A	303	V1F	C16-C15	3.14	1.45	1.38
4	B	303	V1F	O8-S7	-3.04	1.38	1.43
4	B	303	V1F	C2-C1	-3.02	1.34	1.39
4	A	303	V1F	C20-C15	2.92	1.44	1.38
6	A	302	CIT	O6-C6	-2.76	1.20	1.30
4	B	303	V1F	C18-C19	2.69	1.44	1.38
4	B	303	V1F	C20-C15	2.50	1.43	1.38
4	B	303	V1F	C19-C20	2.38	1.43	1.38
4	B	303	V1F	C27-C31	2.34	1.43	1.38
4	B	303	V1F	O9-S7	-2.33	1.39	1.43
4	B	303	V1F	F13-C2	2.32	1.38	1.34
4	B	303	V1F	C31-C32	2.23	1.42	1.38
4	B	303	V1F	C21-S11	2.19	1.82	1.77
4	A	303	V1F	C19-C20	2.17	1.42	1.38
4	A	303	V1F	C18-C19	2.15	1.43	1.38
4	B	303	V1F	C28-C29	2.14	1.42	1.38
4	A	303	V1F	C17-C16	2.05	1.42	1.38

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	303	V1F	O23-S11-O22	-15.28	102.07	118.45
4	B	303	V1F	O23-S11-O22	-11.49	106.13	118.45
4	A	303	V1F	O8-S7-O9	-11.09	101.74	118.80
4	B	303	V1F	O22-S11-C21	8.56	122.20	108.18
4	A	303	V1F	C15-C14-N25	-5.84	97.40	113.60
4	B	303	V1F	O23-S11-C21	-5.75	98.77	108.18
4	A	303	V1F	C4-S7-N10	4.96	117.19	108.26
4	A	303	V1F	C5-C6-C1	4.94	124.68	115.97
4	A	303	V1F	O9-S7-C4	4.45	113.81	107.28
6	A	302	CIT	C3-C4-C5	-4.29	102.20	113.92
4	B	303	V1F	C14-N25-C6	4.18	140.83	118.17
4	A	303	V1F	C6-C5-C4	-4.03	114.92	121.81
4	B	303	V1F	F26-C5-C6	-3.82	113.88	119.54
4	B	303	V1F	O8-S7-C4	-3.82	101.66	107.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	PEG	C3-O2-C2	3.79	129.83	113.26
3	B	302	PEG	O2-C2-C1	3.72	126.52	110.11
4	A	303	V1F	O8-S7-C4	3.59	112.56	107.28
3	B	302	PEG	O2-C3-C4	3.41	125.14	110.11
4	A	303	V1F	C3-C4-C5	3.23	118.87	116.65
6	A	302	CIT	O7-C3-C4	-3.17	102.14	109.38
4	B	303	V1F	O8-S7-O9	3.15	123.64	118.80
3	B	302	PEG	O1-C1-C2	3.10	130.04	111.82
6	A	302	CIT	O6-C6-C3	2.93	118.75	113.14
4	A	303	V1F	O22-S11-C21	2.90	112.92	108.18
4	A	303	V1F	C5-C6-N25	-2.84	113.33	122.70
4	B	303	V1F	C19-C20-C15	-2.72	116.78	120.61
4	A	303	V1F	C14-N25-C6	2.71	132.86	118.17
6	A	302	CIT	C4-C3-C2	2.62	116.02	109.31
4	B	303	V1F	C3-C4-C5	2.61	118.44	116.65
3	B	302	PEG	O4-C4-C3	2.44	126.16	111.82
4	B	303	V1F	C4-S7-N10	2.37	112.52	108.26
4	A	303	V1F	O23-S11-C21	-2.34	104.34	108.18
4	B	303	V1F	C18-C19-C20	2.33	123.12	120.24
4	A	303	V1F	O23-S11-C1	2.30	112.42	106.59
6	A	302	CIT	C2-C3-C6	-2.16	105.26	110.03
4	B	303	V1F	F26-C5-C4	2.09	124.53	120.76

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	303	V1F	C5-C4-S7-O9
4	B	303	V1F	C5-C4-S7-N10
4	B	303	V1F	S11-C21-C24-C30
4	A	303	V1F	C5-C4-S7-O9
4	A	303	V1F	C5-C4-S7-N10
4	A	303	V1F	C3-C4-S7-O9
4	A	303	V1F	C5-C6-N25-C14
4	A	303	V1F	S11-C21-C24-C30
4	B	303	V1F	C15-C14-N25-C6
4	B	303	V1F	C3-C4-S7-O9
4	B	303	V1F	C1-C6-N25-C14
4	B	303	V1F	C5-C6-N25-C14
4	A	303	V1F	C6-C1-S11-O23
3	B	302	PEG	C1-C2-O2-C3
4	A	303	V1F	C15-C14-N25-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	304	EDO	O1-C1-C2-O2
5	A	304	EDO	O1-C1-C2-O2
3	B	302	PEG	O1-C1-C2-O2


There are no ring outliers.

7 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	306	EDO	2	0
4	B	303	V1F	11	0
4	A	303	V1F	3	0
3	B	302	PEG	4	0
5	B	304	EDO	1	0
6	A	302	CIT	2	0
5	A	305	EDO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand V1F B 303




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/263 (98%)	-0.22	7 (2%) 56 60	7, 17, 35, 57	8 (3%)
1	B	258/263 (98%)	-0.19	4 (1%) 70 75	7, 17, 34, 55	8 (3%)
All	All	516/526 (98%)	-0.21	11 (2%) 63 68	7, 17, 35, 57	16 (3%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	21	PHE	4.9
1	A	239	ALA	3.7
1	A	104	ASP	3.1
1	A	236	GLU	2.9
1	B	263	HIS	2.8
1	A	237	GLY	2.8
1	B	21	PHE	2.6
1	A	22	PHE	2.1
1	B	12	HIS	2.1
1	B	74[A]	ASP	2.1
1	A	12	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	B	304	4/4	0.80	0.16	25,31,32,32	0
6	CIT	A	302	13/13	0.81	0.14	29,46,67,73	0
5	EDO	A	304	4/4	0.85	0.13	34,37,38,40	0
5	EDO	A	306	4/4	0.86	0.12	30,30,41,44	0
4	V1F	A	303	32/32	0.89	0.18	18,35,67,72	0
5	EDO	A	305	4/4	0.91	0.10	29,36,37,46	0
3	PEG	B	302	7/7	0.93	0.09	23,25,32,33	0
4	V1F	B	303	32/32	0.93	0.13	15,28,50,57	0
2	ZN	B	301	1/1	1.00	0.01	10,10,10,10	0
2	ZN	A	301	1/1	1.00	0.01	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around V1F A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around V1F B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.