



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:44 PM UTC

PDB ID : 3QKT / pdb_00003qkt
Title : Rad50 ABC-ATPase with adjacent coiled-coil region in complex with AMP-PNP
Authors : Williams, G.J.; Williams, R.S.; Arvai, A.; Moncalian, G.; Tainer, J.A.
Deposited on : 2011-02-01
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	6% 79% 19% .
1	B	339	7% 75% 18% 6% .
1	C	339	7% 82% 16% .
1	D	339	5% 75% 18% 6% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11598 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA double-strand break repair rad50 ATPase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2715	1740	464	506	5			
1	B	319	Total	C	N	O	S	0	0	0
			2550	1634	440	471	5			
1	C	339	Total	C	N	O	S	0	0	0
			2715	1740	464	506	5			
1	D	318	Total	C	N	O	S	0	0	0
			2555	1639	439	472	5			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	178	GLY	-	linker	UNP P58301
A	179	GLY	-	linker	UNP P58301
A	180	SER	-	linker	UNP P58301
A	181	GLY	-	linker	UNP P58301
A	182	GLY	-	linker	UNP P58301
B	721	GLY	-	linker	UNP P58301
B	722	GLY	-	linker	UNP P58301
B	723	SER	-	linker	UNP P58301
B	724	GLY	-	linker	UNP P58301
B	725	GLY	-	linker	UNP P58301
C	178	GLY	-	linker	UNP P58301
C	179	GLY	-	linker	UNP P58301
C	180	SER	-	linker	UNP P58301
C	181	GLY	-	linker	UNP P58301
C	182	GLY	-	linker	UNP P58301
D	721	GLY	-	linker	UNP P58301
D	722	GLY	-	linker	UNP P58301
D	723	SER	-	linker	UNP P58301
D	724	GLY	-	linker	UNP P58301
D	725	GLY	-	linker	UNP P58301

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	243	Total 243	O 243	0	0
4	B	234	Total 234	O 234	0	0
4	C	242	Total 242	O 242	0	0
4	D	216	Total 216	O 216	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA double-strand break repair rad50 ATPase




- Molecule 1: DNA double-strand break repair rad50 ATPase





- Molecule 1: DNA double-strand break repair rad50 ATPase





- Molecule 1: DNA double-strand break repair rad50 ATPase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.39Å 108.52Å 150.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.65 – 1.90 49.65 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.5 (49.65-1.90) 97.5 (49.65-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 1.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, R_{free}	0.192 , 0.244 0.190 , 0.240	Depositor DCC
R_{free} test set	5289 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	28.8	Xtriage
Anisotropy	0.431	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11598	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1273e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.37	0/2757	0.72	2/3701 (0.1%)
1	B	0.37	0/2589	0.70	2/3478 (0.1%)
1	C	0.35	0/2757	0.69	2/3701 (0.1%)
1	D	0.36	0/2594	0.71	0/3484
All	All	0.36	0/10697	0.71	6/14364 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	825	THR	CA-C-N	-7.22	112.53	119.76
1	A	825	THR	C-N-CA	-7.22	112.53	119.76
1	C	825	THR	CA-C-N	-5.14	114.47	119.76
1	C	825	THR	C-N-CA	-5.14	114.47	119.76
1	B	825	THR	CA-C-N	-5.13	114.47	119.76
1	B	825	THR	C-N-CA	-5.13	114.47	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2715	0	2813	55	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2550	0	2628	45	0
1	C	2715	0	2813	42	0
1	D	2555	0	2648	38	0
2	A	31	0	13	1	0
2	B	31	0	13	1	0
2	C	31	0	13	1	0
2	D	31	0	13	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	243	0	0	7	0
4	B	234	0	0	4	0
4	C	242	0	0	2	0
4	D	216	0	0	3	0
All	All	11598	0	10954	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:PRO:HB2	1:A:131:ILE:HD13	1.61	0.82
1:C:180:SER:OG	1:C:726:THR:HG23	1.82	0.79
1:B:87:ARG:HB2	1:B:97:ILE:HG22	1.66	0.77
1:A:801:GLY:O	1:A:805:ARG:HG2	1.85	0.76
1:A:28:ILE:HB	1:A:853:VAL:HG22	1.67	0.74
1:C:148:GLU:HG2	1:C:149:SER:N	2.03	0.73
1:D:840:MET:HG2	1:D:844:LEU:HD12	1.71	0.73
1:B:817:SER:OG	1:B:848:PRO:HG2	1.92	0.68
1:C:160:VAL:HG13	1:C:812:LEU:HD21	1.76	0.68
1:B:128:PRO:HB2	1:B:131:ILE:HD13	1.76	0.67
1:D:20:GLU:HG3	4:D:227:HOH:O	1.95	0.67
1:A:157:VAL:HG22	1:A:808:MET:HE1	1.76	0.67
1:A:89:LEU:HD22	1:A:95:GLY:HA3	1.77	0.66
1:D:154:GLU:HG2	1:D:776:VAL:HG23	1.77	0.66
1:A:840:MET:HG2	1:A:844:LEU:HD22	1.77	0.65
1:C:830:GLU:HG2	1:C:833:ARG:NH2	2.10	0.65
1:D:7:THR:HB	1:D:72:ASP:HB3	1.77	0.65
1:D:801:GLY:O	1:D:805:ARG:HG2	1.96	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:GLU:HG2	1:C:114:PRO:HD2	1.79	0.64
1:B:49:TRP:CG	1:B:50:PRO:HA	2.33	0.64
1:A:160:VAL:HG13	1:A:812:LEU:HD21	1.81	0.61
1:B:745:LEU:HD12	1:B:771:ALA:HB2	1.83	0.61
1:A:824:PRO:HG3	1:A:852:LEU:HD11	1.83	0.60
1:B:840:MET:HG2	1:B:844:LEU:HD12	1.82	0.60
1:C:801:GLY:O	1:C:805:ARG:HG2	2.02	0.60
1:C:732:LYS:HB2	1:C:732:LYS:NZ	2.17	0.60
1:A:49:TRP:CG	1:A:50:PRO:HA	2.38	0.59
1:A:87:ARG:HB3	1:A:97:ILE:HG12	1.84	0.58
1:C:28:ILE:HB	1:C:853:VAL:HG22	1.84	0.58
1:A:162:ASN:OD1	1:A:741:ARG:NH2	2.36	0.57
1:D:52:ARG:O	1:D:52:ARG:HG3	2.03	0.57
1:C:19:VAL:HG13	1:C:867:ILE:HD13	1.87	0.57
1:A:180:SER:OG	1:A:726:THR:HG23	2.03	0.57
1:B:77:LYS:HE2	4:B:936:HOH:O	2.03	0.57
1:D:837:ILE:HD11	1:D:858:GLU:HG2	1.86	0.57
1:C:36:LYS:HD2	1:C:853:VAL:HG13	1.87	0.56
1:A:866:VAL:H	1:A:882:SER:HB2	1.70	0.56
1:B:49:TRP:CD2	1:B:50:PRO:HA	2.41	0.56
1:D:153:ARG:NE	1:D:778:LEU:HD13	2.20	0.56
1:C:157:VAL:HG11	1:C:745:LEU:HD21	1.88	0.56
1:D:93:SER:O	1:D:96:GLU:HG3	2.05	0.56
1:B:729:LEU:O	1:B:733:VAL:HG23	2.06	0.55
1:A:36:LYS:HB3	1:A:853:VAL:HG11	1.89	0.55
1:A:130:ASN:HB3	4:A:273:HOH:O	2.06	0.55
1:B:824:PRO:C	1:B:826:PRO:HD2	2.32	0.55
1:C:33:GLY:H	2:C:901:ANP:HNB1	1.55	0.55
1:A:113:GLU:CD	1:A:114:PRO:HD2	2.32	0.55
1:A:871:LEU:HD21	4:A:890:HOH:O	2.06	0.55
1:D:842:ARG:O	1:D:846:LYS:HE3	2.07	0.54
1:A:832:ARG:HG2	4:B:957:HOH:O	2.07	0.54
1:D:731:GLU:O	1:D:735:LYS:HD3	2.06	0.54
1:D:745:LEU:HD12	1:D:771:ALA:HB2	1.90	0.53
1:A:36:LYS:HB3	1:A:853:VAL:CG1	2.39	0.53
1:B:131:ILE:HD11	1:B:159:GLU:HB3	1.90	0.53
1:C:25:ILE:HD11	1:C:844:LEU:HB3	1.91	0.53
1:A:157:VAL:HG22	1:A:808:MET:CE	2.40	0.52
1:D:867:ILE:HG23	1:D:878:VAL:HG13	1.91	0.52
1:A:6:VAL:HG13	1:A:73:LEU:CD2	2.40	0.52
1:B:732:LYS:HD3	1:B:735:LYS:HD2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:727:GLU:O	1:A:730:ILE:HG12	2.10	0.51
1:C:830:GLU:HG2	1:C:833:ARG:HH22	1.73	0.51
1:C:126:LEU:C	1:C:127:ILE:HG13	2.36	0.51
1:A:867:ILE:CG2	1:A:878:VAL:HG13	2.40	0.51
1:C:70:TYR:HD1	1:C:87:ARG:HG2	1.75	0.51
1:B:6:VAL:HG23	1:B:73:LEU:CD2	2.41	0.51
1:A:96:GLU:HG2	1:A:98:HIS:HE2	1.76	0.51
1:B:731:GLU:O	1:B:735:LYS:HG3	2.11	0.51
1:B:860:LYS:HG3	1:B:866:VAL:HG21	1.94	0.50
1:A:54:LYS:N	1:A:54:LYS:HE2	2.27	0.50
1:A:812:LEU:HD13	1:A:816:ILE:HD12	1.94	0.50
1:B:59:ASP:O	1:B:90:LYS:HE2	2.12	0.49
1:D:732:LYS:HB3	1:D:736:TYR:CE2	2.48	0.49
1:A:840:MET:HA	1:A:844:LEU:HD13	1.95	0.49
1:B:143:ILE:HD11	1:B:824:PRO:HA	1.95	0.49
1:D:137:TYR:CZ	1:D:139:ARG:HG2	2.48	0.48
1:D:773:GLU:O	1:D:774:ASN:HB2	2.13	0.48
1:D:867:ILE:CG2	1:D:878:VAL:HG13	2.43	0.48
1:A:143:ILE:HD11	1:A:824:PRO:HA	1.96	0.48
1:B:824:PRO:HG3	1:B:852:LEU:HD11	1.95	0.48
1:D:150:ASP:HB3	1:D:775:LYS:HB3	1.95	0.48
1:D:824:PRO:HG3	1:D:852:LEU:HD11	1.96	0.48
1:A:77:LYS:HE3	4:A:691:HOH:O	2.13	0.47
1:A:145:ALA:O	1:A:148:GLU:HG2	2.14	0.47
1:B:92:TYR:CD1	1:B:93:SER:N	2.79	0.47
1:D:156:VAL:O	1:D:160:VAL:HB	2.14	0.47
1:A:49:TRP:CD2	1:A:50:PRO:HA	2.50	0.47
1:A:126:LEU:C	1:A:127:ILE:HG13	2.39	0.47
1:A:149:SER:HA	4:A:900:HOH:O	2.14	0.47
1:B:143:ILE:HG21	1:B:802:LEU:HD13	1.96	0.47
1:C:58:LYS:HA	1:C:61:PHE:CE2	2.49	0.47
1:B:7:THR:HB	1:B:72:ASP:HB3	1.97	0.47
1:D:9:LYS:HB2	1:D:70:TYR:HB3	1.96	0.47
1:D:28:ILE:HB	1:D:853:VAL:HG22	1.96	0.47
1:C:841:GLU:HB2	4:C:336:HOH:O	2.15	0.47
1:C:856:ASP:OD1	1:C:858:GLU:CG	2.64	0.46
1:C:36:LYS:HB3	1:C:853:VAL:CG1	2.46	0.46
1:A:810:LEU:HD22	1:A:846:LYS:NZ	2.30	0.46
1:B:46:GLY:HA3	1:B:73:LEU:HD11	1.96	0.46
1:B:840:MET:HA	1:B:844:LEU:HB2	1.97	0.46
1:C:812:LEU:HD13	1:C:816:ILE:HD12	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ARG:O	1:A:157:VAL:HG23	2.16	0.46
1:B:160:VAL:HG12	1:B:161:LEU:HD12	1.97	0.46
1:D:804:PHE:CE1	1:D:808:MET:HE2	2.51	0.46
1:A:96:GLU:HG2	1:A:98:HIS:NE2	2.32	0.45
1:A:128:PRO:CB	1:A:131:ILE:HD13	2.41	0.45
1:C:817:SER:HB3	1:C:848:PRO:HG2	1.96	0.45
1:C:837:ILE:HG23	1:C:862:ALA:HB2	1.98	0.45
1:D:36:LYS:HD2	1:D:853:VAL:HG13	1.99	0.45
1:A:36:LYS:HD2	1:A:853:VAL:HG13	1.97	0.45
1:D:44:LEU:HD21	1:D:53:ILE:HD12	1.99	0.45
1:B:758:GLU:O	1:B:835:LYS:HE2	2.16	0.45
1:B:812:LEU:HD13	1:B:816:ILE:HD12	1.99	0.45
1:A:96:GLU:CG	1:A:98:HIS:HE2	2.30	0.45
1:A:165:LYS:HG3	4:A:964:HOH:O	2.16	0.45
1:A:732:LYS:HD3	4:A:271:HOH:O	2.16	0.45
1:B:146:ILE:O	1:B:153:ARG:HD3	2.17	0.45
1:C:732:LYS:HB2	1:C:732:LYS:HZ3	1.80	0.45
1:B:6:VAL:HG23	1:B:73:LEU:HD23	1.98	0.45
1:A:36:LYS:NZ	1:A:823:GLU:OE2	2.44	0.44
1:A:177:LYS:N	1:A:177:LYS:HD3	2.32	0.44
1:D:829:ASP:HB2	4:D:690:HOH:O	2.17	0.44
1:A:9:LYS:HB2	1:A:70:TYR:HB3	1.99	0.44
1:D:33:GLY:H	2:D:901:ANP:HNB1	1.66	0.44
1:A:840:MET:SD	1:A:859:LEU:HD22	2.58	0.44
1:B:59:ASP:OD1	1:B:59:ASP:N	2.43	0.44
1:B:23:GLU:H	1:B:23:GLU:CD	2.26	0.44
1:C:61:PHE:C	1:C:61:PHE:CD1	2.95	0.44
1:C:822:ASP:OD1	1:C:823:GLU:HG2	2.18	0.44
1:C:36:LYS:HB3	1:C:853:VAL:HG11	2.00	0.43
1:D:58:LYS:HA	1:D:61:PHE:CE2	2.53	0.43
1:B:133:LEU:HD23	1:B:133:LEU:HA	1.89	0.43
1:C:737:LYS:O	1:C:741:ARG:HG3	2.18	0.43
1:A:33:GLY:H	2:A:901:ANP:HNB1	1.66	0.43
1:B:806:LEU:HD23	1:B:806:LEU:HA	1.85	0.43
1:B:844:LEU:HD23	1:B:844:LEU:HA	1.87	0.43
1:C:871:LEU:HD21	4:C:924:HOH:O	2.17	0.43
1:D:160:VAL:CG1	1:D:812:LEU:HD11	2.49	0.43
1:D:729:LEU:C	1:D:729:LEU:HD13	2.44	0.43
1:C:856:ASP:OD1	1:C:858:GLU:HG2	2.19	0.43
1:B:136:ILE:HG12	1:B:816:ILE:HG21	2.01	0.42
1:D:138:ILE:HB	1:D:821:LEU:HD12	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:825:THR:N	1:D:826:PRO:CD	2.82	0.42
1:B:33:GLY:H	2:B:901:ANP:HNB1	1.67	0.42
1:A:165:LYS:HB2	1:A:165:LYS:HE3	1.76	0.42
1:A:827:TYR:OH	1:B:141:GLY:HA2	2.19	0.42
1:C:137:TYR:CZ	1:C:139:ARG:HG2	2.55	0.42
1:C:754:GLU:HG2	1:C:843:TYR:OH	2.19	0.42
1:B:149:SER:HB3	1:B:152:ALA:HB3	2.00	0.42
1:C:1:MET:SD	1:C:127:ILE:HD13	2.59	0.42
1:C:808:MET:HE3	1:C:808:MET:HB2	1.83	0.42
1:A:7:THR:HB	1:A:72:ASP:HB3	2.02	0.42
1:B:842:ARG:HD2	1:B:843:TYR:CE1	2.54	0.42
1:C:133:LEU:HD23	1:C:133:LEU:HA	1.85	0.42
1:C:866:VAL:H	1:C:882:SER:HB3	1.85	0.42
1:A:141:GLY:HA2	1:B:827:TYR:OH	2.19	0.42
1:B:822:ASP:HA	1:B:853:VAL:HG22	2.02	0.42
1:D:797:ARG:HD2	4:D:549:HOH:O	2.20	0.42
1:C:157:VAL:O	1:C:161:LEU:HG	2.20	0.41
1:D:732:LYS:HB3	1:D:736:TYR:CD2	2.55	0.41
1:B:143:ILE:CG2	1:B:802:LEU:HD13	2.51	0.41
1:B:157:VAL:HG11	1:B:745:LEU:HD21	2.03	0.41
1:B:832:ARG:HD2	4:B:368:HOH:O	2.20	0.41
1:D:133:LEU:HD23	1:D:133:LEU:HA	1.78	0.41
1:D:824:PRO:C	1:D:826:PRO:HD2	2.44	0.41
1:D:143:ILE:HD11	1:D:824:PRO:HA	2.01	0.41
1:C:173:LEU:O	1:C:176:LEU:HG	2.20	0.41
1:A:748:ILE:HD13	1:A:808:MET:HE2	2.03	0.41
1:D:6:VAL:HG13	1:D:73:LEU:CD2	2.50	0.41
1:C:49:TRP:CG	1:C:50:PRO:HA	2.55	0.41
1:A:58:LYS:HG2	4:A:934:HOH:O	2.21	0.41
1:A:810:LEU:HD22	1:A:846:LYS:HZ1	1.85	0.41
1:A:61:PHE:C	1:A:61:PHE:CD1	2.98	0.40
1:B:137:TYR:CZ	1:B:139:ARG:HG2	2.56	0.40
1:C:106:ASN:OD1	1:C:106:ASN:N	2.52	0.40
1:A:36:LYS:HE3	1:A:36:LYS:HB2	1.92	0.40
1:B:842:ARG:HG3	4:B:447:HOH:O	2.20	0.40
1:C:113:GLU:HG2	1:C:114:PRO:CD	2.49	0.40
1:C:856:ASP:OD1	1:C:858:GLU:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/339 (99%)	326 (97%)	10 (3%)	1 (0%)	36	29
1	B	315/339 (93%)	307 (98%)	7 (2%)	1 (0%)	36	29
1	C	337/339 (99%)	326 (97%)	10 (3%)	1 (0%)	36	29
1	D	314/339 (93%)	305 (97%)	8 (2%)	1 (0%)	36	29
All	All	1303/1356 (96%)	1264 (97%)	35 (3%)	4 (0%)	36	29

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	825	THR
1	A	825	THR
1	C	825	THR
1	D	825	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/294 (100%)	284 (97%)	9 (3%)	35	29
1	B	273/294 (93%)	266 (97%)	7 (3%)	40	35
1	C	293/294 (100%)	283 (97%)	10 (3%)	32	25
1	D	276/294 (94%)	270 (98%)	6 (2%)	45	42
All	All	1135/1176 (96%)	1103 (97%)	32 (3%)	38	32

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LYS
1	A	59	ASP
1	A	61	PHE
1	A	111	VAL
1	A	133	LEU
1	A	759	PHE
1	A	808	MET
1	A	846	LYS
1	A	853	VAL
1	B	59	ASP
1	B	61	PHE
1	B	160	VAL
1	B	746	SER
1	B	759	PHE
1	B	802	LEU
1	B	859	LEU
1	C	61	PHE
1	C	76	GLU
1	C	106	ASN
1	C	133	LEU
1	C	148	GLU
1	C	172	LYS
1	C	732	LYS
1	C	759	PHE
1	C	808	MET
1	C	858	GLU
1	D	52	ARG
1	D	759	PHE
1	D	802	LEU
1	D	853	VAL
1	D	859	LEU
1	D	860	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	774	ASN
1	C	130	ASN
1	C	134	ASN
1	D	134	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ANP	A	901	3	33,33,33	1.97	10 (30%)	45,52,52	1.83	11 (24%)
2	ANP	D	901	3	33,33,33	1.83	9 (27%)	45,52,52	1.92	13 (28%)
2	ANP	B	901	3	33,33,33	1.87	8 (24%)	45,52,52	1.99	13 (28%)
2	ANP	C	901	3	33,33,33	1.91	10 (30%)	45,52,52	1.97	13 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	A	901	3	-	0/18/38/38	0/3/3/3
2	ANP	D	901	3	-	0/18/38/38	0/3/3/3
2	ANP	B	901	3	-	0/18/38/38	0/3/3/3
2	ANP	C	901	3	-	1/18/38/38	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	ANP	C6-N6	5.54	1.48	1.34
2	C	901	ANP	C6-N6	5.50	1.48	1.34
2	B	901	ANP	C6-N6	5.45	1.48	1.34
2	D	901	ANP	C6-N6	5.05	1.47	1.34
2	A	901	ANP	PG-O1G	5.04	1.53	1.46
2	B	901	ANP	PG-O1G	4.67	1.53	1.46
2	D	901	ANP	PG-O1G	4.21	1.52	1.46
2	C	901	ANP	PG-O1G	4.09	1.52	1.46
2	A	901	ANP	O4'-C4'	-3.09	1.38	1.45
2	B	901	ANP	O4'-C4'	-3.04	1.38	1.45
2	D	901	ANP	O4'-C4'	-2.93	1.38	1.45
2	A	901	ANP	PG-O2G	-2.92	1.49	1.56
2	C	901	ANP	O4'-C4'	-2.81	1.38	1.45
2	C	901	ANP	PG-O3G	-2.69	1.49	1.56
2	D	901	ANP	PG-O3G	-2.64	1.49	1.56
2	B	901	ANP	PG-O2G	-2.63	1.49	1.56
2	D	901	ANP	PA-O2A	-2.61	1.43	1.55
2	C	901	ANP	C2'-C3'	-2.60	1.46	1.53
2	D	901	ANP	PG-O2G	-2.58	1.50	1.56
2	C	901	ANP	PG-O2G	-2.56	1.50	1.56
2	C	901	ANP	C3'-C4'	-2.49	1.46	1.53
2	A	901	ANP	PA-O3A	2.48	1.62	1.59
2	B	901	ANP	C3'-C4'	-2.47	1.46	1.53
2	B	901	ANP	PG-O3G	-2.44	1.50	1.56
2	A	901	ANP	C2'-C1'	-2.43	1.45	1.53
2	C	901	ANP	PA-O2A	-2.32	1.44	1.55
2	D	901	ANP	C3'-C4'	-2.30	1.47	1.53
2	A	901	ANP	C2'-C3'	-2.29	1.47	1.53
2	B	901	ANP	C2'-C1'	-2.27	1.46	1.53
2	C	901	ANP	C2'-C1'	-2.26	1.46	1.53
2	D	901	ANP	O4'-C1'	2.23	1.47	1.42
2	A	901	ANP	PG-O3G	-2.21	1.50	1.56
2	A	901	ANP	C3'-C4'	-2.20	1.47	1.53
2	B	901	ANP	PA-O2A	-2.16	1.45	1.55
2	D	901	ANP	C2'-C1'	-2.10	1.46	1.53
2	A	901	ANP	PA-O2A	-2.08	1.45	1.55
2	C	901	ANP	O4'-C1'	2.04	1.46	1.42

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	ANP	C5-C4-N3	-4.91	119.95	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	901	ANP	C5-C4-N3	-4.91	119.95	126.72
2	C	901	ANP	C5-C4-N3	-4.88	119.99	126.72
2	A	901	ANP	N3-C2-N1	-4.80	121.31	128.58
2	D	901	ANP	N3-C2-N1	-4.80	121.31	128.58
2	C	901	ANP	N3-C2-N1	-4.75	121.39	128.58
2	C	901	ANP	O1B-PB-N3B	4.72	118.72	111.77
2	B	901	ANP	N3-C2-N1	-4.72	121.44	128.58
2	A	901	ANP	C5-C4-N3	-4.34	120.74	126.72
2	B	901	ANP	N3-C4-N9	3.86	133.74	127.17
2	B	901	ANP	O1B-PB-N3B	3.71	117.23	111.77
2	B	901	ANP	N9-C8-N7	-3.71	108.68	113.94
2	D	901	ANP	O1B-PB-N3B	3.69	117.20	111.77
2	C	901	ANP	N9-C8-N7	-3.59	108.84	113.94
2	C	901	ANP	N3-C4-N9	3.50	133.12	127.17
2	A	901	ANP	N9-C8-N7	-3.44	109.05	113.94
2	D	901	ANP	N3-C4-N9	3.36	132.88	127.17
2	A	901	ANP	N3-C4-N9	3.33	132.84	127.17
2	D	901	ANP	C2-N3-C4	3.32	119.94	111.83
2	C	901	ANP	C2-N3-C4	3.25	119.77	111.83
2	D	901	ANP	N9-C8-N7	-3.20	109.40	113.94
2	B	901	ANP	C2-N3-C4	3.19	119.62	111.83
2	B	901	ANP	C4-N9-C8	3.18	109.07	105.74
2	A	901	ANP	O1B-PB-N3B	3.12	116.37	111.77
2	B	901	ANP	C5-N7-C8	3.11	108.34	103.45
2	C	901	ANP	C5-N7-C8	3.01	108.18	103.45
2	A	901	ANP	C2-N3-C4	2.97	119.09	111.83
2	A	901	ANP	C4-N9-C8	2.96	108.85	105.74
2	B	901	ANP	C4'-O4'-C1'	-2.83	103.22	109.47
2	D	901	ANP	C5-N7-C8	2.74	107.76	103.45
2	C	901	ANP	C4-N9-C8	2.73	108.60	105.74
2	C	901	ANP	C4-C5-N7	-2.70	107.49	110.58
2	A	901	ANP	C5-N7-C8	2.62	107.57	103.45
2	B	901	ANP	C4-C5-N7	-2.61	107.59	110.58
2	D	901	ANP	O2G-PG-O1G	-2.61	106.90	113.45
2	D	901	ANP	C4-C5-N7	-2.59	107.62	110.58
2	C	901	ANP	C4'-O4'-C1'	-2.56	103.82	109.47
2	A	901	ANP	O5'-C5'-C4'	2.45	117.34	108.99
2	B	901	ANP	O2G-PG-O1G	-2.39	107.45	113.45
2	C	901	ANP	O5'-C5'-C4'	2.38	117.09	108.99
2	A	901	ANP	C4'-O4'-C1'	-2.34	104.30	109.47
2	D	901	ANP	O5'-C5'-C4'	2.33	116.92	108.99
2	D	901	ANP	C4-N9-C8	2.23	108.08	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	901	ANP	C4'-O4'-C1'	-2.21	104.59	109.47
2	C	901	ANP	O2G-PG-O1G	-2.18	107.99	113.45
2	A	901	ANP	C4-C5-N7	-2.16	108.11	110.58
2	B	901	ANP	C2'-C1'-N9	2.15	118.66	113.30
2	D	901	ANP	O2A-PA-O3A	2.14	113.06	107.27
2	C	901	ANP	O2B-PB-O1B	-2.06	105.44	109.87
2	B	901	ANP	O5'-C5'-C4'	2.06	115.99	108.99

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	901	ANP	C5'-O5'-PA-O1A


There are no ring outliers.


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	ANP	1	0
2	D	901	ANP	1	0
2	B	901	ANP	1	0
2	C	901	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	339/339 (100%)	0.48	19 (5%)	30 32	17, 37, 82, 130	0
1	B	319/339 (94%)	0.43	23 (7%)	21 23	17, 36, 86, 160	0
1	C	339/339 (100%)	0.52	24 (7%)	22 23	20, 38, 76, 124	0
1	D	318/339 (93%)	0.43	16 (5%)	34 36	19, 37, 77, 158	0
All	All	1315/1356 (96%)	0.47	82 (6%)	26 28	17, 37, 80, 160	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	149	SER	5.4
1	C	149	SER	4.9
1	A	97	ILE	4.8
1	D	733	VAL	4.6
1	D	730	ILE	4.5
1	B	730	ILE	4.2
1	A	176	LEU	4.2
1	C	176	LEU	3.9
1	C	121	ALA	3.9
1	B	161	LEU	3.7
1	B	729	LEU	3.7
1	D	736	TYR	3.7
1	A	150	ASP	3.6
1	B	106	ASN	3.6
1	B	736	TYR	3.6
1	B	91	GLY	3.5
1	A	174	SER	3.5
1	C	68	ASP	3.5
1	C	152	ALA	3.5
1	A	93	SER	3.5
1	A	95	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	729	LEU	3.3
1	A	178	GLY	3.3
1	B	733	VAL	3.2
1	A	726	THR	3.1
1	B	726	THR	3.1
1	D	157	VAL	3.1
1	C	815	GLU	2.9
1	B	814	GLY	2.9
1	B	93	SER	2.8
1	A	92	TYR	2.8
1	C	93	SER	2.8
1	C	150	ASP	2.8
1	D	156	VAL	2.8
1	A	151	GLU	2.7
1	C	166	PHE	2.6
1	B	105	GLY	2.6
1	B	92	TYR	2.6
1	D	52	ARG	2.5
1	A	112	THR	2.5
1	B	89	LEU	2.5
1	D	51	LEU	2.5
1	A	842	ARG	2.5
1	B	151	GLU	2.5
1	C	106	ASN	2.4
1	A	91	GLY	2.4
1	A	180	SER	2.4
1	D	882	SER	2.4
1	A	67	ARG	2.3
1	D	739	LEU	2.3
1	A	152	ALA	2.3
1	C	91	GLY	2.3
1	C	102	ARG	2.3
1	C	130	ASN	2.3
1	B	97	ILE	2.3
1	A	882	SER	2.3
1	B	813	ALA	2.2
1	B	68	ASP	2.2
1	D	160	VAL	2.2
1	B	107	GLU	2.2
1	C	742	GLU	2.2
1	B	160	VAL	2.2
1	B	90	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1	MET	2.1
1	C	174	SER	2.1
1	C	73	LEU	2.1
1	D	775	LYS	2.1
1	D	858	GLU	2.1
1	A	68	ASP	2.1
1	C	180	SER	2.1
1	C	726	THR	2.1
1	B	860	LYS	2.1
1	D	754	GLU	2.1
1	C	51	LEU	2.1
1	D	162	ASN	2.1
1	C	113	GLU	2.0
1	C	120	SER	2.0
1	B	108	TRP	2.0
1	C	165	LYS	2.0
1	D	53	ILE	2.0
1	C	178	GLY	2.0
1	B	104	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	C	902	1/1	0.97	0.07	24,24,24,24	0
2	ANP	D	901	31/31	0.98	0.05	16,19,23,24	0
3	MG	B	902	1/1	0.98	0.04	19,19,19,19	0
2	ANP	C	901	31/31	0.98	0.05	17,23,28,31	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	A	902	1/1	0.99	0.04	20,20,20,20	0
2	ANP	A	901	31/31	0.99	0.04	15,21,25,26	0
2	ANP	B	901	31/31	0.99	0.04	12,17,20,21	0
3	MG	D	902	1/1	0.99	0.02	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ANP D 901:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ANP C 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP A 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.