



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:14 PM UTC

PDB ID : 4QO5 / pdb_00004qo5
Title : Hypothetical multiheme protein
Authors : Rajendran, C.
Deposited on : 2014-06-19
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	4% 89% 11%


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca		
			1	1	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O		
			14	8	1	5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	407	Total	O		
			407	407	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hypothetical multiheme protein



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	136.44Å 136.44Å 214.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.73 – 1.70 43.73 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.4 (43.73-1.70) 99.4 (43.73-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 1.70Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.165 , 0.201 0.171 , 0.197	Depositor DCC
R_{free} test set	4222 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	21.3	Xtriage
Anisotropy	0.625	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4820	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, NAG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	2/4165 (0.0%)	0.78	1/5678 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	521	THR	CA-C	5.76	1.55	1.52
1	A	301	TRP	CE2-CZ2	-5.57	1.28	1.39

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	ASN	N-CA-C	5.06	116.48	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4054	0	3978	48	0
2	A	344	0	256	23	0
3	A	1	0	0	0	0
4	A	14	0	13	1	0
5	A	407	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4820	0	4247	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:301:TRP:HA	1:A:301:TRP:CE3	2.16	0.81
1:A:295:ASN:O	1:A:301:TRP:CH2	2.36	0.79
1:A:296:MET:HA	1:A:301:TRP:CZ2	2.27	0.70
1:A:54:CYS:SG	2:A:601:HEC:HAC	2.33	0.69
1:A:296:MET:HA	1:A:301:TRP:HZ2	1.59	0.66
1:A:370:SER:OG	1:A:400:ASP:OD1	2.18	0.61
1:A:296:MET:C	1:A:301:TRP:CH2	2.80	0.60
1:A:296:MET:C	1:A:301:TRP:HH2	2.12	0.57
1:A:125:PHE:CD1	2:A:601:HEC:HBC2	2.39	0.57
1:A:301:TRP:HA	1:A:301:TRP:HE3	1.64	0.57
1:A:431:MET:HE3	1:A:434:ILE:HB	1.85	0.57
1:A:290:HIS:O	1:A:293:LYS:HG2	2.04	0.56
1:A:298:ALA:N	1:A:301:TRP:HZ3	2.04	0.56
2:A:606:HEC:CGA	2:A:606:HEC:HHA	2.36	0.55
1:A:295:ASN:O	1:A:301:TRP:CZ2	2.58	0.55
1:A:380:LEU:HD21	1:A:471:LYS:HG2	1.89	0.54
1:A:431:MET:HE2	2:A:608:HEC:HBB1	1.88	0.54
2:A:607:HEC:HAC	2:A:608:HEC:HBB2	1.92	0.52
1:A:109:GLU:O	1:A:113:LEU:HG	2.10	0.51
1:A:298:ALA:HB3	1:A:301:TRP:CZ3	2.46	0.50
1:A:456:GLU:OE1	5:A:1043:HOH:O	2.19	0.50
1:A:107:CYS:SG	2:A:602:HEC:HAB	2.49	0.50
1:A:312:CYS:SG	2:A:607:HEC:HAB	2.47	0.50
1:A:339:ARG:HD3	5:A:797:HOH:O	2.12	0.50
2:A:602:HEC:HAC	2:A:603:HEC:HBB2	1.94	0.50
1:A:55:HIS:HA	1:A:58:VAL:HG22	1.95	0.49
2:A:608:HEC:HMB2	5:A:1062:HOH:O	2.12	0.49
1:A:153:SER:HB2	2:A:606:HEC:O1A	2.13	0.48
1:A:336:VAL:HG23	2:A:606:HEC:HBA2	1.93	0.48
1:A:276:ASN:HB3	1:A:519:TRP:CH2	2.49	0.47
1:A:246:CYS:SG	2:A:605:HEC:HAC	2.49	0.47
1:A:280:GLU:CD	1:A:517:GLN:H	2.23	0.47
1:A:149:TYR:CE1	2:A:605:HEC:HMC2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:LEU:HD11	1:A:113:LEU:HD21	1.97	0.46
1:A:275:PHE:HA	2:A:607:HEC:CBB	2.45	0.46
1:A:298:ALA:HB3	1:A:301:TRP:HZ3	1.80	0.45
2:A:601:HEC:HMC1	2:A:601:HEC:HBC3	1.98	0.45
2:A:601:HEC:HBB3	2:A:601:HEC:HMB3	1.99	0.45
2:A:603:HEC:HMB3	2:A:603:HEC:HBB3	1.99	0.45
1:A:71:MET:HB3	1:A:105:VAL:HB	2.00	0.44
1:A:143:ARG:HD3	5:A:1082:HOH:O	2.17	0.44
1:A:231:VAL:O	1:A:241:GLY:HA2	2.18	0.43
1:A:195:CYS:SG	2:A:604:HEC:HAB	2.58	0.43
2:A:607:HEC:HAC	2:A:608:HEC:CBB	2.49	0.43
1:A:373:GLU:OE1	1:A:384:LYS:NZ	2.46	0.42
1:A:520:THR:C	1:A:525:GLY:HA3	2.45	0.42
1:A:138:CYS:SG	2:A:603:HEC:CBB	3.08	0.42
1:A:172:ASN:ND2	4:A:610:NAG:C1	2.82	0.42
1:A:298:ALA:N	1:A:301:TRP:CZ3	2.85	0.42
2:A:605:HEC:HAB	2:A:605:HEC:HHC	1.77	0.41
1:A:48:THR:HA	1:A:51:CYS:SG	2.61	0.41
1:A:301:TRP:HB3	1:A:320:LEU:HD23	2.03	0.41
1:A:198:CYS:SG	2:A:604:HEC:HAC	2.57	0.41
1:A:40:LYS:HD2	1:A:40:LYS:HA	1.95	0.40
1:A:95:GLU:CD	1:A:143:ARG:HH22	2.29	0.40
1:A:243:CYS:SG	2:A:605:HEC:CBB	3.09	0.40
1:A:226:TYR:HA	1:A:227:PRO:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	519/521 (100%)	503 (97%)	16 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	438/445 (98%)	432 (99%)	6 (1%)	59 46

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	GLU
1	A	40	LYS
1	A	301	TRP
1	A	365	GLU
1	A	382	ILE
1	A	484	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	A	601	1	46,50,50	1.88	6 (13%)	58,82,82	1.58	9 (15%)
2	HEC	A	605	1	46,50,50	1.91	9 (19%)	58,82,82	2.42	11 (18%)
2	HEC	A	608	1	46,50,50	1.88	6 (13%)	58,82,82	1.67	9 (15%)
4	NAG	A	610	-	14,14,15	0.66	1 (7%)	17,19,21	0.62	0
2	HEC	A	606	1	46,50,50	1.88	6 (13%)	58,82,82	1.73	8 (13%)
2	HEC	A	604	5,1	46,50,50	1.84	7 (15%)	58,82,82	1.97	10 (17%)
2	HEC	A	603	1	46,50,50	1.92	7 (15%)	58,82,82	1.92	11 (18%)
2	HEC	A	602	1	46,50,50	1.95	9 (19%)	58,82,82	2.04	12 (20%)
2	HEC	A	607	1	46,50,50	1.83	8 (17%)	58,82,82	2.00	11 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	601	1	-	4/14/54/54	-
2	HEC	A	605	1	-	6/14/54/54	-
2	HEC	A	608	1	-	7/14/54/54	-
4	NAG	A	610	-	-	0/6/23/26	0/1/1/1
2	HEC	A	606	1	-	9/14/54/54	-
2	HEC	A	604	5,1	-	6/14/54/54	-
2	HEC	A	603	1	-	6/14/54/54	-
2	HEC	A	602	1	-	11/14/54/54	-
2	HEC	A	607	1	-	6/14/54/54	-

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEC	CAC-C3C	6.71	1.56	1.35
2	A	603	HEC	CAC-C3C	6.65	1.56	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	608	HEC	CAB-C3B	6.59	1.56	1.35
2	A	606	HEC	CAC-C3C	6.47	1.56	1.35
2	A	602	HEC	CAC-C3C	6.30	1.55	1.35
2	A	606	HEC	CAB-C3B	6.20	1.55	1.35
2	A	604	HEC	CAB-C3B	6.18	1.55	1.35
2	A	608	HEC	CAC-C3C	6.17	1.55	1.35
2	A	607	HEC	CAC-C3C	6.17	1.55	1.35
2	A	605	HEC	CAB-C3B	6.12	1.54	1.35
2	A	601	HEC	CAB-C3B	5.93	1.54	1.35
2	A	605	HEC	CAC-C3C	5.62	1.53	1.35
2	A	603	HEC	CAB-C3B	5.60	1.53	1.35
2	A	601	HEC	C3D-C2D	5.47	1.53	1.38
2	A	604	HEC	CAC-C3C	5.35	1.52	1.35
2	A	606	HEC	C3D-C2D	5.29	1.52	1.38
2	A	602	HEC	CAB-C3B	5.28	1.52	1.35
2	A	607	HEC	CAB-C3B	5.27	1.52	1.35
2	A	604	HEC	C3D-C2D	5.27	1.52	1.38
2	A	602	HEC	C3D-C2D	5.24	1.52	1.38
2	A	605	HEC	C3D-C2D	5.13	1.52	1.38
2	A	603	HEC	C3D-C2D	5.00	1.52	1.38
2	A	607	HEC	C3D-C2D	4.98	1.51	1.38
2	A	608	HEC	C3D-C2D	4.70	1.51	1.38
2	A	605	HEC	C3B-C4B	-3.04	1.40	1.46
2	A	607	HEC	CMB-C2B	2.68	1.56	1.50
2	A	602	HEC	CMD-C2D	2.56	1.56	1.50
2	A	608	HEC	CMC-C2C	2.55	1.56	1.50
2	A	602	HEC	CMC-C2C	2.53	1.56	1.50
2	A	602	HEC	CMB-C2B	2.50	1.55	1.50
2	A	601	HEC	CMB-C2B	2.44	1.55	1.50
2	A	603	HEC	C3B-C4B	-2.43	1.41	1.46
2	A	603	HEC	CMC-C2C	2.41	1.55	1.50
2	A	608	HEC	CMB-C2B	2.36	1.55	1.50
2	A	604	HEC	CMC-C2C	2.35	1.55	1.50
2	A	604	HEC	C3C-C4C	-2.34	1.41	1.46
2	A	601	HEC	CMA-C3A	2.33	1.55	1.50
2	A	602	HEC	C3C-C4C	-2.32	1.42	1.46
2	A	605	HEC	C3C-C4C	-2.31	1.42	1.46
2	A	605	HEC	CMC-C2C	2.28	1.55	1.50
2	A	606	HEC	CMC-C2C	2.27	1.55	1.50
4	A	610	NAG	C1-C2	-2.27	1.49	1.52
2	A	605	HEC	CMB-C2B	2.26	1.55	1.50
2	A	604	HEC	CMB-C2B	2.24	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	607	HEC	C4B-NB	-2.24	1.35	1.39
2	A	607	HEC	CMA-C3A	2.22	1.55	1.50
2	A	603	HEC	CBB-CAB	2.20	1.57	1.49
2	A	605	HEC	CBB-CAB	2.16	1.57	1.49
2	A	601	HEC	CMD-C2D	2.16	1.55	1.50
2	A	606	HEC	CMA-C3A	2.11	1.55	1.50
2	A	602	HEC	CBB-CAB	2.11	1.57	1.49
2	A	602	HEC	C3B-C4B	-2.10	1.42	1.46
2	A	607	HEC	C3B-C4B	-2.07	1.42	1.46
2	A	608	HEC	CAA-C2A	2.06	1.56	1.51
2	A	606	HEC	CMB-C2B	2.04	1.54	1.50
2	A	607	HEC	CMD-C2D	2.03	1.54	1.50
2	A	605	HEC	CMD-C2D	2.01	1.54	1.50
2	A	604	HEC	C3B-C2B	-2.01	1.34	1.41
2	A	603	HEC	CAA-C2A	2.00	1.56	1.51

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	604	HEC	CBC-CAC-C3C	-8.74	109.97	127.43
2	A	605	HEC	CBB-CAB-C3B	-8.40	110.64	127.43
2	A	602	HEC	CBB-CAB-C3B	-7.91	111.62	127.43
2	A	603	HEC	CBB-CAB-C3B	-7.90	111.64	127.43
2	A	605	HEC	CHC-C4B-NB	7.56	132.69	124.45
2	A	605	HEC	CHD-C4C-NC	7.15	132.24	124.45
2	A	607	HEC	CBB-CAB-C3B	-7.14	113.17	127.43
2	A	601	HEC	CBB-CAB-C3B	-6.40	114.63	127.43
2	A	606	HEC	CMC-C2C-C1C	-6.32	115.80	125.42
2	A	602	HEC	CBC-CAC-C3C	-6.14	115.15	127.43
2	A	605	HEC	CBC-CAC-C3C	-6.12	115.20	127.43
2	A	604	HEC	CHD-C4C-NC	6.08	131.07	124.45
2	A	602	HEC	CHC-C4B-NB	5.63	130.59	124.45
2	A	603	HEC	CHC-C4B-NB	5.49	130.43	124.45
2	A	608	HEC	CBC-CAC-C3C	-5.47	116.51	127.43
2	A	608	HEC	CBB-CAB-C3B	-5.23	116.99	127.43
2	A	607	HEC	CHC-C4B-NB	4.90	129.79	124.45
2	A	607	HEC	CBC-CAC-C3C	-4.80	117.83	127.43
2	A	603	HEC	CMC-C2C-C1C	-4.79	118.12	125.42
2	A	607	HEC	CMC-C2C-C1C	-4.70	118.27	125.42
2	A	603	HEC	CBC-CAC-C3C	-4.66	118.11	127.43
2	A	606	HEC	CBB-CAB-C3B	-4.66	118.11	127.43
2	A	601	HEC	CMC-C2C-C1C	-4.44	118.66	125.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	606	HEC	CBC-CAC-C3C	-4.26	118.91	127.43
2	A	605	HEC	CHB-C4A-NA	4.19	129.02	124.45
2	A	605	HEC	CHC-C4B-C3B	-4.19	118.14	125.21
2	A	608	HEC	CMC-C2C-C1C	-3.83	119.58	125.42
2	A	604	HEC	CBB-CAB-C3B	-3.71	120.02	127.43
2	A	602	HEC	CMC-C2C-C1C	-3.69	119.81	125.42
2	A	605	HEC	CBD-CAD-C3D	-3.67	102.40	112.53
2	A	607	HEC	CHD-C4C-NC	3.54	128.30	124.45
2	A	606	HEC	CHA-C1A-NA	3.50	128.27	124.45
2	A	601	HEC	CBC-CAC-C3C	-3.44	120.56	127.43
2	A	608	HEC	CMB-C2B-C1B	-3.43	120.19	125.42
2	A	605	HEC	CMC-C2C-C1C	-3.43	120.20	125.42
2	A	604	HEC	CHB-C4A-NA	3.36	128.11	124.45
2	A	607	HEC	C4D-ND-C1D	3.36	111.29	105.82
2	A	601	HEC	C4D-ND-C1D	3.35	111.29	105.82
2	A	604	HEC	CHC-C4B-NB	3.34	128.09	124.45
2	A	607	HEC	CBD-CAD-C3D	-3.33	103.31	112.53
2	A	606	HEC	C2A-C1A-NA	-3.27	107.16	110.32
2	A	602	HEC	CMD-C2D-C3D	3.26	132.54	125.62
2	A	607	HEC	CAA-CBA-CGA	-3.25	105.05	113.67
2	A	608	HEC	CHD-C4C-NC	3.15	127.88	124.45
2	A	606	HEC	C4D-ND-C1D	3.04	110.77	105.82
2	A	605	HEC	CHD-C4C-C3C	-3.03	120.10	125.21
2	A	604	HEC	C4D-ND-C1D	2.98	110.67	105.82
2	A	605	HEC	C4D-ND-C1D	2.87	110.50	105.82
2	A	604	HEC	CBA-CAA-C2A	-2.86	104.64	112.53
2	A	607	HEC	CMB-C2B-C3B	2.79	133.11	126.55
2	A	606	HEC	CHC-C4B-NB	2.67	127.36	124.45
2	A	608	HEC	CMB-C2B-C3B	2.65	132.79	126.55
2	A	601	HEC	CHC-C4B-NB	2.65	127.34	124.45
2	A	608	HEC	C4D-ND-C1D	2.64	110.12	105.82
2	A	603	HEC	CAD-C3D-C4D	2.61	130.04	124.94
2	A	603	HEC	CHC-C4B-C3B	-2.58	120.86	125.21
2	A	602	HEC	CHA-C1A-NA	2.54	127.22	124.45
2	A	607	HEC	CMB-C2B-C1B	-2.52	121.58	125.42
2	A	602	HEC	CHD-C1D-C2D	-2.51	120.13	127.43
2	A	601	HEC	CBA-CAA-C2A	-2.51	105.59	112.53
2	A	602	HEC	CAA-CBA-CGA	-2.42	107.25	113.67
2	A	602	HEC	CHD-C1D-ND	2.38	128.19	123.86
2	A	608	HEC	C1D-C2D-C3D	-2.38	104.10	106.82
2	A	601	HEC	C2A-C1A-NA	-2.34	108.06	110.32
2	A	603	HEC	CBD-CAD-C3D	-2.33	106.09	112.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	604	HEC	CMC-C2C-C1C	-2.32	121.88	125.42
2	A	603	HEC	C4D-ND-C1D	2.31	109.59	105.82
2	A	602	HEC	CMB-C2B-C3B	2.30	131.97	126.55
2	A	603	HEC	CHD-C4C-NC	2.30	126.96	124.45
2	A	605	HEC	CHA-C4D-ND	2.26	127.95	123.86
2	A	603	HEC	CMB-C2B-C1B	-2.23	122.02	125.42
2	A	602	HEC	C1D-C2D-C3D	-2.20	104.30	106.82
2	A	607	HEC	C2A-C1A-NA	-2.15	108.25	110.32
2	A	604	HEC	CBD-CAD-C3D	-2.11	106.69	112.53
2	A	606	HEC	CAD-CBD-CGD	-2.11	108.07	113.67
2	A	604	HEC	CHD-C4C-C3C	-2.11	121.65	125.21
2	A	601	HEC	CMB-C2B-C1B	-2.10	122.21	125.42
2	A	601	HEC	CMB-C2B-C3B	2.10	131.48	126.55
2	A	603	HEC	CMB-C2B-C3B	2.07	131.41	126.55
2	A	602	HEC	CHC-C4B-C3B	-2.06	121.74	125.21
2	A	608	HEC	CBD-CAD-C3D	-2.02	106.94	112.53

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	HEC	C2B-C3B-CAB-CBB
2	A	601	HEC	C4B-C3B-CAB-CBB
2	A	601	HEC	C2C-C3C-CAC-CBC
2	A	601	HEC	C4C-C3C-CAC-CBC
2	A	602	HEC	C2B-C3B-CAB-CBB
2	A	602	HEC	C4B-C3B-CAB-CBB
2	A	602	HEC	C2C-C3C-CAC-CBC
2	A	602	HEC	C4C-C3C-CAC-CBC
2	A	602	HEC	C2D-C3D-CAD-CBD
2	A	603	HEC	C2B-C3B-CAB-CBB
2	A	603	HEC	C4B-C3B-CAB-CBB
2	A	603	HEC	C2C-C3C-CAC-CBC
2	A	604	HEC	C2B-C3B-CAB-CBB
2	A	604	HEC	C4B-C3B-CAB-CBB
2	A	604	HEC	C2C-C3C-CAC-CBC
2	A	604	HEC	C4C-C3C-CAC-CBC
2	A	605	HEC	C2B-C3B-CAB-CBB
2	A	605	HEC	C4B-C3B-CAB-CBB
2	A	605	HEC	C2C-C3C-CAC-CBC
2	A	605	HEC	C4C-C3C-CAC-CBC
2	A	606	HEC	C2B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	606	HEC	C4B-C3B-CAB-CBB
2	A	606	HEC	C2C-C3C-CAC-CBC
2	A	606	HEC	C4C-C3C-CAC-CBC
2	A	607	HEC	C2B-C3B-CAB-CBB
2	A	607	HEC	C4B-C3B-CAB-CBB
2	A	607	HEC	C2C-C3C-CAC-CBC
2	A	608	HEC	C2B-C3B-CAB-CBB
2	A	608	HEC	C4B-C3B-CAB-CBB
2	A	608	HEC	C2C-C3C-CAC-CBC
2	A	608	HEC	C4C-C3C-CAC-CBC
2	A	602	HEC	C4D-C3D-CAD-CBD
2	A	606	HEC	CAD-CBD-CGD-O2D
2	A	606	HEC	CAD-CBD-CGD-O1D
2	A	605	HEC	CAA-CBA-CGA-O1A
2	A	606	HEC	C2A-CAA-CBA-CGA
2	A	604	HEC	CAA-CBA-CGA-O1A
2	A	608	HEC	CAD-CBD-CGD-O1D
2	A	605	HEC	CAA-CBA-CGA-O2A
2	A	604	HEC	CAA-CBA-CGA-O2A
2	A	608	HEC	CAD-CBD-CGD-O2D
2	A	606	HEC	CAA-CBA-CGA-O1A
2	A	607	HEC	CAA-CBA-CGA-O1A
2	A	602	HEC	CAD-CBD-CGD-O2D
2	A	602	HEC	C3D-CAD-CBD-CGD
2	A	608	HEC	C3D-CAD-CBD-CGD
2	A	606	HEC	CAA-CBA-CGA-O2A
2	A	607	HEC	CAA-CBA-CGA-O2A
2	A	603	HEC	CAD-CBD-CGD-O2D
2	A	602	HEC	CAD-CBD-CGD-O1D
2	A	603	HEC	CAD-CBD-CGD-O1D
2	A	602	HEC	CAA-CBA-CGA-O1A
2	A	602	HEC	CAA-CBA-CGA-O2A
2	A	603	HEC	C4C-C3C-CAC-CBC
2	A	607	HEC	C3D-CAD-CBD-CGD

There are no ring outliers.

9 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEC	4	0
2	A	605	HEC	4	0
2	A	608	HEC	4	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	610	NAG	1	0
2	A	606	HEC	3	0
2	A	604	HEC	2	0
2	A	603	HEC	3	0
2	A	602	HEC	2	0
2	A	607	HEC	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand HEC A 605




Bond lengths




Bond angles





Torsions




Rings









Ligand HEC A 603




Bond lengths




Bond angles




Torsions



Rings





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	521/521 (100%)	0.23	21 (4%)	42 46	17, 26, 55, 91	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	301	TRP	8.7
1	A	549	ALA	5.2
1	A	29	ALA	4.1
1	A	482	LEU	4.1
1	A	548	ALA	3.6
1	A	180	MET	3.6
1	A	402	LYS	2.8
1	A	181	GLY	2.8
1	A	547	ARG	2.7
1	A	216	ILE	2.7
1	A	518	ASP	2.5
1	A	401	ILE	2.3
1	A	211	THR	2.3
1	A	214	HIS	2.3
1	A	382	ILE	2.3
1	A	403	THR	2.2
1	A	209	VAL	2.2
1	A	213	SER	2.2
1	A	378	GLN	2.2
1	A	483	ALA	2.1
1	A	182	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	610	14/15	0.87	0.12	30,34,43,44	0
2	HEC	A	607	43/43	0.94	0.11	15,19,28,39	0
2	HEC	A	601	43/43	0.95	0.11	16,25,37,45	0
2	HEC	A	604	43/43	0.96	0.10	19,22,33,38	0
2	HEC	A	605	43/43	0.96	0.09	13,18,25,27	0
2	HEC	A	606	43/43	0.96	0.10	15,21,30,40	0
2	HEC	A	602	43/43	0.96	0.10	14,18,26,37	0
2	HEC	A	608	43/43	0.96	0.10	14,20,30,34	0
2	HEC	A	603	43/43	0.96	0.09	12,19,28,39	0
3	CA	A	609	1/1	0.97	0.05	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.