



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 28, 2026 – 03:47 AM UTC

PDB ID : 5QQR / pdb_00005qqr
Title : PanDDA analysis group deposition – Crystal Structure of human ALAS2A in complex with Z1171217421
Authors : Bezerra, G.A.; Foster, W.; Bailey, H.; Shrestha, L.; Krojer, T.; Talon, R.; Brandao-Neto, J.; Douangamath, A.; Nicola, B.B.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Brennan, P.E.; Yue, W.W.
Deposited on : 2019-05-22
Resolution : 1.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1756 (1.46-1.46)
Clashscore	190562	1795 (1.46-1.46)
Ramachandran outliers	187476	1776 (1.46-1.46)
Sidechain outliers	187428	1776 (1.46-1.46)
RSRZ outliers	180081	1756 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	13% 78% 13% • 9%
1	B	469	12% 80% 11% • 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6929 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-aminolevulinate synthase, erythroid-specific, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	429	Total	C	N	O	S	0	1	0
			3314	2111	578	602	23			
1	A	429	Total	C	N	O	S	0	1	0
			3322	2114	587	599	22			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	119	MET	-	initiating methionine	UNP P22557
B	120	GLY	-	expression tag	UNP P22557
B	121	HIS	-	expression tag	UNP P22557
B	122	HIS	-	expression tag	UNP P22557
B	123	HIS	-	expression tag	UNP P22557
B	124	HIS	-	expression tag	UNP P22557
B	125	HIS	-	expression tag	UNP P22557
B	126	HIS	-	expression tag	UNP P22557
B	127	SER	-	expression tag	UNP P22557
B	128	SER	-	expression tag	UNP P22557
B	129	GLY	-	expression tag	UNP P22557
B	130	VAL	-	expression tag	UNP P22557
B	131	ASP	-	expression tag	UNP P22557
B	132	LEU	-	expression tag	UNP P22557
B	133	GLY	-	expression tag	UNP P22557
B	134	THR	-	expression tag	UNP P22557
B	135	GLU	-	expression tag	UNP P22557
B	136	ASN	-	expression tag	UNP P22557
B	137	LEU	-	expression tag	UNP P22557
B	138	TYR	-	expression tag	UNP P22557
B	139	PHE	-	expression tag	UNP P22557
B	140	GLN	-	expression tag	UNP P22557
B	141	SER	-	expression tag	UNP P22557
B	142	MET	-	expression tag	UNP P22557
B	221	VAL	ALA	conflict	UNP P22557

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	579	GLY	-	expression tag	UNP P22557
B	580	PRO	-	expression tag	UNP P22557
B	581	GLN	-	expression tag	UNP P22557
B	582	TYR	-	expression tag	UNP P22557
B	583	VAL	-	expression tag	UNP P22557
B	584	THR	-	expression tag	UNP P22557
B	585	THR	-	expression tag	UNP P22557
B	586	TYR	-	expression tag	UNP P22557
B	587	ALA	-	expression tag	UNP P22557
A	119	MET	-	initiating methionine	UNP P22557
A	120	GLY	-	expression tag	UNP P22557
A	121	HIS	-	expression tag	UNP P22557
A	122	HIS	-	expression tag	UNP P22557
A	123	HIS	-	expression tag	UNP P22557
A	124	HIS	-	expression tag	UNP P22557
A	125	HIS	-	expression tag	UNP P22557
A	126	HIS	-	expression tag	UNP P22557
A	127	SER	-	expression tag	UNP P22557
A	128	SER	-	expression tag	UNP P22557
A	129	GLY	-	expression tag	UNP P22557
A	130	VAL	-	expression tag	UNP P22557
A	131	ASP	-	expression tag	UNP P22557
A	132	LEU	-	expression tag	UNP P22557
A	133	GLY	-	expression tag	UNP P22557
A	134	THR	-	expression tag	UNP P22557
A	135	GLU	-	expression tag	UNP P22557
A	136	ASN	-	expression tag	UNP P22557
A	137	LEU	-	expression tag	UNP P22557
A	138	TYR	-	expression tag	UNP P22557
A	139	PHE	-	expression tag	UNP P22557
A	140	GLN	-	expression tag	UNP P22557
A	141	SER	-	expression tag	UNP P22557
A	142	MET	-	expression tag	UNP P22557
A	221	VAL	ALA	conflict	UNP P22557
A	579	GLY	-	expression tag	UNP P22557
A	580	PRO	-	expression tag	UNP P22557
A	581	GLN	-	expression tag	UNP P22557
A	582	TYR	-	expression tag	UNP P22557
A	583	VAL	-	expression tag	UNP P22557
A	584	THR	-	expression tag	UNP P22557
A	585	THR	-	expression tag	UNP P22557
A	586	TYR	-	expression tag	UNP P22557

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	587	ALA	-	expression tag	UNP P22557

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			16	8	1	6	1		
2	A	1	Total	C	N	O	P	0	0
			16	8	1	6	1		

- Molecule 3 is 1-[(2-methyl-1,3-thiazol-5-yl)methyl]piperazine (CCD ID: NSV) (formula: $C_9H_{15}N_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	S	0	0
			13	9	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	132	Total	O	0	0
			132	132		
4	A	116	Total	O	0	0
			116	116		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5-aminolevulinate synthase, erythroid-specific, mitochondrial



- Molecule 1: 5-aminolevulinate synthase, erythroid-specific, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	125.26Å 108.66Å 75.75Å 90.00° 109.31° 90.00°	Depositor
Resolution (Å)	71.59 – 1.46 71.59 – 1.46	Depositor EDS
% Data completeness (in resolution range)	98.5 (71.59-1.46) 98.5 (71.59-1.46)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 1.46Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.212 , 0.232 0.220 , 0.239	Depositor DCC
R_{free} test set	8151 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	21.9	Xtriage
Anisotropy	0.205	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 24.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6929	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NSV, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	2/3403 (0.1%)	1.34	10/4608 (0.2%)
1	B	1.07	0/3394	1.32	9/4597 (0.2%)
All	All	1.06	2/6797 (0.0%)	1.33	19/9205 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	365	TYR	C-O	5.89	1.31	1.23
1	A	139	PHE	C-O	5.51	1.30	1.24

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	368	ARG	NE-CZ-NH2	8.27	126.64	119.20
1	A	368	ARG	NE-CZ-NH1	-8.22	113.28	121.50
1	B	158	GLN	CA-C-N	6.91	132.26	120.72
1	B	158	GLN	C-N-CA	6.91	132.26	120.72
1	A	158	GLN	CA-C-N	6.25	131.16	120.72
1	A	158	GLN	C-N-CA	6.25	131.16	120.72
1	A	471	CYS	CB-CA-C	6.00	119.58	109.32
1	B	159	ASP	CB-CA-C	-5.93	97.91	110.31
1	A	138	TYR	O-C-N	5.86	128.85	122.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	170	ARG	CG-CD-NE	-5.71	99.44	112.00
1	B	541	THR	CB-CA-C	5.45	120.11	110.85
1	B	145	TYR	CA-C-N	5.25	127.58	120.65
1	B	145	TYR	C-N-CA	5.25	127.58	120.65
1	B	452	ARG	CB-CA-C	5.23	119.74	110.85
1	A	357	ASP	CA-CB-CG	5.19	117.79	112.60
1	A	159	ASP	CB-CA-C	-5.19	99.47	110.31
1	B	191	VAL	N-CA-CB	-5.16	102.28	111.92
1	A	576	GLY	CA-C-O	-5.14	118.13	122.29
1	A	458	ARG	NE-CZ-NH1	-5.01	116.48	121.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	137	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3322	0	3215	40	0
1	B	3314	0	3204	34	0
2	A	16	0	7	1	0
2	B	16	0	8	1	0
3	B	13	0	0	1	0
4	A	116	0	0	1	0
4	B	132	0	0	5	0
All	All	6929	0	6434	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:442:GLU:O	1:A:446:LEU:HD23	1.74	0.88
1:B:335:GLY:C	4:B:706:HOH:O	2.16	0.87
1:A:147:GLN:OE1	1:A:150:ARG:NH1	2.18	0.76
1:B:335:GLY:CA	4:B:706:HOH:O	2.34	0.75
1:A:470:PRO:C	1:A:471:CYS:SG	2.72	0.73
1:A:191:VAL:HG23	1:A:498:GLY:C	2.18	0.68
1:A:504:ILE:HD12	1:A:517:ARG:HB2	1.78	0.66
1:B:349:GLN:OE1	4:B:701:HOH:O	2.14	0.66
1:B:194:TRP:HB2	1:B:501:VAL:CG1	2.26	0.65
1:A:247:HIS:HA	1:A:379:MET:HE1	1.78	0.65
1:B:169:ASN:HB2	1:B:179:GLN:HG3	1.80	0.63
1:A:194:TRP:HB2	1:A:501:VAL:CG1	2.30	0.61
1:B:504:ILE:HD12	1:B:517:ARG:HB2	1.82	0.61
1:A:272:ILE:HG21	1:A:409:MET:CE	2.32	0.60
1:B:194:TRP:HB2	1:B:501:VAL:HG13	1.87	0.56
1:B:521:SER:HB2	1:B:522:PRO:HD2	1.88	0.56
1:A:191:VAL:HG21	1:A:494:LEU:CD1	2.36	0.55
1:A:470:PRO:C	1:A:471:CYS:HG	2.14	0.54
1:A:194:TRP:HB2	1:A:501:VAL:HG12	1.88	0.54
1:B:303:ARG:NH1	4:B:702:HOH:O	2.39	0.54
1:A:451:GLN:O	1:A:454:VAL:CG1	2.55	0.54
1:B:194:TRP:CZ3	1:B:457:MET:HE1	2.43	0.54
1:A:272:ILE:HD13	1:A:409:MET:SD	2.48	0.54
1:B:258:CYS:HB3	2:B:601:PLP:O4P	2.08	0.52
1:B:460:LEU:O	1:B:464:ARG:HG2	2.10	0.51
1:B:456:HIS:HE1	4:B:756:HOH:O	1.94	0.51
1:B:458:ARG:NE	1:B:471:CYS:SG	2.79	0.50
1:A:497:HIS:HB3	1:A:535:LYS:HD3	1.94	0.50
1:A:221:VAL:O	1:A:424:PRO:HB3	2.11	0.50
1:A:269:LEU:HB3	1:A:324:ILE:HD11	1.94	0.49
1:A:303:ARG:NH1	1:A:306:ASP:OD2	2.44	0.49
1:A:171:TRP:CZ2	1:A:179:GLN:HB2	2.48	0.48
1:B:358:GLU:HG3	1:B:385:ILE:CD1	2.44	0.48
1:B:194:TRP:HB2	1:B:501:VAL:HG12	1.95	0.47
1:A:258:CYS:HB3	2:A:601:PLP:O4P	2.14	0.47
1:A:272:ILE:HG21	1:A:409:MET:HE1	1.97	0.47
1:A:191:VAL:HG21	1:A:494:LEU:HD12	1.96	0.47
1:B:331:HIS:HB3	1:B:334:ASP:OD1	2.15	0.46
1:A:451:GLN:O	1:A:454:VAL:HG13	2.15	0.46
1:A:451:GLN:O	1:A:454:VAL:HG12	2.15	0.46
1:A:504:ILE:CD1	1:A:517:ARG:HB2	2.44	0.45
1:A:521:SER:HB2	1:A:522:PRO:HD2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:370:ALA:HB1	1:A:379:MET:HE1	1.98	0.45
1:A:406:LEU:C	1:A:406:LEU:HD23	2.42	0.45
1:B:457:MET:CB	1:B:529:MET:HE3	2.46	0.45
1:B:166:LYS:HD3	1:B:502:GLN:OE1	2.18	0.44
1:B:221:VAL:HG13	1:B:426:MET:HE2	1.99	0.44
1:B:349:GLN:HA	1:A:139:PHE:CD1	2.53	0.44
1:A:482:ASN:OD1	1:A:485:LEU:HD23	2.18	0.44
1:B:217:GLN:NE2	1:A:213:GLN:OE1	2.44	0.43
1:A:326:ALA:HA	1:A:355:PHE:O	2.19	0.43
1:A:442:GLU:O	1:A:446:LEU:CD2	2.57	0.43
1:B:319:PRO:O	1:A:142:MET:HB3	2.18	0.43
1:B:269:LEU:HD23	1:B:409:MET:HE1	2.01	0.42
1:B:385:ILE:CG2	1:B:401:ALA:HB3	2.48	0.42
1:A:194:TRP:HB2	1:A:501:VAL:HG13	2.01	0.42
1:B:558:CYS:SG	3:B:602:NSV:N3	2.92	0.42
1:A:170:ARG:HD2	4:A:756:HOH:O	2.18	0.42
1:B:504:ILE:CD1	1:B:517:ARG:HB2	2.49	0.42
1:B:169:ASN:HB3	1:A:219:HIS:CE1	2.55	0.41
1:A:531:ASP:O	1:A:535:LYS:HG3	2.20	0.41
1:B:457:MET:HB2	1:B:529:MET:HE3	2.03	0.41
1:B:221:VAL:O	1:B:424:PRO:HB3	2.20	0.41
1:A:331:HIS:HB3	1:A:334:ASP:OD1	2.21	0.41
1:B:279:TYR:HB2	1:B:325:VAL:HG22	2.02	0.41
1:B:199:TYR:CD2	1:B:364:LEU:HD11	2.56	0.41
1:B:456:HIS:ND1	1:B:529:MET:CE	2.84	0.40
1:A:197:ASN:HD22	1:A:391:LYS:NZ	2.18	0.40
1:B:406:LEU:HD23	1:B:406:LEU:C	2.46	0.40
1:A:156:LYS:HA	1:A:159:ASP:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/469 (90%)	413 (97%)	11 (3%)	0	100	100
1	B	424/469 (90%)	410 (97%)	14 (3%)	0	100	100
All	All	848/938 (90%)	823 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/396 (88%)	339 (98%)	8 (2%)	44	13
1	B	347/396 (88%)	336 (97%)	11 (3%)	34	6
All	All	694/792 (88%)	675 (97%)	19 (3%)	39	9

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	138	TYR
1	B	166	LYS
1	B	176	PRO
1	B	179	GLN
1	B	191	VAL
1	B	204	ARG
1	B	299	LYS
1	B	312	LYS
1	B	323	LYS
1	B	471	CYS
1	B	530	GLU
1	A	137	LEU
1	A	176	PRO
1	A	204	ARG
1	A	323	LYS
1	A	454	VAL
1	A	461	LEU
1	A	468	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	516	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	179	GLN
1	B	180	HIS
1	B	241	GLN
1	A	197	ASN
1	A	502	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NSV	B	602	-	14,14,14	0.48	0	17,18,18	1.13	2 (11%)
2	PLP	B	601	-	16,16,16	0.76	1 (6%)	20,23,23	1.03	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	A	601	-	16,16,16	0.93	1 (6%)	20,23,23	0.99	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NSV	B	602	-	-	2/4/12/12	0/2/2/2
2	PLP	B	601	-	-	6/8/8/8	0/1/1/1
2	PLP	A	601	-	-	5/8/8/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	PLP	P-O4P	3.07	1.70	1.60
2	B	601	PLP	P-O4P	2.12	1.67	1.60

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NSV	C4-C5-N2	2.58	117.73	112.46
3	B	602	NSV	C5-N2-C9	2.47	114.99	111.14
2	A	601	PLP	C2A-C2-C3	-2.07	118.37	120.80

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	PLP	C3-C4-C4A-O4A
2	B	601	PLP	C5A-O4P-P-O1P
2	A	601	PLP	C3-C4-C4A-O4A
3	B	602	NSV	C4-C5-N2-C6
3	B	602	NSV	C4-C5-N2-C9
2	B	601	PLP	C5-C4-C4A-O4A
2	A	601	PLP	C5-C4-C4A-O4A
2	B	601	PLP	C4-C5-C5A-O4P
2	A	601	PLP	C4-C5-C5A-O4P
2	B	601	PLP	C6-C5-C5A-O4P
2	A	601	PLP	C6-C5-C5A-O4P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	601	PLP	C5A-O4P-P-O3P
2	A	601	PLP	C5A-O4P-P-O2P

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	602	NSV	1	0
2	B	601	PLP	1	0
2	A	601	PLP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	429/469 (91%)	0.86	62 (14%) 6 6	5, 24, 44, 77	5 (1%)
1	B	429/469 (91%)	0.88	56 (13%) 7 8	7, 26, 44, 71	6 (1%)
All	All	858/938 (91%)	0.87	118 (13%) 6 7	5, 25, 44, 77	11 (1%)

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	557	PHE	13.7
1	B	143	PHE	13.4
1	B	532	PHE	13.4
1	A	143	PHE	13.1
1	A	181	PHE	11.7
1	A	365	TYR	11.6
1	B	350	TYR	11.4
1	A	380[A]	HIS	10.7
1	B	248[A]	GLN	10.5
1	A	399	TYR	10.3
1	B	137	LEU	8.2
1	A	137	LEU	8.0
1	B	138	TYR	6.8
1	A	139	PHE	6.5
1	A	537	LEU	5.9
1	B	221	VAL	5.4
1	B	471	CYS	5.4
1	B	545	LEU	5.3
1	A	556	ASN	5.1
1	A	191	VAL	5.1
1	B	547	LEU	4.9
1	B	538	LEU	4.6
1	A	545	LEU	4.6
1	B	557	PHE	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	547	LEU	4.5
1	B	541	THR	4.3
1	B	546	PRO	4.3
1	A	548	GLN	4.2
1	B	548	GLN	4.1
1	A	470	PRO	3.9
1	B	335	GLY	3.8
1	A	578	MET	3.8
1	B	577	ASN	3.7
1	A	335	GLY	3.7
1	A	577	ASN	3.6
1	B	188	SER	3.6
1	A	471	CYS	3.6
1	A	138	TYR	3.4
1	B	146	ASP	3.3
1	B	142	MET	3.3
1	A	432	LEU	3.2
1	A	518	LEU	3.2
1	A	538	LEU	3.2
1	A	543	VAL	3.2
1	A	546	PRO	3.1
1	A	574	TYR	3.1
1	B	537	LEU	3.1
1	B	501	VAL	3.0
1	B	319	PRO	3.0
1	A	141	SER	3.0
1	B	321	ILE	3.0
1	B	533	VAL	3.0
1	A	485	LEU	3.0
1	A	140	GLN	3.0
1	A	540	TRP	3.0
1	A	409	MET	2.9
1	A	542	ALA	2.9
1	B	317	SER	2.9
1	A	541	THR	2.9
1	A	142	MET	2.9
1	A	532	PHE	2.8
1	A	188	SER	2.8
1	B	303	ARG	2.8
1	B	543	VAL	2.8
1	A	221	VAL	2.7
1	A	159	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	150	ARG	2.7
1	A	558	CYS	2.7
1	B	159	ASP	2.6
1	A	468	VAL	2.6
1	B	182	SER	2.6
1	A	496	LYS	2.6
1	B	576	GLY	2.6
1	A	576	GLY	2.6
1	A	544	GLY	2.6
1	B	542	ALA	2.6
1	A	272	ILE	2.6
1	A	466	LEU	2.6
1	B	504	ILE	2.5
1	A	146	ASP	2.5
1	B	150	ARG	2.5
1	B	153	ILE	2.4
1	A	148	PHE	2.4
1	A	217	GLN	2.4
1	B	242	GLU	2.4
1	B	544	GLY	2.4
1	B	575	PHE	2.4
1	A	533	VAL	2.3
1	B	139	PHE	2.3
1	B	540	TRP	2.3
1	A	459	GLN	2.3
1	B	578	MET	2.3
1	A	462	MET	2.3
1	B	289	ILE	2.3
1	A	575	PHE	2.2
1	A	535	LYS	2.2
1	A	492	LEU	2.2
1	B	217	GLN	2.2
1	A	484	ALA	2.2
1	A	527	GLN	2.2
1	B	316	LYS	2.2
1	B	457	MET	2.2
1	B	298	ALA	2.2
1	A	158	GLN	2.2
1	B	574	TYR	2.1
1	B	558	CYS	2.1
1	B	573	SER	2.1
1	B	154	MET	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	464	ARG	2.1
1	B	189	LYS	2.1
1	B	470	PRO	2.1
1	B	191	VAL	2.0
1	B	475	ILE	2.0
1	B	147	GLN	2.0
1	A	149	PHE	2.0
1	A	164	VAL	2.0
1	A	460	LEU	2.0
1	A	461	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NSV	B	602	13/13	0.88	0.17	33,35,38,40	13
2	PLP	B	601	16/16	0.92	0.11	22,26,29,38	0
2	PLP	A	601	16/16	0.94	0.09	22,25,30,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.